

S. 1.

A. 50











PROCEEDINGS

OF THE

SCIENTIFIC MEETINGS

OF THE

ZOOLOGICAL SOCIETY OF LONDON.

INDEX.

1881—1890.




PRINTED FOR THE SOCIETY,
SOLD AT THEIR HOUSE IN HANOVER-SQUARE.

LONDON:
MESSRS. LONGMANS, GREEN, AND CO.,
PATERNOSTER ROW.

1892.

ALERE FLAMMAM.



PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

CONTENTS.



	Page
List of the Contributors, from 1881 to 1890, with References to the several Articles contributed by each of them	1
Index of Species described and referred to, 1881 to 1890	107

LIST
OF THE
CONTRIBUTORS,

FROM 1881 TO 1890,

With References to the several Articles contributed by each.

	Page
ABRAHAM, Rev. NENDICK.	
On the Habits of the Tree Trapdoor Spider of Graham's Town.....	1887, 40
ADY, J. E.	
Exhibition of some Microscopical Preparations of Bone	1883, 74
ANDERSON, RICHARD JOHN, M.D., M.A., Professor of Natural History, Queen's College, Galway.	
On the so-called Pelvisternum of certain Verte- brates.....	1886, 163
ANGAS, GEORGE FRENCH, F.L.S., C.M.Z.S.	
Exhibition of a Collection of Butterflies from Dominica, W.I.	1883, 349
On the Terrestrial Mollusca of Dominica, collected during a recent visit to that Island.....	1883, 594
PROC. ZOOL. SOC. INDEX, 1881-90.	1

ARMITAGE, Capt. PERCY.

Exhibition of, and remarks upon, two mounted heads of the Panolia Deer (*Cervus eldi*), obtained in Lower Burmah 1890, 97

BAILY, JOSEPH S., F.L.S.

Descriptions of new South-American Coleoptera of the Genus *Diabrotica* 1889, 88

BALFOUR, FRANCIS M., M.A., F.R.S., Fellow of Trinity College, Cambridge.

On the Evolution of the Placenta, and on the possibility of employing the characters of the Placenta in the Classification of the Mammalia 1881, 210

On the Development of the Skeleton of the Paired Fins of Elasmobranchii, considered in relation to its Bearings on the Nature of the Limbs of the Vertebrata. (Plates LVII. & LVIII.) 1881, 656

BARDELEBEN, Professor KARL.

On the Præpollex and Præhallux, with Observations on the Carpus of *Theriodesmus phylarchus*. (Plate XXX.) 1889, 259

BARKER, DAVID WILSON, F.Z.S., F.R.G.S.

Exhibition of, and remarks upon, some specimens of Teredos taken off the Brazilian coast 1890, 2

BARON, L., L.M.S. Missionary.

Notes on the Habits of the Aye-aye of Madagascar in its Native State. 1882, 639

BARTLETT, ABRAHAM DEE, A.L.S., Superintendent of the Society's Gardens.

Remarks upon the Habits of the Darter (*Plotus anhinga*). 1881, 247

	Page
BARTLETT, A. D., A.L.S., Superintendent of the Society's Gardens (<i>continued</i>).	
On some Hybrid Bovine Animals bred in the Society's Gardens. (Plates XXXIV. & XXXV.)..	1884, 399
On a Female Chimpanzee now living in the Society's Gardens. (Plate XLI.)	1885, 673
Remarks upon the Moulting of the Great Bird of Paradise.....	1887, 392
Observations on Wolves, Jackals, Dogs, and Foxes.	1890, 46
BARTLETT, EDWARD, Curator of the Maidstone Museum.	
On some Mammals and Birds collected by Mr. J. Hauxwell in Eastern Peru	1882, 373
BATES, HENRY WALTER, F.R.S., F.L.S., F.Z.S., &c.	
List of Coleoptera of the Families <i>Carabidæ</i> and <i>Scarabæidæ</i> collected by the late W. A. Forbes on the Lower Niger	1884, 404
On a Collection of Coleoptera from Korea (Tribes Geodephaga, Lamellicornia, and Longicornia) made by Mr. J. H. Leech, F.Z.S.	1888, 367
On some new Species of Coleoptera from Kiu-Kiang, China.....	1888, 380
On new Species of the Coleopterous Family <i>Carabidæ</i> , collected by Mr. J. H. Leech in Kashmir and Baltistan	1889, 210
On new Species of the Coleopterous Families <i>Cicindelidæ</i> and <i>Carabidæ</i> , taken by Mr. Pratt in Chang Yang, near Ichang on the Yang-tsze, China.	1889, 216
On new Genera and Species of Coleopterous Insects from Mount Kinibalu, North Borneo	1889, 383
On some Coleopterous Insects collected by Mr. W. Bonny in the Aruwimi Valley	1890, 479

- BATES, H. W., F.R.S., and JACOBY, MARTIN, F.E.S.
 List of a small Collection of Coleoptera obtained
 by Mr. W. L. Sclater in British Guiana 1887, 490
- BATESON, WILLIAM, M.A., F.Z.S., Fellow of St. John's
 College, Cambridge, and Balfour Student in the
 University.
 On some Cases of Abnormal Repetition of Parts
 in Animals 1890, 579
- BAUER, Dr. F. H., C.M.Z.S.
 Letter from, containing remarks upon a Flying
 Lizard (*Ptychozoon homalocephalum*) 1885, 718
- BEDDARD, FRANK EVERS, M.A., F.R.S.E., F.G.S.,
 F.Z.S., Prosector to the Society, Lecturer on
 Biology at Guy's Hospital.
 Preliminary Notice of the Isopoda collected
 during the Voyage of H.M.S. 'Challenger.'—Part I.
Serolis 1884, 330
 On some Points in the Structure of *Hapalemur*
griseus 1884, 391
 Notice of a Memoir on the Anatomy and Systematic
 Position of a gigantic Earthworm (*Microchaeta*
rappi), from the Cape Colony 1884, 478
 A Contribution to the Anatomy of *Scopus um-*
bretta 1884, 543
 Note on the Presence of an Anterior Abdominal
 Vein in *Echidna* 1884, 553
 On the Structural Characters and Classification
 of the Cuckoos 1885, 168
 On the Heart of *Apteryx* 1885, 188
 Notice of a Memoir on the Anatomy of the Son-
 daic Rhinoceros (*Rhinoceros sondaicus*) 1885, 541
 On the Specific Characters and Structure of certain
 New-Zealand Earthworms. (Plates LII. & LIII.) . 1885, 810

BEDDARD, FRANK E., M.A., F.R.S.E., F.G.S., F.Z.S.,
&c. (*continued*).

- Notes on the Visceral Anatomy of Birds.—No. I.
On the so-called Omentum 1885, 836
- Preliminary Notice of the Isopoda collected during
the Voyage of H.M.S. 'Challenger.'—Part II.
Munnopsidæ 1885, 916
- Preliminary Notice of the Isopoda collected during
the Voyage of H.M.S. 'Challenger.'—Part III. 1886, 97
- Note on the Air-sacs of the Cassowary 1886, 145
- On the Syrinx and other Points in the Anatomy
of the Caprimulgidæ. 1886, 147
- Note on the Structure of a large Species of Earth-
worm from New Caledonia. (Plate XIX.) 1886, 168
- On some Points in the Anatomy of *Chauna cha-
varia* 1886, 178
- Observations on the Ovarian Ovum of *Lepidosiren*
(*Protopterus*). (Plates XXVIII. & XXIX.) 1886, 272
- Descriptions of some new or little-known Earth-
worms, together with an Account of the Variations
in Structure exhibited by *Perionyx excavatus*, E. P. 1886, 298
- Notes on the Convoluted Trachea of a Curassow
(*Nothocrax urumutum*), and on the Syrinx in certain
Storks 1886, 321
- Observations on the Development and Structure
of the Ovum in the Dipnoi. (Plates LII.—LIV.) 1886, 505
- Notes on *Brachyurus calvus*. (Plate XII.) 1887, 119
- On the Structure of a new Genus of Lumbricidæ
(*Thamnodrilus gulielmi*) 1887, 154
- Contributions to the Anatomy of Earthworms.—
Nos. I., II., III. (Plate XXXIII.) 1887, 372
- Notes on a Point in the Structure of *Myrmecobius* 1887, 527
- Contributions to the Anatomy of Earthworms.—
No. IV. 1887, 544

BEDDARD, FRANK E., M.A., F.R.S.E., F.G.S., F.Z.S.,
&c. (*continued*).

Notice of a Memoir entitled "Observations on the Structure of Hooker's Sea-Lion (<i>Arctocephalus hookeri</i>)"	1887, 640
On certain points in the Visceral Anatomy of the Lacertilia, particularly of <i>Monitor</i>	1888, 98
Observations upon an Annelid of the Genus <i>Æolosoma</i> . (Plate XII.)	1888, 213
Notes on the Visceral Anatomy of Birds.—No. II. On the Respiratory Organs in certain Diving Birds.	1888, 252
On certain Points in the Visceral Anatomy of <i>Balæniceps rex</i> , bearing upon its Affinities	1888, 284
Note on the Sternal Gland of <i>Didelphys dimidiata</i> .	1888, 353
Note on a new Gregarine	1888, 355
On certain Points in the Structure of <i>Clitellio</i> (Claparède). (Plate XXIII.)	1888, 485
Note upon the Green Cells in the Integument of <i>Æolosoma tenebrarum</i> . (Plate V.)	1889, 51
On certain points in the Anatomy of the Accipitres, with reference to the Affinities of <i>Polyboroides</i> .	1889, 77
Some Notes upon the Anatomy of the American Tapir (<i>Tapirus terrestris</i>)	1889, 252
On the Oligochætous Fauna of New Zealand, with preliminary Descriptions of new Species	1889, 377
Contributions to the Natural History of an Annelid of the Genus <i>Dero</i>	1889, 440
Contributions to the Anatomy of Picarian Birds.—Part I. On some Points in the Structure of the Hornbills	1889, 587
On the Anatomy of Burmeister's Cariama (<i>Chunga burmeisteri</i>)	1889, 594

BEDDARD, FRANK E., M.A., F.R.S.E., F.G.S., F.Z.S.,
&c. (*continued*).

Observations upon an American Species of *Perichæta*, and upon some other Members of the Genus. (Plates IV. & V.) 1890, 52

Exhibition of, and remarks upon, some living specimens of Oriental Earthworms, found in a greenhouse in Scotland 1890, 94

Notes on the Anatomy of the Condor. 1890, 142

On the Structure of *Psophia* and on its Relations to other Birds 1890, 329

On the Minute Structure of the Eye in some Shallow-Water and Deep-Sea Species of the Isopod Genus *Arcturus*. (Plate XXXI.) 1890, 365

On the Anatomy of *Podica senegalensis*. (Plate XXXIX.) 1890, 425

BEDDARD, FRANK E., M.A., Prosector to the Society,
Lecturer in Biology at Guy's Hospital, and
TREVES, FREDERICK, F.R.C.S., Surgeon to and
Lecturer in Anatomy at the London Hospital.

On the Anatomy of *Rhinoceros sumatrensis*. 1889, 7

BEDDOME, Col. RICHARD HENRY, F.L.S.

Descriptions of Land-Shells from the Island of Koror, Pelew Group. (Plates XI. & XII.) 1889, 112

BELL, FRANCIS JEFFREY, M.A., Sec.R.M.S., F.Z.S.,
Professor of Comparative Anatomy in King's
College, London.

Account of the Echinodermata collected during the Survey of H.M.S. 'Alert' in the Straits of Magellan and on the Coast of Patagonia. (Plates VIII. & IX.) 1881, 87

BELL, F. JEFFREY, M.A., Sec.R.M.S., F.Z.S., &c.

(continued).

Observations on the Characters of the Echinoidea. —IV. The <i>Echinometridæ</i> , their Affinities and Systematic Position	1881, 410
Description of a new Species of the Genus <i>Mespilia</i> .	1881, 433
Contributions to the Systematic Arrangement of the Asteroidea.—I. The Species of the Genus <i>Asterias</i> . (Plates XLVII. & XLVIII.)	1881, 492
Descriptions of new or rare Species of Asteroidea in the Collection of the British Museum. (Plate VI.)	1882, 121
An Attempt to apply a Method of Formulation to the Species of the <i>Comatulidæ</i> ; with the Description of a new Species. (Plate XXXV.)	1882, 530
Exhibition of examples of <i>Limnceus truncatulus</i> ..	1882, 634
Studies in the Holothuroidea.—I. On the Genus <i>Psolus</i> and the Forms allied thereto. (Plate XLVIII.)	1882, 641
Note on a Crinoid from the Straits of Magellan .	1882, 650
Exhibition of, and remarks upon, some microscopical preparations obtained from the Zoological Station at Naples	1883, 47
Studies in the Holothuroidea.—II. Descriptions of new Species. (Plate XV.)	1883, 58
Exhibition of, and remarks upon, some specimens of an undescribed Species of Ten-armed <i>Antedon</i> ..	1883, 466
On the Generic Position and Relations of <i>Echinanthus tumidus</i> , Woods. (Plates II. & III.)	1884, 40
Contributions to the Systematic Arrangement of the Asteroidea.—II. The Species of <i>Oreaster</i>	1884, 57
Exhibition of, and remarks upon, <i>Estheria melitensis</i>	1884, 251
Studies in the Holothuroidea.—III. On <i>Amphicyclus</i> , a new Genus of Dendrochirotus Holothurians, and its bearing on the Classification of the Family..	1884 253

BELL, F. JEFFREY, M.A., Sec.R.M.S., F.Z.S., &c.
(continued).

Studies in the Holothuroidea.—IV. On the Structural Characters of the Cotton-spinner (<i>Holothuria nigra</i>), and especially of its Cuvierian Organs	1884, 372
Studies in the Holothuroidea.—V. Further Notes on the Cotton-spinner	1884, 563
Exhibition of some Models illustrating the paper of Rathke on the Development of the great Blood-vessels in Vertebrates	1885, 3
Note on a Nematoid Worm (<i>Gordius verrucosus</i>) obtained by Mr. H. H. Johnston on Kilima-njaro . .	1885, 236
Exhibition of examples of two Species of Phytophagous Coleoptera from Bombay	1885, 247
Exhibition of a fine specimen of <i>Alpheus megacheles</i> , from Herm, Channel Islands	1885, 719
Exhibition of a specimen of the Genus <i>Balanoglossus</i> , obtained by Mr. Spencer at Herm	1885, 836
Remarks upon the Species of <i>Balanoglossus</i> exhibited to the Society on November 17th last year..	1886, 154
Note on <i>Bipalium kewense</i> , and the Generic Characters of Land-Planarians. (Plate XVIII.)	1886, 166
Exhibition of, and remarks upon, an object made from some portion of the skin of a Mammal	1886, 420
Exhibition of, and remarks upon, a specimen of <i>Tænia nana</i>	1886, 505
Exhibition of, and remarks upon, a bifid specimen of <i>Nereis pelagica</i>	1887, 3
Report on a Collection of Echinodermata from the Andaman Islands. (Plate XVI.)	1887, 139
Extracts from a communication sent to him by Mr. Edgar Thurston, containing Observations on two Species of Batrachians of the Genus <i>Cacopus</i>	1887, 189

BELL, F. JEFFERY, M.A., Sec.R.M.S., F.Z.S., &c.
(continued).

Report on the Echinodermata collected by the Officers of H.M.S. 'Flying-Fish' on Christmas Island	1887, 523
Studies in the Holothuroidea.—VI. Descriptions of new Species. (Plate XLV.)	1887, 531
Exhibition of, and remarks upon, the integumentary glands of a Rocky-Mountain Goat	1887, 579
Exhibition of, and remarks upon, three specimens of a large Pennatulid	1888, 267
Descriptions of Four new Species of Ophiurids. (Plate XVI.)	1888, 281
Exhibition of, and remarks upon, a specimen of <i>Cerianthus membranaceus</i> in its tube	1888, 359
Report on a Collection of Echinoderms made at Tuticorin, Madras, by Mr. Edgar Thurston, C.M.Z.S., Superintendent, Government Central Museum, Madras	1888, 383
Remarks upon <i>Bipalium kewense</i>	1889, 5
Additions to the Echinoderm Fauna of the Bay of Bengal	1889, 6
Descriptions of some new or rare Species of Plexaurids. (Plate III.)	1889, 47
Exhibition of, and remarks upon, specimens of <i>Virgularia mirabilis</i> , <i>Palinurus vulgaris</i> , and <i>Galathea strigosa</i>	1889, 394
Exhibition of, and remarks upon, some living specimens of <i>Bipalium</i>	1890, 3
Notice of a Memoir entitled "Contributions to our Knowledge of the Antipatharian Corals"	1890, 361
Remarks as to the mode of life of the Pennatulids .	1890, 462
Exhibition of, and remarks upon, a specimen of <i>Holothuria nigra</i>	1890, 617

- BELL, F. JEFFERY, M.A., Sec. R.M.S., F.Z.S., and
SMITH, EDGAR A., F.Z.S.
Observations on the "British Marine Area" 1887, 560
- BENNETT, DR. GEORGE, F.Z.S.
Remarks upon the new Tree-Kangaroo (*Dendro-
lagus lumholtzi*) of Northern Queensland 1885, 64
- BENNETT, GEORGE FREDERICK, C.M.Z.S.
Observations on the Habits of the *Echidna hystrix*
of Australia 1881, 737
- BERLEPSCH, HANS GRAF VON, C.M.Z.S., and TACZA-
NOWSKI, L., C.M.Z.S.
Liste des Oiseaux recueillis par MM. Stolzmann et
Siemiradzki dans l'Ecuadeur occidentale. (Plate L.) . 1883, 536
Deuxième liste des Oiseaux recueillis dans l'Ecu-
adeur occidentale par MM. Stolzmann et Siemiradzki.
(Plate XXIV.) 1884, 281
Troisième liste des Oiseaux recueillis par M. Stolz-
mann dans l'Ecuadeur. (Plates VII. & VIII.) 1885, 67
- BIDDULPH, Lieut.-Col. JOHN, F.Z.S.
On the Wild Sheep of Cyprus. (Plate LVIII.) . . 1884, 593
On the Geographical Races of the Rocky-Mountain
Bighorn 1885, 678
- BIDIE, Surgeon-Gen. GEORGE, C.I.E., F.Z.S.
Exhibition of a photograph of, and remarks upon,
Elephants in sexual congress 1887, 560
- BLAAUW, F. E., C.M.Z.S.
Letter from, containing remarks upon the Develop-
ment of the Horns of the White-tailed Gnu (*Cato-
blepas gnu*) 1889, 2

BLANFORD, WILLIAM THOMAS, F.R.S., F.G.S., F.Z.S., &c.

On a Collection of Reptiles and Frogs chiefly from Singapore. (Plates XX. & XXI.) 1881, 215

Notes on the Lizards collected in Socotra by Prof. I. Bayley Balfour. (Plate XLII.) 1881, 464

On a Collection of Persian Reptiles recently added to the British Museum. (Plate LIX.) 1881, 671

Report on the Collection of Drawings of Himalayan Birds lately presented to the Society's Library by Mr. Brian H. Hodgson, F.Z.S. 1884, 56

Exhibition of, and remarks upon, a series of Heads of *Ovis poli* 1884, 326

Exhibition and description of a Skull of an apparently new Species of *Paradoxurus (Paradoxurus jerdoni)* 1885, 612

A Monograph of the Genus *Paradoxurus*, F. Cuv. (Plates XLIX. & L.) 1885, 780

Exhibition (on behalf of Capt. C. S. Cumberland) of a head of a Wild Sheep from Ladak 1885, 851

Exhibition of, and remarks upon, a stuffed skin of *Paradoxurus jerdoni* 1886, 420

Critical Notes on the Nomenclature of Indian Mammals 1887, 620

Exhibition of, and remarks upon, a photograph of the Indian Gaur (*Bos gaurus*) 1890, 463

On the Gaur (*Bos gaurus*) and its Allies. (Plate XLIX.) 1890, 592

BLASIUS, DR. WILHELM, C.M.Z.S.

On a Collection of Birds from the Isle of Ceram made by Dr. Platen in November and December 1881 1882, 697

BOOK, CARL.

- List of Land and Freshwater Shells collected in Sumatra and Borneo, with Descriptions of new Species. (Plate LV.) 1881, 628

BOETTGER, DR. OSCAR, Frankfort-on-the-Main, C.M.Z.S.

- On new *Clausilia* from the Levant, collected by Vice-Admiral T. Spratt, R.N. (Plates XXXIII. & XXXIV.) 1883, 324

- On Five new Species of Shells of the Genus *Bulinus* from the Levant, collected by Vice-Admiral T. Spratt 1885, 23

BOLTON, GAMBIEB, F.Z.S.

- Exhibition of a series of Photographs taken from Animals in the Society's Gardens and in the Menagerie of Mr. Walter Rothschild 1890, 401

- Exhibition of, and remarks upon, a Photograph of Grévy's Zebra (*Equus grevyi*) 1890, 461

BOUCARD, ADOLPHE, C.M.Z.S.

- On a Collection of Birds from Yucatan. By A. BOUCARD. With Notes by OSBERT SALVIN 1883, 434

BOULENGER, GEORGE ALBERT, F.Z.S.

- Description of a new Species of *Enyalis* in the Brussels Museum. (Plate XXVI.) 1881, 246

- On the Lizards of the Genera *Lacerta* and *Acanthodactylus*. (Plates LXIII. & LXIV.) 1881, 739

- Description of a new Species of *Anolis* from Yucatan 1881, 921

- Notes on a South-American Frog lately living in the Society's Gardens. (Plate XIII.) 1882, 264

- Observations on the *Heloderma* 1882, 631

BOULENGER, GEORGE ALBERT, F.Z.S. (*continued*).

Description of an apparently new Species of Lizard of the Genus <i>Sceloporus</i> . (Plate LVI.)	1882, 761
Description of a new Species of Lizard of the Genus <i>Enyalius</i> . (Plate X.)	1883, 46
On the Geckos of New Caledonia. (Plates XXI. & XXII.)	1883, 116
Description of a new Species of <i>Bufo</i> from Japan. (Plate XXIII.)	1883, 139
Report on a Collection of Reptiles and Batrachians from the Timor Laut Islands, formed by Mr. H. O. Forbes. (Plates XLI. & XLII.)	1883, 386
On a Collection of Frogs from Yurimaguas, Huallaga River, Northern Peru. (Plates LVII. & LVIII.)	1883, 635
Note upon a large Lizard of the Genus <i>Phelsuma</i> , from Rodriguez, sent by Mr. J. C. O'Halloran	1884, 1
Diagnoses of new Reptiles and Batrachians from the Solomon Islands, collected and presented to the British Museum by H. B. Guppy, Esq., M.B., H.M.S. 'Lark'	1884, 210
Notice of a Memoir on the Reptiles and Batrachians of the Solomon Islands	1884, 251
Description of a new Variety of <i>Lacerta viridis</i> , from South Portugal. (Plate XXXVIII.)	1884, 418
Notes on the Edible Frog in England. (Plate LV.)	1884, 573
Description of a new Species of Frog from Asia Minor. (Plate III.)	1885, 22
Remarks upon a rare South-American Lizard . .	1885, 63
Exhibition of, and remarks upon, specimens of an Amphisbænoid Lizard and Coral-Snake from Brazil	1885, 327

BOULENGER, GEORGE ALBERT, F.Z.S. (*continued*).

A Description of the German River-Frog (<i>Rana esculenta</i> , var. <i>ridibunda</i> , Pallas). (Plate XL.)	1885, 666
Description of a new Frog of the Genus <i>Megalophrys</i> . (Plate LV.)	1885, 850
Description of a new Iguanoid Lizard living in the Society's Gardens. (Plate XXIII.)	1886, 241
Remarks on Specimens of <i>Rana arvalis</i> exhibited in the Society's Menagerie. (Plate XXIV.)	1886, 242
First Report on Additions to the Batrachian Collection in the Natural History Museum. (Plate XXXIX.)	1886, 411
On two European Species of <i>Bombinator</i> . (Plate L.)	1886, 499
On the South-African Tortoises allied to <i>Testudo geometrica</i> . (Plates LVII. & LVIII.)	1886, 540
Remarks on Prof. W. K. Parker's paper on the Skull of the Chameleons	1886, 543
List of the Reptiles collected by Mr. H. H. Johnston on the Cameroons Mountain	1887, 127
On a Collection of Reptiles and Batrachians made by Mr. H. Pryer in the Loo Choo Islands. (Plates XVII. & XVIII.)	1887, 146
On a new Geckoid Lizard from British Guiana . .	1887, 153
An Account of the Fishes collected by Mr. C. Buckley in Eastern Ecuador. (Plates XX.-XXIV.)	1887, 274
Second Contribution to the Herpetology of the Solomon Islands. (Plate XXVIII.)	1887, 333
On a new Gecko, of the Genus <i>Chondrodactylus</i> , from the Kalahari Desert.	1887, 339
On a new Snake of the Genus <i>Lamprophis</i> now living in the Society's Gardens. (Plate XXXIV.) . .	1887, 397
Report on the Reptiles collected by the Officers of H.M.S. 'Flying-Fish' on Christmas Island	1887, 516

	Page
BOULENGER, GEORGE ALBERT, F.Z.S. (<i>continued</i>).	
On the Systematic Position of the Genus <i>Miolania</i> , Owen (<i>Ceratochelys</i> , Huxley)	1887, 554
Notes on <i>Emys blandingii</i> . (Plate L.)	1887, 555
Exhibition of, and remarks upon, some living specimens of an African Batrachian (<i>Xenopus laevis</i>).	1887, 563
A List of the Reptiles and Batrachians collected by Mr. H. H. Johnston on the Rio del Rey, Came- roons District, W. Africa.	1887, 564
On a new Species of <i>Hyla</i> from Port Hamilton, Corea, based on an example living in the Society's Gardens. (Plate LI.)	1887, 578
Description of a new Genus of Lizards of the Family <i>Teiidae</i>	1887, 640
An Account of the Fishes obtained by Surgeon- Major A. S. G. Jayakar at Muscat, East Coast of Arabia. (Plate LIV.)	1887, 653
Third Contribution to the Herpetology of the Solomon Islands	1888, 88
Note on the Classification of the <i>Ranidae</i>	1888, 204
Exhibition of, and remarks upon, the type spe- cimen of a new Marsupial Tree-Frog (<i>Nototrema</i> <i>fissipes</i>) from Pernambuco	1888, 219
Description of a new Land-Tortoise from South Africa, from Specimens living in the Society's Gardens. (Plate XIV.)	1888, 251
Exhibition of, and remarks upon, a new Genus of Snakes, <i>Azeziops feae</i>	1888, 266
On the Scaling of the Reproduced Tail in Lizards.	1888, 351
On the Reptiles of Christmas Island	1888, 534
On the Species of <i>Rhacophorus</i> confounded under the name of <i>R. maculatus</i>	1889, 27
On some Specimens of Lizards in the Zoological Museum of Halle (Saale). (Plate XV.)	1889, 143

BOULENGER, GEORGE ALBERT, F.Z.S. (*continued*).

Second Account of the Fishes obtained by Surgeon-Major A. S. G. Jayakar at Muscat, East Coast of Arabia. (Plates XXV.-XXVIII.)	1889, 236
Note on <i>Python curtus</i> . (Plate XLV.)	1889, 432
Fourth Contribution to the Herpetology of the Solomon Islands. (Plate II.)	1890, 30
List of Reptiles, Batrachians, and Freshwater Fishes collected by Professor Moesch and Mr. Iversen in the district of Deli, Sumatra	1890, 31
First Report on Additions to the Lizard Collection in the British Museum (Natural History). (Plates VIII.-XI.)	1890, 77
Second Report on Additions to the Batrachian Collection in the Natural-History Museum. (Plates XXV. & XXVI.)	1890, 323
Descriptions of two new Species of the Siluroid Genus <i>Arges</i> . (Plate XLI.)	1890, 450
Note on the Secondary Sexual Characters in the South-African Tortoises of the Genus <i>Homopus</i>	1890, 521
Remarks upon an early reference to the Syrian Newt, <i>Molge vittata</i> , Gray	1890, 591
Exhibition of, and remarks upon, the Skull of a large Sea-Snake (<i>Distira cyanocincta</i>) and three Skulls of the Green Turtle	1890, 617
Notice of a Memoir entitled "Reptiles and Batrachians of Barbary (Morocco, Algeria, Tunisia), based chiefly upon the notes and collections made in 1880-84 by M. Fernand Lataste"	1890, 618
Remarks on the Chinese Alligator. (Plates LI. & LII.)	1890, 619
On the Presence of Pterygoid Teeth in a Tailless Batrachian (<i>Pelobates cultripes</i>), with Remarks on the Localization of Teeth on the Palate in Batrachians and Reptiles	1890, 664
PROC. ZOOLOGICAL SOCIETY, 1881-90.	2

- BOURNE, ALFRED GIBBS, D.Sc. (Lond.), F.L.S., Fell.
Univ. Coll. Lond., Fell. Madras Univ., Professor
of Biology in the Presidency College, Madras.
On Indian Earthworms.—Part I. Preliminary
Notice of Earthworms from the Nilgiris and She-
varoyes 1886, 662
- BOURNE, GILBERT C., B.A., New College, Oxford.
General Observations on the Fauna of Diego
Garcia, Chagos Group 1886, 331
- BRADY, GEORGE STEWARDSON, M.D., F.R.S., F.L.S.,
Professor of Natural History in the Durham
College of Science, Newcastle-upon-Tyne.
Notes on Freshwater Entomostraca from South
Australia. (Plates VIII.—X.) 1886, 82
- BRADY, HENRY BOWMAN, F.R.S., PARKER, W. K.,
F.R.S., and JONES, T. RUPERT, F.R.S.
Notice of Memoir on the Foraminifera procured
on the Abrohlos Bank during the Cruise of H.M.S.
'Plumper' 1887, 3
- BRYDON, Major WILLIAM, B.S.C., F.Z.S.
Exhibition of an Egg of Blyth's Tragopan (*Ceri-
ornis blythi*) 1884, 477
Letter from, containing an account of his efforts
to procure *Budorcas taxicolor* for the Society 1884, 477
- BUCKLEY, THOMAS EDWARD, B.A., F.Z.S.
On the Variability of Plumage exhibited by the
Red Grouse (*Lagopus scoticus*) 1882, 112
- BULLER, Sir WALTER LAWRY, K.C.M.G., D.Sc.,
F.R.S., C.M.Z.S.
On a Species of Crested Penguin (*Eudyptes
sclateri*) from the Auckland Islands. (Plate IX.).. 1889, 82

BURMEISTER, Dr. HERMANN, F.M.Z.S.

- Letter from, describing a Humming-bird from
Tucuman 1887, 638

BURTON, WALTER, F.Z.S.

- Exhibition of a supposed Hybrid between a common
hen Pheasant and a male Blackcock 1883, 578

BUTLER, ARTHUR GARDINER, F.L.S., F.Z.S., &c.,
Assistant Keeper, Zoological Department,
British Museum.

- Account of the Lepidoptera, Orthoptera, and
Hemiptera collected during the Survey of H.M.S.
'Alert' in the Straits of Magellan and on the Coast
of Patagonia 1881, 82

- On the Lepidoptera collected in Socotra by Prof. I.
Bayley Balfour. (Plate XVIII.) 1881, 175

- On a Collection of Lepidoptera from Western
India, Beloochistan, and Afghanistan 1881, 602

- On some new or little-known Spiders from Mada-
gascar. (Plate LVII.) 1882, 763

- On a Collection of Indian Lepidoptera received
from Lieut.-Colonel Charles Swinhoe; with numerous
Notes by the Collector. (Plate XXIV.) 1883, 144

- List of Lepidoptera collected by Mr. H. O. Forbes
in the Islands of Timor Laut. (Plate XXXVIII.) . . 1883, 365

- On a Collection of Lepidoptera made by Major J.
W. Yerbury at or near Aden. (Plate XLVI.) 1884, 478

- An Account of two Collections of Lepidoptera
recently received from Somali-land. (Plate XLVII.) . 1885, 756

- Note on *Aporia hippia* 1886, 80

- On Lepidoptera collected by Major Yerbury in
Western India. (Plate XXXV.) 1886, 355

- Report on the Lepidoptera collected by the Officers
of H.M.S. 'Flying-Fish' on Christmas Island 1887, 522

BUTLER, ARTHUR GARDINER, F.L.S., F.Z.S., &c. (*continued*).

On two small Collections of African Lepidoptera recently received from Mr. H. H. Johnston 1887, 567

On the Lepidoptera received from Dr. Emin Pasha 1888, 56

Descriptions of some new Lepidoptera from Kili-manjaro 1888, 91

On the Lepidoptera of Christmas Island 1888, 542

Description of a new Genus of Fossil Moths belonging to the Geometrid Family *Euschemida*. (Plate XXXI.) 1889, 292

BUTLER, ARTHUR G., F.L.S., F.Z.S., &c., and FENTON, MONTAGUE.

The Butterflies from Japan, by A. G. BUTLER, with which are incorporated Notes and Descriptions of new Species by MONTAGUE FENTON 1881, 846

BUTLER, GERARD W., B.A.

On the Subdivision of the Body-cavity in Lizards, Crocodiles, and Birds. (Plates XLVI.—XLIX.) . . 1889, 452

On the Relations of the Fat-bodies of the Sauro-sida. (Plates LIX. & LX.) 1889, 602

BUTT, GEORGE FREDERICK, F.Z.S.

Exhibition of two examples of a variety of the Red Grouse (*Lagopus scoticus*) shot in Westmore-land 1884, 45

BÜTTIKOFER, J., C.M.Z.S.

Letter from, containing remarks upon the question as to the mode in which the so-called nests of *Callo-calia* are formed 1885, 610

BUXTON, E. W.

Notes on the Wild Sheep and Mountain-Antelope of Algeria 1890, 361

CALDWELL, JAMES, C.M.Z.S.

Letter from, containing notice of the discovery of
a hitherto unknown deposit of Dodo Bones 1885, 719

CAMBRIDGE, REV. OCTAVIUS PICKARD, M.A., F.R.S.,
C.M.Z.S., Hon. Mem. New-Zealand Institute.

Exhibition of, and remarks upon, a Hymeno-
pterous Parasitic Insect 1881, 259

On a new Spider of the Family Theraphosidæ.
(Plate LX.) 1881, 682

On some new Genera and Species of Araneidea.
(Plate LXVI.) 1881, 765

On new Genera and Species of Araneidea.
(Plates XXIX.-XXXI.) 1882, 423

On some new Genera and Species of Spiders.
(Plates XXXVI. & XXXVII.) 1883, 352

On two new Genera of Spiders. (Plate XV.) .. 1884, 196

On some new Species and a new Genus of
Araneidea. (Plate II.) 1889, 34

On a new Tree Trap-door Spider from Brazil .. 1889, 250

On some new Species and two new Genera of
Araneidea. (Plate LIII.) 1890, 620

CAMERANO, DR. LAUBENTIO.

Amphibiorum Italiæ enumeratio systematica 1884, 421

CAMPBELL, FRANCIS MAULE, F.L.S., F.Z.S.

Exhibition of a pair of Pallas's Sand-Grouse, and
remarks on the numerous recent occurrences of this
bird in Western Europe 1888, 291

CARPENTER, PHILIP HERBERT, M.A., D.Sc., F.R.S.,
Assistant Master at Eton College.

Exhibition of, and remarks upon, some microscopical
preparations of *Antedon eschrichti* 1882, 722

- CARPENTER, P. HERBERT, M.A., &c. (*continued*).
- On the Classification of the *Comatulæ* 1882, 731
- CHAMPION, GEORGE C., F.Z.S., F.E.S.
- On the Heteromerus Coleoptera collected by Mr.
 W. Bonny in the Aruwimi Valley. (Plate LVI.).. 1890, 637
- CLARAZ, GEORGES.
- Letter from, on the Rheas of South America 1885, 324
- CLARK, JOHN W., M.A., F.Z.S.
- On a Sea-Lion from the East Coast of Australia
 (*Otaria cinerea*, Péron) 1884, 188
- COCKERELL, THEODORE D. A., F.Z.S.
- Exhibition of, and remarks upon, a living speci-
 men of a Variety of *Parmacella valenciennesi* 1886, 137
- Exhibition of, and notes upon, some Mollusca
 taken at Isleworth, Middlesex 1887, 362
- Letter from, containing remarks on Atavism 1888, 219
- Exhibition of, and remarks upon, a series of Galls
 from Colorado 1890, 97
- COCKS, ALFRED HENEAGE, F.Z.S.
- Note on the Breeding of the Otter 1881, 249
- COLLETT, Professor ROBERT, C.M.Z.S.
- On *Halichærus grypus*, and its Breeding on the
 Fro Islands off Thronhjems-fjord in Norway 1881, 380
- On some apparently new Marsupials from Queens-
 land. (Plates XXIX.-XXXII.) 1884, 381
- On *Echidna acanthion* from Northern Queens-
 land. (Plate X.) 1885, 148
- Notice of a Memoir containing an Account of the
 External Characters of the Northern Fin-Whale .. 1886, 82
- On a new Pediculate Fish from the Sea off
 Madeira. (Plate XV.) 1886, 138

COLLETT, Prof. ROBERT, C.M.Z.S. (*continued*).

On the Hybrid between *Lagopus albus* and *Tetrao tetriv.* (Plates XXI. & XXII.) 1886, 224

On the External Characters of Rudolphi's Rorqual (*Balaenoptera borealis*). (Plates XXV. & XXVI.).. 1886, 243

On *Phascologale virginæ*, a rare Pouched Mouse from Northern Queensland. (Plate LX.) 1886, 548

Exhibition of a nest, eggs, and two young ones in down of the Ivory Gull. 1888, 291

COOKE, Rev. ALFRED HANDS, M.A., F.Z.S.

On the Generic Position of the so-called *Physcæ* of Australia 1889, 136

CORNÉLY, JOSEPH M., C.M.Z.S.

Letter from, respecting the breeding of Michie's Deer in his Menagerie. 1886, 320

COTES, E. C.

Letter from, asking for assistance in studying the question of Economic Entomology in India 1888, 266

CRANE, AGNES.

Notes on the Habits of the Manatees (*Manatus australis*) in Captivity in the Brighton Aquarium .. 1881, 456

On a Brachiopod of the Genus *Atretia*, named in MS. by the late Dr. T. Davidson 1886, 181

CRAWSHAY, RICHARD.

On the Antelopes of Nyasa-land. 1890, 648

CROWLEY, PHILIP, F.L.S., F.Z.S.

Exhibition of some Pupæ of Nocturnal Lepidoptera from Natal 1886, 296

CROWTHER, B.

Remarks on living examples of the Duck-bill (*Ornithorhynchus paradoxus*) which he was proposing to send to the Society's Menagerie 1885, 483

CROWTHER, WILLIAM LODIEWYK, C.M.Z.S.

Letter from, concerning the possibility of obtaining living specimens of the Thylacine for the Society. 1883, 252

CUNNINGHAM, J. T., M.A., F.R.S.E., Fellow of University College, Oxford, and Naturalist to the Marine Biological Association.

On the Mode of Attachment of the Ovum of *Osmerus eperlanus*. (Plate XXX.) 1886, 292

On Secondary Sexual Characters in the Genus *Arnoglossus* 1890, 540

DALY, D. D., Assistant Resident, British North Borneo.

On the Caves containing Edible Birds'-nests in British North Borneo 1888, 108

DARWIN, CHARLES, F.R.S., F.Z.S., and VAN DYCK, W., M.D.

On the Modification of a Race of Syrian Dogs, by means of Sexual Selection 1882, 367

DAVIES, A. M., Assoc. Normal School of Science, S. Kensington; and HOWES, G. B., F.Z.S., F.L.S., Assistant Professor of Zoology, Normal School of Science and R. School of Mines, S. Kensington.

Observations upon the Morphology and Genesis of Supernumerary Phalanges, with especial reference to those of the Amphibia. (Plates XXIV. & XXV.) 1888, 495

DAVIS, JAMES WILLIAM, F.G.S., F.L.S.

Note on a Fossil Species of *Chlamydoselachus* . . 1887, 542

	Page
DAY, FRANCIS, C.I.E., F.L.S., F.Z.S., &c.	
On the Range of <i>Apogon ellioti</i>	1881, 650
On the Identity of <i>Anguilla kieneri</i> , Günther, with a Gadoid <i>Lycodes</i>	1882, 536
On the Identity of <i>Arnoglossus lophotes</i> , Günther, with <i>A. grohmanni</i> . (Plate LIII.).....	1882, 748
On Hybrids between Salmon and Trout.....	1882, 751
On Races and Hybrids among the <i>Salmonidæ</i> ..	1884, 17
Exhibition of, and remarks upon, a specimen of a Dog-fish (<i>Acanthias vulgaris</i>) internally devoured by parasites	1884, 44
On Races and Hybrids among the <i>Salmonidæ</i> .— Part II.	1884, 376
On the Occurrence of <i>Lumpenus lampetrisformis</i> off the East Coast of Scotland. (Plate XLI.)	1884, 445
On Races and Hybrids among the <i>Salmonidæ</i> .— Part III. (Plates LVI. & LVII.)	1884, 581
On Races and Hybrids among the <i>Salmonidæ</i> .— Part IV.	1885, 241
Exhibition of, and remarks upon, a specimen of the Vendace (<i>Coregonus vandesius</i>), the diseased in- testine of a Sea-Trout, and a portion of the sifting- apparatus of the Basking-Shark (<i>Selache maxima</i>)..	1885, 483
On a supposed Hybrid between the Dab (<i>Pleuro- nectes limanda</i>) and the Flounder (<i>P. flesus</i>). (Plate LXII.)	1885, 929
Exhibition of a specimen of a hybrid Pilchard, and of a specimen of a <i>Salmo purpuratus</i> raised in this Country	1887, 50
On a supposed Hybrid between the Pilchard (<i>Clupea pilchardus</i>) and the Herring (<i>C. harengus</i>), and on a specimen of <i>Salmo purpuratus</i> . (Plate XV.)	1887, 129
On the Occurrence of <i>Scorpaena scrofa</i> off the South Coast of England	1887, 342

DAY, FRANCIS, C.I.E., F.L.S., F.Z.S., &c. (*continued*).

Exhibition of, and remarks upon, a specimen of the Spanish Loach (*Cobitis taenia*) and of some hybrid Salmonidæ 1888, 3

Observations on the Fishes of India.—Part I. . . 1888, 258

DENDY, ARTHUR, B.Sc., F.L.S.

Abstract of a Memoir on the West-Indian *Chalininæ*, with Descriptions of new Species 1887, 503

Report on the Porifera collected by the Officers of H.M.S. 'Flying-Fish' on Christmas Island. (Plate XLIV.) 1887, 524

DICKSON, EDWARD DALZEL, M.D., C.M.Z.S.

Remarks upon two Newts (*Molge vittata*) transmitted to the Society 1885, 834

On a Collection of Fishes made at Constantinople. 1889, 135

DISTANT, WILLIAM LUCAS, F.E.S.

Additions to the Rhynchotal Fauna of the Ethiopian Region. (Plate XXXI.) 1881, 270

On some undescribed Cicadidæ from the Australian and Pacific Regions. (Plate VII.) 1882, 125

Contribution to a proposed Monograph of the Homopterous Family Cicadidæ.—Part I. (Plate XXV.) 1883, 187

On the Rhynchota collected by the late W. A. Forbes on the Lower Niger 1884, 458

Report on a Collection of Rhynchota made at Yambuya, on the River Aruwimi, by Mr. W. Bonny, of the Emin Pasha Relief Expedition under Mr. H. M. Stanley 1890, 473

DOBIE, W. H.

Exhibition of, and remarks upon, a specimen of Sabine's Gull (*Xema sabinii*), shot at Mostyn, on the coast of Flintshire, North Wales 1886, 81

DOBSON, GEORGE EDWARD, M.A., M.B., F.R.S., F.L.S., F.Z.S.	
Notes on the Anatomy of the <i>Erinaceidæ</i>	1881, 389
On the Structure of the Pharynx, Larynx, and Hyoid Bones in the <i>Epomophori</i> ; with Remarks on its Relation to the Habits of these Animals	1881, 685
Notes on the Muscular Anatomy of <i>Cercopithecus callitrichus</i>	1881, 812
On the Natural Position of the Family <i>Dipodidæ</i> .	1882, 640
On the Myology and Visceral Anatomy of <i>Ca- promys melanurus</i> , with a Description of the Species. (Plates XVIII.–XXI.)	1884, 233
On the Unimportance of the Presence or Absence of the Hallux as a Generic Character in Mammalogy, as shown by the gradual Disappearance of this Digit within the limits of a single Genus.	1884, 402
Exhibition of, and remarks upon, a diagram de- signed to illustrate the Evolution of the Mammalia according to Prof. Huxley	1884, 562
Exhibition of, on behalf of M. Lataste, and re- marks upon, two skulls of <i>Crocidura aranea</i> with anomalous dentition	1885, 324
On the Genus <i>Myosorex</i> , with Description of a new Species from the Rio del Rey (Cameroons) District	1887, 575
A Synopsis of the Genera of the Family <i>Soricidæ</i> .	1890, 49

DOUGLAS-OGILBY, J. See OGILBY, J. DOUGLAS.

DRESSER, HENRY EELES, F.L.S., F.Z.S.

Exhibition of examples of <i>Saxicola deserti</i> and <i>Picus pubescens</i> —the former shot in Clackmannan- shire, the latter in France	1881, 453
Exhibition of, and remarks upon, the identity of <i>Melittophagus boehmi</i> and <i>Merops dresseri</i>	1882, 634

DRESSER, HENRY EELES, F.L.S., F.Z.S. (*continued*).

- Exhibition of, and remarks upon, a specimen of *Merops philippinus*, stated to have been obtained near the Snook, Seaton Carew 1883, 1
- Exhibition of, and remarks upon, some Ringed Pheasants from Corea 1883, 466
- Exhibition of, and remarks upon, specimens of *Sylvia nisoria* and *Hypolais icterina*, killed in Norfolk 1884, 477
- Exhibition of, and remarks upon, specimens of the American Killdeer Plover (*Ægialitis vocifera*) and the Desert Wheatear (*Saxicola deserti*) killed in Great Britain 1885, 835
- Exhibition of, and remarks upon, some specimens of a Titmouse obtained by Dr. Guillemard in Cyprus. 1887, 563
- Exhibition of, and remarks upon, an example of a new Species of Shrike (*Lanius raddei*) from the Transcaspian District 1888, 291
- Exhibition of, and remarks upon, some eggs of the Adriatic Black-headed Gull and the Slender-billed Gull obtained in Andalusia 1889, 316

DRUCE, HERBERT, F.L.S., F.Z.S., &c.

- Descriptions of a new Genus and new Species of Heterocera. (Plates LX. & LXI.) 1882, 777
- Descriptions of new Species of *Zygenida* and *Arctiida*. (Plates XXXIX. & XL.) 1883, 372
- On the Lepidoptera collected by the late W. A. Forbes on the Banks of the Lower Niger.—HETERO-CERA. (Plate XVII.) 1884, 219
- On a Collection of Heterocera from Dominica. (Plate XXV.) 1884, 321
- Descriptions of new Species of Lepidoptera Heterocera, chiefly from South America. (Plates XXXII. & XXXIII.) 1885, 518

DRUCE, HERBERT, F.L.S., F.Z.S., &c. (*continued*).

Descriptions of some new Species of Heterocera from Tropical Africa. (Plates XXXVII. & XXXVIII.) 1886, 409

Descriptions of some new Species of Lepidoptera Heterocera, mostly from Tropical Africa. (Plate LV.) 1887, 668

List of Lepidoptera Heterocera collected by Mr. C. M. Woodford at Suva, Vitu Levu, Fiji Islands, with the Descriptions of some new Species. (Plate XIII.) 1888, 219

List of the Lepidoptera Heterocera, with Descriptions of the new Species, collected by Mr. C. M. Woodford at Aola, Guadalcanar Island, Solomon Islands. (Plate XXIX.)..... 1888, 570

Descriptions of new Species of Lepidoptera Heterocera from Central and South America. (Plates XLII. & XLIII.) 1890, 493

DRUMMOND-HAY, Lt.-Col. HENRY M., C.M.Z.S.

Exhibition of a specimen of the Desert Wheatear (*Saxicola deserti*) killed in Scotland 1888, 140

DUNCAN, Professor PETER MARTIN, M.B. (Lond.),
F.R.S., Pres. Royal Micros. Soc. &c.

On some recent Corals from Madeira. (Plate VIII.) 1882, 213

On the Madreporarian Genus *Phymastrea* of Milne-Edwards and Jules Haime, with a Description of a new Species 1883, 406

DYBOWSKI, Dr.

Notice sur la différence sexuelle entre les crânes de la *Rhytina stelleri*..... 1883, 72

ELWES, HENRY JOHN, F.L.S., F.Z.S., &c.

On the Butterflies of Amurland, North China, and Japan..... 1881, 856

ELVES, HENRY JOHN, F.L.S., F.Z.S., &c. (*continued*).

- On a Collection of Butterflies from Sikkim. (Plate XXV.) 1882, 398
- Remarks upon his recent Expedition to the Aures Mountains in Algeria 1882, 459
- On Butterflies of the Genus *Parnassius*. (Plates I.-IV.) 1886, 6
- Description of some new Lepidoptera from Sikkim. 1887, 444
- On some new Moths from India. (Plates XXXII.-XXXIV.) 1890, 378

EMIN PASHA, Dr., C.M.Z.S.

- Letter from, containing remarks upon the presence of an Anthropoid Ape in Eastern Equatorial Africa. 1886, 418
- Letter from, referring to some Collections sent to the British Museum 1887, 564
- Letter from, concerning the despatch of Natural History objects 1888, 358
- Letters from, concerning some Zoological Specimens forwarded for the Society's acceptance 1890, 361
- Letter from, containing Remarks upon a Striped Hyæna occurring in Tabora, East Africa. 1890, 647

ESEUT, WILLIAM BANCROFT, F.L.S.

- On the Acclimatization of the Indian Mungoos in Jamaica 1882, 712

EVERETT, ALFRED HAST, C.M.Z.S.

- Extract from a letter, containing a notice of the Collection made by Mr. Whitehead on Kina Balu Mountain in Northern Borneo. 1887, 502
- Remarks on the Zoo-geographical Relationships of the Island of Palawan and some adjacent Islands. (Plate XXIII.) 1889, 220

- FAYRER, Sir JOSEPH, K.C.S.I., M.D., LL.D., F.R.S.,
F.Z.S.
- Remarks on the Bite of the *Heloderma* 1882, 632
- Exhibition of, and remarks upon, a portion of a
Deer's Horn apparently gnawed by other Deer 1883, 578
- Exhibition of some additional specimens of Deer's
Antlers gnawed by other Deer 1884, 2
- FENTON, MONTAGUE, and BUTLER, ARTHUR G., F.L.S,
F.Z.S., &c.
- On Butterflies from Japan, by A. G. BUTLER, with
which are incorporated Notes and Descriptions of
New Species by MONTAGUE FENTON 1881, 846
- FINSCH, Dr. OTTO, C.M.Z.S., &c.
- On a new Species of Wild Pig from New Guinea. 1886, 217
- FISK, Rev. GEORGE H. R., C.M.Z.S.
- Extract from a letter from, concerning ways in
which the increase of Snakes is kept within moderate
limits 1883, 32
- Remarks upon a Snake (*Pelamis bicolor*) captured
at the entrance to Table Bay 1885, 482
- Extract from a letter, respecting the killing and
eating, by a Mouse, of a young venomous Snake .. 1887, 340
- Extract from a letter containing remarks upon
Bipalium kewense 1889, 586
- Exhibition of an albino Bat from Somerset West,
Cape Colony 1890, 97
- FLETCHER, J. J., M.A. (Syd.), B.Sc. (Lond.), and LISTER,
J. J., B.A., F.Z.S., St. John's College, Cambridge,
Demonstrator of Comparative Anatomy in the
University of Cambridge.
- On the Condition of the Median Portion of the
Vaginal Apparatus in the *Macropodidae* 1881, 976

FLOWER, WILLIAM HENRY, C.B., LL.D., F.R.S., F.L.S.,
 President of the Society, Superintendent of the
 Natural History Collection, British Museum.

On the Elephant Seal, <i>Macrorhinus leoninus</i> (Linn.)	1881, 145
Notes on the Habits of the Manatee	1881, 453
On the Mutual Affinities of the Animals composing the Order EDENTATA	1882, 358
Remarks on the death of Charles Darwin	1882, 390
On the Cranium of a new species of <i>Hyperoodon</i> from the Australian Seas	1882, 392
Exhibition of, and remarks upon, the Skull of a young Chimpanzee	1882, 634
Exhibition of a photograph (presented to the Society by James Farmer, F.Z.S.) of Seal Point, Farallone Islands	1882, 722
On the Whales of the Genus <i>Hyperoodon</i>	1882, 722
On the Arrangement of the Orders and Families of existing Mammalia	1883, 178
On the Characters and Divisions of the Family <i>Delphinidae</i>	1883, 466
On a Specimen of Rudolphi's Rorqual (<i>Balænoptera</i> <i>borealis</i> , Lesson), lately taken on the Essex Coast ..	1883, 513
Remarks upon the Burmese Elephant deposited in the Society's Gardens	1884, 44
Remarks on the Society's Removal to their New Premises	1884, 205
Exhibition of, and remarks upon, four Skulls of the Common Bottle-nose Whale (<i>Hyperoodon ros-</i> <i>tratus</i>), showing the Development, with age, of the Maxillary Crests	1884, 206
Exhibition of a mass of pure Spermaceti obtained from the "Head-matter" of Hyperoodons	1884, 206

FLOWER, WILLIAM HENRY, C.B., LL.D., F.R.S., F.L.S.
(continued).

- Note on the Dentition of a young Capybara (*Hydrochaerus capybara*) 1884, 252
- Note on the names of two Genera of *Delphinidæ*. 1884, 417
- Exhibition of, and remarks upon, a rare species of Armadillo belonging to the Museum of the Scarborough Philosophical Society 1886, 419
- Extracts from a letter from Dr. Emin Pasha, containing some remarks upon Natural History specimens procured in Monbottu 1887, 468
- Exhibition of a photograph of, and remarks upon, a specimen of Rudolphi's Whale (*Balænoptera borealis*) taken in the Thames..... 1887, 564
- On the Pigmy Hippopotamus of Liberia, *Hippopotamus liberiensis* (Morton), and its claims to distinct Generic Rank 1887, 612
- Exhibition of, and remarks upon, a specimen of a Japanese Domestic Cock with elongated upper tail-coverts 1888, 248
- Exhibition of, and remarks upon, the skin of the face of a male African Rhinoceros with a third horn. 1889, 448
- Exhibition of, and remarks upon, a photograph of the nest of a Hornbill (*Toccus melanoleucus*) in which the female was shown "walled in"..... 1890, 401

FORBES, HENRY OGG, F.Z.S., F.R.G.S.

- On a Species of *Myzomela* from the Island of Boeroe 1883, 115
- On the Habits of *Thomisus decipiens*, a Spider from Sumatra. (Plate LI.) 1883, 586
- On a new Species of Thrush from Timor Laut, with remarks on some rare Birds from that Island and from the Moluccas. (Plates LII. & LIII.).... 1883, 588

FORBES, HENRY OGG, F.Z.S., F.R.G.S. (*continued*).

Remarks on a Paper by Dr. A. B. Meyer on a Collection of Birds from the East-Indian Archipelago, with special reference to those described by him from the Timor-Laut group of Islands 1884, 425

FORBES, WILLIAM ALEXANDER, B.A., F.L.S., F.Z.S.,
Prosector to the Society.

On some Points in the Anatomy of the Koala (*Phascolarctos cinereus*) 1881, 180

Note on Mr. Bartlett's Communication on the Habits of the Darter 1881, 248

Contributions to the Anatomy of Passerine Birds. —Part IV. On some Points in the Anatomy of the Genus *Conopophaga* and its Systematic Position . . . 1881, 435

Notice of a Memoir on the External Form and on the Anatomy of the Californian Sea-lion (*Otaria gillespii*) 1881, 453

Notes on the Anatomy and Systematic Position of the Jaçanás (*Parridæ*) 1881, 639

On the Petrel called *Thalassidroma nereis* by Gould, and its Affinities 1881, 735

On the Conformation of the Thoracic End of the Trachea in the "Ratite" Birds 1881, 778

Note on the Structure of the Palate in the Trogons (*Trogonidæ*) 1881, 836

Note on the Systematic Position of *Eupetes macrocerus* 1881, 837

Observations on the Incubation of the Indian Python (*Python molurus*), with special regard to the alleged Increase of Temperature during that process. 1881, 960

Exhibition of the Horns of a Prongbuck, and remarks upon the shedding of them 1882, 1

FORBES, WILLIAM ALEXANDER, B.A., F.L.S., F.Z.S.,
&c. (*continued*).

Note on the Gall-bladder, and some other Points
in the Anatomy of the Toucans and Barbets (*Cupitoni-
tonidæ*) 1882, 94

On some Points in the Anatomy of the Indian
Darter (*Plotus melanogaster*), and on the Mechanism
of the Neck in the Darters (*Plotus*), in connexion
with their Habits 1882, 208

Description of the Pterylosis of *Mesites*, with Re-
marks on the Position of that Genus 1882, 267

On some Points in the Anatomy of the Great
Anteater (*Myrmecophaga jubata*). (Plate XV.).... 1882, 287

Note on a Peculiarity in the Trachea of the Twelve-
wired Bird-of-Paradise (*Seleucidés nigra*) 1882, 333

On the Convoluted Trachea of two Species of
Manucode (*Manucodia atra* and *Phonygama gouldi*);
with Remarks on similar Structures in other Birds . 1882, 347

Note on an Abnormal Specimen of *Pithecia satanas*. 1882, 442

On some Points in the Anatomy of the Todies
(*Todidæ*), and on the Affinities of that Group 1882, 442

Note on some Points in the Anatomy of an Aus-
tralian Duck (*Biziura lobata*) 1882, 455

Contributions to the Anatomy of Passerine Birds.
—Part V. On the Structure of the Genus *Orthonyx*. 1882, 544

Exhibition of, and remarks upon, some prepara-
tions showing the rudimentary hallux of several birds
commonly described as three-toed 1882, 548

Contributions to the Anatomy of Passerine Birds.
—Part VI. On *Xenicus* and *Acanthisitta* as types of
a new Family (*Xenicidæ*) of Mesomyodian Passeres
from New Zealand 1882, 569

Supplementary Notes on the Anatomy of the
Chinese Water-Deer (*Hydropotes inermis*) 1882, 636

FOWLER, G. HERBERT, B.A., Ph.D., Assistant to the
Jodrell Professor of Zoology, University Col-
lege, London.

On a new *Pennatulula* from the Bahamas. (Plate
VI.) 1888, 135

FRENZEL, Dr. A., of Freiberg, Saxony.

Letter from, addressed to the Secretary, concerning
the breeding of some Parrots of the genus *Eclectus* in
captivity..... 1881, 916

GADOW, HANS, Ph.D., M.A., F.Z.S., Strickland Curator
and Lecturer on the Advanced Morphology of
Vertebrata in the University of Cambridge.

On some Points in the Anatomy of *Pterocles*, with
Remarks on its Systematic Position 1882, 312

On the Colour of Feathers as affected by their
Structure. (Plates XXVII. & XXVIII.) 1882, 409

On the Suctorial Apparatus of the Tenuirostres.
(Plate XVI.)..... 1883, 62

Notice of a Communication on the Arrangement
and Disposition of the Muscles of the Avian Syrinx 1883, 74

On the Anatomical Differences in the three Species
of *Rhea* 1885, 308

Remarks on the Numbers and on the Phylogenetic
Development of the Remiges of Birds 1888, 655

On the Taxonomic Value of the Intestinal Con-
volutions in Birds. (Plate XXXII.) 1889, 303

GAHAN, CHARLES J., M.A., F.E.S.

On the Coleoptera of Christmas Island 1888, 538

GARRETT, ANDREW J., of Huahine, Society Islands.

On the Terrestrial Mollusks of the Viti Islands.—
Part I..... 1887, 164

GARRETT, ANDREW, &c. (*continued*).

On the Terrestrial Mollusks of the Viti Islands.—

Part II. 1887, 284

GARSON, JOHN GEORGE, M.D., F.Z.S.

Notes on the Anatomy of *Sus salvanius* (*Porcula salvania*, Hodgson).—Part I. External Characters and Visceral Anatomy 1883, 413

Exhibition of a specimen of *Lithodes maia*, the Northern Stone-Crab 1884, 329

GERRARD, EDWARD, JUN.

Exhibition of specimens of the heads and skulls of two African Rhinoceroses (*Rhinoceros bicornis* and *R. simus*) 1886, 125

GIGLIOLI, HENRY HILLYER, C.M.Z.S.

On a supposed new Genus and Species of Pelagic Gadoid Fishes from the Mediterranean. (Plate XXXIV.) 1889, 328

GIGLIOLI, HENRY H., C.M.Z.S., and SALVADORI, TOMMASO, C.M.Z.S.

Brief Notes on the Fauna of Corea and the adjoining coast of Manchuria. (Plate LII.) 1887, 580

GODMAN, FREDERICK DUCANE, F.R.S., F.L.S., F.Z.S.

A List of the Lepidoptera collected by Mr. H. H. Johnston during his recent expedition to Kilimanjaro 1885, 537

Exhibition of a series of examples of *Danais plexippus* from various localities 1886, 154

Exhibition of a pair of *Ornithoptera victoriae* 1887, 190

GODMAN, FREDERICK DUCANE, F.L.S., F.Z.S., and SALVIN, OSBERT, M.A., F.R.S., F.Z.S.

On a new Species of *Agrias* from the Valley of the Amazons. (Plate XIX.) 1882, 338

GODMAN, F. DUCANE, and SALVIN, OSBERT (*continued*).

On some Rhopalocera from New Ireland	1882, 754
On a third Species of <i>Otidiphaps</i>	1883, 33
Note on the Variation of certain Species of <i>Agrias</i>	1883, 384
On the Lepidoptera collected by the late W. A. Forbes on the Banks of the Lower Niger.—RHOPALOCERA. (Plate XVII.)	1884, 219
A List of the Rhopalocera collected by Mr. G. French Angas in the Island of Dominica. (Plate XXV.)	1884, 314

GODWIN-AUSTEN, Lieut.-Col. HENRY HAVERSHAM,
F.R.S., F.Z.S., &c.

On the Land-Shells of the Island of Socotra collected by Prof. I. Bayley Balfour.—Part I. CYCLOSTOMACEÆ. (Plates XXVII. & XXVIII.)	1881, 251
On the Land-Shells of the Island of Socotra collected by Prof. I. Bayley Balfour.—Part II. HELICACEÆ. (Plates LXVIII. & LXIX.)	1881, 801
On Specimens of the Male and Female of <i>Phasianus humice</i> , from Manipur, with a Description of the latter. (Plate LI.)	1882, 715
On the Freshwater Shells of the Island of Socotra collected by Professor I. Bayley Balfour.—Part III. (Plates I. & II.)	1883, 2
Exhibition of, and remarks upon, an old Indian drawing containing a figure of a White Elephant . .	1884, 251
On some Land-Mollusks from Burmah, with Descriptions of some new Species.—Part I.	1888, 240
On a Collection of Land-Shells made in Borneo by Mr. A. Everett, with Descriptions of supposed new Species.—Part I. CYCLOSTOMACEÆ. (Plates XXXV.—XXXIX.)	1889, 332

GOODCHILD, JOHN GEORGE, F.Z.S., F.G.S., H.M. Geological Survey.

Observations on the Disposition of the Cubital Coverts in Birds 1886, 184

GOODWIN, A. P., F.R.G.S.

Exhibition of, and remarks upon, some rare Paradise-birds, procured during Sir William Macgregor's recent expedition to Mount Owen-Stanley, New Guinea 1889, 451

GORHAM, REV. HENRY STEPHEN, F.Z.S., F.E.S.

Descriptions of new Species of Beetles belonging to the Family *Erotylidæ*. (Plate XVIII.) 1883, 75

Revision of the Phytophagous Coleoptera of the Japanese Fauna: Subfamilies *Cassidinae* and *Hispinae* 1885, 280

On new Genera and Species of *Endomychidæ*. (Plate XVII.) 1886, 154

On the Classification of the Coleoptera of the Subfamily *Languriides* 1887, 358

Revision of the Japanese Species of the Coleopterous Family *Endomychidæ*. (Plate LIII.) 1887, 642

Descriptions of new Species and of a new Genus of Coleoptera of the Family *Telephoridæ*. (Plate X.) 1889, 96

Descriptions of new Species of the Coleopterous Family *Erotylidæ*. (Plate LXI.) 1889, 613

GRANT, COL. JAMES AUGUSTUS, C.B., C.S.I., F.R.S., F.Z.S.

Notes on the Zebra met with by the 'Speke and Grant' Expedition in Eastern Africa 1883, 175

GRANT, WILLIAM R. OGLIVIE.

A Revision of the Fishes of the Genera *Sicydium* and *Lentipes*, with Descriptions of five new Species. (Plates XI. & XII.) 1884, 153

GRANT, W. R. OGILVIE (*continued*).

A List of the Birds collected by Mr. Charles Morris Woodford in the Solomon Archipelago. (Plate XXVIII.) 1887, 328

Second List of the Birds collected by Mr. C. M. Woodford in the Solomon Archipelago. (Plate X.) 1888, 185

GRAY, DAVID, Commander of the Whaling Steamer 'Eclipse.'

Notes on the Characters and Habits of the Bottle-nose Whale (*Hyperoodon rostratus*) 1882, 726

GREEN, JOSEPH F., F.Z.S.

Exhibition of a large example of the Common Eel (*Anguilla vulgaris*) 1889, 327

GUILLEMARD, FRANCIS HENRY HILL, M.A., M.D., F.L.S., F.Z.S., &c.

Report on the Collections of Birds made during the Voyage of the Yacht 'Marchesa.'—I. A Provisional List of the Birds inhabiting the Sulu Archipelago. (Plates XVII. & XVIII.) 1885, 247

Report on the Collections of Birds made during the Voyage of the Yacht 'Marchesa.'—Part II. Borneo and the Island of Cagayan Sulu. (Plate XXV.) 1885, 404

Report on the Collections of Birds made during the Voyage of the Yacht 'Marchesa.'—Part III. On the Collection of Birds from the Island of Sumbawa. (Plate XXIX.) 1885, 501

Report on the Collection of Birds obtained during the Voyage of the Yacht 'Marchesa.'—Part IV. Celebes 1885, 542

Report on the Collection of Birds obtained during the Voyage of the Yacht 'Marchesa.'—Part V. The Molucca Islands. (Plate XXXIV.) 1885, 561

GUILLEMARD, F. H. H., M.A., M.D., &c. (*continued*).

- Report on the Collection of Birds formed during the Voyage of the Yacht 'Marchesa.'—Part VI. New Guinea and the Papuan Islands. (Plate XXXIX.) 1885, 615
- Remarks on *Ovis nivicola* 1885, 675

GÜNTHER, ALBERT C. L. G., M.A., M.D., Ph.D., F.R.S., F.Z.S., Keeper of the Zoological Department, British Museum.

- Account of the Reptiles, Batrachians, and Fishes collected during the Survey of H.M.S. 'Alert' in the Straits of Magellan and on the Coast of Patagonia. (Plates I. & II.) 1881, 18
- Notes on the Species of *Rhynchocyon* and *Petrodromus*. (Plate XIV.) 1881, 163
- Descriptions of the Amphisbænians and Ophidians collected by Prof. I. Bayley Balfour in the Island of Socotra. (Plates XL. & XLI.) 1881, 461
- Exhibition of a specimen of a Mediterranean fish (*Schedophilus medusophagus*) captured at Portrush, in Ireland 1881, 734
- Exhibition of, and remarks upon, a Skin of a Variety of the Leopard (*Felis pardus*) 1882, 312
- Exhibition of, and remarks upon, the Shell of a new Tortoise of the Genus *Geoemyda* from Siam . . 1882, 312
- Description of a new Species of Tortoise (*Geoemyda impressa*) from Siam 1882, 343
- Exhibition, on behalf of Sir J. W. P. Campbell Orde, Bart., F.Z.S., of a specimen of a Charr (*Salmo alpinus*) obtained in a loch on North Uist, Hebrides. 1882, 722
- Note on a supposed Melanotic Variety of the Leopard from South Africa. (Plate XVI.) 1885, 243
- Second Note on the Melanotic Variety of the South-African Leopard 1886, 203

GÜNTHER, ALBERT C. L. G., M.A., M.D., Ph.D., &c.
(continued).

Exhibition of a specimen of a small Fish of the Genus <i>Fierasfer</i> imbedded in a Pearl-Oyster	1886, 318
Exhibition of a Hybrid between a Golden Pheasant and a Reeves' Pheasant, also of a Hybrid between a white Fantail Pigeon and a Collared Dove	1887, 503
Report on a Zoological Collection made by the Officers of H.M.S. 'Flying-Fish' at Christmas Island, Indian Ocean. (Plates XLI.-XLIV.)	1887, 507
Descriptions of two new Species of Fishes from Mauritius. (Plates XLVIII. & XLIX.)	1887, 550
Report on a Collection of Reptiles and Batrachians sent by Dr. Emin Pasha from Monbuttu, Upper Congo	1888, 50
Exhibition of, and remarks upon, some Fishes from the West Coast of Scotland	1889, 27
Notice of two Fishes new to the British Fauna. (Plate IV.)	1889, 50
Exhibition of a mounted specimen of <i>Gazella thomsoni</i>	1889, 59
On some Fishes from the Kilima-njaro district. (Plate VIII.)	1889, 70
Description of a new Antelope from Southern Central Africa	1889, 73
Note on a Bornean Porcupine, <i>Trichys lipura</i> . .	1889, 75
A Contribution to our Knowledge of British Pleuronectidæ. (Plate III.)	1890, 40
Description of a new Species of Deep-sea Fish from the Cape (<i>Lophotes fiski</i>). (Plates XIX. & XX.)	1890, 244
Note on the Skull of the East-African Reed-Buck (<i>Cervicapra bohor</i>)	1890, 604

GURNEY, JOHN HENRY, F.Z.S.

On the Geographical Distribution of *Huhua nipalensis*, Hodgs., with Remarks on this and on some allied Species. (Plate LIII.) 1884, 558

GURNEY, JOHN HENRY, Jun., F.Z.S.

Exhibition of, and remarks upon, a specimen of a Hybrid Wagtail. 1889, 394

Exhibition of a specimen of a Hybrid between the Tree-Sparrow and the House-Sparrow 1890, 147

HAAST, Prof. JULIUS VON, C.M.G., Ph.D., F.R.S., C.M.Z.S.

Further Notes on *Ziphius (Epiodon) novæ zealandiæ*, von Haast 1883, 590

Notes on a Skeleton of *Balænoptera australis*, Desmoulins, the Great Southern Rorqual or "Sulphur-Bottom" of Whalers 1883, 592

Notice of a Memoir on a new Species of *Dinornis*. 1885, 482

Notice of a Memoir on the remains of a gigantic extinct Bird (*Megalapteryx hectori*) allied to *Apteryx*. 1885, 541

HALL, EDMUND S., Student of Guy's Hospital.

On a Case of the Occurrence of a persistent Right posterior Cardinal Vein in the Rabbit. 1890, 577

HAMILTON, EDWARD, M.D., F.L.S., F.Z.S.

Remarks upon the supposed existence of the Wild Cat (*Felis catus*) in Ireland 1885, 211

HANLEY, SYLVANUS, F.L.S., F.Z.S.

On the Genus *Leptomya* (A. Adams) 1882, 576

HARTING, JAMES EDMUND, F.L.S., F.Z.S.

Exhibition of, and remarks upon, a mummified Bird from an island on the coast of Peru 1882, 311

On the Eggs of some rare Wading Birds from Madagascar 1882, 353

HARTING, JAMES EDMUND, F.L.S., F.Z.S. (*continued*).

Remarks upon the desirability of adopting a Standard of Nomenclature for the description of Colours 1882, 391

Exhibition of a specimen of a South-African Eagle-Owl, stated to have been killed in Ireland . . 1882, 688

Exhibition of, and remarks upon, some Antlers of the Roe-deer (*Capreolus caprea*) from Dorsetshire . . 1884, 152

HARTLAUB, DR. GUSTAV, F.M.Z.S.

On the Birds collected in Socotra and Southern Arabia by Dr. Emil Riebeck. (Plate LXXII.) 1881, 953

On a new Species of *Salpornis* from Eastern Equatorial Africa. (Plate XXXVII.) 1884, 415

On a new Species of Parrot of the Genus *Psittacula*. (Plate XXXVIII.) 1885, 613

HARTLAUB, DR. G., F.M.Z.S., and SCLATER, P. L.,
M.A., Ph.D., F.R.S., &c.

On the Birds collected in Socotra by Prof. I. Bayley Balfour. (Plates XV.-XVII.) 1881, 165

HENRY, DR. AUGUSTINE.

Notes on two Mountain-Antelopes of Central China 1890, 93

HOLDSWORTH, EDMUND WILLIAM HUNT, F.L.S.,
F.Z.S., &c.

Exhibition of an example of White's Thrush, killed near Ashburton, Devon 1881, 260

HOLMWOOD, FREDERIC, C.B., C.M.Z.S.

On the Employment of the Remora by Native Fishermen on the East Coast of Africa 1884, 411

HOWARTH, OSBERT H.

Exhibition of, and remarks upon, a specimen of
Coral of the Genus *Dendrophyllia* 1885, 483

HOWES, GEORGE BOND, F.L.S., F.Z.S., Assistant Pro-
fessor of Zoology, Normal School of Science
and Royal School of Mines, South Kensington.

On the Skeleton and Affinities of the Paired Fins
of *Ceratodus*, with Observations upon those of the
Elasmobranchii. (Plates I.-III.) 1887, 3

Exhibition of, and remarks upon, an original
drawing of the head of an abnormal *Palinurus* (*P.*
pénicillatus) 1887, 468

On a hitherto unrecognized Feature in the Larynx
of the Anurous Amphibia 1887, 491

Note on the Azygos Veins in the Anurous Am-
phibia 1888, 122

Notes on the Gular Brood-pouch of *Rhinoderma*
darwini 1888, 231

Exhibition of, and remarks upon, a specimen of
the Mammary Region of a female of *Myrmecobius*
fasciatus 1889, 85

Exhibition of, and remarks upon, some specimens
of *Hatteria* showing the "pro-atlas" and vomerine
teeth 1890, 357

On the Visceral Anatomy of the Australian Tor-
pedo (*Hypnos subnigrum*), with especial reference to
the Suspension of the Vertebrate Alimentary
Canal. (Plate LVII.) 1890, 669

Observations on the Pectoral Fin-skeleton of the
Living Batoid Fishes and of the Extinct Genus
Squaloraja, with especial reference to the Affinities
of the same 1890, 675

- HOWES, G. B., F.L.S., F.Z.S., Assistant Professor of Zoology, Normal School of Science and Royal School of Mines (South Kensington), and DAVIES, A. M., Assoc. N.S.S.
- Observations upon the Morphology and Genesis of Supernumerary Phalanges, with especial reference to those of the Amphibia. (Plates XXIV. & XXV.) 1888, 495
- HOWES, G. B., F.L.S., F.Z.S., &c., and RIDEWOOD, W.
- On the Carpus and Tarsus of the Anura. (Plates VII.-IX.) 1888, 141
- HOYLE, WILLIAM EVANS, M.A. (Oxon.), F.R.S.E.
- Observations on the Anatomy of a rare Cephalopod (*Gonatus fabricii*). (Plates XIII. & XIV.).. 1889, 117
- HUBRECHT, Dr. A. A. W., C.M.Z.S., Professor of Zoology at the University of Utrecht.
- On a new Pennatulid from the Japanese Sea. (Plates XXX. & XXXI.) 1885, 512
- HULKE, JOHN WHITAKER, F.R.S., F.L.S., F.Z.S.
- Contribution to the Skeletal Anatomy of the *Mesosuchia*, based on Fossil Remains from the Clays near Peterborough in the Collection of A. Leeds, Esq. (Plates XVIII. & XIX.) 1888, 417
- HUME, ALLAN OCTAVIAN, C.B., C.S.I., F.Z.S.
- Remarks on certain Asiatic Ruminants.—I. *Budorcas taxicolor*, Hodgson. The Gnu-goat of Takin. 1887, 483
- HUMPHREYS, JOHN, L.D.S., Lecturer on Dental Anatomy and Physiology in the Queen's College, Birmingham, and WINDLE, BERTRAM, C. A., M.A., M.D., Professor of Anatomy in the same College.
- On some Cranial and Dental Characters of the Domestic Dog 1890, 5

- HUXLEY, THOMAS HENRY, LL.D., Ph.D., F.R.S.,
F.Z.S.
- On the Respiratory Organs of *Apteryx* 1882, 560
- Contributions to Morphology. Ichthyopsida.—
No. 2. On the Oviducts of *Osmerus*; with Remarks
on the Relations of the Teleostean with the Ganoid
Fishes 1883, 132
- INCHBALD, PETER, F.Z.S. *See* SCLATER, PHILIP LUT-
LEY, M.A.
- IRBY, Col. LEONARD HOWARD LOYD, F.L.S., F.Z.S.
- Exhibition, on behalf of Lord Lilford, of a speci-
men of *Aquila rapax* from Southern Spain..... 1888, 248
- JACOBY, MARTIN, F.E.S.
- Descriptions of new Genera and Species of Phy-
tophagous Coleoptera 1881, 439
- Descriptions of new Genera and Species of Phy-
tophagous Coleoptera 1882, 50
- Descriptions of some new Species of Beetles of
the Family *Galerucidæ*. (Plate XLV.) 1883, 399
- Descriptions of the Phytophagous Coleoptera of
Japan, obtained by Mr. George Lewis during his
Second Journey, from February 1880 to September
1881.—Part I. (Plate XI.) 1885, 190
- Descriptions of the Phytophagous Coleoptera of
Japan, obtained by Mr. George Lewis during his
Second Journey, from February 1880 to September
1881.—Part II. *Halticinae* and *Galerucinae*. (Plate
XLVI.) 1885, 719
- Descriptions of some new Species and a new Genus
of Phytophagous Coleoptera..... 1885, 925
- Descriptions of the Phytophagous Coleoptera of
Ceylon, obtained by Mr. George Lewis during the
years 1881–82. (Plates X. & XI.) 1887, 65

JACOBY, MARTIN, F.E.S. (*continued*).

List of a small Collection of Coleoptera obtained by Mr. W. L. Sclater in British Guiana. With the Description of a new Species by H. W. BATES, F.R.S. 1887, 490

Descriptions of new Species of Phytophagous Coleoptera from Kiukiang (China) 1888, 339

List of the *Crioceridæ*, *Cryptocephalidæ*, *Chryso-melidæ*, and *Galerucidæ* collected in Venezuela by M. Simon, with Descriptions of the new Species 1889, 263

JEFFREYS, JOHN GWYN, LL.D., F.R.S., F.Z.S.

On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70.—Part III. (Plate LXI.) 1881, 693

On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70.—Part IV. (Plates LXX. & LXXI.) 1881, 922

On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70.—Part V. (Plates XLIX. & L.) 1882, 656

On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70.—Part VI. (Plates XIX. & XX.) 1883, 88

On the Mollusca procured during the Cruise of H.M.S. 'Triton,' between the Hebrides and Faroes in 1882. (Plate XLIV.) 1883, 389

On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70.—Part VII. (Plates IX. & X.) 1884, 111

On the Mollusca procured during the 'Lightning' and 'Porcupine' Expeditions, 1868-70.—Part VIII. (Plates XXVI.—XXVII.) 1884, 341

- JEFFREYS, J. GWYN, LL.D., F.R.S., F.Z.S. (*continued*).
 On the Mollusca procured during the 'Lightning'
 and 'Porcupine' Expeditions, 1868-70.—Part IX.
 (Plates IV.-VI.) 1885, 27
- JENNER-WEIR, J. *See* WEIR, JOHN JENNER.
- JOHNSON, JAMES YATE, C.M.Z.S.
 On some new Species of Fishes from Madeira .. 1890, 452
- JOHNSTON, HENRY HAMILTON, C.B., F.R.G.S., F.Z.S.
 General Observations on the Fauna of Kilima-
 njaro 1885, 214
- JOHNSTON, HENRY HAMILTON, F.R.G.S., F.Z.S., and
 SHELLEY, Captain G. E., F.Z.S.
 On the Collection of Birds made by Mr. H. H.
 Johnston in the Kilima-njaro district. By Captain
 G. E. SHELLEY, F.Z.S. With Field-notes by Mr. H.
 H. JOHNSTON, F.R.G.S. (Plates XIII. & XIV.) .. 1885, 222
- JONES, THOMAS RUPERT, F.R.S., BRADY, H. B., F.R.S.,
 and PARKER, W. K., F.R.S.
 Notice of a Memoir on the Foraminifera procured
 on the Abrohlos Bank during the Cruise of H.M.S.
 'Plumper' 1887, 3
- KIRBY, WILLIAM F., F.E.S., Assistant in the Zoological
 Department, British Museum.
 On the Hymenoptera collected by Prof. I. Bayley
 Balfour in Socotra 1881, 649
 Report on a small Collection of Hymenoptera
 and Diptera from the Timor Laut Islands, formed
 by Mr. H. O. Forbes 1883, 343
 Remarks on four rare Species of Moths of the
 Family *Sphingidae*. (Plate XXVII.) 1886, 269
- PROC. ZOOL. SOC. INDEX, 1881-90. 4

KIRBY, W. F., F.E.S. &c. (*continued*).

- On a small Collection of Dragonflies from Murree and Campbellpore (N.W. India), received from Major J. W. Yerbury, R.A. (Plate XXXIII.) 1886, 325
- Notice of a Memoir on the Subfamily *Libellulince* 1887, 470
- On the Insects (exclusive of Coleoptera and Lepidoptera) of Christmas Island 1888, 546
- Descriptions of new Genera and Species of Odonata in the Collection of the British Museum, chiefly from Africa 1889, 297

KIRSCH, TH., Custos for Entomology at the Royal Zoological Museum of Dresden.

- On the Butterflies of Timorlaut. (Plate XIX.) 1885, 275

LANKESTER, EDWIN RAY, M.A., LL.D., F.R.S., Jodrell Professor of Zoology in University College, London, Fellow of Exeter College, Oxford.

- On the Valves of the Heart of *Ornithorhynchus paradoxus* compared with those of Man and the Rabbit, with some Observations on the Fossa Ovalis. (Plates XXXVIII.-XLI.) 1882, 549
- On the Right Cardiac Valve of *Echidna* and of *Ornithorhynchus*. (Plates III. & IV.) 1883, 8
- Notice of a Memoir on the Muscular and Endoskeletal systems of *Limulus* and *Scorpio* 1883, 389
- Exhibition of a living example of a Scorpion from Ceylon 1884, 207
- On the Heart described by Professor Owen in 1841 as that of *Apteryx* 1885, 239
- On the Right Cardiac Valve of the Specimens of *Apteryx* dissected by Sir Richard Owen in 1841 1885, 477
- Exhibition of a drawing of a restoration of *Archaeopteryx* 1886, 125

LATASTE, FERNAND, C.M.Z.S.

Description d'une espèce nouvelle de Gerbilline
d'Arabie (*Meriones longifrons*). (Plate VI. & VII.) 1884, 88

LAYARD, EDGAR LEOPOLD, C.M.G., F.Z.S., &c., H.B.M.

Consul at Noumea, New Caledonia.

Note on *Caeliaxis layardi*, Angas 1881, 839

Letter from, containing remarks upon the locality
of *Schœnicola platyura* 1882, 634

Exhibition of a rare Beetle, and of a series of
Shells of the genus *Bulimus* 1886, 267

Extract from a letter concerning the Distribution
of some Land-Shells of the genus *Stenogyra* 1888, 358

LAYARD, EDGAR LEOPOLD, C.M.G., F.Z.S., &c., H.B.M.

Consul, and E. LEOPOLD C. LAYARD, Vice-
Consul, at Noumea, New Caledonia.

Description of a new Species of Parrot of the
Genus *Nymphicus*. (Plate XXVI.) 1882, 408

LECHE, Dr. WILHELM, of the University of Stockholm.

On some Species of Chiroptera from Australia . . 1884, 49

LEECH, JOHN HENRY, B.A., F.L.S., F.R.G.S., F.Z.S.

On a Variety of *Anthocharis eupheno* from
Mogador 1886, 122

Exhibition of specimens of some new Butterflies
from Japan and Corea 1887, 342

On the Lepidoptera of Japan and Corea.—Part I.
Rhopalocera. (Plates XXXV. & XXXVI.) 1887, 398

On the Lepidoptera of Japan and Corea.—Part II.
Heterocera, Sect. I. (Plates XXX.—XXXII.) 1888, 580

On the Lepidoptera of Japan and Corea.—Part III.
Heterocera, Sect II. *Noctues* and *Deltoides*. (Plates
L.—LIII.) 1889, 474

LENDENFELD, ROBERT VON, Ph.D., F.L.S.

On the Systematic Position and Classification of Sponges 1886, 558

LESLIE, JOHN MORISON, F.Z.S.

Notes on the Habits and Oviposition of *Xenopus laevis* 1890, 69

LE SOUËF, ALBERT A. C., C.M.Z.S.

Letter from, containing remarks upon a curious fact in connexion with the Satin Bower-bird 1883, 388

Letter from, containing remarks upon the Hatching of two Cygnets from the Egg of a Black-necked Swan. 1884, 390

Letter from, containing remarks upon some living Duckbills (*Ornithorhynchus paradoxus*) in confinement at Melbourne 1887, 363

LEUTHNER, DR. FRANZ.

Abstract of a Monograph of the *Odontolabini*, a Subfamily of the *Lucanidae* 1883, 598

LILFORD, THOMAS LITTLETON, Lord, F.L.S., F.Z.S., &c.

Exhibition of, and remarks upon, a skin of *Emberiza rustica*, caught at Elstree Reservoir 1882, 721

Exhibition of a specimen of *Aquila rapax* from Southern Spain 1888, 248

LINDSAY, BEATRICE, Girton College, Cambridge.

On the Avian Sternum. (Plates XLII.-XLV.) 1885, 684

LISTER, JOSEPH JACKSON, M.A., F.Z.S., St. John's College, Cambridge, Demonstrator of Comparative Anatomy in the University of Cambridge.

On the Natural History of Christmas Island, in the Indian Ocean. (Plates XXVI. & XXVII.) 1888, 512

Remarks upon his visit to the Phoenix Islands, South Pacific, and exhibition of specimens of Birds and Eggs obtained there 1890, 591

- LISTER, J. J., M.A., F.Z.S., and FLETCHER, J. J., M.A.
(Syd.), B.Sc. (Lond.).
On the Condition of the Median Portion of the
Vaginal Apparatus in the *Macropodidae* 1881, 976
- LODER, Sir EDMUND GILES, Bart., F.Z.S.
Exhibition of, and remarks upon, a very large tusk
of an African Elephant 1888, 87
Exhibition of, and remarks upon, a mounted skele-
ton of a Rocky-Mountain Goat (*Haplocerus mon-
tanus*) 1889, 59
- LUBBOCK, Sir JOHN, Bart., D.C.L., LL.D., F.R.S., &c.
Extracts from a letter, addressed to him by Mr.
George A. Treadwell, concerning a fatal case of
poisoning from the bite of *Heloderma suspectum*.... 1888, 266
- LUMHOLTZ, CARL, M.A., of the University of Chris-
tiania.
Notes upon some Mammals recently discovered in
Queensland 1884, 406
- LUMSDEN, Major-General Sir PETER, K.C.B.
Letter from, concerning some young Snow-
Leopards which he was endeavouring to send to
the Society's Menagerie 1885, 610
- LÜTKEN, Dr. CHRISTIAN F., F.M.Z.S. &c.
Letter from, containing remarks as to the possi-
bility of there being more than one Species of the
Genus *Tachyglossus* inhabiting Australia 1884, 150
Letter from, containing a notice of the habitat of
Chirodomys penicillatus..... 1886, 418
- LYDEKKE, RICHARD, B.A., F.G.S., F.L.S., F.Z.S.
Description of a Tooth of *Mastodon latidens*, Clift,
from Borneo. (Plate XLVIII)..... 1885, 777

LYDEKKER, RICHARD, B.A., F.G.S., F.L.S., F.Z.S.

(continued).

- Description of three Species of *Scelidotherium*.
(Plates XLVI.-XLIX.) 1886, 491
- On a Skull of the Chelonian Genus *Lytoloma*.
(Plates VI. & VII.) 1889, 60
- On an apparently new Species of *Hyracodontotherium* 1889, 67
- On Associated Remains of a Theriodont Reptile
from the Karoo System of the Cape. (Plates LIV.
& LV.) 1889, 572
- On a new Species of Otter from the Lower Pliocene
of Eppelsheim 1890, 3
- On a remarkable Antler from Asia Minor.
(Plate XXX.) 1890, 363
- On the Remains of some large Extinct Birds from
the Cavern-deposits of Malta. (Plates XXXV. &
XXXVI.) 1890, 403
- On a Cervine Jaw from Algeria 1890, 602

MACLEAR, Captain.

- Report on Christmas Island. 1887, 508

MARKHAM, CLEMENTS ROBERT, C.B., F.R.S., Sec.R.G.S.,
F.L.S., &c.

- On the Whale-Fishery of the Basque Provinces
of Spain. 1881, 969

MARSHALL, Col. CHARLES HENRY TILSON, B.S.C., F.Z.S.

- Exhibition of a new Impeyan Pheasant (*Lophophorus chumbanus*) from Chumba 1883, 465

MARSHALL, Major GEORGE FREDERICK LEYCESTER,
R.E., F.Z.S.

- Notes on Asiatic Butterflies, with Descriptions of
some new Species 1882, 758

MARTIN, JOHN BIDDULPH, F.Z.S.

Exhibition of a large Tusk of the Indian Elephant. 1886, 176

MATHEW, GERVASE F., Staff-Paymaster Royal Navy,
F.L.S., F.Z.S., &c.

Descriptions of some new Species of Rhopalocera
from the Solomon Islands. (Plate XXXIV.) 1886, 343

MENZBIER, Dr. MICHEL, C.M.Z.S., Professor in the
University of Moscow.

On a new Caucasian Goat (*Capra severtzowi*,
sp. n.) 1887, 618

MEYER, Dr. ADOLF BERNHARD, C.M.Z.S., Director
Royal Zoological Museum of Dresden.

On a new Species of *Eclectus* from the Timorlaut
Islands 1881, 917

Notice of a communication from, concerning the
desirability of adopting a Standard of Nomenclature
for the description of the Colours of Natural Objects. 1882, 688

On a fourth Male Specimen of King William the
Third's Paradise-bird 1886, 297

Letter from, communicating remarks by Mr. K.
G. Henke on a specimen of Hybrid Grouse in the
Dresden Museum 1886, 419

Exhibition of, and remarks upon, a coloured pho-
tograph of a variety of the Rose-coloured Pastor
(*Pastor roseus*) 1890, 590

Description of a new Squirrel from the Philip-
pine Islands 1890, 599

MICHAEL, ALBERT DAVIDSON, F.I.S., F.Z.S., F.R.M.S.,
&c.

On a Collection of Acarina formed in Algeria.
(Plates XXXVII. & XXXVIII.) 1890, 414

MIERS, EDWARD JOHN, F.L.S., F.Z.S., Assistant in the
Zoological Department (Natural History),
British Museum.

Account of the Crustacea collected during the
Survey of H.M.S. 'Alert' in the Straits of Magellan
and on the Coast of Patagonia. (Plate VII.) 1881, 61

On some Crustaceans collected at the Mauritius.
(Plate XX.) 1882, 339

On Crustaceans from the Mauritius.—Part II.
(Plate XXXVI.) 1882, 538

On some Crustaceans from Mauritius. (Plate I.) 1884, 10

Description of a new Variety of River-Crab, of
the Genus *Thelphusa*, from Kilima-njaro 1885, 237

MILLAIS, JOHN GUILLE, F.Z.S.

Exhibition of, and remarks upon, specimens of
the Ivory Gull (*Larus eburneus*), shot in Scotland . . 1886, 137

MILNE-EDWARDS, ALPHONSE, F.M.Z.S. &c.

Letter from, containing remarks upon the speci-
men of *Equus grevyi* in the Paris Museum 1890, 647

MINCHIN, EDWARD A., Keble College, Oxford.

Note on the Mode of Attachment of the Embryos
to the Oral Arms of *Aurelia aurita*. (Plates LVII.
& LVIII.) 1889, 583

MINOT, Dr. CHARLES SEDGWICK.

Letter from, calling attention to the Elizabeth
Thompson Science Fund 1886, 6

MITCHELL, P. CHALMERS, B.A., Senior Demonstrator
in the Morphological Laboratory, Oxford.

A Graphic Formula to express Geographical Dis-
tribution 1890, 607

	Page
MIVART, ST. GEORGE, Ph.D., F.R.S., F.L.S., F.Z.S., M.R.I., &c.	
On the Classification and Distribution of the Æluroidea	1882, 135
Notes on the Anatomy of <i>Erethizon dorsatus</i>	1882, 271
Notes on some Points in the Anatomy of the Æluroidea	1882, 459
On the Development of the Individual and of the Species as Forms of Instinctive Action	1884, 462
On the Anatomy, Classification, and Distribution of the Arctoidea	1885, 340
Note on <i>Viverricula</i>	1885, 477
Notes on the Pinnipedia	1885, 484
Notes on the Genus <i>Cyon</i>	1890, 88
Notes on the South-American <i>Canidae</i>	1890, 98
Note on Canine Dental Abnormalities	1890, 376
 MONTICELLI, FR. SAV., D.Sc.	
Contribution to a Knowledge of the South- Italian Chiroptera	1886, 93
Notes on some Entozoa in the Collection of the British Museum. (Plate XXXIII.)	1889, 321
 MOORE, FREDERIC, F.Z.S., F.E.S.	
Descriptions of new Genera and Species of Asiatic Nocturnal Lepidoptera. (Plates XXXVII. & XXXVIII.)	1881, 326
List of the Lepidoptera collected by the Rev. J. H. Hocking, chiefly in the Kangra District, N.W. Himalaya, with Descriptions of new Genera and Species.—Part I. (Plates XI. & XII.)	1882, 234
Descriptions of new Genera and Species of Asiatic Lepidoptera Heterocera. (Plates V. & VI.)	1883, 15

MOORE, FREDERIC, F.Z.S., F.E.S. (*continued*).

A Monograph of *Limnaina* and *Euploeina*, two Groups of Diurnal Lepidoptera belonging to the Subfamily *Euploeinae*, with Descriptions of new Genera and Species.—Part I. *Limnaina*. (Plates XXIX.—XXXII.) 1883, 201

A Monograph of *Limnaina* and *Euploeina*, two Groups of Diurnal Lepidoptera belonging to the Subfamily *Euploeinae*, with Descriptions of new Genera and Species.—Part II. *Euploeina*. (Plates XXIX.—XXXII.) 1883, 253

Descriptions of new Asiatic Diurnal Lepidoptera. (Plates XLVIII. & XLIX.) 1883, 521

Descriptions of new Genera and Species of Lepidoptera Heterocera, collected by Rev. J. H. Hocking, chiefly in the Kangra District, N.W. Himalaya 1888, 390

MORE, ALEXANDER GOODMAN, F.R.S.E., F.L.S.

Exhibition of, and remarks upon, the eggs of the Red-necked Phalarope and other specimens 1881, 409

MORRIS, REV. FRANCIS ORPEN.

Exhibition of a drawing of a Tinamou, stated to have been shot in Hampshire 1883, 74

MURRAY, JAMES A., Curator Kurrachee Municipal Museum.

Description of a new Species of *Mus* from Sind. (Plate LI.) 1885, 809

MUYBRIDGE, EADWEARD.

Exhibition of a number of projections with the Oxy-hydrogen Lantern to show the Locomotion of Animals 1889, 327

NATHUSIUS, W. von.

Exhibition of, and remarks upon, some preparations of *Symbiotes* 1887, 559

NATION, Professor WILLIAM, of Lima, C.M.Z.S.

Notes on Peruvian Birds 1885, 277

Exhibition of some small Bird-bones from beneath
the deposits of Nitrate, in Southern Peru 1890, 2

NATION, Prof. W., of Lima, C.M.Z.S., and SCLATER,
P. L., M.A., Ph.D., F.R.S.

On the Birds of the Vicinity of Lima, Peru. By
P. L. SCLATER. With Notes on their Habits, by
Prof. W. NATION.—Part V. (Plate XLVI.) 1881, 484

NEALE, W. H., M.B., Medical Officer of the 'Eira'
Expedition.

Notes on the Natural History of Franz-Josef Land,
as observed in 1881-82 1882, 652

NEWTON, ALFRED, M.A., F.R.S., F.L.S., F.Z.S., Pro-
fessor of Zoology and Comparative Anatomy in
the University of Cambridge.

Exhibition of (on behalf of Prof. Alphonse Milne-
Edwards), and remarks upon, an egg of *Cariama*
cristata 1881, 1

Note on the Generic Name *Hypherpes* 1881, 438

Exhibition of a specimen of *Emberiza rustica*, shot
in Yorkshire 1881, 827

Exhibition of, and remarks upon, the skin and
bones of the trunk of a specimen of *Notornis man-*
telli. 1882, 97

Exhibition of, and remarks upon, a specimen of
Bulwer's Petrel found in Yorkshire 1887, 562

Exhibition of, and remarks upon, a specimen of
the so-called *Pennula millsii* 1889, 5

On the Breeding of the Seriemá (*Cariama cris-*
tata). (Plate I.) 1889, 25

NEWTON, Sir EDWARD, K.C.M.G., F.L.S., C.M.Z.S.

On the reported Discovery of Dodo's Bones in a
Cavern in Mauritius 1890, 402

NEWTON, EDWIN TULLEY, F.G.S., F.Z.S.

- On the Remains of a Gigantic Species of Bird from Lower-Eocene Beds near Croydon..... 1885, 445
- A Contribution to the History of Eocene Siluroid Fishes. (Plate XXI.) 1889, 201
- Exhibition of a Tibio-tarsus of an extinct bird (*Gastornis klasseni*) from the Woolwich Beds of Croydon..... 1889, 220
- Note on the Bones of small Birds obtained by Professor Nation from below the Nitrate-beds of Peru 1890, 375

NICÉVILLE, LIONEL DE, F.E.S.

- Descriptions of some new or little-known Butterflies from India, with some Notes on the Seasonal Dimorphism obtaining in the Genus *Melanitis*. (Plates XXXIX. & XL.) 1887, 448

NORMAN, REV. ALFRED MERLE, M.A., F.R.S., and STEBBING, REV. T. R. R.

- Notice of the first part of a Memoir on the Crustacea Isopoda of the 'Porcupine,' 'Lightning,' and 'Valorous' Expeditions 1884, 562

OGILBY, J. DOUGLAS, Ichthyological Department, Australian Museum, Sydney.

- On an undescribed *Pimelepterus* from Port Jackson. 1886, 539
- Description of a little-known Australian Fish of the Genus *Girella* 1887, 393
- On an undescribed Fish of the Genus *Prionurus* from Australia 1887, 395
- On a new Genus and Species of Australian *Mugilidae* 1887, 614
- On a new Genus of *Percidae* 1887, 616
- Notes on some Fishes new to the Australian Fauna 1889, 151

OGILVIE, FERGUS MENTEITH, F.Z.S.

Exhibition of, and remarks upon, a British specimen of the Red-breasted Flycatcher (*Muscicapa parva*) 1890, 616

OGILVIE-GRANT, W. R. See GRANT, W. R. OGILVIE.

O'HALLOHAN, J. C.

Exhibition of a rare Lizard from Rodriguez 1884, 1

O'SHAUGHNESSY, A. W. E., Assistant in the Natural-History Departments of the British Museum.

An Account of the Collection of Lizards made by Mr. Buckley in Ecuador, and now in the British Museum, with Descriptions of the new Species. (Plates XXII.-XXV.) 1881, 227

OWEN, Sir RICHARD, K.C.B., D.C.L., F.R.S., F.L.S., F.Z.S., &c.

Abstract of the twenty-third of his series of Memoirs on the extinct birds of the genus *Dinornis*. 1882, 1

Notice of the twenty-fourth of his series of Memoirs on the extinct birds of the genus *Dinornis*. 1882, 549

On *Trichina spiralis*. 1882, 571

On the Sternum of *Notornis* and on Sternal Characters 1882, 689

Embryological Testimony to General Homology. . 1883, 349

Notice of the twenty-fifth of his series of Memoirs on the extinct birds of the genus *Dinornis*. 1884, 176

On the Structure of the Heart in *Ornithorhynchus* and *Apteryx* 1885, 328

PARKER, T. JEFFERY, B.Sc., F.R.S., C.M.Z.S., Professor of Biology in the University of Otago, New Zealand.

Abstract of a Memoir on *Regalecus argenteus* 1884, 207

Notes on *Carcharodon rondeletii*. (Plates IV.-VIII.) 1887, 27

PARKER, T. JEFFERY, B.Sc., F.R.S., C.M.Z.S., and
SCOTT, Professor J. H.

Notice of a Memoir on a Whale of the Genus
Ziphius, recently obtained near Dunedin, New Zea-
land 1887, 342

PARKER, WILLIAM KITCHEN, F.R.S., F.Z.S., &c.

Abstract of a Memoir on the Skull of the Croco-
dilia 1882, 97

On the Osteology of *Steatornis caripensis*. (Plates
XVII.-XX.) 1889, 161

Abstract of a Memoir containing an account of
the Morphology of the Hoatzin (*Opisthocomus cris-
tatus*) 1890, 44

PARKER, W. K., F.R.S., BRADY, H. B., F.R.S., and
JONES, T. RUPERT, F.R.S.

Notice of a Memoir on the Foraminifera pro-
cured on the Abrohlos Bank during the Cruise of
H.M.S. 'Plumper' 1887, 3

PARKER, WILLIAM NEWTON, Ph.D., F.Z.S., Professor
of Biology in the University College of S. Wales
and Monmouthshire.

Note on some Points in the Anatomy of the
Cæcum in the Rabbit (*Lepus cuniculus*) and Hare
(*Lepus timidus*). (Plate LIII.) 1881, 624

On some Points in the Anatomy of the Indian
Tapir (*Tapirus indicus*). (Plates LVIII. & LIX.).. 1882, 768

Note on the Respiratory Organs of *Rhea* 1883, 141

On the Poison-Organs of *Trachinus*. (Plate
XVII.) 1888, 359

On the occasional Persistence of the Left Poste-
rior Cardinal Vein in the Frog, with Remarks on the
Homologies of the Veins in the Dipnoi 1889, 145

PARR, JOSEPH CHARLTON, F.Z.S.

Exhibition of, and remarks upon, a Chick of the
Vulturine Guinea-fowl hatched in Lancashire 1884, 477

PELSENEER, PAUL, D.Sc.

On the Coxal Glands of *Mygale*. (Plate II.) . . 1885, 3

PHILLIPS, ETHELBERT LORT, F.Z.S.

Remarks upon the habits of *Heterocephalus* 1885, 611

Notes on the Antelopes of Somali-Land 1885, 930

PHIPSON, H. M., C.M.Z.S.

Letter from, concerning living specimens of two
Snakes 1887, 639

PICHOT, PIERRE AMÉDÉE, C.M.Z.S.

Exhibition, on his behalf, of a map showing the
exact locality in which the Beaver is now found in
the Delta of the Rhone 1890, 463

POCOCK, R. INNES, Assistant Natural History Museum.

Report on the Crustacea collected by the Officers
of H.M.S. 'Flying-Fish' on Christmas Island 1887, 520

On the Arachnida, Myriopoda, and Land-Crus-
tacea of Christmas Island 1888, 556

A Revision of the Genera of Scorpions of the
Family *Buthidæ*, with Descriptions of some South-
African Species. (Plates XIII. & XIV.) 1890, 114

POTTS, THOMAS H., of Ohinitaki, New Zealand.

On a Case of Cross-breeding between two Species
of Flycatchers of the Genus *Rhipidura* 1884, 530

POULTON, EDWARD BAGNALL, M.A., F.R.S., F.L.S.,
F.Z.S., of Jesus and Keble Colleges, Oxford,
Lecturer on Zoology and Comparative Anatomy,
St. Mary's Hospital, Paddington.

On the Tongues of the Marsupialia. (Plates
LIV. & LV.) 1883, 599

POULTON, EDWARD B., M.A., F.R.S., F.L.S., F.Z.S. &c.

(continued).

The Experimental Proof of the Protective Value of Colour and Markings in Insects in reference to their Vertebrate Enemies 1887, 191

POWERSCOURT, MERVYN, Viscount, F.Z.S., &c.

On the Acclimatization of the Japanese Deer at Powerscourt 1884, 207

PRYER, HARRY, C.M.Z.S. &c.

An Account of a Visit to the Birds'-nest Caves of British North Borneo 1884, 532

RAMSAY, EDWARD PIERSON, F.R.S.E., F.L.S., C.M.Z.S.,

Curator of the Australian Museum, Sydney.

Note on *Pycnoptilus floccosus*, Gould 1881, 839

Description of new Species of Birds of the Genus *Tephras* 1882, 357

Description of a new Species of Flycatcher of the Genus *Monarcha* (*Piezorhynchus*), from the Solomon Group 1882, 711

Description of a supposed new Species of Flycatcher, of the Genus *Rhipidura*, from New Guinea. 1884, 580

RAMSAY, ROBERT GEORGE WARDLAW, F.L.S., F.Z.S.

On a new Species of Bird of the Genus *Copsychus* 1886, 123

RAVENSCROFT, W. H.

Letter from, containing remarks upon a peculiar habit of the Spotted Deer (*Cervus axis*) 1883, 465

RIDEWOOD, W., and HOWES, G. B., F.Z.S., F.L.S., &c.

On the Carpus and Tarsus of the Anura. (Plates VII.-IX.) 1888, 141

RIDLEY, STUART OLIVER, M.A., F.L.S.

Account of the Polyzoa collected during the Survey of H.M.S. 'Alert' in the Straits of Magellan and on the Coast of Patagonia. (Plate VI.) 1881, 44

RIDLEY, STUART OLIVER, M.A., F.L.S. (*continued*).

Account of the Cœlenterata collected during the Survey of H.M.S. 'Alert' in the Straits of Magellan and on the Coast of Patagonia. (Plate VI.) 1881, 101

Account of the Spongida collected during the Survey of H.M.S. 'Alert' in the Straits of Magellan and on the Coast of Patagonia. (Plates X., XI.) .. 1881, 107

On the Arrangement of the Coralliidæ, with Descriptions of new or rare Species. (Plate IX.).... 1882, 221

RIEDEL, J. G. F., C.M.Z.S.

Extracts of a letter from, containing remarks upon Mr. H. O. Forbes's paper on the Birds of Timorlaõ 1884, 530

ROBERTSON, DAVID, and STEBBING, Rev. THOMAS R. R., M.A.

Notice of a Memoir containing the descriptions of four new British Amphipodous Crustaceans 1889, 452

ROMANES, GEORGE JOHN, M.A., LL.D., F.R.S., F.Z.S.

On the Mental Faculties of the Bald Chimpanzee (*Anthropopithecus calvus*) 1889, 316

ROSSET, C. W.

Exhibition of Photographs taken in the Maldivé Islands, and remarks on his Zoological Collections.. 1886, 295

SALVADORI, TOMMASO, M.D., C.M.Z.S.

Note on *Anas capensis*, Gm. (Plate XIII.) 1884, 172

Notes on some Birds from Timor-Laut 1884, 577

SALVADORI, TOMMASO, C.M.Z.S., and GIGLIOLI, HENRY H., C.M.Z.S.

Brief Notes on the Fauna of Corea and the adjoining coast of Manchuria. (Plate LII.) 1887, 580

SALVIN, OSBERT, M.A., F.R.S., F.Z.S.

- A List of the Birds collected by Captain A. H. Markham on the West Coast of America 1883, 419
- Exhibition of, and remarks upon, a living specimen of *Bipalium kewense*, found at Hawksfold, Sussex 1886, 205
- Exhibition, on behalf of Mr. F. D. Godman, and remarks upon, a pair of *Ornithoptera victoriae* 1887, 190
- A Note on *Ornithoptera victoriae*, Gray. (Plate IV.) 1888, 116

SALVIN, OSBERT, M.A., F.R.S., and BOUCARD, A., C.M.Z.S.

- On a Collection of Birds from Yucatan 1883, 434

SALVIN, OSBERT, M.A., F.R.S., and GODMAN, F. DUCANE, F.R.S., F.L.S., F.Z.S.

- On a new Species of *Agrias* from the Valley of the Amazons. (Plate XIX.) 1882, 338
- On some Rhopalocera from New Ireland 1882, 754
- On a third Species of *Otidiphaps* 1883, 33
- Note on the Variation of certain Species of *Agrias* 1883, 384
- On the Lepidoptera collected by the late W. A. Forbes on the Banks of the Lower Niger.—RHOPALOCERA. (Plate XVII.) 1884, 219
- A List of the Rhopalocera collected by Mr. G. French Angas in the Island of Dominica. (Plate XXV.) 1884, 314

SARBO, J.

- Letter from, containing remarks on the localities of *Bos gaurus* and *Bos frontalis* 1883, 142

SAUNDERS, HOWARD, F.Z.S., F.L.S., F.R.G.S.

- Exhibition of some Eggs of *Droma ardeola* 1881, 259

SAUNDERS, HOWARD, F.Z.S., F.L.S., F.R.G.S. (*continued*).

On some Laridæ from the Coasts of Peru and Chili, collected by Capt. Albert H. Markham, R.N., with remarks on the Geographical Distribution of the Group in the Pacific. (Plate XXXIV.) 1882, 520

Exhibition of, and remarks upon, two rare Gulls and a Dusky Shearwater 1884, 150

Exhibition of, and remarks upon, an adult specimen of the Sooty Tern (*Sterna fuliginosa*) caught near Bath 1886, 6

On the Birds obtained by Mr. G. C. Bourné on the Island of Diego Garcia, Chagos Group 1886, 335

Exhibition of, on behalf of Mr. R. J. Howard, and remarks upon, a specimen of a Hybrid between the Tufted Duck and the Pochard 1886, 550

Exhibition of, and remarks upon, a specimen of the Mediterranean Black-headed Gull (*Larus melanocephalus*), shot near Great Yarmouth 1887, 2

Exhibition of, and remarks upon, a Harlequin Duck (*Cosmonetta histrionica*) shot near the Farne Islands 1887, 319

Exhibition of, and remarks upon, a specimen of *Saxicola isabellina* shot in Cumberland 1887, 579

Exhibition of, and remarks upon, a specimen of the American Green-winged Teal shot in Devon 1888, 469

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., Secretary to the Society.

Exhibition of, and remarks upon, a skin of a Merganser (*Mergus australis*) 1881, 1

Report on the additions to the Society's Menagerie in December 1880. 1881, 165

On some Birds collected by Mr. E. F. im Thurn in British Guiana 1881, 212

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

Report on the additions to the Society's Menagerie in January 1881. (Plate XXIX.)	1881, 258
Exhibition of, and remarks upon, the Eggs of <i>Opisthocomus cristatus</i> and <i>Coturnix delegorgii</i>	1881, 259
Exhibition of, and remarks upon, a large Spider of the Genus <i>Mygale</i>	1881, 325
Report on the additions to the Society's Menagerie in February 1881	1881, 409
Report on the additions to the Society's Menagerie in March 1881	1881, 450
Notes on the weights and measurements of the Indian Elephants in the Society's Menagerie	1881, 450
Exhibition of, and remarks upon, some Bird-skins brought home by the 'Challenger' Expedition	1881, 451
Exhibition and descriptions of two new Birds from New Britain. (Plate XXXIX.)	1881, 451
Report on the additions to the Society's Menagerie in April 1881. (Plate LIV.)	1881, 626
Exhibition of, and remarks upon, a skin of a <i>Chrysotis</i> from St. Lucia, West Indies	1881, 627
Remarks upon the Insectarium lately opened in the Society's Gardens	1881, 651
Report on the additions to the Society's Menagerie in May 1881	1881, 734
On the Generic Divisions of the Bucconidæ, together with the Description of a new Species of the Genus <i>Nonnula</i>	1881, 775
Report on the additions to the Society's Menagerie in June, July, August, September, and October 1881	1881, 818
Exhibition of a Specimen of the Glossy Ibis (<i>Plegadis falcinellus</i>) shot at Dogmersfield Park, Hampshire	1881, 827

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

Report on the additions to the Society's Menagerie in November 1881	1881, 967
Exhibition of two skins of a Rail from Macquarie Island	1881, 968
Report on the additions to the Society's Menagerie in December 1881	1882, 97
Exhibition of (on behalf of Mr. Peter Inebald, F.Z.S.), and remarks upon, two curious Ducks shot near Darlington.....	1882, 134
Report on the additions to the Society's Menagerie in January 1882. (Plate X.)	1882, 233
Exhibition of living examples of <i>Helix hæmastoma</i>	1882, 286
Report on the additions to the Society's Menagerie in February 1882.....	1882, 311
Remarks on the use of the term "Lipotype" ..	1882, 311
Exhibition of, and remarks upon, an adult male of <i>Cyanomyias cœlestis</i>	1882, 342
Exhibition of, and remarks upon, the skins of two specimens of the Subcylindrical Hornbill (<i>Buceros subcylindricus</i>)	1882, 343
Report on the additions to the Society's Menagerie in March 1882	1882, 358
Exhibition of, and remarks upon, a drawing of a Tapir living in the Society's Gardens. (Plate XXIII.) ..	1882, 391
Report on the additions to the Society's Menagerie in April 1882	1882, 421
Note on an Australian Duck living in the Society's Gardens. (Plate XXXIII.).....	1882, 452
Remarks upon the mode of feeding of the young Cormorants by the parent birds in the Society's Gardens	1882, 458

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

Exhibition of some Lepidoptera bred in the Insect-house	1882, 459
Report on the additions to the Society's Menagerie in May 1882. (Plate XXXVII.)	1882, 546
Exhibition of some Lepidoptera &c. reared at the Insect-house in the Society's Gardens	1882, 548
Note on Rüppell's Parrot. (Plate XLII.).....	1882, 577
On two apparently new Species of the Genus <i>Synallaxis</i> . (Plate XLIII.)	1882, 578
Reports on the additions to the Society's Menagerie in June, July, August, September, and October 1882. (Plates XLVI. and XLVII.).....	1882, 630
Report on the Insects bred in the Insect-house in the Society's Gardens	1882, 632
Report on the additions to the Society's Menagerie in November 1882	1882, 719
Exhibition of, and remarks upon, some photographs of a new Zebra (<i>Equus grevyi</i>).....	1882, 721
Report on the additions to the Society's Menagerie in December 1882	1883, 1
Report on the additions to the Society's Menagerie in January 1883	1883, 32
Further Notes on <i>Tragelaphus gratus</i> . (Plate VIII.).....	1883, 34
On Birds collected in the Timor-Laut or Tenimber Group of Islands by Mr. Henry O. Forbes. (Plates XI.-XIV.)	1883, 48
Report on the additions to the Society's Menagerie in February 1883.....	1883, 73
Remarks upon a specimen of <i>Macropus erubescens</i> in the Gardens of the Zoological and Acclimatization Society, Melbourne, Australia	1883, 131

	Page
SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c. (continued).	
Remarks on a new List of British Birds.....	1883, 131
Exhibition of a skin of a Crow, sent to him for examination by Mr. Albert A. C. Le Souëf, C.M.Z.S.	1883, 144
Report on the additions to the Society's Mena- gerie in March 1883.....	1883, 178
Additional Notes on Birds collected in the Timor- Laut or Tenimber group of Islands by Mr. Henry O. Forbes. (Plates XXVI.-XXVIII.).....	1883, 194
Exhibition of a skin of a rare Paradise-bird (<i>Rhi- pidornis gulielmi-tertii</i>).....	1883, 252
Remarks on Radde's 'International Farben-skala.'	1883, 252
Report on the additions to the Society's Mena- gerie in April 1883	1883, 346
List of the Species of Lepidopterous Insects bred in the Society's Insect-house, and exhibition of living specimens of the West-Indian Fire-fly	1883, 346
Exhibition of, and remarks upon, a selection of Birds from New Britain, New Ireland, and the Solomon Islands, sent to him for examination by the Rev. George Brown, C.M.Z.S.....	1883, 347
Exhibition of, and remarks upon, two Birds ob- tained near Lima, Peru, and transmitted by Prof. William Nation, C.M.Z.S.	1883, 348
Remarks upon a Condor from Peru, living in the Society's Gardens. (Plate XXXV.)	1883, 349
Report on the additions to the Society's Mena- gerie in May 1883. (Plate XLIII.)	1883, 388
Report on the additions to the Society's Mena- gerie during the months of June, July, August, September, and October 1883. (Plates XLVI. & XLVII.).....	1883, 463

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

Remarks upon the opening of the Society's New Reptile-house	1883, 464
Note upon the increase in size and weight of the young male African Elephant, purchased July 1882.	1883, 465
Exhibition, on behalf of Dr. G. Bennett, F.Z.S., and remarks upon, some skins of a Species of <i>Drepanornis</i> from Southern New Guinea	1883, 578
Report on the additions to the Society's Menagerie in November 1883	1883, 598
Descriptions of five apparently new Species of South-American Passeres. (Plate LXI.)	1883, 653
Report on the additions to the Society's Menagerie in December 1883	1884, 1
Exhibition of a Night Heron (<i>Nycticorax griseus</i>) shot in Plumstead Marshes	1884, 2
On the Lesser Koodoo, <i>Strepsiceros imberbis</i> , of Blyth. (Plate IV.)	1884, 45
Report on the additions to the Society's Menagerie in January 1884	1884, 55
Remarks upon a copy of the lately issued 'Guide to the Calcutta Zoological Gardens,' and on <i>Rhinoceros lasiotis</i>	1884, 55
Report on the additions to the Society's Menagerie in February 1884. (Plate XIV.)	1884, 176
Exhibition of, and remarks upon, specimens of the Eggs of two Species of Testudinata laid in the Society's Gardens	1884, 206
Report on the additions to the Society's Menagerie in April 1884	1884, 251
Report on the additions to the Society's Menagerie in May 1884. (Plate XXXIII.)	1884, 389

	Page
SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c. (continued).	
Exhibition of, and remarks upon, the deciduous knob of the Culmen of the Beak of the Rough-billed Pelican (<i>Pelecanus trachyrhynchus</i>)	1884, 410
Remarks upon a very singular Habit of the Greater Vasa Parrot (<i>Coracopsis vasa</i>)	1884, 410
Report on the additions to the Society's Menagerie in June, July, August, and September 1884. (Plate XLV. figs. 2, 3.)	1884, 475
Exhibition of, and remarks upon, a Skin of a Woolly Cheetah (<i>Felis lanea</i>) from South Africa . .	1884, 476
Report on the additions to the Society's Menagerie in October 1884. (Plate XLV. fig. 1.)	1884, 530
On some Mammals from Somali-land. (Plates XLIX. & L.)	1884, 538
Report on the additions to the Society's Menagerie in November 1884	1884, 561
Remarks upon the death of a Greater Vasa Parrot (<i>Coracopsis vasa</i>) which had passed 54 years in the Society's Menagerie	1884, 562
Report on the additions to the Society's Menagerie in December 1884, and description of a new Species of <i>Cervulus</i> . (Plate I.)	1885, 1
Remarks on the breeding of the Chinese Blue Magpie (<i>Cyanopolius cyanus</i>) in the Society's Gardens in 1884	1885, 2
Exhibition of a rare South-American Lizard (<i>Heterodactylus imbricatus</i>), presented to the Society by Mr. G. Lennon Hunt	1885, 63
Exhibition of a Beetle of the family Buprestidæ, transmitted to the Society by Mr. B. F. Finch	1885, 63

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

Exhibition of Lepidopterous Insects bred in the Insect-house during the past season, and Report on the Insect-house	1885, 65
Report on the additions to the Society's Menagerie in January 1885	1885, 168
Report on the additions to the Society's Menagerie in February 1885.....	1885, 245
Exhibition of, and remarks upon, a curious Duck shot in Yorkshire	1885, 246
Report on the additions to the Society's Menagerie in March 1885	1885, 322
Exhibition of, and remarks upon, a pair of Pheasants from Northern Afghanistan, belonging to H.R.H. the Prince of Wales. (Plate XXII.)	1885, 322
Exhibition of, and remarks upon, some Eggs of Darwin's Rhea	1885, 324
Report on the additions to the Society's Menagerie in April 1885	1885, 421
Remarks upon the Colies now or lately living in the Society's Gardens	1885, 542
Report on the additions to the Society's Menagerie in May 1885.....	1885, 609
Description of a new Species of <i>Icterus</i>	1885, 671
Note on <i>Lemur macaco</i> , and the way in which it carries its young.....	1885, 672
Report on the additions to the Society's Menagerie in June, July, August, and September 1885..	1885, 717
Exhibition of, and remarks upon, a skull of an American Tapir.....	1885, 718
Report on the additions to the Society's Menagerie in October 1885	1885, 833

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

Remarks upon a Newt (<i>Molge vittata</i>) and its distribution	1885, 834
Characters of an apparently new Species of Tanager of the Genus <i>Calliste</i>	1885, 849
Report on the additions to the Society's Menagerie in November 1885	1885, 851
Exhibition of, and remarks upon, an African Hornbill and other birds belonging to Mr. H. Whitely	1885, 851
Report on the additions to the Society's Menagerie in December 1885	1886, 1
Exhibition of Lepidopterous Insects bred in the Insect-house during the past season	1886, 2
Report on the additions to the Society's Menagerie in January 1886	1886, 124
Exhibition of, and remarks upon, a specimen of a newly described Paradise-bird (<i>Paradisornis rufidolphi</i>)	1886, 125
Report on the additions to the Society's Menagerie in February 1886	1886, 137
Note on the External Characters of <i>Rhinoceros simus</i> . (Plate XVI.)	1886, 143
Report on the additions to the Society's Menagerie in March 1886	1886, 176
Exhibition of, and remarks upon, the Heads and Horns of two Species of Antelopes from Lamoo, East Africa (<i>Strepsiceros imberbis</i> and <i>Damalis senegalensis</i>)	1886, 176
Report on the additions to the Society's Menagerie in April 1886	1886, 266
Remarks on the various Species of Wild Goats. (Plates XXXI. & XXXII.)	1886, 314

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

Report on the additions to the Society's Menagerie in May 1886	1886, 318
Remarks on interesting animals observed during a visit to the Zoological Gardens of Rotterdam, Amsterdam, Cologne, Antwerp, and Ghent	1886, 320
Exhibition, on behalf of Mr. J. Brazier, C.M.Z.S., of a series of 55 eggs laid by a Pacific Porphyrio ..	1886, 330
List of a Collection of Birds from the Province of Tarapacá, Northern Chili. (Plate XXXVI.).....	1886, 395
Report on the additions to the Society's Menagerie in June, July, August, September, and October 1886	1886, 417
On two Species of Antelope from Somali-land. (Plate LI.).....	1886, 504
On an apparently new Parrot of the Genus <i>Conurus</i> living in the Society's Gardens. (Plate LVI.).....	1886, 538
Report on the additions to the Society's Menagerie in November 1886	1886, 549
Report on the additions to the Society's Menagerie in December 1886	1887, 1
Exhibition of, and remarks upon, a specimen of a rare Parrot, <i>Chrysotis bodini</i>	1887, 2
Characters of new Species of Birds of the Family Tyrannidæ. (Plate IX.)	1887, 47
Report on the additions to the Society's Menagerie in January 1887	1887, 138
Report on the additions to the Society's Menagerie in February 1887.....	1887, 319
Report on the additions to the Society's Menagerie in March 1887.....	1887, 340

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

- Extracts from a letter addressed to him by the Rev. Geo. H. R. Fisk, C.M.Z.S., respecting the killing and eating, by a Mouse, of a young venomous Snake 1887, 340
- Exhibition of, and remarks upon, a set of eleven photographs, representing objects of Natural History collected by General Prejevalski in Central Asia .. 1887, 362
- Extract from a letter addressed to him by Mr. Albert A. C. Le Souëf, C.M.Z.S., containing remarks upon some living Duckbills (*Ornithorhynchus paradoxus*) in confinement at Melbourne 1887, 363
- Report on the additions to the Society's Menagerie in April 1887 1887, 396
- Extracts from a letter addressed to him by Mr. Roland Trimen, F.Z.S., respecting the obtaining of a second example of *Laniarius atrocroceus* 1887, 396
- Report on the additions to the Society's Menagerie in May 1887..... 1887, 482
- Remarks upon specimens of two Species of North-American Foxes living in the Society's Gardens .. 1887, 482
- Exhibition of, and remarks upon, the skin of a White-nosed Monkey (*Cercopithecus ascanias?*) 1887, 502
- Exhibition of, and remarks upon, a specimen of a Pheasant from Northern Afghanistan (*Phasianus principalis*)..... 1887, 502
- Note on the Wild Goats of the Caucasus 1887, 552
- Report on the additions to the Society's Menagerie in June, July, August, September, and October 1887 1887, 558
- Report on the additions to the Society's Menagerie in November 1887 1887, 638

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

Extract of a letter from Dr. Burmeister, F.M.Z.S., and remarks on a supposed new Humming-bird (<i>Chaetocercus burmeisteri</i>)	1887, 638
Report on the additions to the Society's Mena- gerie in December 1887, and List of Specimens of the Genus <i>Canis</i>	1888, 1
Report on the additions to the Society's Mena- gerie in January 1888	1888, 87
Report on the additions to the Society's Mena- gerie in February 1888	1888, 140
Exhibition, on behalf of Lt.-Col. H. M. Drum- mond-Hay, C.M.Z.S., of a specimen of the Desert Wheatear (<i>Saxicola deserti</i>) killed in Scotland	1888, 140
Report on the additions to the Society's Mena- gerie in March 1888	1888, 219
Report on the additions to the Society's Mena- gerie in April 1888	1888, 265
Report on the additions to the Society's Mena- gerie in May 1888	1888, 291
Exhibition, on the part of Mr. F. M. Campbell, F.Z.S., of a pair of Pallas's Sand-Grouse, and remarks on the numerous recent occurrences of this bird in Western Europe	1888, 291
Exhibition, on behalf of Prof. R. Collett, C.M.Z.S., of a nest, eggs, and two young ones in down of the Ivory Gull	1888, 291
Report on the additions to the Society's Mena- gerie in June, July, August, September, and October 1888	1888, 413
Report on the additions to the Society's Mena- gerie in November 1888	1888, 564
Report on the additions to the Society's Mena- gerie in December 1888	1889, 1

SOLATBE, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

Report on the additions to the Society's Menagerie in January 1889	1889, 26
Exhibition of, and remarks upon, a living specimen of the Thick-billed Lark (<i>Rhamphocorys clotbeyi</i>).....	1889, 26
On some new Species and Genera of Birds of the Family Dendrocolaptidæ	1889, 32
Exhibition of, and remarks upon, a series of specimens of the eggs and chicks of the Hoatzin (<i>Opisthocomus cristatus</i>)	1889, 57
Exhibition of, and remarks upon, some heads and skins of a new Antelope obtained by Mr. H. C. V. Hunter, F.Z.S., in North-eastern Africa	1889, 58
Report on the additions to the Society's Menagerie in February 1889.....	1889, 85
Remarks upon the Collections of Fishes made at Constantinople by Dr. E. D. Dickson, C.M.Z.S. ..	1889, 135
Report on the additions to the Society's Menagerie in March 1889.....	1889, 160
Exhibition of, and remarks upon, a pair of Buprestine Beetles (<i>Julodis finchi</i>), obtained by Mr. B. T. Finch near Karachi	1889, 219
Exhibition of, and remarks upon, a specimen of the Mole-cricket (<i>Gryllotalpa vulgaris</i>) found at Bagdad, and transmitted by Mrs. Talbot	1889, 219
Remarks on interesting animals observed during a visit to the Zoological Gardens of Rotterdam, Amsterdam, and Antwerp	1889, 219
Report on the additions to the Society's Menagerie in April 1889	1889, 246
Exhibition of, and remarks upon, a living specimen of an albino variety of the Cape Mole-Rat....	1889, 246
Exhibition of, and remarks upon, a mummy of a Falcon obtained at Thebes in Egypt	1889, 262

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.
(continued).

Exhibition of, and remarks upon, a series of photographs taken at Antipodes Island	1889, 262
Exhibition of, and remarks upon, a Leaf-insect (<i>Phyllium gelonus</i>) living in the Society's Insect-house	1889, 262
Report on the additions to the Society's Menagerie in May 1889	1889, 316
List of Birds collected by Mr. Ramage in Dominica, West Indies	1889, 326
Description of Hunter's Antelope. (Plate XLII.)	1889, 372
Report on the additions to the Society's Menagerie in June, July, August, and September, 1889. .	1889, 393
List of Birds collected by Mr. Ramage in St. Lucia, West Indies	1889, 394
Report on the additions to the Society's Menagerie in October 1889	1889, 447
Exhibition of a skin of an albino variety of the Cape Mole-Rat (<i>Georychus capensis</i>)	1889, 449
Report on the additions to the Society's Menagerie in November 1889	1889, 586
Exhibition of, and remarks upon, an egg of the Crested Screamer (<i>Chauna chavaria</i>)	1889, 586
Report on the additions to the Society's Menagerie in December 1889	1890, 1
Exhibition of, and remarks upon, a hybrid Duck. (Plate I.)	1890, 1
Report on the additions to the Society's Menagerie in January 1890	1890, 44
On a Guinea-fowl from the Zambesi, allied to <i>Numida cristata</i> . (Plate XII.)	1890, 86

SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.

(continued).

Report on the additions to the Society's Menagerie in February 1890	1890, 94
Exhibition of, and remarks upon, some Mammals obtained in the Upper Magdalena Valley of Colombia by Mr. R. B. White, C.M.Z.S.	1890, 98
Report on the additions to the Society's Menagerie in March 1890. (Plate XV.).....	1890, 147
Report on the additions to the Society's Menagerie in April 1890	1890, 354
Exhibition of, and remarks upon, the head of an Antelope (<i>Damalis senegalensis</i>) from East Africa ..	1890, 354
On a new Toucan of the Genus <i>Pteroglossus</i>	1890, 403
Report on the additions to the Society's Menagerie in May 1890.....	1890, 411
Exhibition of, and remarks upon, two young specimens of Darwin's Rhea (<i>Rhea darwini</i>) from the Province of Tarapacá	1890, 412
Exhibition of, and remarks upon, the flat skin of Zebra received from Berbera, Northern Somali-land.	1890, 412
Exhibition of, and remarks upon, a mounted head of a rare Antelope (<i>Æpyceros petersi</i>)	1890, 460
Exhibition of a photograph of Grévy's Zebra	1890, 461
Remarks upon a map transmitted by M. P. A. Pichot, C.M.Z.S., showing the exact locality in which the Beaver is now found in the Delta of the Rhone	1890, 463
Report on the additions to the Society's Menagerie in June, July, August, September, and October 1890. (Plates XLVII. & XLVIII.)	1890, 589
Report on the additions to the Society's Menagerie in November 1890	1890, 646

- SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c.,
and HARTLAUB, Dr. G., F.M.Z.S.
On the Birds collected in Socotra by Prof. I.
Bayley Balfour. (Plates XV.–XVII.) 1881, 165
- SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., and
NATION, Prof. W., of Lima, C.M.Z.S.
On the Birds of the Vicinity of Lima, Peru. By
P. L. SCLATER. With Notes on their Habits, by
Prof. W. NATION.—Part V. (Plate XLVI.) 1881, 484
- SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., and
WHITE, E. W., F.Z.S.
Notes on Birds collected in the Argentine Re-
public 1882, 591
Supplementary Notes on the Birds of the Argen-
tine Republic. (Plate IX.) 1883, 37
- SCLATER, WILLIAM LUTLEY, M.A., F.Z.S., Deputy
Superintendent of the Indian Museum, Calcutta.
On a new Madreporarian Coral of the Genus
Stephanotrochus from the British Seas, with Notes
on its Anatomy. (Plates XII.–XIV.) 1886, 128
Notes on the *Peripatus* of British Guiana 1887, 130
Notes on some Indian Rats and Mice. (Plates
XLIV. & XLV.) 1890, 522
On a new Genus and Species of Rodents of the
Family *Dipodidæ* from Central Asia. (Plate L.) . . 1890, 610
- SCOTT, Prof. JOHN H., M.D., and PARKER, Prof. T.
JEFFERY.
Notice of a memoir on a Whale of the Genus
Ziphius, recently obtained near Dunedin, New
Zealand 1887, 342
- SCULLY, JOHN, F.Z.S., F.L.S.
On the Mammals of Gilgit 1881, 197

SEEBOHM, HENRY, F.Z.S., F.L.S., F.R.G.S.

- Exhibition of, and remarks upon, specimens of the Rusty Grackle and Pallas's Great Grey Shrike, shot near Cardiff 1881, 968
- Exhibition of, and remarks upon, a series of intermediate forms between *Carduelis caniceps* and *C. major* 1882, 134
- Exhibition of, and remarks upon, a new Owl (*Bubo blakistoni*) from Yezo 1883, 466
- Exhibition of, and remarks upon, a Skin of an American Kestrel (*Falco sparverius*), shot in the neighbourhood of Helmsley, Yorkshire 1884, 45
- Exhibition of, and remarks upon, some Skins of rare European and Asiatic Birds 1884, 409
- Exhibition of a variety of the Red Grouse (*Tetrao scoticus*) shot near Morecambe Bay 1885, 66
- Exhibition of specimens of a Cormorant from Japan, believed to be *Phalacrocorax capillatus* 1885, 328
- Exhibition of, and remarks upon, a specimen of Ross's Gull (*Larus rossi*), shot near Christianshaab, in Greenland 1886, 82
- Exhibition of, and remarks upon, a specimen of the Lesser White-fronted Goose (*Anser albifrons minutus*), shot near Holy Island 1886, 420
- Description of a supposed new Species of the Genus *Merula* from South America 1887, 557
- Exhibition of, and remarks upon, a series of Pheasants from Mongolia, Thibet, and China 1888, 267
- Exhibition of, and remarks upon, examples of *Phasianus shawi* from the valley of the Tarim River, and an example of *P. tarimensis* from Lob-Nor 1888, 415
- Exhibition of, and remarks upon, a specimen of *Vanellus gregarius*, shot in Lancashire 1888, 416

SEEBOHM, HENRY, F.Z.S., F.L.S., F.R.G.S. (*continued*).

Exhibition of, and remarks upon, a male example of *Phasianus chrysomelas* purchased in Leadenhall Market 1889, 247

Exhibition of, and remarks upon, a small collection of Birds from the Bonin Islands, and of a pair of *Merula celænops* from Fatsirio Island 1889, 586

Account of his proposed new Classification of Birds 1890, 97

On new or little-known Birds from South-eastern China. (Plate XXVII.) 1890, 341

Exhibition of, and remarks upon, a specimen of the Eastern Turtle-Dove (*Turtur orientalis*) shot near Scarborough 1890, 361

On the Fijian Species of the Genus *Merula* 1890, 666

SELOUS, FREDERICK COURTENAY.

On the South-African Rhinoceroses. (Plate LXII.) 1881, 725

Field-notes on the Antelopes of Central South Africa, made during eight years spent in many different districts of the country. (Plate LXV.) 1881, 748

Letter from, concerning the chances of obtaining a living White Rhinoceros 1883, 32

SHARPE, EMILY MARY.

On a Collection of Lepidoptera made by Mr. Edmund Reynolds on the Rivers Tocantins and Araguaya and in the Province of Goyaz, Brazil. (Plate XLVI.) 1890, 552

SHARPE, RICHARD BOWDLER, LL.D., F.L.S., F.Z.S., &c., Senior Assistant, Zoological Département, British Museum.

Account of the Birds collected during the Survey of H.M.S. 'Alert' in the Straits of Magellan and on the Coast of Patagonia 1881, 6

SHARPE, RICHARD BOWDLER, LL.D., F.L.S., F.Z.S.,
&c. (*continued*).

- On a new Genus of *Timeliidae* from Madagascar,
with Remarks on some other Genera. (Plate XIX.) 1881, 195
- A Note on *Rhipidura preissi*, Cab. 1881, 387
- Exhibition of an example of Sabine's Snipe 1881, 409
- Exhibition of a specimen of *Podilymbus podiceps*,
said to have been killed near Weymouth 1881, 734
- On some Flycatchers lately added to the Collec-
tion of the British Museum. (Plate LXVII.) 1881, 788
- On the Birds of Sandakan, North-east Borneo . . 1881, 790
- A Note on the Genera *Schoenicola* and *Catrisceus* . 1881, 919
- Exhibition of, and remarks upon, a specimen of a
Goldfinch from Hungary 1882, 312
- A Note on *Strix ousaleti*, Hartlaub. 1882, 335
- On an apparently new Species of *Erythropygia*.
(Plate XLV.) 1882, 588
- On a new Species of *Muscicapa* from Western
Africa. 1882, 590
- Exhibition of, and remarks upon, some specimens
of Swifts from the Congo. 1882, 688
- Exhibition of a specimen of *Machirhamphus*
alcinus from Northern Borneo. 1882, 688
- Notes on some Species of Birds of the Family
Dicaeidae 1883, 578
- Description of a new Species of *Laniarius* from
Ashantee. (Plate V.) 1884, 54
- Exhibition of specimens of the Red-throated
Pipit (*Anthus cervinus*) caught near Brighton, and
of the true Water-Pipit (*Anthus spinoletta*) captured
at Lancing, in Sussex 1884, 206
- Descriptions of three rare Species of Flycatchers. 1884, 230

SHARPE, RICHARD BOWDLER, LL.D., F.L.S., F.Z.S.,
&c. (*continued*).

On an apparently new Species of European Nuthatch	1884, 233
Exhibition of, and remarks upon, a new European Nuthatch (<i>Sitta whiteheadi</i>)	1884, 329
Further Notes on Whitehead's Nuthatch. (Plate XXXVI.)	1884, 414
Description of a new Species of Hornbill from the Island of Palawan. (Plate XXVI.)	1885, 446
Notes on Specimens in the Hume Collection of Birds.—No. 1 On the Hawfinch from Attock	1886, 96
Notes on some Birds from Perak	1886, 350
Notes on Specimens in the Hume Collection of Birds.—No. 2. On some Rose-Finches. No. 3. On <i>Lalage melanothorax</i> . No. 4. On some Flycatchers of the Genus <i>Siphia</i>	1886, 353
On a second Collection of Birds formed by Mr. L. Wray in the Mountains of Perak, Malay Peninsula. (Plates XXXVII. & XXXVIII.)	1887, 431
Notes on Specimens in the Hume Collection of Birds.—No. 5. On <i>Syrnium maingayi</i>	1887, 470
Report on the Birds collected by the Officers of H.M.S. 'Flying-Fish' on Christmas Island. (Plate XLIII.)	1887, 515
On a new Species of <i>Calyptomena</i>	1887, 558
On a new Species of <i>Elainea</i> from the Island of Fernando Noronha	1888, 107
Descriptions of some new Species of Birds from the Island of Guadalcanar in the Solomon Archipelago, discovered by Mr. C. M. Woodford	1888, 182
Notes on Specimens in the Hume Collection of Birds.—No. 6. On some Species of the Genus <i>Digenea</i>	1888, 246

SHARPE, RICHARD BOWDLER, LL.D., F.L.S., F.Z.S.,
&c. (*continued*).

List of a Collection of Birds made by Mr. L. Wray
in the main Range of Mountains of the Malay
Peninsula, Perak. (Plate XV.) 1888, 268

Notes on Specimens in the Hume Collection of
Birds.—No. 6. On the Coraciidæ of the Indian
Region, with Descriptions of some new Species. . . . 1890, 546

SHAW, Rev. GEORGE A., F.Z.S.

A few Rough Notes on the Aye-Aye 1883, 44

SHELLEY, Captain GEORGE ERNEST, F.Z.S.

List of Birds recently collected by Dr. Kirk in
Eastern Africa. (Plate LIII.) 1881, 561

List of the Birds sent home by Mr. Joseph Thom-
son from the River Rovuma, East Africa. (Plate
XVI.) 1882, 302

A Second List of Birds recently collected by Sir
John Kirk in Eastern Africa. (Plate XVII.) 1882, 304

On some new Species of Birds from South Africa.
(Plate XVIII.) 1882, 336

On five new or little-known Species of East-
African Birds, represented in Mr. H. H. Johnston's
First Collection from the Kilima-njaro District.
(Plate LI.) 1884, 554

On a Collection of Birds made by Emin Pasha in
Equatorial Africa. (Plate III.) 1888, 17

On the Birds collected by Mr. H. C. V. Hunter,
F.Z.S., in Eastern Africa. (Plates XL. & XLI.) . . 1889, 356

SHELLEY, Captain G. E., F.Z.S., and JOHNSTON, H. H.,
F.R.G.S., F.Z.S.

On the Collection of Birds made by Mr. H. H.
Johnston in the Kilima-njaro District; with Field-
notes by Mr. H. H. Johnston, F.R.G.S. (Plates
XIII. & XIV.) 1885, 222

- SHELLEY, Captain G. E., F.Z.S., and JOHNSTON, H. H.,
F.R.G.S., F.Z.S. (*continued*).
- On a Collection of Birds made by Mr. H. H. Johnston in the Cameroons Mountain. (Plates XIII. & XIV.) 1887, 122
- SHUFFELDT, ROBERT W., M.D., C.M.Z.S., Captain Med. Dept. U. S. Army, M.A.O.U., Memb. Soc. Nat. E.U.S., Memb. Philosophical, Anthropological, and Biological Societies of Washington, &c.
- Contribution to the Comparative Osteology of the *Trochilidae*, *Caprimulgidae*, and *Cypselidae*. (Plates LVIII.-LXI.) 1885, 886
- Contributions to the Anatomy of *Geococcyx californianus*. (Plates XLII.-XLV.) 1886, 466
- Additional Notes upon the Anatomy of the *Trochili*, *Caprimulgi*, and *Cypselidae* 1886, 501
- Notes on the Visceral Anatomy of certain Auks . 1887, 43
- Contributions to the Study of *Heloderma suspectum*. (Plates XVI.-XVIII.) 1890, 148
- SIDEBOTHAM, E. J., B.A., late Assistant Demonstrator of Anatomy, Cambridge.
- On the Myology of the Water-Opossum..... 1885, 6
- SLATER, Rev. HENRY HORROCKS, M.A., F.Z.S.
- Exhibition of a Shrike, *Lanius* sp. inc., killed near Spurn Point in Yorkshire..... 1882, 722
- Exhibition of, and remarks upon, a specimen of Barred Warbler (*Sylvia nisoria*) obtained on the Yorkshire coast 1884, 477
- SMITH, EDGAR ALBERT, F.Z.S.
- Account of the Mollusca and Molluscoïda collected during the Survey of H.M.S. 'Alert' in the Straits of Magellan and on the Coast of Patagonia. (Plates III.-V.) 1881, 22

SMITH, EDGAR ALBERT, F.Z.S. (*continued*).

- On a Collection of Shells from Lakes Tanganyika and Nyassa and other Localities in East Africa. (Plates XXXII.-XXXIV.) 1881, 276
- On the Genus *Gouldia* of C. B. Adams, and on a new Species of *Crassatella* 1881, 489
- Notes on *Cypræa decipiens* 1881, 558
- Description of two new Species of Shells from Lake Tanganyika 1881, 558
- Notes on the Genus *Chilina*, with a List of the known Species 1881, 840
- A Contribution to the Molluscan Fauna of Madagascar. (Plates XXI. & XXII.) 1882, 375
- An Account of the Land and Freshwater Mollusca collected during the Voyage of the 'Challenger' from December 1872 to May 1876. (Plates XXII. & XXIII.) 1884, 258
- On a Collection of Shells (chiefly Land and Freshwater) from the Solomon Islands. (Plates XXXVI. & XXXVII.) 1885, 588
- On the Mollusca collected on the Cameroons Mountains by Mr. H. H. Johnston. 1887, 127
- Notes on a small Collection of Shells from the Loo Choo Islands 1887, 316
- Report on the Mollusks collected by the Officers of H.M.S. 'Flying-Fish' on Christmas Island 1887, 517
- Notes on three Species of Shells from the Rio del Rey, Cameroons 1887, 566
- On the Shells of the Albert Nyanza, Central Africa, obtained by Dr. Emin Pasha 1888, 52
- On the Terrestrial Mollusks of Christmas Island. 1888, 536
- Report on the Marine Molluscan Fauna of the Island of St. Helena. (Plates XXI.-XXIV.) 1890, 247
- On the Marine Mollusca of Ascension Island. . . . 1890, 317

SMITH, EDGAR A., F.Z.S., and BELL, Professor F.
JEFFREY, F.Z.S.

Observations on the "British Marine Area" 1887, 560

SMITH, HENLEY GROSE, F.Z.S., F.E.S.

A List of the Butterflies collected by Mr. William
Bonny on the Journey with Mr. Stanley from Yam-
buya on the Aruwimi River through the Great
Forest of Central Africa, with Descriptions of nine
new Species 1890, 463

SMITH-WOODWARD, A. *See* WOODWARD, A. SMITH.

SOUTHWELL, THOMAS, F.Z.S.

Exhibition of, and remarks upon, a mounted
specimen of the Caspian Plover (*Ægialitis asiatica*)
shot at Yarmouth 1890, 461

SOWERBY, GEORGE BRETtingham, F.Z.S., F.L.S.

Description of eight new Species of Shells. (Plate
LVI.) 1881, 635

Descriptions of new Species of Shells in the Col-
lection of Mr. J. Cosmo Melvill. (Plate V.) 1882, 117

Descriptions of five new Species of Shells.
(Plate VII.) 1883, 30

Notice of a paper containing the descriptions of
nine new Species of Shells, and of the Opercula of
two known species 1883, 48

Letter from, proposing an alteration in the name
of a Shell (*Thracia*) 1883, 465

Descriptions of sixteen new Species of Shells.
(Plate XI.) 1888, 207

Description of a Gigantic new Species of *Asper-
gillum* from Japan. 1888, 290

SOWERBY, GEORGE BRETTINGHAM, F.Z.S., F.L.S. (*continued*).

Descriptions of fourteen new Species of Shells from China, Japan, and the Andaman Islands, chiefly collected by Deputy Surgeon-Gen. R. Hungerford. (Plate XXVIII.) 1888, 565

Descriptions of thirteen new Species of Land-Shells, with a Note on *Bulinus fulminans*. (Plate LVI.) 1889, 577

STAUDINGER, Dr. OTTO, C.M.Z.S.

On three new and interesting Species of Rhopalocera. (Plate XXIV.) 1882, 396

STEBBING, Rev. THOMAS R. R., M.A.

Notice and Abstract of a Memoir on some new Amphipodous Crustaceans from Singapore and New Zealand 1886, 4

Notice of a Memoir on *Urothoë*, a Genus of Amphipodous Crustaceans, and on a new allied Genus, proposed to be called *Urothoides* 1889, 394

STEBBING, Rev. THOMAS R. R., M.A., and ROBERTSON, DAVID.

Notice of a Memoir containing the descriptions of four new British Amphipodous Crustaceans 1889, 452

STEELE, Professor J. B., Ph.D., C.M.Z.S.

Letter from, containing an account of the "Tamaron" of the Philippines 1888, 413

STERNDALE, ROBERT ARMITAGE, F.R.G.S., F.Z.S.

Extract from a letter addressed to Sir Victor Brooke, concerning a case of Hybridism between *Ovis hodgsoni* and *O. vignei* 1886, 205

STEVENSON, HENRY, F.L.S.

Exhibition of, and remarks upon, a specimen of the Dusky Petrel from Norfolk 1882, 421

STEWART, CHARLES, F.L.S.

- Exhibition of a preparation showing the Structure and Development of the Brood-pouch of *Nototrema marsupiatum* 1888, 219

STIRLING, E. C., M.A., M.D. Cantab., F.R.C.S. Eng.,
Lecturer on Physiology in the University of
Adelaide.

- Letter from, containing a Description of a new Australian Mammal 1889, 247

- On some Points in the Anatomy of the Female Organs of Generation of the Kangaroo, especially in relation to the acts of Impregnation and Parturition 1889, 433

STOLZMANN, JEAN.

- Description d'un nouveau Rongeur du genre *Cœlogenyx* 1885, 161
Quelques remarques sur le Dimorphisme Sexuel . 1885, 421

STOLZMANN, JEAN, and TACZANOWSKI, L., C.M.Z.S.

- Notice sur la *Loddigesia mirabilis* (Bourc.) 1881, 827

STYAN, FREDERICK WILLIAM, F.Z.S.

- Letter from, respecting some Chinese animals .. 1886, 267
Exhibition of a series of Eggs of Chinese birds .. 1887, 2

SUTTON, JOHN BLAND, F.R.C.S., F.Z.S., Lecturer on Comparative Anatomy, Middlesex Hospital, Erasmus Wilson Lecturer on Pathology, Royal College of Surgeons.

- On the Diseases of Monkeys in the Society's Gardens 1883, 581

- On the Diseases of the Carnivorous Mammals in the Society's Gardens 1884, 177

SUTTON, J. BLAND, F.R.C.S., F.Z.S., &c. (*continued*).

Observations on the Parasphenoid, the Vomer, and the Palato-pterygoid Arcade. (Plates LIII. & LIV.)	1884, 566
On Hypertrophy, and its Value in Evolution . .	1885, 432
On the Development and Morphology of the Human Sphenoid Bone. (Plate XXXV.)	1885, 577
On some Specimens of Disease from Mammals in the Society's Gardens	1886, 206
On the Intervertebral Disk between the Odontoid Process and the Centrum of the Axis in Man	1886, 337
On Atavism. A Critical and Analytical Study . .	1886, 551
On some Specimens of Disease from Mammals in the Society's Gardens	1887, 364
On the Arm-glands of the Lemurs	1887, 369
Remarks on some Abnormalities occurring among Animals recently living in the Society's Gardens . .	1888, 359

SWINHOE, Lt.-Col. CHARLES, F.L.S., F.Z.S.

On some new and little-known Species of Butterflies of the Genus <i>Teracolus</i> . (Plates XXXIX. & XL.)	1884, 434
On Lepidoptera collected at Kurrachee. (Plates XLVII. & XLVIII.)	1884, 503
On the Lepidoptera of Bombay and the Deccan. Part I. Rhopalocera. (Plate IX.)	1885, 124
On the Lepidoptera of Bombay and the Deccan. Part II. Heterocera. (Plates XX. & XXI.)	1885, 287
On the Lepidoptera of Bombay and the Deccan. Part III. Heterocera (<i>continued</i>). (Plates XXVII. & XXVIII.)	1885, 447
On the Lepidoptera of Bombay and the Deccan. Part IV. Heterocera (<i>continued</i>). (Plates LVI. & LVII.)	1885, 852

SWINHOE, Lt.-Col. CHARLES, F.L.S., F.Z.S. (*continued*).

- On the Lepidoptera of Mhow, in Central India.
(Plates XL. & XLI.) 1886, 421
- On New Indian Lepidoptera, chiefly Heterocera.
(Plates XLIII. & XLIV.) 1889, 396

SYMONDS, EDMOND, of Kroonstad, Orange Free State.

- Notes on some Species of South-African Snakes . 1887, 486

TACZANOWSKI, LADISLAS, C.M.Z.S.

- Description d'une nouvelle Belette du Pérou septentrional 1881, 647
- Description d'une nouvelle espèce du genre *Mustela* du Pérou nord-oriental 1881, 835
- Listes des Oiseaux recueillis par M. Stolzmann en Pérou nord-oriental. (Plates I. & II.) 1882, 2
- Description des espèces nouvelles de la collection péruvienne de M. le Dr. Raimondi de Lima. (Plate XVII.) 1883, 70
- Exhibition of, and remarks upon, a skin of an Owl (*Bubo blakistoni*) from the Ussuri country on the frontiers of Corea 1886, 125
- Liste des Oiseaux recueillis en Corée par M. Jean Kalinowski. 1887, 596
- Liste supplémentaire des Oiseaux recueillis en Corée 1888, 450
- Description d'une nouvelle *Locustella* de la Corée. 1889, 620

TACZANOWSKI, L., C.M.Z.S., and BERLEPSCH, Hans Graf von, C.M.Z.S.

- Liste des Oiseaux recueillis par MM. Stolzmann et Siemiradzki dans l'Écuadeur occidentale. (Plate I.) . 1883, 536
- Deuxième liste des Oiseaux recueillis dans l'Écuadeur occidentale, par MM. Stolzmann et Siemiradzki. (Plate XXIV.) 1884, 281

- TACZANOWSKI, L., C.M.Z.S., and BERLEPSCH, HANS
Graf von, C.M.Z.S. (*continued*).
- Troisième liste des Oiseaux recueillis par M. Stolzmann dans l'Écuadeur. (Plates VII. & VIII.) 1885, 67
- TACZANOWSKI, L., C.M.Z.S., and STOLZMANN, J.
- Notice sur la *Loddigesia mirabilis* (Bourc.) 1881, 827
- TEGETMEIER, WILLIAM BERNARD, F.Z.S.
- Exhibition of a Skull of *Rhinoceros sumatrensis* and of some Horns of a Buffalo and Deer from Borneo . 1882, 687
- Exhibition of specimens of the Pink-footed Goose, showing variation of colouring in the feet 1884, 176
- Exhibition of an example of the File-fish (*Balistes capriscus*) caught off Folkestone 1884, 478
- Exhibition of a specimen of the Wild Cat (*Felis catus*) obtained in Donegal; and of a variety of the Black Grouse (*Tetrao tetrix*) 1885, 3
- Exhibition of, and remarks upon, a pair of abnormal Antlers obtained in India 1885, 246
- Exhibition of, and remarks upon, a Skin of a Pheasant from the Persian borders of Transcaucasia. 1886, 81
- Exhibition of, and remarks upon, some Heads of the Sumatran Rhinoceros, from Sarawak, Borneo . . 1887, 3
- Exhibition of, and remarks upon, specimens of the Feet of an Australian Rabbit 1888, 359
- Exhibition of, and remarks upon, a specimen of a female Gold Pheasant in male plumage 1889, 135
- Exhibition of a pair of distorted Horns of the Ibex of Cashmere (*Capra sibirica*) 1889, 135
- Exhibition of, and remarks upon, some specimens illustrative of the Variations of Plumage of the Common Partridge 1889, 394
- Exhibition of, and remarks upon, two Cats' Skulls, recently brought from Egypt 1890, 77

THOMAS, OLDFIELD, F.Z.S., Natural History Museum.

- Account of the Mammalia collected during the Survey of H.M.S. 'Alert' in the Straits of Magellan and on the Coast of Patagonia. 1881, 3
- On the Indian Species of the Genus *Mus*. (Plates L. & LI.) 1881, 521
- On the African Mungoses. (Plate III.) 1882, 59
- On a Collection of Rodents from North Peru. (Plate IV.) 1882, 98
- On a small Collection of Rodents from South-Western Africa. (Plate XIV.) 1882, 265
- On a small Collection of Mammalia from Central Mexico 1882, 371
- Description of a new Species of Rat from China. (Plate XLIV.) 1882, 587
- Description of two new Species of *Pteropus* from the Caroline Islands. (Plates LIV. & LV.) 1882, 755
- On a Collection of Muridæ from Central Peru. (Plates XLII.-XLIV.) 1884, 447
- Report on the Mammals obtained and observed by Mr. H. H. Johnston on Mount Kilima-njaro. (Plate XII.) 1885, 219
- Notes on the Characters of the different Races of *Echidna*. (Plates XXIII. & XXIV.) 1885, 329
- Exhibition of, and remarks upon, a burrowing Rodent (*Heterocephalus phillipsi*) 1885, 611
- Notes on the Rodent Genus *Heterocephalus*. (Plate LIV.) 1885, 845
- On the Mammals presented by Allan O. Hume, Esq., C.B., to the Natural History Museum. (Plates V. & VI.) 1886, 54
- Notes on a striking instance of Cranial Variation due to Age. (Plate XI.) 1886, 125

THOMAS, OLDFIELD, F.Z.S. (*continued*).

On the Wallaby commonly known as <i>Lagorchestes fasciatus</i> . (Plate LIX.)	1886, 544
List of Mammals from the Cameroons Mountain, collected by Mr. H. H. Johnston	1887, 121
On the small Mammalia collected in Demerara by Mr. W. L. Slater. (Plate XIX.)	1887, 150
On the Bats collected by Mr. C. M. Woodford in the Solomon Islands. (Plates XXV. & XXVI.) . .	1887, 320
On the Milk-dentition of the Koala	1887, 338
Report on the Mammalia collected by the Officers of H.M.S. 'Flying-Fish' on Christmas Island. (Plates XLI. & XLII.)	1887, 511
On a Collection of Mammals obtained by Emin Pasha in Equatorial Africa, and presented by him to the Natural History Museum. (Plates I. & II.)	1888, 3
List of Mammals obtained by Mr. G. F. Gaumer on Cozumel and Ruatan Islands, Gulf of Honduras.	1888, 129
On a new and interesting Annectant Genus of <i>Muridae</i> , with Remarks on the Relations of the Old- and New-World Members of the Family. (Plate V.)	1888, 130
Description of a new Genus and Species of Rat from New Guinea.	1888, 237
On the Small Mammals of Duval County, South Texas	1888, 443
The Mammals of the Solomon Islands, based on the Collections made by Mr. C. M. Woodford during his Second Expedition to the Archipelago. (Plates XX.-XXII.)	1888, 470
On the Mammals of Christmas Island.	1888, 532
Exhibition of a new Species of Muntjac, from Tenasserim, proposed to be called <i>Cervulus feæ</i>	1889, 85
Description of a new Bornean Monkey belonging to the Genus <i>Semnopithecus</i> . (Plate XVI.)	1889, 159
PROC. ZOOL. SOC. INDEX, 1881-90.	7

THOMAS, OLDFIELD, F.Z.S. (*continued*).

Preliminary Notice on the Characters and Synonymy of the different Species of Otter	1889, 190
On the Mammals of Mount Kina Balu, North Borneo. (Plate XXIV.)	1889, 228
Description of a new Genus of <i>Muridæ</i> allied to <i>Hydromys</i> . (Plate XXIX.)	1889, 247
On a new Mongoose allied to <i>Herpestes albi- caudatus</i> . (Plate LXII.)	1889, 622
On a Collection of Mammals from Central Vera Cruz, Mexico. (Plates VI. & VII.)	1890, 71
On a Collection of Mammals obtained by Dr. Emin Pasha in Central and Eastern Africa. (Plate XL.)	1890, 443

THOMSON, ARTHUR, Head-Keeper of the Society's
Menagerie.

Notes on a Species of Stick-insect reared in the Insect-house in the Society's Gardens . (Plate LII.)	1882, 718
Report on the Insect-house for 1884	1885, 65
Report on the Insect-house in the Society's Gar- dens for 1885	1886, 2
Report on the Insect-house for 1886	1887, 50
Exhibition of, and remarks upon, specimens of <i>Papilio porthaon</i> reared in the Society's Insect- house	1887, 468
Exhibition of a living specimen of the larval form of a Stick-insect (<i>Empusa egena</i>)	1888, 88
Report on the Insect-house for 1887	1888, 119
Report on the Insect-house for 1888	1889, 85
Report on the Insect-house for 1889	1890, 94

THOMSON, JOHN HOWLAND, C.M.Z.S.

- On a new Land-Shell from the New Hebrides .. 1885, 26
- Letter from, containing information as to the locality of *Helix (Hemitrochus) filicosta* 1885, 214

THURSTON, EDGAR, C.M.Z.S.

- Exhibition of, and remarks upon, a series of Marine Animals from the Gulf of Manar, Indian Ocean..... 1888, 415

TREVES, FREDERICK, F.R.C.S., Surgeon to and Lecturer in Anatomy at the London Hospital, and
 BEDDARD, FRANK E., M.A., Prosector to the Society, Lecturer on Biology at Guy's Hospital.

- On the Anatomy of *Rhinoceros sumatrensis* 1889, 7

TRIMEN, ROLAND, F.R.S., F.L.S., F.Z.S., &c., Curator of the South-African Museum, Cape Town.

- On an apparently undescribed Sun-bird from Tropical South-western Africa. (Plate XXXII).. 1882, 451
- On a remarkable Variety of the Leopard (*Felis pardus*), obtained in the East of the Cape Colony.. 1883, 535
- Letter from, respecting the obtaining of a second example of *Laniarius atrocroceus* 1887, 396
- On *Bipalium kewense* at the Cape 1887, 548

TRISTRAM, REV. HENRY BAKER, M.A., D.D., LL.D., F.R.S., C.M.Z.S., Canon of Durham.

- Exhibition of, and remarks upon, the skin and eggs of a Darter, and a skin of a Cormorant 1881, 826
- Description of a new Fruit-Pigeon of the Genus *Carpophaga* from the Louisiade Archipelago..... 1881, 996
- Description of a new Species of Land-Rail from East Africa 1882, 93

TRISTRAM, Rev. HENRY BAKER, M.A., D.D., LL.D.,
F.R.S., C.M.Z.S. (*continued*).

Exhibition of, and remarks upon, some specimens
of the Genus *Pachycephala* 1884, 2

On an apparently new Species of Duck (*Dafila*)
from the Central Pacific. (Plate VII.) 1886, 79

Remarks upon a specimen of *Emberiza cioides*,
stated to have been captured at Flamborough, in the
collection of Mr. Chase..... 1889, 6

Remarks on his recent visit to the Rock of Zalmo
in the Canaries 1890, 402

VAN DYCK, W., M.D.

On the Modification of a Race of Syrian Street-
Dogs by means of Sexual Selection. With a Pre-
liminary Notice by CHARLES DARWIN, F.R.S., F.Z.S. 1882, 367

VIPAN, Capt. JOHN ALEXANDER M., F.Z.S.

Letter from, on the mode of Nesting of a South-
American Siluroid Fish (*Callichthys littoralis*) 1886, 330

WALSINGHAM, THOMAS, Lord, M.A., F.R.S., F.L.S.,
F.Z.S.

On some North-American Tineidæ. (Plates
XXXV. & XXXVI.) 1881, 301

WARREN, WILLIAM, M.A., F.E.S.

On Lepidoptera collected by Major Yerbury in
Western India in 1886 and 1887 1888, 292

WATERHOUSE, CHARLES OWEN, F.E.S., Zoological De-
partment, British Museum.

Account of the Coleoptera collected during the
Survey of H.M.S. 'Alert' in the Straits of Magellan
and on the Coast of Patagonia..... 1881, 80

WATERHOUSE, CHARLES OWEN, F.E.S. (*continued*).

- On the Coleopterous Insects belonging to the Family *Hispidae* collected by Mr. Buckley in Ecuador. (Plate XXX.) 1881, 260
- On the Coleopterous Insects collected by Prof. I. Bayley Balfour in the Island of Socotra. (Plate XLIII.) 1881, 469
- On the Coleopterous Insects collected by Mr. H. O. Forbes in the Timor-Laut Islands. (Plate XVI.) 1884, 213
- On the Insects collected on Kilima-njaro by Mr. H. H. Johnston. (Plate XV.) 1885, 230
- On some Coleopterous Insects collected by Mr. H. H. Johnston on the Cameroons Mountain 1887, 128
- Note on a new Parasitic Dipterous Insect of the Family *Hippoboscidae* 1887, 163
- Report on the Coleoptera collected by the Officers of H.M.S. 'Flying-Fish' on Christmas Island 1887, 520
- On some Coleoptera from Eastern Equatorial Africa, received from Emin Pasha 1888, 86

WATKINS, WILLIAM.

- Report on the Insect-house in the Society's Gardens 1881, 819

WATSON, MORRISON, M.D., F.Z.S., Professor of Anatomy, the Owens College, Manchester.

- Additional Observations on the Anatomy of the Spotted Hyæna. (Plate XLIX.) 1881, 516
- On the Muscular Anatomy of *Proteles* as compared with that of *Hyæna* and *Viverra* 1882, 579
- Additional Observations on the Structure of the Female Organs of the Indian Elephant (*Elephas indicus*) 1883, 517

	Page
WEIR, JOHN JENNER, F.Z.S., F.L.S., F.E.S.	
Exhibition of a supposed hermaphrodite specimen of <i>Lycæna icarus</i>	1883, 47
Exhibition of, and remarks upon, a skull of a feral Boar (<i>Sus scrofa</i>), obtained at Tauranga, New Zealand	1887, 397
 WELDON, WALTER F. R., B.A., F.R.S., Scholar of St. John's College, Cambridge.	
On some Points in the Anatomy of <i>Phœnicopterus</i> and its Allies. (Plates LIX. & LX.).....	1883, 638
Note on the Placentation of <i>Tetraceros quadricornis</i>	1884, 2
Notes on <i>Callithrix yigot</i>	1884, 6
 WESTWOOD, Professor JOHN OBADIAH, M.A., F.L.S., &c.	
Descriptions of some new Exotic Species of Moths. (Plates XII. & XIII.)	1881, 141
Observations on two Species of Indian Butterflies (<i>Papilio castor</i> and <i>P. pollux</i>). (Plates XLIV. & XLV.)	1881, 479
 WHITAKER, JOSEPH, F.Z.S.	
Exhibition of a specimen of Wilson's Phalarope shot in England	1886, 297
 WHITE, ERNEST WILLIAM, F.Z.S., and SCLATER, P. L., M.A., Ph.D., F.R.S.	
Notes on Birds collected in the Argentine Republic.....	1882, 591
Supplementary Notes on the Birds of the Argentine Republic. (Plate IX.)	1883, 37
Further Notes on the Birds of the Argentine Republic	1883, 432

WHITE, ROBERT B., C.M.Z.S.

Exhibition, on his behalf, of some Mammals obtained in the Upper Magdalena Valley of Colombia. 1890, 98

WILSON, SCOTT BARCHARD, F.Z.S.

On *Chloridops*, a new Generic Form of *Fringilidæ* from the Island of Hawaii 1888, 218

Descriptions of some new Species of Sandwich-Island Birds 1889, 445

WINDLE, BERTRAM C. A., M.A., M.D. (Dubl.), Professor of Anatomy in the Queen's College, Birmingham.

On the Anatomy of *Hydromys chrysogaster* 1887, 53

WINDLE, BERTRAM C. A., M.A., M.D., Professor of Anatomy in the Queen's College, Birmingham, and HUMPHREYS, JOHN, L.D.S., Lecturer on Dental Anatomy and Physiology in the same College.

On some Cranial and Dental Characters of the Domestic Dog 1890, 5

WOODFORD, CHARLES M., C.M.Z.S.

General Remarks on the Zoology of the Solomon Islands, and Notes on Brenchley's Megapode 1888, 248

Remarks upon the Fauna of the Solomon Islands. 1890, 148

WOOD-MASON, JAMES, F.Z.S., Superintendent, Indian Museum, Calcutta.

A Contribution to our Knowledge of the *Embiidæ*, a Family of Orthopterous Insects. (Plate LVI.) .. 1883, 628

Description of an Asiatic Species of the Neuropterous Genus *Corydalis*. (Plate VIII.) 1884, 110

WOODWARD, ARTHUR SMITH, F.G.S., F.Z.S., British
Museum (Natural History).

- On the Relations of the Mandibular and Hyoid
Arches in a Cretaceous Shark (*Hybodus dubrisiensis*,
Mackie). (Plate XX.) 1886, 218
- Note on the Presence of a Columella (Epiptery-
goid) in the Skull of *Ichthyosaurus* 1886, 405
- On the Anatomy and Systematic Position of the
Liassic Selachian, *Squaloraja polyspondyla*, Agassiz.
(Plate LV.) 1886, 527
- On the Presence of a Canal-system, evidently
Sensory, in the Shields of Pteraspidian Fishes 1887, 478
- Note on the "Lateral Line" of *Squaloraja* 1887, 481
- On the Fossil Teleostean Genus *Rhacolepis*, Agass.
(Plates XLVI. & XLVII.) 1887, 535
- Palæontological Contributions to Selachian Mor-
phology 1888, 126
- Exhibition of, and remarks upon, a maxilla of
Saurichthys, from the Rhætic Formation of Aust
Cliff, near Bristol 1889, 161
- Note on *Bucklandium diluvii*, König, a Siluroid
Fish from the London Clay of Sheppey. (Plate
XXII.) 1889, 208
- Remarks upon an extinct Saw-fish (*Sclerorhyn-
chus atavus*) and exhibition of a fragment of its
rostrum 1889, 449
- Exhibition of, and remarks upon, a Mesozoic
Palæoniscid Fish from New South Wales 1890, 148
- On some new Fishes from the English Wealden
and Purbeck Beds, referable to the Genera *Oli-
gopleurus*, *Strobilodus*, and *Mesodon*. (Plates
XXVIII. & XXIX.) 1890, 346
- Note on the Occurrence of the Saiga Antelope in
the Pleistocene Deposits of the Thames Valley 1890, 613

	Page
WOODWARD, ARTHUR SMITH, F.G.S., F.Z.S. (<i>continued</i>).	
On some Upper Cretaceous Fishes of the Family of <i>Aspidorhynchidæ</i> . (Plates LIV. & LV.)	1890, 629
WOODWARD, BERNARD BARHAM, F.G.S., British Museum (Nat. Hist.).	
Exhibition of, and remarks upon, a drawing of a Carnivorous Snail, <i>Ærope caffra</i>	1889, 327
Exhibition of an example of a fossil Shell, <i>Veritina schmideliana</i> , and remarks upon its peculiar mode of growth	1889, 327
WOODWARD, HENRY, LL.D., F.R.S., F.G.S., F.Z.S., &c.	
Exhibition of, and remarks upon, specimens of animals commensal or parasitic in the shell of <i>Melea- grina margaritifera</i>	1886, 176
WRAY, RICHARD S., B.Sc. (Lond.).	
Note on a Vestigial Structure in the Adult Ostrich representing the Distal Phalanges of Digit III.	1887, 283
On some Points in the Morphology of the Wings of Birds. (Plates XXIX.-XXXII.)	1887, 343
WRIGHT, CHARLES AUGUSTUS, F.L.S., F.Z.S., &c.	
Exhibition of a specimen of a Dove from Malta	1886, 81
WRIGHT, Professor R. RAMSAY, F.Z.S.	
Note on an Ectoparasite of the Menobranch	1886, 343
YERBURY, Major JOHN WILLIAM, R.A., F.Z.S.	
Letter from, containing remarks upon the locality of <i>Chamæleo calcarifer</i>	1885, 833
Exhibition of, and remarks upon, a pair of horns of the Oorial	1887, 639



INDEX OF SPECIES

DESCRIBED AND REFERRED TO.

1881-90.

	Page		Page
<i>Abdimia sphenorhyncha</i>	1884, 551	<i>Abraxas grossulariata</i> ..	1887, 226
	1885, 841		1887, 231
	1886, 323		1887, 232
	1886, 324		1887, 233
<i>Abisara abnormis</i>	1883, 532		1887, 235
	1883, 535		1887, 236
<i>angulata</i>	1882, 244		1887, 237
<i>fraterna</i>	1883, 532		1887, 262
	1885, 130		1887, 268
<i>gerontes</i>	1888, 67		1887, 271
	1890, 473		1887, 273
<i>prunosa</i>	1883, 532		1887, 274
<i>suffusa</i>	1882, 244	<i>intermedia</i>	1888, 324
<i>taantalus</i>	1887, 571	<i>irrorataria</i>	1889, 430
	1890, 473	<i>luteolaria</i>	1889, 430
<i>Ablabes baliodirus</i>	1890, 34	<i>ostrina</i>	1889, 431
<i>melanocephalus</i> ..	1881, 215	<i>poliaria</i>	1889, 431
<i>semicarinatus</i>	1887, 148	<i>pusilla</i>	1888, 325
<i>tricolor</i>	1890, 34	<i>todara</i>	1889, 431
<i>Ablepharus boutonii</i> ..	1883, 386		1889, 432
	1888, 534	<i>ulmata</i>	1888, 325
	1888, 536	<i>virginalis</i>	1886, 392
<i>egeriæ</i>	1888, 529		1886, 395
	1888, 535	<i>Abrostola niveola</i>	1889, 480
	1890, 80	<i>subapicalis</i>	1881, 618
<i>grayanus</i>	1890, 80		1883, 157
<i>poecilopleurus</i>	1883, 386	<i>transfixa</i>	1889, 534
<i>Abraxas ditritaria</i>	1889, 431	<i>triplesia</i>	1889, 534
<i>diversicolor</i>	1888, 325	<i>urentis</i>	1889, 535
<i>fasciata</i>	1889, 432	<i>Aburria carunculata</i> ..	1882, 351
<i>fascinaria</i>	1885, 862	<i>Acanthaspis bilineolata</i>	1890, 479
<i>fuscescens</i>	1886, 392	<i>Acanthaster echinites</i> ..	1887, 140
	1886, 395		1887, 141
	1888, 324		1888, 388
<i>grossulariata</i>	1887, 195	<i>mauritanus</i>	1887, 141
	1887, 197	<i>Acanthias vulgaris</i>	1884, 44
	1887, 202		1889, 321
	1887, 217		1889, 322
	1887, 218	<i>Acanthisitta chloris</i>	1882, 569
	1887, 220	<i>Acanthochætes vulgaris</i>	1882, 666
	1887, 224	<i>Acanthoclinus indicus</i> ..	1888, 264
	1887, 225	<i>Acanthocope acutispina</i>	1885, 916

	Page		Page
<i>Acanthocope acutispina</i>	1885, 923	<i>Acanthodrilus capensis</i>	1886, 172
	1885, 924	<i>dissimilis</i>	1885, 813
<i>spinicauda</i>	1885, 916		1885, 816
	1885, 922		1885, 817
	1885, 923		1885, 819
	1885, 924		1885, 820
<i>Acanthocycclus gayi</i>	1881, 63		1885, 821
	1881, 69		1885, 822
<i>Acanthodactylus bed-</i>			1885, 825
<i>riagæ</i>	1881, 744		1885, 826
	1881, 746		1885, 827
	1881, 747		1885, 828
<i>bellii</i>	1881, 743		1885, 829
	1881, 747		1885, 832
<i>boskianus</i>	1881, 744		1886, 169
	1881, 747		1886, 170
—, var. <i>syri-</i>			1886, 307
<i>acus</i>	1881, 745		1887, 387
<i>cantori</i>	1881, 745		1887, 388
	1881, 747		1887, 546
<i>capensis</i>	1881, 744		1889, 377
<i>inornatus</i>	1881, 744		1889, 378
	1881, 746		1890, 59
<i>lineo-maculatus</i> ..	1881, 747	<i>georgianus</i>	1890, 58
<i>micropholis</i>	1881, 745		1890, 62
	1881, 747	<i>kerquelenensis</i>	1885, 811
<i>savignyi</i>	1881, 744		1885, 816
	1881, 745		1885, 822
	1881, 746		1886, 301
—, var. <i>schreiberi</i>	1881, 746	<i>layardi</i>	1886, 175
<i>schreiberi</i>	1881, 746	<i>multiplus</i>	1885, 813
	1881, 747		1885, 814
<i>scutellatus</i>	1881, 744		1885, 816
	1881, 747		1885, 817
<i>syriacus</i>	1881, 745		1885, 819
	1881, 747		1885, 820
<i>tristrami</i>	1881, 746		1885, 821
	1881, 747		1885, 822
<i>velox</i>	1881, 746		1885, 826
	1881, 747		1885, 827
<i>vulgaris</i>	1881, 743		1885, 828
	1881, 747		1885, 829
<i>Acanthodrilus angu-</i>			1885, 832
<i>latus</i>	1886, 169		1886, 170
	1886, 170		1886, 171
<i>annectens</i>	1889, 378		1886, 174
	1890, 59		1887, 160
<i>antarcticus</i>	1889, 378		1887, 161
	1890, 59		1889, 378
<i>beddardi</i>	1890, 59		1890, 59
<i>büttikoferi</i>	1885, 811	<i>novæ-zelandiæ</i>	1885, 813
	1885, 814		1885, 815
	1885, 822		1885, 816
	1890, 59		1885, 817
<i>capensis</i>	1885, 811		1885, 819
	1885, 816		1885, 820
	1885, 822		1885, 821
	1886, 170		1885, 822

	Page		Page
<i>Acanthodrilus novæ-</i>		<i>Accentor montanellus</i> ..	1888, 463
<i>zelandiæ</i>	1885, 823	<i>Accipiter bicolor</i>	1883, 457
	1885, 824		1885, 119
	1885, 827	<i>erythrocnemus</i> ..	1883, 41
	1885, 829	<i>fuscus</i>	1883, 457
	1885, 830	<i>minullus</i>	1882, 305
	1885, 832	<i>nigroplumbeus</i>	1885, 116
	1886, 169	<i>nisoides</i>	1887, 581
	1886, 170	<i>nisus</i>	1887, 598
	1887, 546		1888, 461
	1889, 377	<i>pileatus</i>	1882, 47
	1889, 378		1885, 119
<i>obtusus</i>	1885, 811	<i>rhodogaster</i>	1885, 545
	1886, 169	<i>stevensoni</i>	1887, 581
	1886, 170	<i>virgatus</i>	1887, 581
	1886, 172	<i>Acerina vulgaris</i>	1886, 507
	1886, 175	<i>Aceros nepalensis</i>	1884, 251
<i>rosæ</i>	1889, 377		1885, 843
	1889, 379		1889, 587
<i>schlegelii</i>	1885, 811		1889, 588
	1885, 814		1889, 590
	1885, 816		1889, 591
	1885, 822	<i>Acestra kneri</i>	1887, 278
	1890, 59	<i>Acestrura micrura</i>	1883, 425
<i>ungulatus</i>	1885, 811	<i>mul santi</i>	1882, 35
	1885, 814		1884, 306
	1885, 816		1885, 118
	1885, 826	<i>Achæa catilla</i>	1884, 498
	1886, 173	<i>combinans</i>	1885, 464
	1886, 174	<i>cyllaria</i>	1885, 465
	1886, 175	<i>cyllota</i>	1885, 465
<i>verticillatus</i>	1885, 811	<i>fasciculipes</i>	1888, 224
	1886, 169	<i>insignis</i>	1882, 428
	1886, 175		1882, 440
<i>Acanthoglossus bruijni</i> .	1884, 150		1882, 441
	1885, 151	<i>melicerte</i>	1884, 521
	1885, 339		1885, 465
<i>Acantholipes acervalis</i> ..	1886, 451		1886, 382
<i>affinis</i>	1881, 618		1886, 450
	1884, 518		1888, 225
	1885, 467		1888, 315
	1886, 451	<i>mercatoria</i>	1885, 464
<i>flavisigna</i>	1881, 371	<i>Acharya costalis</i>	1883, 28
<i>hypenoides</i>	1881, 372		1883, 30
<i>metalligera</i>	1889, 528	<i>Achatina barriana</i>	1889, 579
<i>nigrisigna</i>	1881, 372		1889, 582
<i>vetustalis</i>	1881, 372	<i>craveni</i>	1881, 283
<i>Acanthomunna</i>	1886, 102		1881, 300
<i>proteus</i>	1886, 103	<i>fulica</i>	1882, 375
<i>Acanthomys leucopus</i> ..	1888, 482		1882, 380
<i>Acanthopsis chærorrhyn-</i>		<i>hamillei</i>	1881, 282
<i>chus</i>	1890, 39		1881, 300
<i>Acanthurus nigrofuscus</i> .	1887, 660	<i>kirkii</i>	1881, 283
<i>sobal</i>	1887, 660	<i>linteræ</i>	1889, 580
<i>xanthurus</i>	1887, 660		1889, 582
<i>Acanthylis caudacuta</i> ..	1888, 459	<i>petersi</i>	1881, 282
<i>Acara sypsilus</i>	1887, 275	<i>smithi</i>	1889, 579
<i>Accentor montanellus</i> ..	1887, 601		1889, 582

	Page		Page
<i>Achatina thomsoni</i>	1881, 283 1881, 300	<i>Acidalia addictaria</i>	1885, 857 1886, 455
(<i>Limicolaria</i>) <i>cail-</i>		<i>adeptaria</i>	1885, 857
<i>laudi</i>	1881, 284 1881, 300	<i>cernea</i>	1888, 227 1888, 231
(—) <i>rectistrigata</i> .	1881, 284 1881, 300	<i>cleoraria</i>	1883, 170 1886, 454
<i>Achatinelloides balfouri</i> .	1881, 801 1881, 802 1881, 803 1881, 804	<i>defamataria</i>	1885, 857
<i>gollonsirensis</i>	1881, 801 1881, 802 1881, 806	<i>defixaria</i>	1884, 324
<i>hadibuensis</i>	1881, 801 1881, 802 1881, 804	<i>distracta</i>	1881, 616
<i>longiformis</i>	1881, 802 1881, 806	<i>extimaria</i>	1883, 170 1885, 857 1886, 455
<i>semicastaneus</i>	1881, 801 1881, 802 1881, 807	<i>inductata</i>	1883, 170 1885, 322
<i>socotrens</i>	1881, 801 1881, 802 1881, 803	<i>invalida</i>	1883, 170
—, var. <i>alba</i>	1881, 802 1881, 803	<i>ligataria</i>	1885, 857
—, var. <i>elongata</i> ...	1881, 801 1881, 802	<i>negataria</i>	1883, 170 1886, 455
<i>tigris</i>	1881, 801 1881, 802 1881, 806	<i>niphe</i>	1882, 242
<i>zebrinus</i>	1881, 801 1881, 802	<i>patularia</i>	1885, 857 1886, 455
<i>Acherontia atropos</i>	1881, 825 1885, 541 1888, 587 1888, 588	<i>perdilaria</i>	1884, 324
<i>medusa</i>	1888, 587 1888, 588	<i>relictata</i>	1888, 322
<i>morta</i>	1881, 613 1885, 290 1886, 435	<i>remotata</i>	1885, 857 1886, 455
<i>styx</i>	1884, 513 1885, 290 1886, 435 1888, 293 1888, 597	<i>Aciptilia atomosa</i>	1885, 885
<i>Achillides paris</i>	1882, 258	<i>oxydactyla</i>	1885, 885
<i>Achlyodes bromius</i>	1890, 577	<i>Acirsa praelonga</i>	1884, 141
<i>ozema</i>	1890, 577	<i>Aclis angulata</i>	1890, 251 1890, 280 1890, 316 1890, 342
<i>petius</i>	1890, 577	<i>ascaris</i>	1884, 342
<i>sura</i>	1882, 263	<i>didyma</i>	1890, 251 1890, 281 1890, 316
<i>trifasciata</i>	1890, 577	<i>exigua</i>	1884, 343
<i>Acidalia absconditaria</i> ..	1883, 170 1885, 857 1886, 455	<i>gulsoni</i>	1884, 344
<i>acturia</i>	1885, 857	<i>nitidissima</i>	1890, 281
		<i>simillima</i>	1890, 251 1890, 280 1890, 316
		<i>supranitida</i>	1884, 342 1884, 343
		<i>terebialis</i>	1884, 343
		—, var. <i>minor</i>	1884, 343
		<i>ventrosa</i>	1884, 344
		<i>walleri</i>	1884, 343 1884, 344
		<i>Acmocera undulata</i>	1890, 491
		<i>Acocephalus nervosus</i> ..	1890, 617
		<i>Acontia albonitens</i>	1889, 522
		<i>arefacta</i>	1889, 523
		<i>badia</i>	1886, 445
		<i>basifera</i>	1885, 454
		<i>bicolora</i>	1889, 524
		<i>biplaga</i>	1889, 523
		<i>biplagiata</i>	1889, 523

	Page		Page
<i>Acontia costalis</i>	1885, 454	<i>Acraea daira</i>	1884, 221
	1889, 410		1884, 229
<i>crocata</i>	1885, 455	<i>eponina</i>	1890, 466
	1886, 445	<i>eurita</i>	1890, 466
<i>excisa</i>	1885, 455	<i>insignis</i>	1885, 538
	1886, 444		1888, 66
<i>frina</i>	1885, 455	<i>iturina</i>	1890, 465
	1885, 476	<i>johnstoni</i>	1885, 537
<i>hortensis</i>	1884, 517	<i>lycia</i>	1884, 220
	1884, 529		1884, 221
<i>inda</i>	1886, 445		1890, 466
<i>karachiensis</i>	1889, 410	<i>lycoa</i>	1884, 222
<i>lucida</i>	1888, 309		1888, 66
<i>nigripalpis</i>	1886, 445		1890, 466
<i>noloides</i>	1889, 523	<i>menippe</i>	1890, 466
<i>opella</i>	1885, 456	<i>mirabilis</i>	1885, 757
	1885, 476		1885, 760
	1886, 380		1885, 776
<i>pulchella</i>	1889, 524	<i>natalica</i>	1885, 538
	1889, 571	<i>neobule</i>	1881, 177
<i>pulla</i>	1885, 456		1881, 180
	1885, 476		1888, 66
<i>quadripartita</i>	1885, 454	<i>oncaea</i>	1885, 538
	1886, 445	<i>pentapolis</i>	1890, 466
<i>quintana</i>	1885, 455	<i>perenna</i>	1888, 66
	1885, 476		1890, 466
<i>ritsemæ</i>	1888, 222	<i>poggei</i>	1890, 466
<i>scanda</i>	1885, 455	<i>pseudegina</i>	1884, 221
<i>signifera</i>	1886, 445		1888, 66
	1889, 523	<i>serena</i>	1884, 222
<i>solaris</i>	1884, 517		1890, 466
	1888, 309	<i>sganzini</i>	1888, 66
<i>splendens</i>	1890, 516	<i>stenolea</i>	1888, 66
<i>subfixa</i>	1889, 523	<i>vesperalis</i>	1890, 466
<i>vialis</i>	1889, 523	<i>vinidia</i>	1884, 222
<i>zelia</i>	1887, 686		1888, 65
<i>Acontias hildebrandti</i> ..	1890, 80	<i>violæ</i>	1887, 215
<i>Acosmeryx anceus</i>	1888, 585	(Planema) <i>johnstoni</i>	1888, 91
<i>metanaga</i>	1888, 585	(—) <i>lycoa</i>	1888, 91
<i>Acosmetia nebulosa</i> ...	1881, 350	<i>Acrida viridissima</i> ...	1881, 826
	1881, 380	<i>Acridotheres cinereus</i> ..	1885, 556
<i>nigriscens</i>	1881, 350	<i>crystalellus</i>	1887, 2
<i>Acraea adnatha</i>	1884, 221	<i>Acrobasis nigrescens</i> ..	1888, 336
<i>andromacha</i>	1886, 81	<i>Acrobates pygmaeus</i> ..	1881, 186
<i>anomala</i>	1882, 243		1883, 615
<i>bræsia</i>	1885, 538	<i>Acrocephalus orientalis</i>	1889, 224
	1885, 757	<i>phragmitis</i>	1888, 20
	1885, 760	<i>Acrodactyla degener</i> ..	1881, 259
<i>burtoni</i>	1885, 538	<i>Acronotus annularis</i> ..	1889, 618
<i>cæcilia</i>	1884, 221	<i>Acronycta aceris</i>	1881, 825
<i>calyce</i>	1884, 221	<i>alni</i>	1889, 477
	1884, 229	<i>bicolor</i>	1881, 332
<i>cephæus</i>	1890, 466	<i>brumosa</i>	1889, 476
<i>cerasa</i>	1890, 466	<i>consanguis</i>	1883, 155
<i>chilo</i>	1885, 757		1889, 476
	1885, 760	<i>cuspidis</i>	1889, 474
<i>cidonia</i>	1890, 466	<i>digna</i>	1889, 475
<i>circæis</i>	1890, 466	<i>herculea</i>	1889, 475

	Page		Page
<i>Acronycta increta</i>	1889, 475	<i>Actias nivea</i>	1881, 102
<i>leporina</i>	1887, 213	<i>selene</i>	1881, 653
	1889, 477		1881, 820
<i>leucocuspis</i>	1889, 474		1881, 823
<i>ligustri</i>	1889, 476		1882, 632
<i>longa</i>	1889, 478		1882, 633
<i>lutea</i>	1889, 478		1885, 65
<i>luteicoma</i>	1889, 475		1885, 306
<i>major</i>	1889, 476		1886, 2
<i>megacephala</i>	1881, 822		1886, 4
	1881, 825		1887, 51
<i>menyanthidis</i>	1889, 476		1888, 119
<i>michaël</i>	1889, 475		1888, 298
<i>pruinosa</i>	1889, 476		1888, 634
<i>psi</i>	1881, 822		1889, 86
	1881, 825		1890, 94
	1887, 248	<i>Actinocucumis typica</i> ..	1889, 7
	1887, 271	<i>Actinometra affinis</i>	1882, 747
	1887, 272	<i>albonotata</i>	1882, 535
	1887, 274		1882, 747
	1889, 475	<i>alternans</i>	1882, 533
<i>rumicis</i>	1889, 477		1882, 535
<i>strigosa</i>	1889, 478		1882, 733
<i>subornata</i>	1889, 477		1882, 736
	1889, 571		1882, 738
<i>tridens</i>	1889, 475		1882, 742
<i>Acropternis orthonyx</i> ..	1885, 116		1882, 744
<i>Acropteroxys</i>	1887, 362		1882, 745
<i>Acrothinium cupricolle</i>	1888, 342		1882, 747
<i>gaschkevitchi</i>	1885, 753	<i>annulata</i>	1882, 535
	1888, 343		1882, 536
<i>Acryllium vulturinum</i>	1882, 352		1882, 747
	1889, 371	<i>bennetti</i>	1882, 533
<i>Actæa nodulosa</i>	1887, 520		1882, 535
<i>rufo-punctata</i>	1881, 63		1882, 732
	1881, 68		1882, 733
<i>Actæodes pubescens</i> ..	1884, 10		1882, 736
	1884, 11		1882, 739
<i>Actæon modesta</i>	1890, 298		1882, 741
<i>pygmæa</i>	1884, 123		1882, 747
<i>semisculptus</i>	1890, 253	<i>borneensis</i>	1882, 533
	1890, 298		1882, 535
	1890, 316		1882, 743
<i>Actea minuta</i>	1885, 526		1882, 747
<i>Actenia gnidusalis</i>	1888, 293	<i>brachiolata</i>	1882, 533
	1888, 332		1882, 735
<i>Actias luna</i>	1881, 653	— (<i>rosea</i>)	1882, 535
	1881, 820	<i>briareus</i>	1882, 740
	1881, 823		1882, 746
	1882, 632	<i>coccodistoma</i>	1882, 747
	1886, 2	<i>coppingeri</i>	1882, 535
	1887, 51		1882, 747
	1888, 119	<i>cumingi</i>	1882, 747
	1889, 86		1888, 387
	1890, 94	<i>decipiens</i>	1882, 740
<i>mimosæ</i>	1887, 51		1882, 746
	1887, 52	<i>echinoptera</i>	1882, 533
<i>ningpoana</i>	1888, 634		1882, 535

	Page		Page
Actinometra echinoptera	1882, 744	Actinometra parvicirra .	1882, 733
	1882, 747		1882, 735
fimbriata	1882, 533		1882, 736
	1882, 535		1882, 738
	1882, 735		1882, 739
	1882, 737		1882, 741
	1882, 743		1882, 742
	1882, 744		1882, 743
	1882, 745		1882, 745
	1882, 747		1882, 747
	1888, 387		1888, 384
grandicalyx	1882, 747		1888, 387
irregularis	1882, 740	paucicirra	1882, 535
	1882, 746		1882, 747
japonica	1882, 533	pectinata	1882, 747
	1882, 535	peroni	1882, 533
	1882, 733		1882, 535
	1882, 736		1882, 732
	1882, 738		1882, 733
	1882, 747		1882, 736
jukesi	1882, 533		1882, 738
	1882, 741		1882, 747
	1882, 743	pulchella	1882, 533
	1882, 745		1882, 535
	1882, 747		1882, 733
lineata	1882, 747		1882, 738
meridionalis	1882, 743		1882, 739
	1882, 745		1882, 743
	1882, 747		1882, 745
meyeri	1882, 747		1882, 747
multifida	1882, 533	purpurea	1882, 747
	1882, 535	robusta	1882, 735
	1882, 740		1882, 747
	1882, 741	robustipinna	1882, 533
	1882, 742		1882, 535
	1882, 747		1882, 736
multiradiata	1882, 533		1882, 747
	1882, 535	rosea	1882, 747
	1882, 733	rotalaria	1882, 533
	1882, 735		1882, 535
	1882, 737		1882, 740
	1882, 741		1882, 745
	1882, 742		1882, 747
	1882, 744	savignii	1882, 740
	1882, 745		1882, 745
	1882, 747		1882, 746
notata	1888, 389	schlegeli	1882, 534
novæ-guinææ	1882, 533		1882, 535
	1882, 535		1882, 732
	1882, 732		1882, 733
	1882, 733		1882, 736
	1882, 736		1882, 739
	1882, 737		1882, 745
	1882, 745		1882, 747
	1882, 747	solaris	1882, 534
parvicirra	1882, 533		1882, 535
	1882, 535		1882, 734
	1882, 732		1882, 735

	Page		Page
Actinometra solaris ...	1882, 737	Adeorbis pulchralis	1885, 41
	1882, 739	subcarinatus	1885, 40
	1882, 745	supranitidus	1885, 40
	1882, 747	tricarinatus	1885, 40
stelligera	1882, 747	Adigama malayica	1883, 209
trichoptera	1882, 534		1883, 210
	1882, 535		1883, 269
	1882, 740	ochsenheimeri	1883, 209
	1882, 741		1883, 210
	1882, 742		1883, 211
	1882, 743		1883, 254
	1882, 745		1883, 269
	1882, 747		1883, 270
typica	1882, 534	scudderi	1883, 209
	1882, 535		1883, 210
	1882, 733		1883, 270
	1882, 736	Adimonia capraea.....	1885, 755
	1882, 741	extensa	1885, 755
	1882, 743	multicostata	1885, 747
	1882, 747		1885, 755
variabilis	1882, 535		1888, 351
	1882, 747	Adisura atkinsoni	1881, 368
wahlbergi	1882, 534		1881, 379
	1882, 535	delicia	1881, 368
	1882, 738		1888, 310
	1882, 747	dulcis.....	1881, 368
Actinopyga echinites ..	1888, 389		1881, 380
lecanora	1888, 389		1887, 686
mauritiana	1888, 389		1888, 310
miliaria	1887, 523	leucanioides	1881, 368
	1888, 389		1881, 369
Actitis glareola	1885, 561		1883, 161
hypoleucos	1885, 560		1884, 518
	1888, 457		1885, 449
macularia	1883, 577		1886, 443
Actodromas albescens ..	1885, 417	marginalis.....	1881, 368
	1887, 586		1881, 369
Addisonia eccentrica ..	1882, 673		1885, 449
eccentros	1882, 673		1888, 310
paradoxa	1884, 148	pallida	1881, 369
Adela latifasciella	1882, 673	similis	1881, 369
Adelocera cincta	1888, 338	splendens	1887, 685
Adelomyia maculata ..	1884, 215	uncta	1885, 449
melanogenys.....	1882, 37		1885, 476
— maculata	1882, 37	Admete crispa	1885, 49
	1884, 305	viridula	1885, 48
	1888, 104	Adolias garuda.....	1882, 239
Adelostoma bicarinatum	1881, 470		1885, 130
	1881, 475	nicea	1882, 239
	1881, 478	patala.....	1882, 239
Adelpha cythera	1890, 565	schrenki.....	1881, 866
erotia.....	1890, 565		1881, 892
iphicla	1890, 565		1887, 402
messana.....	1890, 565		1887, 419
Adeniophis bivirgatus ..	1890, 35	Adoretus cinerarius	1884, 405
intestinalis	1890, 35	rugulosus	1884, 405
Adeorbis depressus	1885, 41	tenuimaculatus....	1888, 376
fragilis	1885, 41	Adris tyrannus.....	1889, 544

	Page		Page
<i>Æchmophorus major</i> ..	1883, 433	<i>Ægialitis ruficapillus</i> ..	1886, 403
<i>Ædiodes effertalis</i>	1885, 868	<i>semipalmata</i>	1883, 428
<i>inscitalis</i>	1883, 167		1885, 119
	1885, 868		1885, 124
	1886, 458	<i>tricoloris</i>	1888, 49
<i>Aedon abyssinicus</i>	1884, 231	<i>vocifera</i>	1885, 835
<i>leucophrys</i>	1882, 589	<i>Ægithalopsis galinieri</i> ..	1884, 231
<i>Ædophron phlebophora</i> .	1881, 361		1884, 232
<i>Æga alaskensis</i>	1881, 78	<i>Ægithalus capensis</i>	1888, 29
<i>belliceps</i>	1881, 78	<i>caroli</i>	1888, 29
<i>harfordi</i>	1881, 78	<i>musculus</i>	1888, 29
<i>novæ-zelandiæ</i>	1881, 78	<i>parvulus</i>	1888, 29
<i>punctulata</i>	1881, 64	<i>Ægithina viridis</i>	1881, 796
	1881, 77		1885, 412
	1881, 78		1889, 226
	1881, 139	<i>Ægithus armitagei</i>	1889, 619
<i>Ægeria bicincta</i>	1888, 592	<i>bartletti</i>	1889, 619
<i>hector</i>	1888, 592		1889, 620
<i>montis</i>	1888, 592	<i>dichrous</i>	1889, 619
	1888, 654		1889, 620
<i>odyneripennis</i>	1888, 592	<i>Ægocera latreillii</i>	1884, 227
<i>tenuis</i>	1888, 592	<i>magna</i>	1884, 227
<i>Ægialitis asiatica</i>	1888, 49		1888, 82
	1890, 461	<i>rectilinea</i>	1884, 227
<i>cantiana</i>	1881, 174		1888, 82
	1889, 225	<i>tricolor</i>	1888, 81
<i>collaris</i>	1882, 628	<i>venulia</i>	1881, 614
	1885, 119		1884, 514
<i>curonica</i>	1881, 174		1885, 292
<i>dubia</i>	1889, 225		1888, 294
<i>geoffroyi</i>	1881, 800	<i>Ægoceros ammon</i>	1886, 315
	1882, 353	<i>argali</i>	1885, 679
	1882, 355	<i>beden</i>	1886, 316
	1883, 52	<i>caucasica</i>	1887, 553
	1883, 200	<i>falconeri</i>	1886, 317
	1884, 433	<i>pallasi</i>	1886, 316
	1885, 559		1887, 552
	1885, 664		1887, 618
	1889, 225	<i>pictus</i>	1886, 315
<i>minor</i>	1887, 610	<i>Ægosoma sinicum</i>	1888, 378
	1888, 49	<i>Ægotheles novæ-hollan-</i>	
	1888, 467	<i>diæ</i>	1885, 894
<i>mongola</i>	1888, 456		1886, 149
<i>mongolica</i>	1882, 355	<i>Aellopus hirundo</i>	1888, 97
	1885, 664	<i>tantalus</i>	1884, 321
	1887, 585	<i>Ælurædus buccoides</i> ..	1885, 657
	1889, 225	<i>Æmene fasciata</i>	1888, 605
<i>nivosa</i>	1881, 15	<i>inconstans</i>	1888, 393
	1883, 428	<i>minuta</i>	1888, 605
	1886, 403	<i>sagittifera</i>	1888, 392
<i>occidentalis</i>	1886, 395	<i>tæniata</i>	1888, 605
	1886, 396	<i>taprobanis</i>	1885, 293
	1886, 403	<i>tenebrosa</i>	1885, 293
<i>pecuarius</i>	1888, 49		1886, 437
<i>peroni</i>	1885, 417	<i>Ænidea abdominalis</i> ..	1885, 749
	1889, 225		1885, 750
<i>placidus</i>	1887, 610		1885, 755
	1888, 468		

	Page		Page
<i>Ænidea armata</i>	1885, 749	<i>Æthopyga wrayi</i>	1888, 277
	1885, 750	<i>Æthriamanta brevipennis</i>	1889, 298
	1885, 755	<i>rezia</i>	1889, 297
<i>basalis</i>	1885, 755		1889, 298
<i>hirtipennis</i>	1887, 113	<i>Aëtobatis narinari</i>	1889, 244
<i>læta</i>	1885, 749	<i>Ætole bella</i>	1881, 324
<i>nigripes</i>	1885, 755	<i>Agabotus brunnescens</i> .	1884, 460
<i>ornata</i>	1885, 755	<i>Agabus abbreviatus</i>	1881, 825
<i>tibialis</i>	1885, 750	<i>dispar</i>	1881, 826
	1885, 755	<i>Agalope basalis</i>	1886, 384
<i>Æolosoma ehrenbergi</i> ..	1888, 214		1888, 295
	1889, 51	<i>Agama agilis</i>	1881, 671
	1889, 55		1881, 672
	1889, 56		1881, 673
<i>headleyi</i>	1888, 217		1881, 674
	1889, 51		1881, 676
	1889, 52	<i>aralensis</i>	1881, 672
<i>leidyi</i>	1889, 51		1881, 674
<i>niveum</i>	1888, 217	<i>flavimaculata</i>	1881, 672
<i>quaternarium</i>	1888, 214		1881, 673
	1888, 215	<i>persica</i>	1881, 674
	1889, 51		1881, 676
	1889, 55	<i>sanguinolenta</i>	1881, 672
	1889, 56		1881, 674
<i>stokesi</i>	1889, 51	<i>savignii</i>	1881, 673
<i>tenebrarum</i>	1888, 214	<i>sinaita</i>	1881, 676
	1889, 51	<i>stoliczkana</i>	1890, 78
	1889, 52	(<i>Trapelus</i>) <i>runderata</i>	1881, 672
	1889, 53	<i>Agamodon anguliceps</i> ..	1890, 79
	1889, 54	<i>Aganisthos orion</i>	1890, 563
	1889, 55	<i>Aganopsis orbicularis</i> ..	1883, 156
	1889, 56	<i>Agapanthia amurensis</i> ..	1888, 380
<i>variegatum</i>	1888, 214	<i>Agapornis pullaria</i>	1888, 45
	1888, 215	<i>Agarista lethe</i>	1885, 520
	1888, 216		1885, 521
	1888, 217	<i>Agastya flavomaculata</i> .	1881, 379
	1889, 52	<i>hyblæoides</i>	1881, 379
	1889, 55	<i>Agathia hilarata</i>	1885, 854
	1889, 56	<i>Agathodes ostentalis</i> ..	1885, 868
<i>Æpyceros melampus</i> ..	1881, 757	<i>Agelæus imthurni</i>	1881, 213
	1890, 461		1881, 214
	1890, 654	<i>phœnicicus</i>	1882, 601
<i>petersi</i>	1890, 460		1883, 446
	1890, 461	<i>thilius</i>	1881, 213
<i>Aeria asarica</i>	1883, 256		1882, 602
<i>Ærope caffra</i>	1889, 327		1883, 422
<i>Æthemenes forbesi</i>	1884, 460	<i>Agelastica cærulea</i>	1885, 755
<i>nigro-punctatus</i> ..	1884, 460	<i>nigriceps</i>	1885, 755
<i>Æthopyga eupogon</i>	1881, 796	<i>Ageronia amphinome</i> ..	1890, 564
	1885, 410	<i>arete</i>	1890, 564
<i>flavostriata</i>	1885, 554	<i>chloë</i>	1890, 564
<i>sanguinipectus</i>	1887, 440	<i>feretina</i>	1890, 564
	1888, 277	<i>feronia</i>	1890, 564
<i>shelleyi</i>	1889, 225	<i>Aginna circumscripta</i> ..	1885, 474
<i>siparaja</i>	1881, 796	<i>levicula</i>	1889, 417
	1885, 410		1889, 432
<i>wrayi</i>	1887, 440	<i>robustalis</i>	1889, 418
	1888, 276	<i>Aglaectis cupreipennis</i> .	1882, 36

	Page		Page
<i>Aglaeactis cupreipennis</i>	1884, 304	<i>Agrotis costigera</i>	1881, 350
<i>Aglaophenia divaricata</i>	1887, 394	<i>depravata</i>	1889, 499
<i>Aglia tau</i>	1881, 820	<i>dilucida</i>	1889, 541
—, var. <i>japonica</i>	1888, 632	<i>exclamationis</i>	1889, 500
<i>Aglossa casalis</i>	1888, 332	<i>fraterna</i>	1883, 160
<i>gnidusalis</i>	1888, 332		1888, 305
<i>harpialis</i>	1888, 332	<i>fucosa</i>	1889, 499
<i>laminialis</i>	1888, 332	<i>hastifera</i>	1881, 351
<i>pinguinalis</i>	1886, 382	<i>illobata</i>	1889, 498
<i>rufiflualis</i>	1888, 332	<i>informis</i>	1889, 500
<i>Agraulis julia</i>	1890, 560		1889, 571
<i>juno</i>	1890, 560	—, var. <i>confluens</i>	1889, 500
<i>phaerusa</i>	1890, 561	<i>ingrata</i>	1888, 305
<i>vanillæ</i>	1884, 315		1889, 500
	1890, 560	<i>intracta</i>	1888, 305
<i>Agrias beatifica</i>	1882, 338	<i>junctura</i>	1881, 351
	1882, 339	<i>labyrinthica</i>	1881, 350
	1883, 384		1888, 305
	1883, 385	<i>lamptera</i>	1890, 513
	1883, 386	<i>lassa</i>	1886, 444
<i>phalcidon</i>	1883, 384	<i>limenia</i>	1890, 514
	1883, 385	<i>lucens</i>	1889, 501
<i>stuarti</i>	1882, 338	<i>lycarum</i>	1889, 501
	1882, 339	<i>modesta</i>	1881, 351
	1883, 384	<i>munda</i>	1883, 160
	1883, 385		1888, 304
<i>Agriopis aprilina</i>	1889, 503	<i>obscura</i>	1889, 500
<i>viridis</i>	1889, 502	<i>odiosa</i>	1889, 513
	1889, 571	<i>placida</i>	1881, 350
<i>Agriopus peruvianus</i>	1881, 20		1888, 305
<i>Agriornis andicola</i>	1885, 117	<i>plagiata</i>	1881, 352
<i>livida</i>	1883, 423	<i>plagifera</i>	1881, 352
<i>maritima</i>	1881, 8	<i>præcox</i>	1889, 499
<i>pollens</i>	1885, 117	<i>quadrisigna</i>	1881, 350
<i>solitaria</i>	1885, 116		1881, 617
<i>Agrisius guttivitta</i>	1888, 593		1888, 305
<i>japonicus</i>	1888, 598		1889, 498
	1888, 654	<i>ravida</i>	1889, 500
<i>Agrophila sulphurialis</i>	1886, 447	<i>repulsa</i>	1886, 444
	1889, 528	<i>saucia</i>	1889, 499
<i>trabealis</i>	1889, 528	<i>segetum</i>	1885, 453
<i>Agrostis</i> , sp.	1884, 323		1886, 444
<i>Agrotis aquilina</i>	1881, 351		1888, 305
<i>aristifera</i>	1883, 160		1889, 499
	1884, 516	—, var. <i>ingrata</i>	1889, 499
	1885, 453	<i>senna</i>	1889, 501
	1886, 380	<i>speciosa</i>	1889, 501
	1886, 444	<i>spectabilis</i>	1881, 352
	1888, 304	<i>squalida</i>	1889, 501
	1886, 380	<i>suffusa</i>	1883, 160
<i>aversa</i>	1886, 380		1885, 453
	1889, 499		1886, 380
<i>bremeri</i>	1889, 501		1886, 444
<i>certificata</i>	1886, 380		1888, 305
<i>christophi</i>	1881, 351		1889, 499
<i>conspurcata</i>	1885, 453	<i>tokionis</i>	1889, 499
<i>corticea</i>	1888, 305	<i>undosa</i>	1889, 501
	1889, 499		1889, 571

	Page		Page
<i>Agrotis ustulata</i>	1889,	<i>Alcedo bengalensis</i>	1885,
<i>vana</i>	1885,		1885,
	1885,		1887,
<i>Agyrtia milleri</i>	1885,		1889,
<i>viridiceps</i>	1883,	<i>cristata</i>	1881,
	1885,	<i>ispida</i>	1884,
<i>Ahætulla emini</i>	1888,	<i>ispidoidea</i>	1882,
<i>Ailuropus melanoleucus</i>	1885,		1885,
<i>Ailurus fulgens</i>	1885,		1888,
<i>Aix galericulata</i>	1887,	<i>meningting</i>	1885,
	1888,	<i>moluccensis</i>	1885,
	1882,		1885,
<i>Ajaja rosea</i>	1882,	<i>picta</i>	1881,
<i>Akesina basalis</i>	1888,	<i>Alcelaphus</i> , sp.	1885,
<i>Alaba tervaricosa</i>	1890,	<i>caama</i>	1881,
<i>Alactaga indica</i>	1890,		1890,
	1890,	<i>cokei</i>	1888,
<i>Alamis albicincta</i>	1885,		1890,
	1886,	<i>lichtensteini</i>	1881,
<i>brevipalpis</i>	1885,		1888,
	1886,		1890,
<i>continua</i>	1886,		1890,
<i>infligens</i>	1885,	<i>lunatus</i>	1881,
<i>umbrina</i>	1886,	<i>Alces machlis</i>	1885,
	1886,	<i>Alcides latona</i>	1888,
	1888,		1888,
<i>Alaria gauræ</i>	1889,	<i>Alcippe cinerea</i>	1887,
<i>lanceolata</i>	1881,		1889,
	1883,	<i>hueti</i>	1890,
	1886,	<i>kilimensis</i>	1889,
<i>Alata anticalis</i>	1881,		1889,
<i>hastiferella</i>	1881,	<i>morrisoni</i>	1890,
<i>subaurella</i>	1881,	<i>nipalensis</i>	1887,
<i>Alauda arvensis</i>	1886,		1890,
	1887,	<i>peracensis</i>	1887,
	1888,	<i>phæocephala</i>	1887,
<i>tatarica</i>	1886,	<i>Alcis iterata</i>	1888,
<i>Alavona barbarella</i>	1885,		1888,
	1886,	<i>nudipennis</i>	1888,
	1888,	<i>trikotaria</i>	1888,
<i>cossusella</i>	1885,	<i>Aleyone lessoni</i>	1885,
	1886,	<i>pusilla</i>	1885,
	1886,		1885,
<i>indecorella</i>	1886,	<i>Aleyonidium hirsutum</i>	1883,
<i>intermediella</i>	1885,	<i>Aleyonium asbestinum</i>	1881,
<i>minor</i>	1886,	<i>purpureum</i>	1881,
	1886,	<i>Alebion genetrix</i>	1881,
<i>Alburnus alburnus</i>	1889,	<i>proximum</i>	1881,
<i>lucidus</i>	1886,		1881,
<i>Alca torda</i>	1889,		1881,
<i>Alcæus pyramidalis</i>	1888,		1881,
<i>spratti</i>	1888,		1881,
<i>Alcedo asiatica</i>	1885,	<i>Alecto disposita</i>	1881,
	1889,	<i>Alectona millari</i>	1882,
	1882,	<i>Alepidosaurus ferox</i> ..	1889,
<i>bengalensis</i>	1882,	<i>Alesa amesis</i>	1890,
	1885,	<i>Aleta formosana</i>	1889,
	1885,	<i>Aletia albicosta</i>	1888,
	1885,		410

	Page		Page
<i>Aletia angulifera</i>	1881, 333	<i>Alope clavatus</i>	1885, 295
<i>conigera</i>	1881, 333	<i>ocellifera</i>	1886, 437
<i>distincta</i>	1881, 333	<i>ricini</i>	1885, 295
<i>exanthemata</i>	1881, 379		1885, 296
<i>fraterna</i>	1888, 410		1886, 437
<i>obscura</i>	1888, 410	<i>Alopecias vulpes</i>	1889, 243
<i>rudis</i>	1888, 411	<i>Alophonerpes pulveru-</i>	
<i>vitellina</i>	1883, 158	<i>lentus</i>	1881, 792
	1888, 411	<i>Alosa squamopinnata</i> ..	1887, 129
<i>Aletis cunaxa</i>	1881, 333	<i>Alpenus æqualis</i>	1888, 82
<i>fascelis</i>	1887, 671	<i>flammeolus</i>	1888, 617
<i>forbesi</i>	1887, 686	<i>Alpheus, sp.</i>	1881, 74
<i>macularia</i>	1887, 567	<i>euchirus</i>	1881, 74
<i>postica</i>	1884, 227	<i>megacheles</i>	1885, 719
<i>Alligator lucius</i>	1884, 229	<i>rapax</i>	1882, 542
<i>mississippiensis</i> ..	1887, 567	<i>scabrodigitus</i>	1881, 63
<i>sinensis</i>	1887, 671		1831, 73
	1888, 103		1881, 74
	1888, 439	<i>Alphitopola janus</i>	1890, 489
	1888, 440	<i>pallida</i>	1890, 489
	1890, 214	<i>Alseonax adusta</i>	1884, 230
	1890, 619	<i>comitata</i>	1888, 25
	1890, 619	<i>minima</i>	1884, 230
	1890, 620		1885, 225
<i>Allolobophora annulata</i>	1889, 377	<i>Alsophylax pipiens</i>	1890, 77
<i>constricta</i>	1890, 64	<i>Alurnus batesii</i>	1881, 264
<i>fœtida</i>	1889, 377	<i>cassideus</i>	1881, 265
<i>Allotinus zymna</i>	1887, 572	<i>lansbergi</i>	1881, 265
<i>Aloa bifrons</i>	1888, 619	<i>mutabilis</i>	1881, 265
<i>biguttata</i>	1885, 296		1881, 269
<i>emittens</i>	1881, 614	<i>saundersi</i>	1881, 265
	1885, 296	<i>Alvania asperula</i>	1884, 116
	1886, 437	<i>lineata</i>	1884, 122
<i>flora</i>	1885, 296	<i>reticulata</i>	1884, 112
	1885, 307	<i>supranitida</i> .. .	1884, 343
<i>insolata</i>	1889, 404	<i>tessellata</i>	1884, 114
	1889, 432	<i>weinkauffi</i>	1884, 113
<i>khandallæ</i>	1885, 296	<i>Alycæus everetti</i>	1889, 347
<i>lactinea</i>	1883, 16		1889, 355
	1888, 620	<i>galbanus</i>	1889, 346
	1889, 404		1889, 355
	1889, 405	<i>globosus</i>	1889, 346
<i>leucothorax</i>	1889, 405		1889, 355
<i>marginata</i>	1888, 619	<i>graphicus</i>	1889, 347
	1883, 15	<i>hochstetteri</i>	1889, 346
	1883, 30	<i>hosei</i>	1889, 347
<i>moorei</i>	1885, 296		1889, 355
<i>punctistriga</i>	1885, 296	<i>otiphorus</i>	1889, 347
	1886, 437	<i>specus</i>	1889, 347
<i>punctivittata</i>	1884, 227		1889, 355
<i>sanguinolenta</i>	1885, 296	<i>spiracellum</i>	1889, 346
	1886, 437		1889, 355
	1889, 404	<i>(Dioryx) urnula</i> ..	1888, 245
<i>sara</i>	1889, 404	<i>Alysia grisea</i>	1889, 486
<i>Alona bairdii</i>	1886, 83	<i>loricata</i>	1890, 455
<i>diaphana</i>	1886, 83	<i>Alytes cisternasii</i>	1890, 326
<i>karua</i>	1886, 83	<i>obstetricans</i>	1888, 125
<i>mascula</i>	1886, 83		1888, 145
<i>pulchella</i>	1886, 83		

	Page		Page
<i>Alytes obstetricans</i>	1888, 164	<i>Amazilia yucatanensis</i>	1883, 434
	1888, 181		1883, 451
	1888, 503	<i>Ambadra horsfieldii</i>	1883, 16
<i>Alytus ceylonensis</i>	1887, 98	<i>rafflesii</i>	1883, 16
<i>Amadina fasciata</i>	1888, 30	<i>Amblycephalus carinatus</i>	1890, 33
<i>insularis</i>	1885, 509		1890, 36
<i>Amarygmus</i> , sp.	1884, 216	<i>Amblychilia cylindri-</i>	
<i>Amarynthis meneria</i>	1890, 572	<i>formis</i>	1883, 434
<i>Amathusia ganescha</i>	1882, 240	<i>Amblygoes albinotata</i>	1889, 570
	1886, 363	<i>cinerea</i>	1889, 555
<i>Amaurella canaliculata</i>	1890, 251	<i>Amblyornis musgravii</i>	1889, 451
	1890, 280	<i>subalaris</i>	1889, 451
	1890, 316	<i>Amblyospiza unicolor</i>	1881, 589
<i>japonica</i>	1890, 280		1882, 308
<i>Amauris</i> , sp.	1883, 207	<i>Amblypneustes ovum</i>	1881, 413
<i>albimaculata</i>	1883, 228	<i>pallidus</i>	1881, 434
<i>damocles</i>	1883, 227	<i>Amblypodia amisena</i>	1887, 462
	1883, 228	<i>apidanus</i>	1881, 855
	1890, 467	<i>asinarus</i>	1881, 882
—, var. <i>gabunica</i>	1883, 228	<i>avita</i>	1883, 147
<i>dominicana</i>	1883, 227	<i>centaurus</i>	1881, 856
<i>echeria</i>	1883, 228	<i>diardi</i>	1881, 855
<i>egialea</i>	1883, 227	<i>dispar</i>	1881, 883
	1888, 91		1887, 410
	1890, 467	<i>dodonæa</i>	1882, 252
<i>gabunica</i>	1883, 228		1886, 364
<i>hanningtoni</i>	1888, 91	<i>ganesa</i>	1882, 252
<i>hecate</i>	1883, 227		1883, 530
	1887, 567		1883, 531
	1890, 467	<i>japonica</i>	1881, 865
<i>hyalites</i>	1883, 227		1881, 882
	1888, 57		1887, 401
	1888, 91		1887, 410
<i>inferna</i>	1883, 227	<i>ocrida</i>	1887, 463
<i>niavius</i>	1883, 214	<i>paraganesa</i>	1883, 530
	1883, 226	<i>quercetorum</i>	1882, 251
	1883, 227	<i>rama</i>	1881, 882
	1890, 467	<i>turbata</i>	1881, 855
<i>nossima</i>	1883, 228		1881, 865
<i>ochlea</i>	1883, 228		1881, 882
<i>tartarea</i>	1883, 227		1887, 401
<i>vashti</i>	1883, 226		1887, 410
	1890, 467	<i>Amblypterus olfersii</i>	1887, 539
<i>Amaurobioides maritima</i>	1883, 356	<i>Amblyrhamphus holo-</i>	
	1883, 364	<i>sericeus</i>	1882, 602
	1883, 365	<i>Amblyscelis ferrugineus</i>	1889, 615
<i>Amaurornis leucomelana</i>	1885, 511	<i>natalensis</i>	1889, 615
<i>Amazilia cinnamomea</i>	1883, 451	<i>Amblysterna johnstoni</i>	1885, 231
<i>devillii</i>	1883, 451		1885, 233
<i>dumerili</i>	1883, 568		1885, 235
	1885, 105	<i>natalensis</i>	1885, 231
	1885, 126		1885, 233
<i>leucophæa</i>	1881, 832		1885, 234
<i>pristina</i>	1883, 425	<i>Ambulyx consanguis</i>	1888, 585
<i>riefferi jucunda</i>	1883, 568	<i>eos</i>	1886, 269
	1884, 306		1886, 270
	1885, 122		1886, 271

	Page		Page
<i>Ambulyx lycidas</i>	1886,	<i>Amphidesma radiata</i> ..	1890,
<i>maculifera</i>	1888,	<i>reticulata</i>	1890,
<i>placida</i>	1888,	<i>rhodomelas</i>	1890,
<i>schauffelbergeri</i> ..	1888,	<i>sicula</i>	1881,
<i>sericeipennis</i>	1888,	<i>subtruncata</i>	1881,
<i>strigilis</i>	1884,		1890,
<i>substrigilis</i>	1888,	<i>Amphiesma tigrinum</i> ..	1890,
<i>tithonus</i>	1886,	<i>Amphigonia hepatizans</i>	1887,
<i>turbata</i>	1886,	<i>Amphihelia oculata</i> ..	1885,
	1885,	<i>ramea</i>	1882,
<i>Ameocera menava</i>	1882,	<i>sebae</i>	1882,
<i>schakra</i>	1882,	<i>Amphimeloides dorsalis</i>	1882,
	1886,	<i>Amphiprion clarkii</i> ...	1887,
<i>Ameiva chrysolæma</i> ..	1890,	<i>sebæ</i>	1887,
<i>fuscata</i>	1890,	<i>Amphipyra corvina</i> ...	1889,
<i>pluvionotata</i>	1890,	<i>erebina</i>	1889,
<i>surinamensis</i>	1889,	<i>flavicauda</i>	1888,
<i>taniura</i>	1890,	<i>jankowskii</i>	1889,
<i>Amesia euplocoides</i> ...	1885,	<i>largeteau</i>	1889,
<i>hyala</i>	1885,	<i>livida</i>	1889,
<i>stelligera</i>	1885,	<i>magna</i>	1888,
<i>Amia calva</i>	1888,	<i>monolitha</i>	1888,
<i>culva</i>	1883,	<i>perflua</i>	1889,
<i>Amiantus castanopterus</i>	1885,	<i>pyramidea</i>	1887,
<i>Amorphina, sp</i>	1881,	—, var. <i>obscura</i> ..	1889,
	1881,	<i>schrenkii</i>	1889,
<i>Ampelio arcuatus</i>	1882,	<i>sumia</i>	1889,
	1885,	<i>tripartita</i>	1889,
<i>cinctus</i>	1885,	<i>Amphisbæna cæca</i>	1890,
	1885,	<i>darwinii</i>	1889,
<i>Ampelis cedrorum</i>	1883,	<i>fuliginosa</i>	1887,
<i>garrula</i>	1883,	<i>occidentalis</i>	1889,
<i>Ampelophaga fasciosa</i> ..	1888,	<i>ridleyi</i>	1890,
<i>rubiginosa</i>	1888,	<i>Amphisile scutata</i>	1887,
<i>Amphibulina pardelina</i>	1883,	<i>Amphistomum trunca-</i>	
<i>patula</i>	1883,	<i>tum</i>	1889,
<i>Amphicyclus japonicus</i>	1887,	<i>Amphithopsis cærulea</i> ..	1886,
<i>Amphidasis betularia</i>		<i>Amphiura bellis, var. tri-</i>	
<i>ria</i>	1887,	<i>tonis</i>	1887,
<i>panterinaria</i>	1887,	<i>Amphydasis betularia</i> ..	1885,
	1886,	<i>Ampittia coras</i>	1885,
<i>Amphidecta pignerator</i>	1890,	<i>maro</i>	1882,
<i>reynoldsi</i>	1890,		1883,
	1890,	<i>Ampullaria ampullacea</i>	1881,
<i>Amphidesma castaneum</i>	1881,	<i>cecillei</i>	1882,
<i>cordiformis</i>	1884,	<i>gradata</i>	1881,
<i>corneum</i>	1890,	<i>kordofana</i>	1881,
<i>decussata</i>	1881,	<i>largillierti</i>	1882,
	1890,	<i>lucida</i>	1881,
<i>donacilla</i>	1890,		301
<i>lenticularis</i>	1890,		301
	1890,		302
<i>luteola</i>	1890,		222
<i>modesta</i>	1890,		925
	1890,		301
<i>orbiculata</i>	1890,		302
	1890,		594
	301		469
	301		219
	390		220
	585		219
	390		220
	321		96
	585		664
	270		664
	271		540
	289		540
	758		312
	236		540
	358		541
	79		540
	78		312
	79		540
	465		540
	78		312
	518		539
	519		312
	518		539
	519		540
	424		250
	137		269
	231		539
	125		539
	131		540
	24		250
	93		1887,
	118		1889,
	123		539
	442		539
	420		540
	391		79
	583		609
	595		612
	595		153
	532		604
	252		79
	271		79
	454		664
	567		321
	567		5
	577		65
	922		146
	145		262
	301		154
	923		632
	301		385
	302		289
	301		300
	301		289
	302		385
	301		289
	302		289
	301		289

	Page		Page
<i>Ampullaria madagascariensis</i>	1882, 384	<i>Amyna stricta</i>	1888, 292
	1882, 389		1888, 303
<i>olea</i>	1888, 245	<i>undulifera</i>	1888, 304
<i>ovata</i>	1881, 289		1888, 84
<i>paludinoidea</i>	1888, 245		1888, 292
<i>purpureus</i>	1881, 290		1888, 303
<i>speciosa</i>	1881, 289		1888, 304
<i>wernei</i>	1881, 289	(<i>Plattia</i>) <i>cephusalis</i>	1888, 303
	1888, 53	<i>Amyntia clorinde</i>	1885, 767
<i>Amuria cyclops</i>	1888, 597	<i>leachiana</i>	1890, 557
<i>Amussium fenestratum</i>	1881, 949	<i>Anabas scandens</i>	1890, 38
	1882, 682	<i>Anabazenops cabanisi</i> ..	1882, 26
	1884, 143	<i>mentalis</i>	1885, 96
<i>hoskynsi</i>	1881, 950	<i>oleagineus</i>	1883, 654
	1882, 682	<i>rufo-superciliatus</i> ..	1882, 613
	1883, 391		1883, 654
	1883, 392	<i>subalaris</i>	1884, 300
<i>inæquisculptum</i> ..	1881, 949		1885, 123
<i>lucidum</i>	1881, 950	<i>temporalis</i>	1883, 562
	1882, 682		1884, 300
	1884, 143	<i>variegaticeps</i>	1883, 562
<i>Amydona læta</i>	1888, 628	<i>Anace herona</i>	1887, 669
<i>prasina</i>	1885, 305	<i>herpa</i>	1887, 670
	1886, 440		1887, 686
<i>Amydosaurus lugubris</i>	1883, 120	<i>Anachalcos cupreus</i> ..	1890, 482
<i>Amydrus blythi</i>	1881, 171	<i>Anacyrtus knerii</i>	1887, 282
	1881, 172	<i>pauciradiatus</i>	1887, 282
	1881, 955	<i>Anadara gamelia</i>	1883, 255
<i>frater</i>	1881, 171		1883, 317
	1881, 172	<i>Anadastus</i>	1887, 362
	1881, 955	<i>Anæa dominicana</i>	1884, 316
<i>morio</i>	1881, 584		1884, 320
	1882, 307	<i>echemus</i>	1884, 316
	1885, 229	<i>ryphea</i>	1890, 566
<i>rueppelli</i>	1881, 583	<i>verticordia</i>	1884, 316
	1881, 955	<i>Anæretes agilis</i>	1885, 89
	1882, 307	<i>fernandezianus</i>	1883, 423
<i>walleri</i>	1881, 584	<i>parulus</i>	1881, 8
<i>Amyna</i> , sp	1885, 541		1883, 39
<i>cephusalis</i>	1881, 617		1883, 423
	1884, 496	— <i>æquatorialis</i>	1884, 296
	1888, 303		1885, 123
	1888, 304	<i>Anahyster calabaricus</i> ..	1889, 196
	1889, 492	<i>Anaitis efformata</i>	1888, 331
<i>stellata</i>	1884, 495	<i>plagiata</i>	1888, 331
	1884, 496	<i>vastata</i>	1888, 330
	1888, 292	<i>Anapera fimbriata</i>	1887, 164
	1888, 303	<i>pallida</i>	1887, 163
	1888, 304		1887, 164
	1888, 574	<i>Anaphe carteri</i>	1887, 673
	1889, 493		1887, 674
<i>stigmatula</i>	1884, 495	<i>infractor</i>	1887, 674
	1884, 496	<i>moloneyi</i>	1887, 673
	1888, 292		1887, 674
	1888, 303		1887, 686
	1888, 304	<i>Anaplectes melanotis</i> ..	1888, 34
	1888, 304	<i>Anarta agonax</i>	1890, 515

	Page		Page
<i>Anarta gemmifera</i>	1881, 618	<i>Anceus tuberculatus</i> ..	1886, 120
	1889, 480	<i>Anchomenus (Agonus)</i>	
<i>Anartia amalthea</i>	1890, 563	<i>mesostictus</i>	1889, 215
<i>iatrophe</i>	1884, 316	(Limodromus) <i>mag-</i>	
	1890, 563	<i>nus</i>	1888, 371
<i>Anas albifrons minutus</i>	1886, 420	<i>Ancistrops lineaticeps</i> ..	1882, 26
<i>assimilis</i>	1884, 173	<i>Ancylolomia chryso-</i>	
	1884, 174	<i>graphella</i>	1888, 337
<i>bernieri</i>	1884, 175	<i>Ancylopus melano-</i>	
<i>boschas</i>	1887, 356	<i>cephalus</i>	1887, 642
	1888, 460		1887, 643
<i>capensis</i>	1884, 172	<i>Ancylus gussonii</i>	1890, 296
	1884, 173	<i>Andasena baudiniana</i> ..	1883, 271
	1884, 174	<i>belinda</i>	1883, 270
<i>castanea</i>	1882, 452	<i>donovani</i>	1883, 271
	1882, 453	<i>eleutho</i>	1883, 209
	1882, 454		1883, 211
<i>crecca</i>	1888, 460		1883, 272
<i>cristata</i>	1881, 13	<i>leucasii</i>	1883, 209
	1886, 401		1883, 211
	1887, 396		1883, 271
<i>erythrorhyncha</i> ..	1882, 310		1883, 310
	1889, 371	<i>orope</i>	1883, 208
<i>falcata</i>	1888, 458		1883, 209
<i>formosa</i>	1888, 460		1883, 210
<i>gibberifrons</i>	1882, 453		1883, 271
	1882, 454	<i>suluana</i>	1883, 208
<i>gracilis</i>	1882, 453		1883, 209
<i>guttata</i>	1884, 173		1883, 210
<i>larvata</i>	1884, 173		1883, 271
	1884, 174	<i>swainsoni</i>	1883, 209
<i>sparsa</i>	1884, 173		1883, 211
<i>specularis</i>	1881, 734		1883, 254
<i>superciliosa</i>	1888, 187		1883, 270
<i>zonorhyncha</i>	1887, 2		1883, 271
	1888, 458		1883, 310
(<i>Mareca</i>) <i>gibberifrons</i>	1882, 453	<i>Andigena cucullata</i>	1882, 45
(<i>Querquedula</i>) <i>gibberifrons</i>	1882, 453	<i>hypoglaucus</i>	1885, 108
<i>Anatina radiata</i>	1881, 944		1885, 121
<i>ruggeri</i>	1881, 944	<i>laminirostris</i>	1884, 308
<i>Anatole epulus</i>	1890, 574		1885, 121
<i>middletoni</i>	1890, 574	<i>Andraca gracilis</i>	1888, 625
	1890, 577	<i>Andrena nigro-ænea</i> ..	1887, 258
<i>Anaulus bombycinus</i> ..	1889, 350		1887, 274
<i>Anax immaculifrons</i> ..	1886, 328	<i>Androcharta cassotis</i> ..	1883, 382
<i>striatus</i>	1889, 297		1883, 384
	1889, 299	<i>Androctonus australis</i> ..	1890, 126
<i>Anceryx alope</i>	1884, 321	<i>madagascariensis</i> ..	1890, 123
<i>dauidis</i>	1888, 589	<i>tunetanus</i>	1890, 125
<i>increta</i>	1888, 589	<i>variegatus</i>	1890, 126
<i>pinastri</i>	1888, 588	<i>Androdon æquatorialis</i>	1885, 116
	1888, 589	<i>Andropadus flavescens</i>	1881, 576
<i>Anceus bathybius</i>	1886, 119	<i>virens</i>	1888, 25
<i>gigas</i>	1886, 120	<i>Aneitia macdonaldii</i> ..	1884, 273
	1886, 121	<i>Anerastia</i> , sp.	1888, 336
<i>latidens</i>	1886, 120	<i>Angerona stramineata</i> ..	1888, 319
		<i>Anguilla kieneri</i>	1882, 536
			1882, 537

	Page		Page
<i>Anguilla sidat</i>	1890,	<i>Anomalurus orientalis</i> . .	1890,
<i>vulgaris</i>	1889,		1890,
<i>Angulus macandræi</i> . . .	1881,	<i>pusillus</i>	1888,
<i>Anidrytus bipunctatus</i> . .	1886,		1888,
<i>humilis</i>	1886,	<i>Anomia ephippium</i>	1881,
<i>liquefactus</i>	1886,		1884,
<i>quadripunctatus</i> . .	1886,	—, var. <i>squamula</i> . .	1883,
<i>Anisodactylus signatus</i>	1888,	<i>patelliformis</i>	1881,
<i>tricuspidatus</i>	1888,		1883,
<i>Anisodes olivaria</i>	1885,		1884,
<i>suspiciaria</i>	1888,	<i>Anomis fulvida</i>	1883,
<i>Anisoneura salibrosa</i> . .	1885,	<i>Anophia lateralis</i>	1885,
<i>Anniella texana</i>	1890,	<i>mosara</i>	1889,
<i>Anoa mindorensis</i>	1888,	<i>olivescens</i>	1885,
<i>Anolis æneus</i>	1881,		1886,
<i>alligator</i>	1881,		1889,
<i>beckeri</i>	1881,	<i>Anoplocnemis curvipes</i>	1884,
	1890,		1890,
<i>biporcatus</i>	1881,	<i>Anoplogonius nigricollis</i>	1890,
<i>bivittatus</i>	1881,	<i>Anoplophora</i> (<i>Melanaus-</i>	
<i>boulengeri</i>	1881,	<i>ter</i>) <i>chinensis</i> . .	1888,
	1881,	<i>Anorrhinus galeritus</i> . .	1881,
<i>bouvieri</i>	1881,	<i>Anosia berenice</i>	1883,
<i>buckleyi</i>	1881,	<i>cleophile</i>	1883,
<i>fusco-auratus</i>	1881,	<i>eresima</i>	1883,
<i>gracilis</i>	1881,	<i>erippe</i>	1883,
<i>nasicus</i>	1881,	<i>megalippe</i>	1883,
<i>nummifer</i>	1881,	<i>menippe</i>	1883,
<i>panamensis</i>	1890,	<i>plexaure</i>	1883,
	1890,	<i>plexippus</i>	1883,
	1890,		1883,
<i>punctatus</i>	1881,	<i>strigosa</i>	1883,
	1881,	<i>vincetoxici</i>	1883,
	1887,	<i>Anous cinereus</i>	1881,
<i>viridiæneus</i>	1881,	<i>galapagensis</i>	1883,
<i>vittigerus</i>	1881,	<i>leucocapillus</i>	1887,
(<i>Draconura</i>) <i>chryso-</i>		<i>stolidus</i>	1883,
<i>lepis</i>	1881,		1886,
<i>Anomala aulax</i>	1888,		1889,
<i>dubia</i>	1888,	<i>Anser albifrons</i>	1887,
<i>flaveola</i>	1884,	<i>brachyrhynchus</i> . .	1884,
<i>forbesi</i>	1884,	<i>brenta</i>	1886,
	1890,	<i>erythropus</i>	1886,
<i>fritschii</i>	1888,	<i>indicus</i>	1886,
<i>orientalis</i>	1888,	<i>segetum</i>	1888,
<i>rufocuprea</i>	1888,	<i>Anseranas melanoleuca</i>	1882,
<i>sieversi</i>	1888,	<i>Antarctia glauca</i>	1881,
<i>testaceipes</i>	1888,	<i>Antedon</i> , sp.	1887,
(<i>Euchlora</i>) <i>mongo-</i>		<i>acuticirra</i>	1882,
<i>lica</i>	1888,	<i>adeonæ</i>	1882,
(<i>Paraspilota</i>) <i>im-</i>			1882,
<i>pecta</i>	1888,		1882,
<i>Anomalanthus tumidus</i>	1884,		1888,
<i>Anomalipus heraldicus</i>	1885,		1888,
<i>Anomalurus beecrofti</i> . .	1887,	<i>æquipinna</i>	1882,
	1888,	<i>alata</i>	1882,
	1890,	<i>andersoni</i>	1888,
<i>fraseri</i>	1890,	<i>antartica</i>	1882,
	446		746

	Page		Page
Antedon armata	1882, 532	Antedon hageni	1882, 533
	1882, 534		1882, 746
	1882, 746	imparipinna	1882, 746
articulata	1882, 532	indica	1882, 746
	1882, 534	insignis	1882, 534
	1882, 739		1882, 746
	1882, 746	irregularis	1882, 534
bimaculata	1882, 532	jacquinoti	1882, 533
	1882, 534		1882, 534
	1882, 740		1882, 746
	1882, 746	lævicirra	1882, 533
brevicuneata	1882, 532		1882, 534
	1882, 740		1882, 740
	1882, 746		1882, 746
brevipinna	1882, 746	lævipinna	1882, 746
briareus	1882, 534	lævissima	1882, 533
carinata	1882, 533	loveni	1882, 534
	1882, 534		1882, 746
	1882, 733	ludovici	1882, 746
	1882, 746	macronema	1882, 533
	1888, 387		1882, 534
celtica	1882, 533		1882, 733
	1882, 534		1882, 740
	1882, 746		1882, 743
conjugens	1888, 389		1882, 745
crenulata	1882, 746		1882, 746
cubensis	1882, 533	meridionalis	1882, 533
	1882, 746		1882, 746
decipiens	1882, 534	mertensi	1882, 533
dentata	1882, 746	microdiscus	1882, 534
dubeni	1882, 533		1882, 747
	1882, 534	milberti	1882, 533
	1882, 746		1882, 534
elegans	1882, 534		1882, 746
	1882, 746		1888, 389
	1882, 747	milleri	1882, 533
	1888, 389		1882, 746
elongata	1882, 533	palmata	1882, 533
	1882, 534		1882, 534
	1882, 740		1882, 733
	1882, 746		1882, 740
eschrichti	1882, 533		1882, 742
	1882, 534		1882, 745
	1882, 650		1882, 746
	1882, 651		1887, 141
	1882, 652		1888, 384
	1882, 722		1888, 387
	1882, 737	perspinosa	1882, 533
	1882, 746		1882, 534
—, var. magella-			1882, 746
nica	1882, 651	petasus	1882, 533
	1882, 652		1882, 746
flagellata	1882, 533	phalangium	1882, 533
	1882, 534		1882, 534
	1882, 740		1882, 746
	1882, 746	philiberti	1882, 533
granulifera	1882, 533		1882, 743
	1882, 746		1882, 745

	Page		Page
<i>Antedon philiberti</i>	1882, 747	<i>Anthenea acuta</i>	1889, 6
<i>pinniformis</i>	1882, 533	<i>pentagonula</i>	1888, 384
	1882, 534		1889, 6
	1882, 746	<i>Antheræa belina</i>	1885, 776
<i>prolixa</i>	1882, 733	<i>calida</i>	1888, 633
	1882, 534	<i>cytherea</i>	1886, 2
	1882, 746		1887, 51
<i>protecta</i>	1882, 746		1888, 119
<i>pulchella</i>	1882, 746	<i>dolabella</i>	1886, 409
<i>reginæ</i>	1882, 534		1886, 411
	1882, 740	<i>emini</i>	1888, 84
<i>reynaudi</i>	1882, 533	<i>fentoni</i>	1888, 633
	1882, 534	<i>fraterna</i>	1888, 402
	1882, 743	<i>gueinzii</i>	1888, 84
	1882, 746	<i>hazina</i>	1888, 633
	1888, 384	<i>hersilia</i>	1885, 776
	1888, 387	<i>menippe</i>	1886, 297
<i>rosacea</i>	1882, 533		1887, 51
	1882, 534		1887, 52
	1882, 733		1889, 86
	1882, 737	<i>morosa</i>	1888, 633
	1882, 743	<i>mylitta</i>	1885, 65
	1882, 744		1886, 2
	1882, 745		1886, 4
	1882, 746		1887, 51
	1890, 584		1888, 119
<i>rubiginosa</i>	1882, 533		1889, 86
	1882, 745		1889, 87
	1882, 746		1890, 94
<i>sarsi</i>	1882, 533	<i>nebulosa</i>	1885, 306
	1882, 534		1886, 441
	1882, 746	<i>olivacea</i>	1885, 306
<i>savignii</i>	1882, 533	<i>pernyi</i>	1888, 633
	1882, 534		1888, 634
<i>serripinna</i>	1882, 533	<i>sivalica</i>	1888, 402
	1882, 534		1888, 403
	1882, 746	<i>tyrrhea</i>	1885, 776
<i>spicata</i>	1882, 533		1886, 2
	1882, 746		1886, 3
	1888, 389		1886, 297
<i>spinifera</i>	1882, 533		1887, 51
	1882, 534	<i>wahlbergii</i>	1886, 297
	1882, 740		1888, 84
	1882, 746	<i>Antheua discalis</i>	1885, 301
<i>variipinna</i>	1882, 746		1886, 438
<i>Antelopus roualeyni</i>	1881, 753	<i>Antheura carteri</i>	1887, 685
<i>Antennarius nummifer</i>	1887, 663	<i>Anthias cichlops</i>	1889, 151
<i>Antenor uncinatus</i>	1885, 119	<i>formosus</i>	1889, 238
<i>Anthæcia cardui</i>	1881, 361	<i>margaritaceus</i>	1889, 238
<i>cognata</i>	1881, 361	<i>mundulus</i>	1890, 452
<i>cora</i>	1881, 361	<i>pleurotænia</i>	1889, 151
<i>dorsilutea</i>	1881, 361		1889, 153
<i>lynx</i>	1881, 361	<i>Anthipes albifrons</i>	1888, 247
<i>pulchra</i>	1881, 361	<i>malayana</i>	1888, 247
<i>swinhoi</i>	1883, 162		1888, 272
	1886, 443	<i>moniliger</i>	1888, 247
<i>yama-mai</i>	1881, 653	<i>solitaria</i>	1888, 247

	Page		Page
<i>Anthipes submoniliger</i>	1888, 247	<i>Anthophila obliterata</i> ..	1889, 520
<i>Anthocelis pistacina</i> ..	1887, 250		1889, 521
	1887, 269	<i>paradisea</i>	1889, 521
<i>Anthocharis antevippe</i> ..	1888, 74	<i>pulchra</i>	1886, 451
<i>bambusarum</i>	1881, 864	<i>purpurina</i>	1886, 451
	1881, 878	<i>roseifascia</i>	1889, 521
<i>belemida</i> , var. <i>orien-</i>		<i>semipurpurea</i>	1889, 521
<i>talis</i>	1881, 877	<i>wimmerii</i>	1889, 520
	1887, 408	<i>zamia</i>	1884, 518
<i>cardamines</i>	1881, 652		1884, 529
	1881, 653	<i>Anthops ornatus</i>	1888, 477
	1881, 864		1888, 483
	1881, 878		1888, 484
	1887, 246	<i>Anthopsyche dedecorus</i> ..	1885, 770
	1887, 270	<i>epigone</i>	1884, 490
	1887, 271	<i>Anthothreptes cele-</i>	
	1887, 273	<i>bensis</i>	1885, 554
<i>charlonia</i>	1886, 376	<i>hypodila</i>	1889, 366
<i>eione</i>	1888, 74	<i>hypogrammica</i>	1885, 411
<i>etrida</i>	1881, 609	<i>longuemarii</i>	1889, 366
	1884, 510	<i>malaccensis</i>	1883, 63
	1885, 144		1883, 69
<i>eucharia</i>	1885, 769		1885, 266
<i>euphene</i>	1886, 122		1885, 411
—, var. <i>androgynæ</i>	1886, 122		1885, 419
<i>lanceolata</i>	1881, 877	<i>orientalis</i>	1889, 366
<i>nouna</i>	1884, 491	<i>phœnicotis</i>	1885, 411
	1885, 773	<i>subcollaris</i>	1883, 63
<i>phlegyas</i>	1888, 73		1883, 69
<i>scolymus</i>	1881, 864	<i>Anthraceros malayanus</i> ..	1889, 590
	1881, 877	<i>Anthracoceros lem-</i>	
	1887, 401	<i>prieri</i>	1885, 446
	1887, 408		1889, 226
<i>thunbergii</i>	1881, 877	<i>Anthrazantha davidis</i> ..	1888, 351
	1887, 408	<i>Anthreptes hypodila</i> ..	1888, 39
<i>Anthocroca amphea</i>	1890, 507		1889, 366
<i>amycla</i>	1890, 507	<i>hypogrammica</i>	1881, 796
<i>lebethra</i>	1890, 507	<i>longuemarii</i>	1888, 39
<i>Anthodiæta collaris</i>	1881, 571		1889, 366
	1889, 366	<i>malaccensis</i>	1881, 796
<i>hypodila</i>	1889, 366		1885, 266
<i>zambesiana</i>	1881, 571		1885, 411
	1889, 366		1885, 554
<i>Anthœcia sigillata</i>	1889, 523		1889, 226
<i>swinhoei</i>	1885, 449	<i>orientalis</i>	1888, 39
<i>Anthomyia betæ</i>	1881, 822		1889, 366
<i>Anthophila ænea</i>	1889, 521	<i>phœnicotis</i>	1881, 796
<i>bulla</i>	1884, 518	<i>tephrolæma</i>	1888, 39
	1884, 529	<i>zambesiana</i>	1881, 571
<i>divergens</i>	1881, 361		1889, 366
	1888, 222	<i>Anthrocera filipen-</i>	
<i>hæmorrhoida</i>	1889, 521	<i>dulæ</i>	1887, 195
<i>hebescens</i>	1889, 521		1887, 198
<i>hemirhoda</i>	1889, 521		1887, 218
<i>innubila</i>	1886, 447		1887, 220
<i>lineata</i>	1881, 361		1887, 221
<i>marginalis</i>	1881, 368		1887, 224
	1888, 310		1887, 231

	Page		Page
Anthrocera filipendulae .	1887, 232	Antrostomus macro-	
	1887, 233	mystax	1883, 451
	1887, 235	nigrescens	1882, 40
	1887, 237	rufus	1882, 40
	1887, 262	Anumbius acuticau-	
Anthropoides virgo	1882, 353	datus	1882, 601
Anthropopithecus			1882, 612
calvus	1889, 1	ruber	1883, 654
	1889, 316	Anuropsis cinereiceps .	1889, 226
gorilla	1887, 559	Anuropus branchiatus .	1886, 97
troglodytes	1888, 5		1886, 114
	1888, 16	Anzabe sinensis	1888, 611
	1889, 1	Aonyx delalandi	1889, 196
	1890, 444	horsfieldi	1889, 195
Anthus, sp.	1886, 397	indigitata	1889, 195
arboreus	1881, 409	leptonyx	1889, 195
	1887, 194	silimimensis	1889, 195
bogotensis	1884, 285	Apalis lepida	1888, 21
	1885, 74	Apamea askoldis	1889, 490
butleri	1882, 336	basalis	1881, 346
cervinus	1884, 206	basilinea	1889, 489
	1888, 28	conciiliata	1889, 489
correndera	1882, 594	cuprina	1881, 345
	1883, 419		1881, 380
furcatus	1886, 397	gemina	1889, 489
gouldii	1887, 125	latifasciata	1881, 345
	1888, 27		1885, 450
gustavi	1881, 798	leucostigma	1881, 345
	1885, 415		1889, 485
	1885, 552	limbata	1889, 490
	1885, 572	minima	1889, 410
	1889, 224	mucronata	1881, 345
maculatus	1889, 224		1881, 380
pratensis	1887, 581		1885, 451
pyrrhonotus	1881, 573	natalensis	1884, 228
	1887, 125	nivalis	1889, 490
	1888, 27	nubila	1881, 346
raalteni	1881, 573		1881, 380
sordidus	1881, 167	pannosa	1881, 345
	1888, 27	repetita	1889, 489
spinoletta	1884, 206	strigidisca	1881, 346
Antigonus angulata	1882, 263		1881, 380
brigida	1887, 574	undicilia	1881, 346
vasava	1881, 869		1883, 159
	1881, 911	viriata	1885, 450
Antilocapra americana.	1882, 1	Apate cornifrons	1881, 472
Antilope decula	1889, 220	nitidipennis	1881, 470
koba	1890, 357		1881, 472
korrigum	1890, 357	terebrantis	1881, 472
redunca	1890, 604	Apatelodes anava	1890, 504
senegalensis	1890, 357	bombycina	1890, 505
tendal	1884, 48	Apateopholis laniatus .	1890, 634
triangularis	1889, 74		1890, 637
	1889, 75	Apatura bolina	1882, 241
Antipathes robillardi . .	1890, 361	cauta	1887, 402
Antipha nietneri	1887, 118		1887, 417
	1887, 119		1887, 431

	Page		Page
<i>Apatura clytie</i>	1881, 892	<i>Aphnæus ictis</i>	1885, 134
<i>here</i>	1881, 892		1886, 428
	1887, 417	<i>schistaceus</i>	1885, 134
<i>ilia</i>	1881, 654	<i>tigrinus</i>	1885, 134
	1881, 866	<i>trifurcata</i>	1882, 251
	1881, 892	<i>uniformis</i>	1882, 251
	1887, 402	<i>vulcanus</i>	1881, 607
	1887, 417		1883, 147
—, var. <i>clytie</i>	1887, 417		1883, 148
<i>iris</i>	1881, 652		1885, 134
	1881, 653	<i>Aphodias apicalis</i>	1888, 372
	1881, 866	<i>pallidicornis</i>	1888, 372
	1881, 891	<i>4-punctatus</i>	1888, 372
	1887, 51	<i>sordidus</i>	1888, 372
	1888, 120	<i>urostigma</i>	1888, 372
	1889, 86	<i>Aphrissa statira</i>	1890, 557
<i>jacintha</i>	1882, 242	<i>Aphritisa gobio</i>	1881, 20
<i>marse</i>	1890, 565	<i>Aphriza virgata</i>	1881, 15
<i>metis</i>	1881, 892	<i>Aphroceras caminus</i>	1881, 135
<i>missippus</i>	1882, 241		1881, 136
<i>morgiana</i>	1882, 238		1881, 141
<i>princeps</i>	1887, 417	<i>crassior</i>	1881, 135
<i>selina</i>	1890, 565		1881, 136
<i>substituta</i>	1881, 848	<i>sericatum</i>	1881, 134
	1881, 892		1881, 141
	1887, 417	(<i>Leucandra</i>) <i>ananas</i>	1881, 135
<i>Apaustes argyrosticta</i>	1887, 574	(—) <i>asperum</i>	1881, 135
<i>Apha tycoona</i>	1888, 627	<i>Aphthona aratula</i>	1885, 730
<i>Aphandala misera</i>	1883, 166	<i>ceylonensis</i>	1887, 85
<i>Aphanotis acutirostris</i>	1890, 78	<i>collaris</i>	1885, 754
<i>fusca</i>	1890, 78	<i>dorsalis</i>	1887, 86
<i>Aphantochroa hyposticta</i>	1882, 34	<i>flaviceps</i>	1885, 730
<i>Aphareus rutilans</i>	1889, 245	<i>foudrasi</i>	1885, 729
<i>Apheles gracilis</i>	1888, 378		1885, 754
<i>Aphendala cava</i>	1885, 303	<i>lacertosa</i>	1885, 730
<i>fasciata</i>	1888, 403	<i>lewisi</i>	1887, 85
<i>sericea</i>	1888, 310	<i>lutescens</i>	1885, 730
<i>tripartita</i>	1886, 439	<i>nigrita</i>	1887, 86
<i>Aphis hederæ</i>	1887, 256	<i>obscurata</i>	1887, 86
	1887, 257	<i>proxima</i>	1887, 85
	1887, 274		1887, 86
<i>Aphnæus abnormis</i>	1883, 526	<i>pryeri</i>	1885, 730
	1883, 535		1885, 754
<i>acamas</i>	1881, 607	<i>pygmæa</i>	1885, 730
	1884, 507		1885, 731
<i>actis</i>	1883, 148		1885, 754
<i>æstivus</i>	1886, 428	<i>regulata</i>	1889, 275
	1886, 465	<i>semiviridis</i>	1885, 730
<i>bracteatus</i>	1883, 147		1885, 754
	1883, 175	<i>sordida</i>	1885, 754
	1886, 428		1887, 86
<i>elima</i>	1882, 251	<i>strigosa</i>	1885, 754
	1883, 147	<i>vicina</i>	1887, 86
	1885, 134	<i>Aphthonoides</i>	1885, 741
	1886, 428	<i>beccarii</i>	1885, 755
<i>etolus</i>	1882, 251	<i>Aphus</i> <i>speiplena</i>	1886, 463
	1883, 147	<i>Apis æstuans</i>	1881, 649
<i>ictis</i>	1882, 251	<i>mellifica</i>	1887, 258

	Page		Page
<i>Apithesis obesa</i>	1881, 470	<i>Aporodes meleagrisalis</i>	1888, 334
	1881, 477	<i>Aporomera flavipunc-</i>	
	1881, 478	<i>tata</i>	1890, 240
<i>Aplecta herbida</i>	1889, 508	<i>Aporrhais carinata</i>	1885, 50
<i>nebulosa</i>	1889, 508	<i>macandreae</i>	1885, 50
<i>occulta</i>	1889, 508		1885, 51
<i>Aplectoides caliginea</i> ..	1889, 510	<i>meridionalis</i>	1885, 50
<i>nitida</i>	1889, 510	<i>pes-carbonis</i>	1885, 51
<i>Aplysina regularis</i>	1881, 108	<i>pes-pellicani</i>	1885, 50
	1881, 131	<i>serresianus</i>	1883, 391
	1881, 140		1883, 392
<i>Aplysissa</i>	1886, 588		1883, 393
<i>Apogon annularis</i>	1887, 655		1885, 50
<i>arafurae</i>	1881, 650		1885, 51
	1881, 651	<i>Appana indica</i>	1881, 355
	1888, 260	<i>Appareus rutilans</i>	1887, 657
<i>bifasciatus</i>	1889, 244	<i>Apphadana evulsalis</i> ..	1885, 474
<i>elliotti</i>	1881, 650	<i>festina</i>	1885, 475
	1881, 651		1885, 476
	1888, 260	<i>misera</i>	1886, 453
<i>maximus</i>	1887, 655	<i>nigrofusca</i>	1885, 475
	1889, 244		1885, 476
<i>nigripinnis</i>	1881, 650	<i>rubicundula</i>	1885, 475
<i>tæniotus</i>	1889, 238		1885, 476
<i>Apogonia cupreoviridis</i>	1888, 373	<i>rusticula</i>	1885, 474
<i>splendida</i>	1888, 373		1885, 476
<i>Apopestes indica</i>	1883, 22	<i>Appias albina</i>	1883, 366
<i>phantasma</i>	1883, 22		1883, 369
<i>Aporia belucha</i>	1882, 760	<i>ares</i>	1885, 138
	1882, 761		1886, 431
<i>cratægi</i>	1881, 652	<i>clementina</i>	1883, 366
	1881, 653		1883, 369
	1881, 849	<i>darada</i>	1881, 611
	1881, 864	<i>hippoides</i> , var. <i>epi-</i>	
	1881, 876	<i>cæna</i>	1889, 398
	1886, 2	<i>libythea</i>	1885, 138
	1886, 80		1886, 431
	1886, 81	<i>narendra</i>	1881, 611
	1887, 399	<i>Appopestes inconspicua</i>	1889, 541
	1887, 401	<i>phantasma</i>	1889, 541
	1887, 407	<i>Aprosmictus dorsalis</i> ..	1885, 619
	1888, 120	<i>Aprotopos ceto</i>	1890, 558
<i>hippia</i>	1881, 864	<i>Apsarasa figurata</i>	1881, 359
	1881, 875	<i>radians</i>	1881, 359
	1885, 65	<i>wallacei</i>	1881, 359
	1885, 66	<i>Apsendes antarctica</i> ..	1886, 114
	1886, 2	<i>Aptenodytes chrysocome</i>	1889, 84
	1886, 3	<i>pennanti</i>	1883, 463
	1886, 80		1888, 665
	1886, 81	<i>Apteropeda nigropicea</i>	1885, 755
<i>nabellica</i>	1882, 256	<i>Apteryx australis</i>	1881, 781
	1882, 761		1881, 782
<i>soracta</i>	1882, 256		1885, 188
	1882, 263		1885, 189
	1882, 761		1885, 240
<i>Aporodes meleagrisalis</i>	1883, 167		1885, 477
	1884, 524		1885, 479
	1886, 383	<i>haasti</i>	1881, 781

	Page		Page
<i>Apteryx haasti</i>	1881, 782	<i>Aramides ypecaha</i>	1883, 433
<i>mantelli</i>	1881, 780	<i>Aramus scolopaceus</i> . .	1881, 644
	1881, 781		1882, 353
	1881, 782		1885, 119
	1885, 742		1890, 331
<i>oweni</i>	1881, 781	<i>Araschnia fallax</i>	1881, 848
	1881, 782		1881, 850
	1885, 180		1881, 896
	1885, 712	<i>obscura</i>	1881, 848
	1889, 85		1881, 850
	1889, 161		1887, 420
<i>Aptornis defossor</i>	1882, 689	<i>strigosa</i>	1881, 896
	1882, 690	<i>Arbela tetraonis</i>	1885, 307
<i>otidiformis</i>	1882, 689	<i>Arbudas bicolor</i>	1890, 385
	1882, 690	<i>Arca antiquata</i>	1881, 950
	1882, 691		1882, 683
<i>Apurina xanthogastrella</i>	1886, 394		1884, 143
<i>Aquila imperialis</i>	1889, 79	<i>barbata</i>	1881, 950
<i>rapax</i>	1888, 248		1882, 683
<i>Ara ararauna</i>	1882, 46	<i>domingensis</i>	1890, 248
<i>glauca</i>	1886, 320	<i>frielei</i>	1884, 143
	1886, 417	<i>glacialis</i>	1881, 950
<i>leari</i>	1886, 417		1882, 683
<i>macao</i>	1882, 46	<i>lactea</i>	1881, 950
<i>macavuanna</i>	1882, 374		1884, 143
<i>severa</i>	1883, 573	<i>navicularis</i>	1890, 305
<i>Arachnethra frenata</i> . .	1885, 554	<i>noæ</i>	1881, 950
<i>jugularis</i>	1885, 265		1884, 143
<i>Arachnoides placenta</i> . .	1888, 388		1890, 305
	1888, 389	<i>nodulosa</i>	1882, 683
<i>Arachnographis flavigas-</i>		—, var. <i>scabra</i>	1884, 143
<i>tra</i>	1881, 796	<i>obliqua</i>	1881, 950
<i>Arachnothera chryso-</i>		<i>pectunculoides</i>	1881, 950
<i>genys</i>	1885, 411	—, var. <i>septentrion-</i>	
<i>crassirostris</i>	1885, 412	<i>alis</i>	1882, 683
<i>dilutior</i>	1889, 226		1883, 391
<i>eytonii</i>	1881, 796		1883, 393
	1885, 411	<i>sanctæ-helenæ</i>	1890, 253
<i>flaviventris</i>	1885, 411		1890, 305
<i>longirostra</i>	1881, 796		1890, 315
	1885, 412		1890, 322
	1887, 441	<i>septentrionalis</i>	1881, 950
<i>magna</i>	1882, 421	<i>subquadrangula</i> . .	1890, 305
	1887, 441	<i>tetragona</i>	1882, 683
<i>modesta</i>	1885, 411		1884, 143
<i>robusta</i>	1885, 411	(<i>Acar</i>) <i>domingensis</i>	1890, 253
<i>Arachnoura scorpionides</i>	1882, 763		1890, 305
<i>Arachosia anyphaenoides</i>	1882, 426		1890, 322
	1882, 440	(—) <i>lactea</i>	1890, 322
	1882, 441	<i>Arcella dentata</i>	1886, 87
<i>Aræolepia subfasciella</i>	1881, 303	<i>Archaster typicus</i>	1887, 140
	1881, 325		1888, 388
<i>Aramides albiventris</i> . .	1883, 462		1888, 389
<i>axillaris</i>	1883, 462	<i>Archetypus castaneus</i> . .	1884, 217
<i>cayennensis</i>	1883, 577		1884, 219
<i>wolffi</i>	1883, 536	<i>rugosus</i>	1884, 213
	1883, 576	<i>Archibuteo hemilasius</i>	1888, 454
	1885, 121	<i>Archicorax albicollis</i> . .	1885, 229

	Page		Page
Archicorax albicollis ..	1889, 368	Arcturus brunneus	1890, 371
Archon centaurus	1890, 483		1890, 372
Arcinella lævis.....	1881, 698		1890, 373
Arcte senica.....	1889, 548	coppingeri.....	1881, 64
Arctia caja	1886, 3		1881, 75
	1887, 51		1881, 139
	1887, 194	cornutus	1886, 108
	1887, 195		1890, 370
	1887, 208		1890, 371
	1887, 209		1890, 372
	1887, 211	furcatus	1886, 121
	1887, 212		1890, 368
hebe	1887, 51		1890, 369
parasita.....	1881, 823		1890, 370
punctigera	1888, 618		1890, 371
rodriguezi.....	1890, 498		1890, 372
rosacea	1888, 618		1890, 373
seriatopunctata....	1888, 618		1890, 374
Arctica alle	1881, 641		1890, 375
Arctictis binturong	1882, 461	glacialis	1886, 111
	1884, 179		1890, 371
	1885, 784		1890, 372
	1885, 788		1890, 373
	1889, 223	lineatus.....	1881, 76
Arctocephalus australis	1881, 4	myops	1886, 106
cinereus.....	1884, 188	oculatus	1886, 112
	1884, 190	purpureus.....	1886, 109
	1884, 191		1886, 111
	1884, 196	spinifrons	1886, 109
hookeri	1887, 640	spinus	1886, 110
Arctogale leucotis	1885, 783		1890, 369
	1885, 789		1890, 370
	1885, 790		1890, 371
	1885, 791		1890, 372
	1886, 73		1890, 373
stigmatica.....	1882, 163		1890, 374
	1882, 164		1890, 375
trivirgata	1882, 163	studeri	1886, 111
	1882, 164		1890, 371
	1885, 788		1890, 372
	1885, 789		1890, 373
	1885, 790	Arctus ursus	1881, 63
	1885, 791	Arcystasia godeffroyi ..	1882, 133
Arctomys caudatus	1881, 198		1882, 134
	1881, 204	Ardea agami	1882, 47
Arcturus abyssicola....	1886, 111	alba	1881, 599
americanus	1890, 371	— modesta	1887, 611
	1890, 372		1888, 468
	1890, 373	atricapilla.....	1881, 959
anna	1886, 107	bravipes.....	1881, 959
	1886, 109	bulbulcus	1881, 599
	1886, 111		1886, 335
	1886, 112	cærulea	1883, 427
	1890, 370	candidissima.....	1882, 624
	1890, 371		1883, 458
	1890, 372		1886, 399
	1890, 373	cinerea	1887, 588
brunneus	1886, 108		1887, 611

	Page		Page
<i>Ardea cinerea</i>	1888, 468	<i>Arescus perplexus</i>	1881, 266
	1889, 220		1881, 269
<i>cocoi</i>	1882, 47	<i>Argadesa materna</i>	1885, 463
	1883, 41		1886, 450
<i>coromanda</i>	1886, 335	<i>Arge galathea</i>	1881, 825
<i>egretta</i>	1882, 624		1885, 65
	1883, 427	<i>Arges brachycephalus</i> ..	1887, 276
	1885, 119		1887, 277
<i>garzetta</i>	1881, 599	<i>longifilis</i>	1890, 450
<i>gularis</i>	1881, 173		1890, 451
<i>herodias</i>	1886, 320	<i>peruanus</i>	1890, 450
<i>intermedia</i>	1881, 599		1890, 451
<i>javanica</i>	1882, 710	<i>prenadilla</i>	1887, 277
<i>jugularis</i>	1887, 516		1890, 450
	1888, 528		1890, 451
<i>ludoviciana</i>	1883, 458	<i>sabalo</i>	1890, 450
<i>melanocephala</i>	1881, 599		1890, 451
<i>minuta</i>	1881, 599	<i>taczanowskii</i>	1890, 450
<i>novæ-hollandiæ</i> ..	1887, 319		1890, 451
<i>podiceps</i>	1881, 599	<i>whymperi</i>	1890, 450
<i>purpurea</i>	1881, 953		1890, 451
	1881, 956	<i>Argina astrea</i>	1885, 294
<i>rufa</i>	1883, 458		1886, 436
<i>sibilatrix</i>	1882, 624	—, var. <i>cribraria</i> ..	1885, 294
<i>sturmi</i>	1881, 599	—, var. <i>guttata</i> ..	1885, 294
<i>sumatrana</i>	1881, 800	—, var. <i>notata</i> ..	1885, 294
	1883, 52	<i>cingulifera</i>	1888, 83
	1883, 200	<i>cribraria</i>	1883, 156
	1884, 434		1885, 294
	1886, 320		1886, 436
	1889, 225	<i>dulcis</i>	1885, 294
<i>Ardeiralla flavicollis</i> ..	1888, 186	<i>notata</i>	1885, 294
	1888, 203		1886, 436
<i>woodfordi</i>	1888, 186	<i>syringa</i>	1885, 294
	1888, 202	<i>Argiope capsula</i>	1881, 949
<i>Ardeola leucoptera</i>	1885, 511	<i>cistellula</i>	1881, 948
	1885, 561	<i>Argiva caprimulgus</i>	1885, 462
<i>speciosa</i>	1885, 511	<i>hieroglyphica</i>	1881, 619
	1885, 561		1883, 25
<i>Ardetta flavicollis</i>	1887, 2		1883, 26
<i>minuta</i>	1881, 599		1885, 462
	1881, 600	<i>purpurata</i>	1888, 575
<i>pusilla</i>	1881, 599	<i>strigipennis</i>	1883, 25
<i>sinensis</i>	1885, 274	<i>Argonauta argo</i>	1890, 254
	1885, 561	<i>Argopistes biplagiatus</i>	1885, 738
	1885, 665		1885, 754
	1888, 458	<i>coccinelloides</i>	1885, 754
<i>sturmi</i>	1881, 599	<i>flavitaris</i>	1885, 738
<i>Ardisura grandis</i>	1890, 516	<i>undecimmaculata</i> ..	1885, 738
<i>Areas moloneyi</i>	1887, 670		1885, 754
	1887, 686	<i>unicolor</i>	1885, 738
<i>moorei</i>	1885, 296		1885, 754
<i>Arescus æmulus</i>	1881, 266	<i>Argopus balyi</i>	1885, 754
	1881, 269	<i>clarki</i>	1885, 734
<i>histrion</i>	1881, 266		1885, 754
<i>labiatus</i>	1881, 265	<i>clypeatus</i>	1885, 754
	1881, 266	<i>nigripennis</i>	1885, 734
<i>perplexus</i>	1881, 265		1885, 754

	Page		Page
Argopus nigratarsis	1885, 734	Argynnis freija	1881, 867
	1885, 754		1881, 900
orientalis	1885, 754	gemmata	1882, 404
punctipennis	1885, 754		1882, 407
Argus giganteus	1882, 547	ino	1881, 867
	1887, 432		1881, 901
Argusianus grayi	1885, 416		1887, 402
Argya rubiginosa	1881, 575		1887, 423
	1888, 24	issæa	1882, 242
Argynnis, sp.	1881, 867		1882, 404
adippe	1881, 867		1886, 362
	1881, 901	jainadeva	1882, 242
	1887, 402	japonica	1881, 848
	1887, 423		1881, 849
—, var. chlorodippe	1887, 423		1881, 902
—, var. cleodippe	1887, 423	kamala	1886, 362
—, var. cleodoxa	1887, 423	laodice	1881, 867
aglaia	1881, 867		1881, 902
	1881, 901		1887, 402
	1887, 402		1887, 424
	1887, 423	—, var. japonica	1887, 424
altissima	1882, 403	lathonia	1882, 404
	1882, 404		1886, 362
	1882, 407	lathonioides	1881, 83
anadyomene	1881, 867	leopardina	1881, 900
	1881, 902	locuples	1881, 848
	1887, 402		1881, 901
	1887, 424		1887, 423
angarensis	1881, 867	lysisippe	1881, 848
	1881, 900		1881, 902
anna	1881, 83		1887, 424
aurinia	1882, 404	maculata	1881, 862
baralacha	1882, 242		1881, 867
	1882, 263	melitæa, var. me-	
childreni	1881, 867	rope	1882, 404
	1881, 900	merope	1882, 404
	1882, 242	montana	1881, 83
	1882, 404	myrina	1881, 900
chlorodippe	1881, 901	nerippe	1881, 867
	1881, 902		1881, 901
cleodoxa	1881, 901		1881, 902
	1881, 902		1887, 402
coreana	1887, 423		1887, 423
cytheris	1881, 83	niphe	1881, 867
daphne	1881, 867		1881, 900
	1881, 901		1885, 128
	1887, 402		1886, 361
	1887, 423		1887, 402
—, var. fumida	1887, 423		1887, 422
ella	1881, 902	oscarus	1881, 867
	1887, 424		1881, 900
euphrosyne	1881, 900		1887, 423
	1885, 65	pallescens	1881, 853
	1888, 120		1881, 901
fortuna	1881, 848		1887, 423
	1881, 901	paphia	1881, 867
	1887, 423		1881, 902

	Page		Page
<i>Argynnis paphia</i>	1882, 548	<i>Ariamnes attenuata</i>	1881, 775
	1882, 633	(<i>Ariadne</i>) <i>flagel-</i>	
	1885, 65	lum	1881, 771
	1887, 402	<i>Ariela tænionota</i>	1882, 90
	1887, 424	<i>Arion bourguignati</i>	1887, 362
	1889, 86		1887, 363
<i>paphioides</i>	1881, 848	<i>hortensis</i>	1887, 363
	1881, 902	<i>Ariophanta cicercula</i> ..	1888, 537
	1887, 424	<i>myops</i>	1888, 537
<i>paulina</i>	1881, 902	<i>perpolita</i>	1888, 537
<i>perryi</i>	1887, 402	(<i>Microcystis</i>)	
	1887, 423	<i>mabelæ</i>	1888, 536
<i>rabdia</i>	1881, 847		1888, 537
	1881, 848	(—) <i>mildredæ</i> ..	1888, 536
	1881, 849		1888, 537
	1881, 901	(—) <i>normani</i> ..	1888, 536
	1887, 423		1888, 537
<i>ruslana</i>	1881, 867	<i>Arius baroni</i>	1889, 206
	1881, 902		1889, 207
	1887, 402	<i>bartonensis</i>	1889, 201
	1887, 424		1889, 205
<i>sagana</i>	1881, 848		1889, 206
	1881, 867	<i>crassus</i>	1889, 206
	1881, 902		1889, 207
	1887, 402	<i>egertoni</i>	1889, 204
	1887, 424		1889, 205
<i>sakontala</i>	1882, 242		1889, 206
<i>selene</i>	1881, 867	<i>gagorides</i>	1889, 203
	1881, 900		1889, 204
<i>taurica</i>	1881, 902		1889, 205
<i>thore</i>	1881, 867		1889, 207
	1881, 900	<i>nasutus</i>	1887, 665
<i>vorax</i>	1881, 901	<i>thalassinus</i>	1887, 665
	1881, 902	<i>Armadillo vulgaris</i>	1887, 254
	1887, 423		1887, 273
<i>Argyris cinerea</i>	1886, 387	<i>Arnoglossus grohmanni</i> .	1882, 748
	1886, 395		1882, 749
	1888, 298		1882, 750
<i>extrusata</i>	1885, 306		1890, 40
	1886, 441		1890, 41
<i>maia</i>	1888, 647		1890, 42
	1888, 655		1890, 544
<i>plagiata</i>	1888, 647		1890, 545
<i>superans</i>	1888, 647	<i>laterna</i>	1882, 750
<i>superba</i>	1888, 647		1890, 42
<i>Argyroeides boliviana</i> ..	1883, 379		1890, 540
	1883, 384		1890, 542
<i>ophion</i>	1883, 379		1890, 543
<i>Argyroepeira blanda</i> ..	1890, 626		1890, 544
	1890, 629		1890, 546
<i>Argyronympha pulchra</i> .	1886, 347	<i>lophotes</i>	1882, 748
	1886, 350		1882, 749
<i>ugiensis</i>	1886, 347		1882, 750
	1886, 350		1890, 40
<i>Ariadne wedah</i>	1882, 240		1890, 41
<i>Ariamnes attenuata</i>	1881, 765		1890, 42
	1881, 770		1890, 540

	Page		Page
<i>Arroglossus lophotes</i> ..	1890, 541	<i>Artaxa guttata</i>	1888, 297
	1890, 542	<i>intensa</i>	1888, 623
	1890, 543	<i>leithiana</i>	1885, 298
	1890, 544	<i>limbata</i>	1886, 385
<i>Aroa alba</i>	1888, 621		1888, 624
<i>clara</i>	1885, 299	<i>princeps</i>	1886, 386
	1885, 307	<i>pulverea</i>	1888, 623
<i>discalis</i>	1888, 98		1888, 655
<i>jonasi</i>	1888, 647	<i>pusilla</i>	1888, 297
<i>pyrrhochroma</i>	1885, 299	<i>pygmæa</i>	1883, 156
<i>sagrara</i>	1885, 299		1884, 515
	1885, 307	<i>scintillans</i>	1885, 298
<i>Arrade massalis</i>	1885, 866		1886, 385
	1885, 886		1888, 624
<i>Arremon abeillæi</i>	1883, 548	<i>subflava</i>	1888, 623
	1885, 122	—, var. <i>piperita</i> ..	1888, 623
<i>d'orbignii</i>	1882, 597	<i>sulphurescens</i> ..	1888, 399
<i>erythrorhynchus</i> ..	1882, 16	<i>trifasciata</i>	1888, 399
	1883, 548	<i>varians</i>	1885, 298
<i>polionotus</i>	1882, 597	<i>Artemia proxima</i>	1886, 83
<i>spectabilis</i>	1883, 548	<i>Arthisma scissuralis</i> ..	1883, 20
<i>Arsacia frontirufa</i>	1885, 301	<i>Arthroleptis pœcilonotus</i>	1890, 324
	1885, 307	<i>Arthrotus cyaneus</i>	1885, 755
<i>Artamides larutensis</i> ..	1887, 435	<i>niger</i>	1885, 750
<i>larvatus</i>	1887, 435		1885, 755
<i>pollens</i>	1885, 248	<i>variabilis</i>	1885, 755
	1885, 258	<i>Artibeus cinereus</i>	1882, 371
<i>sumatrensis</i>	1889, 226	<i>perspicillatus</i>	1888, 129
<i>unimodus</i>	1884, 432	<i>Artomyias fuliginosus</i> ..	1888, 26
<i>Artamus leucogaster</i> ..	1883, 51	<i>Artona fuliginosa</i>	1890, 380
	1883, 195	<i>postalba</i>	1890, 379
	1883, 200		1890, 401
	1884, 427	<i>postvitta</i>	1890, 380
	1884, 428	<i>sikkimensis</i>	1890, 379
	1884, 432		1890, 401
	1884, 578	<i>zebra</i>	1890, 379
	1885, 635		1890, 380
<i>leucorhynchus</i>	1881, 794		1890, 401
	1885, 257	<i>zebraica</i>	1890, 379
	1885, 409		1890, 380
	1885, 505	<i>Arucha indicatalis</i>	1881, 623
	1885, 553	<i>Arundinicola leuco-</i>	
	1889, 224	<i>cephala</i>	1881, 437
<i>maximus</i>	1885, 635	<i>Arundo donax</i>	1881, 826
<i>monachus</i>	1885, 553	<i>Arvicola amphibius</i>	1881, 4
<i>musschenbroeckii</i> ..	1884, 427		1886, 77
	1884, 432		1887, 513
	1884, 577	<i>arvalis</i>	1884, 97
	1884, 578	<i>bengalensis</i>	1881, 526
<i>Artaxa anguligera</i>	1886, 385		1881, 528
<i>brevivitta</i>	1885, 298	<i>blanfordi</i>	1881, 206
<i>confusa</i>	1888, 632		1881, 207
<i>conspersa</i>	1888, 623	<i>hydrophilus</i>	1881, 530
	1888, 624	<i>incertus</i>	1884, 100
<i>diagramma</i>	1888, 297	<i>indica</i>	1881, 524
<i>flavinata</i>	1888, 623	<i>mexicanus</i>	1882, 372
<i>fraterna</i>	1885, 298	<i>roylei</i>	1881, 207
	1888, 297	<i>stracheyi</i>	1881, 207

	Page		Page
<i>Arvicola subterraneus</i> ..	1884,	<i>Assiminea ovata</i>	1887,
<i>Ascetta primordialis</i> ,		<i>parvula</i>	1887,
var. <i>poterium</i> ..	1881,	<i>pygmæa</i>	1887,
<i>Ascidia canina</i>	1886,	<i>rosea</i>	1887,
<i>mentula</i>	1885,	<i>vitiensis</i>	1887,
<i>Asemum punctulatum</i> ..	1888,	(<i>Optediceros</i>) <i>cornea</i>	1889,
<i>striatum</i>	1888,	<i>Astarte acuticostata</i> ..	1881,
<i>Asinus tæniopus</i>	1884,	<i>bipartita</i>	1881,
	1884,	<i>compacta</i>	1881,
<i>Asio accipitrinus</i>	1887,	<i>compressa</i>	1881,
	1888,	<i>crebricostata</i>	1881,
<i>brachyotus</i>	1882,	<i>crebrilirata</i>	1881,
<i>otus</i>	1887,	<i>crenata</i>	1881,
<i>Asopia abruptus</i>	1885,		1882,
<i>latimarginalis</i>	1885,	<i>digitaria</i>	1881,
<i>torridalis</i>	1885,	<i>forbesii</i>	1881,
<i>Aspavia brunnea</i>	1881,	<i>lens</i>	1881,
	1890,	<i>longirostra</i>	1881,
<i>grandiuscula</i>	1881,	<i>magellanica</i>	1881,
	1881,		1881,
	1890,	<i>parva</i>	1881,
<i>ingens</i>	1890,	<i>pusilla</i>	1881,
<i>Asperazileum giganteum</i>	1888,		1881,
<i>japonicum</i>	1888,		1882,
<i>vaginiferum</i>	1888,	<i>richardsoni</i>	1881,
<i>Asphæra abbreviata</i> ..	1889,	<i>sulcata</i>	1881,
<i>albida</i>	1889,		1881,
<i>lunata</i>	1889,		1882,
<i>Asphalia cinerea</i>	1888,		1884,
<i>Aspidoboa curta</i>	1889,	<i>triangularis</i>	1881,
<i>Aspidomorpha difformis</i> .	1885,	<i>warhami</i>	1881,
	1885,	<i>Asteracanthion webbia-</i>	
<i>elliptica</i>	1885,	<i>num</i>	1881,
<i>milaris</i>	1885,	<i>Asterias acervata</i>	1881,
<i>sanctæ-crucis</i>	1885,		1881,
<i>Aspidorhynchus comp-</i>			1881,
<i>toni</i>	1890,		1881,
<i>Aspidosternum metalli-</i>	1888,		1881,
<i>cum</i>	1890,	<i>acutispina</i>	1881,
<i>physopterus</i>	1890,		1881,
<i>Aspilates obliquaria</i> ...	1888,		1881,
<i>phœnico-tæniata</i> ..	1886,		1881,
<i>susceptaria</i>	1888,	<i>æqualis</i>	1881,
<i>uvaria</i>	1888,		1881,
<i>Aspongopus japetus</i> ...	1890,		1881,
	1890,		1881,
<i>viduatus</i>	1884,	<i>africana</i>	1881,
<i>xanthopterus</i>	1890,		1881,
<i>Assara albicostalis</i>	1881,		1881,
<i>Assiminea brevissima</i> ..	1887,	<i>alba</i>	1881,
<i>carinata</i>	1889,		1881,
<i>fischeriana</i>	1887,		1881,
<i>gallica</i>	1884,		1881,
	1884,		1881,
	1887,	<i>albulus</i>	1881,
<i>nitida</i>	1887,	<i>amurensis</i>	1881,
	1887,		1881,
<i>obeliscus</i>	1884,		1881,

	Page		Page
Asterias amurensis ...	1881, 501	Asterias capensis	1881, 503
	1881, 505		1881, 506
	1881, 506	capitata	1881, 494
angulosa	1881, 496		1881, 501
antarctica	1881, 92		1881, 505
	1881, 94		1881, 506
	1881, 494	clathrata	1881, 497
	1881, 496	clavatum	1881, 494
	1881, 501		1881, 501
	1881, 505		1881, 506
	1881, 506	compta	1881, 494
arenicola	1881, 496		1881, 501
	1881, 498		1881, 506
aster	1881, 493	conferta	1881, 494
	1881, 498		1881, 501
atlantica	1881, 496		1881, 505
aurantiaca	1881, 496		1881, 506
australis	1881, 497	cribraria	1881, 494
beryllinus	1881, 497		1881, 501
bootes	1881, 493		1881, 505
	1881, 494		1881, 506
	1881, 498	cunninghami	1881, 93
	1881, 501		1881, 495
borbonica	1881, 494		1881, 501
	1881, 501		1881, 505
	1881, 506		1881, 506
borealis	1881, 497	disticha	1881, 495
	1881, 498		1881, 506
	1881, 501	dorsata	1884, 77
	1881, 504	douglasi	1881, 497
	1881, 506		1881, 501
brachiata	1881, 494		1881, 504
	1881, 501		1881, 506
	1881, 506	echinata	1881, 493
brandti	1881, 91	epichlora	1881, 495
	1881, 92		1881, 501
	1881, 94		1881, 505
	1881, 140		1881, 506
	1881, 494	fabricii	1881, 497
	1881, 498		1881, 498
	1881, 501	fissispina	1881, 495
	1881, 502		1881, 501
	1881, 504		1881, 505
	1881, 506		1881, 506
brevispina	1881, 494	forbesi	1881, 495
	1881, 501		1881, 496
	1881, 506		1881, 497
calamaria	1881, 494		1881, 501
	1881, 497		1881, 505
	1881, 498		1881, 506
	1881, 500	fulgens	1881, 495
	1881, 503		1881, 498
	1881, 506		1881, 501
camtschatica	1881, 494		1881, 506
	1881, 501	fulva	1881, 495
	1881, 506		1881, 501
capensis	1881, 494		1881, 502
	1881, 500		1881, 504

	Page		Page
<i>Asterias fulva</i>	1881, 506	<i>Asterias katherinæ</i>	1881, 495
<i>fungifera</i>	1881, 495		1881, 497
	1881, 501		1881, 500
	1881, 506		1881, 504
<i>gelatinosa</i>	1881, 495		1881, 506
	1881, 497	<i>linckii</i>	1881, 495
	1881, 500		1881, 506
	1881, 504		1884, 71
	1881, 506	<i>littoralis</i>	1881, 495
<i>gemmifer</i>	1881, 495		1881, 501
	1881, 500		1881, 505
	1881, 504	<i>luetkeni</i>	1881, 506
<i>germaini</i>	1881, 495		1881, 495
	1881, 501		1881, 501
	1881, 502		1881, 505
	1881, 504		1881, 506
	1881, 506	<i>lurida</i>	1881, 495
<i>gigantea</i>	1881, 497		1881, 501
<i>glacialis</i>	1881, 495		1881, 502
	1881, 496		1881, 504
	1881, 497		1881, 506
	1881, 501	<i>madeirensis</i>	1881, 497
	1881, 505		1881, 498
	1881, 506	<i>margaritifera</i> ,.....	1881, 495
	1881, 508		1881, 501
	1881, 511		1881, 506
	1884, 70	<i>meridionalis</i>	1881, 91
<i>globifera</i>	1881, 497		1881, 94
	1881, 498		1881, 495
<i>granifera</i>	1881, 497		1881, 501
<i>grœnlandica</i>	1881, 495		1881, 502
	1881, 501		1881, 504
	1881, 504		1881, 506
	1881, 506		1881, 512
<i>hexactis</i>	1881, 495	<i>mexicana</i>	1881, 495
	1881, 501		1881, 501
	1881, 504		1881, 506
	1881, 506	<i>microdiscus</i>	1881, 497
	1881, 506	<i>minuta</i>	1881, 497
	1881, 507	<i>mitis</i>	1881, 495
	1881, 508		1881, 501
	1881, 509		1881, 506
	1881, 510	<i>mollis</i>	1881, 91
<i>holsatica</i>	1881, 497		1881, 495
<i>ianthina</i>	1881, 495		1881, 498
	1881, 506		1881, 501
<i>inermis</i>	1881, 512		1881, 506
	1881, 515	<i>muelleri</i>	1881, 495
<i>japonica</i>	1881, 495		1881, 506
	1881, 501		1881, 507
	1881, 505		1881, 508
	1881, 506		1881, 510
	1881, 514		1881, 511
	1881, 515	<i>multiradiata</i>	1881, 493
<i>jehennesi</i>	1881, 497	<i>neglecta</i>	1881, 140
	1881, 498		1881, 495
			1881, 498

	Page		Page
<i>Asterias neglecta</i>	1881, 501	<i>Asterias rarispina</i>	1881, 495
	1881, 502		1881, 501
	1881, 504		1881, 505
	1881, 506		1881, 507
<i>nodosa</i>	1884, 70	<i>reticulata</i>	1884, 78
	1884, 77	<i>rodolphi</i>	1881, 496
<i>novæ-boracensis</i> ..	1881, 497		1881, 500
<i>nuda</i>	1881, 495		1881, 504
	1881, 501		1881, 507
	1881, 502	<i>rollestoni</i>	1881, 514
	1881, 504		1881, 515
	1881, 506	<i>roseus</i>	1881, 497
<i>obtusispinosa</i>	1881, 92	<i>rubens</i>	1881, 93
	1881, 140		1881, 496
	1881, 495		1881, 497
	1881, 498		1881, 500
	1881, 502		1881, 501
	1881, 504		1881, 505
	1881, 506		1881, 506
<i>ochotensis</i>	1881, 495		1881, 507
	1881, 501		1881, 508
	1881, 505		1881, 509
	1881, 506		1881, 510
<i>ochracea</i>	1881, 495	<i>rugispina</i>	1881, 94
	1881, 506		1881, 496
<i>palæocrystallus</i> ..	1881, 497		1881, 501
<i>pallida</i>	1881, 497		1881, 507
	1881, 498	<i>rupicola</i>	1881, 93
<i>panopla</i>	1881, 495		1881, 496
	1881, 500		1881, 501
	1881, 505		1881, 507
	1881, 506	<i>rustica</i>	1881, 497
<i>paucispina</i>	1881, 495	<i>savaresii</i>	1881, 497
	1881, 501	<i>scabra</i>	1881, 496
	1881, 505		1881, 501
	1881, 506		1881, 502
<i>pectinata</i>	1881, 495		1881, 504
	1881, 506		1881, 507
<i>perrieri</i>	1881, 94		1881, 512
	1881, 495	<i>sertulifera</i>	1881, 496
	1881, 498		1881, 501
	1881, 500		1881, 507
	1881, 502	<i>sinusoida</i>	1881, 496
	1881, 504		1881, 501
	1881, 506		1881, 502
<i>philippii</i>	1881, 511		1881, 504
	1881, 515		1881, 507
<i>polaris</i>	1881, 495	<i>spectabilis</i>	1881, 92
	1881, 497		1881, 496
	1881, 501		1881, 501
	1881, 504		1881, 502
	1881, 507		1881, 504
<i>polyplax</i>	1881, 495		1881, 507
	1881, 500	<i>spinosa</i>	1881, 497
	1881, 503	<i>spirabilis</i>	1881, 513
	1881, 507		1881, 515
<i>problema</i>	1881, 497	<i>spitzbergensis</i>	1881, 507

	Page		Page
<i>Asterias stellata</i>	1884,	<i>Asterina cepheus</i>	1888,
<i>stellionura</i>	1881,	<i>fimbriata</i>	1881,
	1881,	<i>Asterocanthion mülleri</i> ..	1881,
	1881,	<i>Asteroides calycularis</i> ..	1886,
	1881,	<i>Asthena ochracea</i>	1888,
<i>stimpsoni</i>	1881,	<i>querula</i>	1885,
	1881,		1885,
<i>striatus</i>	1881,	<i>tristicula</i>	1885,
<i>studerii</i>	1881,		1885,
	1881,	<i>urbica</i>	1885,
	1881,	<i>Asthenidea amphira</i> ..	1890,
	1881,	<i>buckleyi</i>	1890,
	1881,	<i>transversaria</i>	1890,
	1881,	<i>Asthenosoma ureus</i>	1888,
<i>sulcifera</i>	1881,	<i>Asthipa gloriola</i>	1883,
	1881,	<i>melanoleuca</i>	1883,
	1881,	<i>schenkii</i>	1883,
	1881,	<i>vitrina</i>	1883,
	1881,		1883,
<i>tenera</i>	1881,	<i>Astictopterus johnstonii</i> .	1887,
	1881,	<i>stellifer</i>	1885,
	1881,	<i>Astrape dipterygia</i>	1890,
	1881,	<i>Astrapia nigra</i>	1885,
<i>tenuispina</i>	1881,		1885,
	1881,	<i>Astrarchia stephaniae</i> ..	1889,
	1881,	<i>Astrilda cinerea</i>	1888,
	1881,	<i>nonnula</i>	1888,
	1881,		1888,
	1881,	<i>Astrogonium paxillosum</i>	1881,
	1881,	<i>Astropecten, sp.</i>	1887,
<i>troscheli</i>	1881,		1888,
	1881,	<i>andersoni</i>	1888,
	1881,	<i>articulatus</i>	1881,
	1881,	<i>euryacanthus</i>	1888,
<i>vancouveri</i>	1881,	<i>hemprichii</i>	1888,
	1881,		1888,
	1881,		1888,
	1881,	<i>notograptus</i>	1888,
<i>varia</i>	1881,	<i>polyacanthus</i>	1887,
	1881,		1888,
	1881,		1888,
<i>verrilli</i>	1881,	<i>Astrophyton clavatum</i> ..	1888,
	1881,	<i>lymani</i>	1881,
<i>violacea</i>	1881,		1881,
	1881,	<i>muricatum</i>	1881,
<i>vulgaris</i>	1881,	<i>pourtalesi</i>	1881,
	1881,		1881,
	1881,	<i>Astropyga freudenbergi</i> .	1888,
	1881,	<i>radiata</i>	1887,
	1881,		1888,
<i>webbiana</i>	1881,	<i>Astrurus</i>	1886,
	1881,	<i>crucicauda</i>	1886,
<i>wilkinsonii</i>	1881,	<i>Astur albigularis</i>	1888,
	1881,		1888,
<i>Asterina burtoni</i>	1888,		1888,
<i>cepheus</i>	1888,	<i>albiventris</i>	1884,
	1888,		1884,

	Page		Page
<i>Astur approximans</i>	1889, 79	<i>Atella phalanta</i>	1884, 505
<i>cuculoides</i>	1887, 597		1885, 128
	1888, 461		1886, 362
<i>dampieri</i>	1887, 328		1886, 424
	1888, 183	<i>Atelocera</i> , sp.	1890, 475
<i>griseiceps</i>	1885, 544	<i>raptorica</i>	1890, 475
<i>holomelas</i>	1888, 182	<i>serrata</i>	1890, 475
<i>leucosoma</i>	1885, 617	<i>Aterica abesa</i>	1890, 469
<i>melanochlamys</i>	1885, 618	<i>amaxia</i>	1887, 568
<i>palumbarius</i>	1888, 459	<i>atossa</i>	1887, 568
<i>poliocephalus</i>	1885, 617	<i>cupavia</i>	1887, 567
<i>polyzonoides</i>	1881, 563		1888, 61
<i>pulchellus</i>	1887, 328		1890, 469
	1888, 187	<i>gambiae</i>	1887, 568
<i>shebæ</i>	1888, 183	<i>lysandra</i>	1887, 568
	1888, 187	<i>meleagris</i>	1884, 223
	1888, 188	<i>tadema</i>	1887, 568
<i>soloensis</i>	1885, 544	<i>veronica</i>	1888, 61
	1887, 328		1890, 469
<i>tachiro</i>	1882, 302	<i>Ateuchus sacer</i>	1881, 470
<i>torquatus</i>	1885, 617	<i>Athene capensis</i>	1881, 563
<i>trinotatus</i>	1885, 544	<i>cunicularia</i>	1883, 426
<i>trivirgatus</i>	1885, 542	<i>hantu</i>	1882, 700
	1885, 545		1882, 701
	1889, 225	<i>perlata</i>	1888, 47
<i>woodfordi</i>	1888, 183	<i>Atherina pinguis</i>	1887, 664
	1888, 187	<i>Atherura africana</i>	1888, 15
	1888, 188		1888, 16
(<i>Nisus</i>) <i>gularis</i>	1887, 581	<i>fasciculata</i>	1889, 76
<i>Astura elevelis</i>	1884, 325		1889, 77
<i>festivalis</i>	1885, 872	<i>macrura</i>	1886, 71
<i>punctiferalis</i>	1885, 872		1889, 76
	1888, 579		1889, 236
<i>semifascialis</i>	1885, 872	<i>Athoracophorus bitenta-</i>	
<i>Asturina magnirostris</i>	1882, 46	<i>culatus</i>	1884, 263
	1883, 456	<i>virgatus</i>	1884, 263
	1885, 119		1884, 281
<i>nitida</i>	1885, 119	<i>Athylax paludosus</i>	1882, 72
<i>plagiata</i>	1883, 456	<i>robustus</i>	1882, 72
<i>ruficauda</i>	1883, 426	<i>Athyma asura</i>	1882, 241
	1883, 456	<i>cassiope</i>	1881, 893
<i>Asturina meridionalis</i>	1881, 563	<i>gracilis</i>	1885, 276
<i>monogrammica</i>	1881, 562	<i>leucothcæ</i>	1882, 241
	1882, 304		1885, 130
	1885, 223	<i>opalina</i>	1882, 241
<i>Asymbata roseiventris</i>	1888, 98		1882, 263
<i>Atalapha noveboracensis</i>	1888, 444		1886, 360
<i>Atelecyclus spinulosus</i>	1881, 68	<i>pryeri</i>	1881, 866
<i>Ateles bartletti</i>	1882, 373		1881, 893
<i>paniscus</i>	1886, 341	<i>sulpitia</i>	1881, 866
<i>variegata</i>	1882, 373		1881, 892
<i>vellerosus</i>	1890, 72	—, var. <i>ningpoana</i>	1881, 892
<i>Atella columbina</i>	1887, 570	<i>venilia</i>	1885, 276
	1888, 64	<i>Atilax vansire</i>	1882, 72
	1890, 467	<i>Atlanta inclinata</i>	1890, 300
<i>eurytis</i>	1884, 222	<i>peronii</i>	1890, 300
<i>phalanta</i>	1882, 243	<i>Atolmis japonica</i>	1888, 618

	Page		Page
<i>Atophrax bendiri</i>	1890, 51	<i>Attacus cynthia</i>	1890, 94
<i>Atossa leechii</i>	1890, 381	<i>hesperus</i>	1889, 86
<i>moorei</i>	1890, 381	<i>mylitta</i>	1889, 87
<i>nagaensis</i>	1890, 382	<i>mythimna</i>	1881, 652
<i>nelcinna</i>	1890, 401	<i>pernyi</i>	1881, 653
<i>neleymna</i> , var. <i>chi-</i>	1890, 382	<i>vesta</i>	1881, 820
<i>nensis</i>	1890, 401	<i>walkeri</i>	1881, 823
<i>palæarctica</i>	1890, 401	<i>ricini</i>	1882, 548
<i>Atractaspis aterrima</i>	1890, 380	<i>roylei</i>	1882, 632
<i>irregularis</i>	1890, 381	<i>atlas</i>	1882, 633
<i>Atretia brazieri</i>	1890, 382	<i>auratus</i>	1885, 65
<i>gnomon</i>	1890, 401	<i>bauhiniæ</i>	1885, 277
<i>albidus</i>	1886, 182	<i>cynthia</i>	1885, 306
<i>atlas</i>	1886, 183	<i>vesta</i>	1886, 2
<i>auratus</i>	1886, 184	<i>walkeri</i>	1886, 4
<i>bauhiniæ</i>	1884, 142	<i>roylei</i>	1887, 51
<i>cynthia</i>	1886, 182	<i>vesta</i>	1887, 52
<i>gnomon</i>	1886, 183	<i>walkeri</i>	1888, 119
<i>albidus</i>	1886, 183	<i>roylei</i>	1889, 86
<i>atlas</i>	1886, 183	<i>vesta</i>	1889, 87
<i>auratus</i>	1886, 409	<i>walkeri</i>	1890, 94
<i>bauhiniæ</i>	1886, 411	<i>roylei</i>	1881, 823
<i>cynthia</i>	1881, 653	<i>vesta</i>	1881, 824
<i>gnomon</i>	1881, 820	<i>walkeri</i>	1882, 459
<i>albidus</i>	1881, 821	<i>roylei</i>	1882, 632
<i>atlas</i>	1881, 823	<i>vesta</i>	1882, 633
<i>auratus</i>	1882, 632	<i>walkeri</i>	1886, 4
<i>bauhiniæ</i>	1882, 633	<i>roylei</i>	1889, 86
<i>cynthia</i>	1885, 65	<i>vesta</i>	1881, 824
<i>gnomon</i>	1885, 277	<i>walkeri</i>	1882, 459
<i>albidus</i>	1885, 306	<i>roylei</i>	1882, 632
<i>atlas</i>	1886, 2	<i>vesta</i>	1882, 633
<i>auratus</i>	1886, 4	<i>walkeri</i>	1886, 4
<i>bauhiniæ</i>	1887, 51	<i>roylei</i>	1889, 86
<i>cynthia</i>	1887, 52	<i>vesta</i>	1888, 634
<i>gnomon</i>	1888, 119	<i>walkeri</i>	1885, 112
<i>albidus</i>	1889, 86	<i>roylei</i>	1885, 120
<i>atlas</i>	1889, 87	<i>vesta</i>	1881, 12
<i>auratus</i>	1890, 94	<i>walkeri</i>	1881, 644
<i>bauhiniæ</i>	1881, 823	<i>roylei</i>	1885, 883
<i>cynthia</i>	1881, 819	<i>vesta</i>	1882, 8
<i>gnomon</i>	1881, 823	<i>walkeri</i>	1882, 8
<i>albidus</i>	1882, 548	<i>roylei</i>	1882, 596
<i>atlas</i>	1882, 632	<i>vesta</i>	1883, 420
<i>auratus</i>	1882, 633	<i>walkeri</i>	1883, 543
<i>bauhiniæ</i>	1885, 65	<i>roylei</i>	1885, 278
<i>cynthia</i>	1885, 66	<i>vesta</i>	1886, 397
<i>gnomon</i>	1886, 2	<i>walkeri</i>	1882, 8
<i>albidus</i>	1887, 51	<i>roylei</i>	1884, 287
<i>atlas</i>	1887, 52	<i>vesta</i>	1883, 537
<i>auratus</i>	1888, 119	<i>walkeri</i>	1883, 543
<i>bauhiniæ</i>	1888, 634	<i>roylei</i>	1885, 123
<i>cynthia</i>	1889, 86		

	Page		Page
<i>Attila citreopygius</i>	1883, 449	<i>Aurelia flavidula</i>	1889, 584
<i>torridus</i>	1885, 118	<i>Auricula acicula</i>	1884, 362
<i>Atychia quiris</i>	1881, 378	<i>buddii</i>	1887, 297
<i>Atypoides</i>	1883, 354	<i>costata</i>	1887, 290
<i>riversii</i>	1883, 355	<i>costellata</i>	1884, 359
	1883, 364	<i>elongata</i>	1887, 297
	1883, 365		1887, 298
<i>Aucha nectens</i>	1885, 461	<i>fasciata</i>	1887, 285
<i>Auchenoglanis biscu-</i>		<i>fluviatilis</i>	1881, 842
<i>tatus</i>	1889, 210	<i>judæ</i>	1881, 635
<i>Auchmis sikkimensis</i> . .	1889, 494	<i>lutea</i>	1887, 284
<i>Augusta papilionacea</i> . .	1882, 763	<i>oparica</i>	1887, 298
<i>Aulacochilus agaboides</i>	1883, 75	<i>semisculpta</i>	1887, 298
	1883, 83	<i>subula</i>	1887, 297
	1883, 87		1887, 298
—, var. <i>furciferus</i> . .	1883, 75	(Cassidula) <i>cras-</i>	
	1883, 84	<i>siuscula</i>	1887, 296
	1883, 87	(—) <i>intuscari-</i>	
<i>doriæ</i>	1883, 83	<i>nata</i>	1887, 296
<i>episcaphoides</i>	1883, 75	(Chilina) <i>fluctuosa</i>	1881, 842
	1883, 84	<i>Auripasser euchlorus</i> . .	1881, 958
	1883, 87	<i>Aurivilliana lurida</i> . . .	1881, 273
<i>inclytus</i>	1883, 75		1881, 276
	1883, 83	<i>Ausonia cuvieri</i>	1889, 322
<i>moluccanus</i>	1889, 618	<i>Austenia erratica</i>	1888, 241
<i>sericeus</i>	1883, 84	<i>khyoungensis</i>	1888, 241
<i>Aulacodus swinderni-</i>		<i>Automolis ameoides</i> . .	1883, 382
<i>anus</i>	1890, 449	<i>asara</i>	1883, 382
<i>Aulacophora anguli-</i>		<i>latania</i>	1883, 384
<i>collis</i>	1885, 755		1890, 495
<i>femoralis</i>	1885, 755	<i>superba</i>	1883, 382
<i>nigripennis</i>	1885, 755		1883, 384
<i>nigripeta</i>	1887, 103		1890, 405
	1887, 119	<i>Automolus assimilis</i> . .	1883, 536
4-plagiata	1885, 755		1883, 561
<i>stevensi</i>	1887, 103		1885, 121
	1887, 119	<i>holostictus</i>	1884, 299
<i>Aulacorhamphus der-</i>			1885, 124
<i>biana</i>	1885, 116	<i>ignobilis</i>	1884, 300
<i>hæmatopygius</i>	1884, 308		1885, 124
<i>prasinus</i>	1882, 94	<i>rubidus</i>	1883, 654
<i>Aulexis elongatus</i>	1881, 440	<i>rubiginosus</i>	1883, 654
<i>Aulocera avatara</i>	1882, 236	<i>sclateri</i>	1882, 26
<i>brahminus</i>	1882, 758	<i>stictoptilus</i>	1883, 561
<i>padma</i>	1882, 236	<i>striaticeps</i>	1885, 96
	1886, 357	<i>striatidorsus</i>	1884, 299
<i>saraswati</i>	1882, 236	<i>subulatus</i>	1885, 121
	1886, 357	<i>Autophila dilucida</i> . . .	1889, 541
<i>swaha</i>	1882, 236	<i>Avahis laniger</i>	1884, 398
	1882, 758	<i>Avicida orientalis</i>	1881, 562
	1886, 357	<i>verreauxi</i>	1881, 562
<i>weranga</i>	1882, 758	<i>Avicula hirundo</i>	1881, 950
	1882, 759		1890, 253
<i>Aurana</i> , sp. ?	1885, 231		1890, 306
<i>Auranius robustus</i>	1881, 447	<i>Axinella cinnamomea</i> . .	1881, 115
<i>Aurelia aurita</i>	1889, 583		1881, 131
	1889, 584		
	1889, 585		

	Page		Page
<i>Axinella mastophora</i> ..	1881,	<i>Azanus uranus</i>	1886,
<i>Axinopsis orbiculata</i> ..	1881,		366
<i>Axinus croulinensis</i>	1881,	<i>zena</i>	1886,
	1884,		395
<i>cycladius</i>	1881,		1884,
	1884,		483
<i>eumyarius</i>	1881,		1884,
<i>ferruginosus</i>	1881,		507
	1881,		1885,
<i>flexuosus</i>	1881,		134
	1881,		757
—, var. <i>polygona</i> ..	1884,		1885,
<i>granulosus</i>	1881,		763
	1882,		1886,
<i>incrassatus</i>	1881,		365
	1881,		366
	1884,		1886,
<i>intermedius</i>	1881,	<i>Azazia rubricans</i>	428
<i>oblongus</i>	1881,		1884,
<i>orbiculatus</i>	1881,		522
	1882,		1885,
	1882,		468
<i>pusillus</i>	1881,		1886,
<i>subovatus</i>	1881,		452
	1881,		1887,
	1882,		574
	1882,	<i>unduligera</i>	1888,
<i>tortuosus</i>	1881,	<i>ussuriensis</i>	226
	1881,	<i>Azelina clelia</i> ;	1889,
(Kellia) <i>orbicularis</i>	1881,	<i>metagonaria</i>	553
<i>Axohelia brueggemanni</i>	1881,	<i>Azemiops feæ</i>	852
	1881,	<i>Azeta mirzah</i>	860
	1881,	<i>Azinis assamensis</i>	1888,
	1882,		338
	1884,	<i>Babirussa alfurus</i>	1883,
	1884,		463
	1882,		1884,
	1884,	<i>Babycurus büttneri</i>	55
<i>renalis</i>	1881,	<i>Bacillus patellifer</i>	1890,
	1885,	<i>Badamia exclamationis</i> .	122
	1885,		1882,
	1885,		718
	1888,		1882,
	1889,		261
	1881,		1885,
	1885,		148
	1888,		1886,
	1889,	<i>Bæotis johannæ</i>	434
	1881,		1890,
	1885,		573
	1888,	<i>melanis</i>	1890,
	1888,	<i>Bahora aspasia</i>	577
	1889,	<i>crocea</i>	1890,
	1881,	<i>philomela</i>	573
	1885,		1883,
	1888,		245
	1888,		1883,
	1888,		245
	1888,	<i>Balæna biscayensis</i>	1883,
	1889,		215
	1881,		1883,
	1885,		245
	1888,	<i>Balæna mysticetus</i>	1881,
	1888,	<i>rostrata</i>	969
	1889,		1881,
	1881,	<i>Balæniceps rex</i>	975
	1885,		1881,
	1888,		973
	1888,		1882,
	1888,		723
	1888,		1884,
	1888,		543
	1888,		1888,
	1888,		284
	1888,		1888,
	1888,		285
	1888,		1888,
	1888,		286
	1888,		1888,
	1888,		287
	1888,		1888,
	1888,		288
	1888,	<i>Balænophilus unisetus</i> ..	1886,
	1888,		255
	1888,		1886,
	1888,		256
	1888,		1886,
	1888,		257
	1888,	<i>Balænoptera australis</i> ..	1883,
	1888,		592
	1888,		1883,
	1888,		593
	1888,		1883,
	1888,		594
	1888,	<i>boops</i>	1883,
	1888,	<i>borealis</i>	516
	1888,		1883,
	1886,		513
	1886,		1883,
	1886,		515
	1886,		1883,
	1886,		516
	1886,		1883,
	1886,		517

	Page		Page
<i>Balænoptera borealis</i> ..	1886, 82	<i>Balea tristensis</i>	1884, 279
	1886, 243	<i>ventricosa</i>	1884, 278
	1886, 244	(<i>Tristania</i>) <i>tristen-</i>	
	1886, 245	<i>sis</i>	1884, 279
	1886, 246	(—) <i>ventricosa</i> ..	1884, 278
	1886, 252	<i>Balearica chrysopelar-</i>	
	1886, 255	<i>gus</i>	1890, 337
	1886, 256	<i>Balistes assasi</i>	1887, 667
	1886, 259	<i>capriscus</i>	1884, 478
	1886, 263	<i>erythrodon</i>	1889, 242
	1886, 264	<i>macrolepis</i>	1887, 666
	1886, 265	<i>mitis</i>	1887, 667
	1887, 564	<i>niger</i>	1887, 667
<i>laticeps</i>	1883, 517	<i>Balya quadrimaculata</i> ..	1882, 53
	1886, 244	<i>Bambusicola fytchi</i>	1882, 718
<i>musculus</i>	1883, 516	<i>Bamra acronyctoides</i> ..	1885, 459
	1883, 593		1886, 448
	1883, 594	<i>Bankia angulifera</i>	1881, 373
	1886, 245	<i>erecta</i>	1881, 353
	1886, 246	<i>lativitta</i>	1881, 373
	1886, 248	<i>opella</i>	1886, 380
	1886, 251	<i>Baoris austeni</i>	1883, 533
	1886, 252		1887, 466
	1886, 253	<i>scopulifera</i>	1883, 532
	1886, 259	<i>unicolor</i>	1883, 533
	1886, 263	<i>Baracus subditus</i>	1883, 534
	1886, 265	<i>vittatus</i>	1883, 534
<i>rostrata</i>	1883, 516	<i>Baradesa lithosioides</i> ..	1883, 17
	1886, 244		1883, 30
	1886, 246	<i>Barandra fumata</i>	1888, 396
	1886, 248	<i>Barangia nepalensis</i>	1889, 193
	1886, 252		1889, 194
	1886, 253		1889, 195
	1886, 264	<i>sumatrana</i>	1889, 193
	1886, 341		1889, 195
<i>sibbaldii</i>	1883, 516	<i>Barbaropus</i>	1887, 362
	1883, 594	<i>Barbatula affinis</i>	1889, 357
	1886, 244	<i>chrysocoma</i>	1888, 42
	1886, 245	<i>leucolæma</i>	1888, 42
	1886, 246	<i>leucotis</i>	1885, 223
	1886, 248		1889, 357
	1886, 249	<i>olivacea</i>	1881, 593
	1886, 252	<i>Barbus apogon</i>	1890, 39
	1886, 253	<i>hampal</i>	1890, 39
	1886, 256	<i>jacksoni</i>	1889, 72
	1886, 258	<i>lateristriga</i>	1890, 39
	1886, 259	<i>maculatus</i>	1890, 39
	1886, 263	<i>neumayeri</i>	1889, 70
	1886, 265	<i>pagenstecheri</i>	1889, 70
<i>Balanoglossus sarniensis</i>	1886, 154	<i>sumatranus</i>	1890, 39
<i>Balanophyllia brevis</i> ..	1882, 219	<i>Bargosa chacoraca</i>	1885, 854
	1882, 220	<i>chandubija</i>	1885, 854
	1882, 221	<i>distracta</i>	1885, 854
<i>Balanus lævis</i>	1881, 64	<i>fasciata</i>	1885, 854
	1881, 79	<i>Barleëia congenita</i>	1890, 252
<i>Balataea agerioides</i>	1888, 594		1890, 290
<i>ocotmaculata</i>	1888, 594		1890, 311
<i>Balcis arcuata</i>	1884, 367		1890, 315

	Page		Page
Barleeia rubra	1884,	Batocera rubus	1884,
	1890,	Batomene multispinis ..	1887,
	1890,	Batrachostomus auritus	1885,
wallichi	1890,	cornutus	1889,
	1890,	Batrachus grunniens ..	1887,
Barsine divakara	1890,	trispinosus	1887,
effracta	1890,	Batrachylodes vertebralis	1887,
rhodophila	1888,		1887,
rubricosa	1885,		1888,
Basiana bilineata	1888,		1890,
cervina	1886,	Baza guadalcanarensis..	1888,
exusta	1883,	leucopias	1889,
Basicyptus funestus ..	1890,	reinwardti	1885,
Basileornis celebensis ..	1885,	subcristata	1884,
Basileuterus castaneiceps	1882,		1884,
	1885,	verreauxi	1881,
	1885,	Bdeogale crassicauda ..	1882,
chrysogaster	1883,		1882,
	1883,	nigripes	1882,
coronatus	1882,		1882,
	1882,		1882,
	1884,		1882,
	1885,	puisa	1882,
diachlorus	1883,		1882,
fraseri	1883,		1882,
	1883,	Beara dichromella	1885,
	1884,	Bela pyramidalis	1888,
	1885,	scalaris	1883,
nigricristatus	1884,	Belæus scabrodigitus ..	1881,
	1885,	Belenogaster saussurei..	1881,
semicervinus	1883,	Belenois abyssinica	1881,
	1885,	agrippina	1888,
tristriatus	1884,	auriginea	1886,
	1885,	boguensis	1884,
	1885,	calypso	1888,
uopygialis	1882,		1888,
vernivorus	1882,		1888,
Basilissa oxytropis	1890,	clytie	1888,
Basiothea idricus	1884,	consanguis	1883,
Baspa melampus	1882,		1883,
	1885,	dentigera	1888,
	1886,	elisa	1884,
Bassaricyon alleni	1885,	gidica	1888,
gabbi	1885,	infida	1888,
Bassaris astuta	1882,		1890,
	1885,	instabilis	1888,
	1885,	johannæ	1884,
sumichrasti	1885,	leucogyne	1884,
Bastenotia oblonga	1890,	lordaca	1884,
	1890,		1885,
	1890,		1885,
Bathyergus maritimus..	1889,		1885,
	1889,		1886,
	1889,		1886,
Bathynomus giganteus .	1884,		1888,
Batis pririt	1881,	mesentina	1882,
senegalensis	1881,		1885,
	1888,		1886,
Batissa tenebrosa	1884,		1886,

	Page		Page
<i>Belenois pitys</i>	1883, 366	<i>Bernieria madagascariensis</i>	1881, 197
	1883, 369	<i>Berrhæa albinota</i>	1881, 356
<i>severina</i>	1884, 492	<i>aurigera</i>	1881, 356
	1888, 78	<i>japonica</i>	1889, 507
<i>sylvander</i>	1890, 464		1889, 571
<i>sylvia</i>	1890, 464	<i>megastigma</i>	1881, 356
<i>taprobana</i>	1886, 374		1881, 357
<i>thysa</i>	1890, 464	<i>olivacea</i>	1881, 357
<i>Belgoræa subnotata</i>	1885, 303		1889, 507
	1886, 439	<i>Bertula raptatalis</i>	1889, 566
<i>Belideus breviceps</i>	1881, 186	<i>Beryx decadactyla</i>	1889, 323
	1881, 188	<i>Bessornis heughini</i>	1881, 574
	1883, 614	<i>intermedius</i>	1888, 21
	1883, 624	<i>natalensis</i>	1881, 574
	1883, 625	<i>Betanga anthracina</i>	1883, 274
	1886, 215	<i>dodingensis</i>	1883, 274
<i>sciureus</i>	1881, 186	<i>duponchelii</i>	1883, 208
	1881, 190		1883, 209
<i>Bellona cristata</i>	1889, 395		1883, 274
<i>Bellone appendiculata</i> ..	1889, 241	<i>maura</i>	1883, 273
<i>canciloides</i>	1890, 39	<i>megæra</i>	1883, 208
<i>choram</i>	1887, 666		1883, 209
<i>melanostigma</i>	1889, 241		1883, 254
<i>Belonostomus attenuatus</i>	1890, 633		1883, 273
<i>cinctus</i>	1890, 633		1883, 274
<i>comptoni</i>	1890, 629	<i>scherzeri</i>	1883, 273
	1890, 634	<i>vitella</i>	1883, 274
	1890, 636	<i>wallengrenii</i>	1883, 273
<i>crassirostris</i>	1890, 633	<i>Betta pugnax</i>	1890, 38
<i>gracilis</i>	1890, 633	<i>Bhima undulosa</i>	1888, 404
<i>kochi</i>	1890, 634	<i>Bhringa remifer</i>	1887, 434
<i>laniatus</i>	1890, 634	<i>Bias musicus</i>	1882, 302
<i>lesindensis</i>	1890, 633	<i>Bibio marci</i>	1887, 256
<i>muensteri</i>	1890, 634		1887, 274
<i>sphyrænoides</i>	1890, 634	<i>Bibisana configurata</i> ..	1883, 208
<i>tenuirostris</i>	1890, 634		1883, 273
<i>Belosticta extensa</i>	1889, 503	<i>diana</i>	1883, 209
<i>Beluga leucas</i>	1883, 472		1883, 210
<i>Bembecia odynerepennis</i>	1888, 592		1883, 273
<i>pernix</i>	1888, 592	<i>horsfieldii</i>	1883, 209
	1888, 654		1883, 210
<i>Bembidium (Peryphus)</i>			1883, 254
<i>bracculatum</i>	1889, 212		1883, 273
(—) <i>dardum</i>	1889, 212	<i>leachii</i>	1883, 273
<i>Bendis poaphiloides</i>	1884, 323	<i>Bibos frontalis</i>	1883, 142
<i>Bepara chiguinda</i>	1885, 524		1883, 143
	1885, 536		1884, 400
<i>Berethis</i>	1883, 228	<i>gaurus</i>	1889, 447
<i>phædon</i>	1883, 208	<i>Bidaspa nissa</i>	1882, 250
	1883, 214	<i>Bifrontia zancleæ</i>	1885, 39
	1883, 229	<i>Binsitta niviferana</i>	1885, 884
<i>Bernicla antarctica</i>	1881, 13	<i>Bintha gracilis</i>	1888, 594
<i>brenta</i>	1882, 654	<i>Bipalium diana</i>	1886, 167
	1885, 842	<i>kewense</i>	1886, 166
<i>melanoptera</i>	1886, 401		1886, 168
<i>Bernieria madagascariensis</i>	1881, 196		1886, 205
			1887, 518

	Page		Page
<i>Bipalium kewense</i>	1889, 5	<i>Bizone hamata</i>	1838, 604
	1889, 6		1890, 391
	1889, 586	<i>harterti</i>	1890, 398
	1890, 3	<i>impunctata</i>	1890, 398
<i>Bireta galbana</i>	1886, 438	<i>inconclusa</i>	1890, 391
	1886, 465	<i>javanica</i>	1890, 391
<i>longivitta</i>	1889, 407		1890, 392
<i>nana</i>	1889, 407	<i>möllerii</i>	1890, 395
<i>pallida</i>	1888, 621		1890, 396
<i>plumosa</i>	1888, 620	<i>pallens</i>	1890, 396
	1888, 655		1890, 399
<i>straminea</i>	1888, 621	<i>peregrina</i>	1890, 390
<i>xanthophila</i>	1889, 407	<i>perversa</i>	1890, 392
<i>Birgus latro</i>	1886, 334	<i>phædra</i>	1890, 397
	1887, 520	<i>pitana</i>	1890, 397
	1888, 529	<i>plateni</i>	1890, 391
	1889, 393	<i>pratti</i>	1890, 394
<i>Bison americanus</i>	1884, 400	<i>pudens</i>	1890, 392
<i>Biston hirtaria</i>	1881, 822	<i>puella</i>	1885, 293
<i>Bithiasa notigera</i>	1889, 555		1888, 604
<i>Bithynia rubens</i>	1884, 129		1890, 390
<i>Bithys stilbia</i>	1890, 575		1890, 391
<i>Biziura lobata</i>	1882, 311		1890, 396
	1882, 455		1890, 399
	1882, 456	<i>puer</i>	1890, 392
<i>Bizone adelina</i>	1890, 393		1890, 401
<i>adita</i>	1890, 393	<i>quadrinotata</i>	1890, 399
<i>alba</i>	1890, 399	<i>rubrifasciata</i>	1890, 399
<i>alborosea</i>	1890, 399	<i>saalmülleri</i>	1890, 399
<i>amabilis</i>	1890, 392	<i>sanguinea</i>	1890, 398
<i>amatura</i>	1890, 399	<i>signa</i>	1890, 393
<i>arama</i>	1890, 394		1890, 395
	1890, 396		1890, 396
<i>ariadne</i>	1890, 394		1890, 401
<i>bellissima</i>	1890, 397	<i>sikkimensis</i>	1890, 393
<i>bianca</i>	1890, 392		1890, 394
	1890, 394		1890, 395
<i>candida</i>	1890, 397		1890, 401
	1890, 401	<i>subornata</i>	1890, 396
<i>coccinea</i>	1890, 397		1890, 397
<i>conclusa</i>	1890, 391	<i>triguttata</i>	1890, 396
	1890, 392	<i>unipunctata</i>	1890, 392
—, var. <i>javanica</i>	1890, 391	<i>walkeri</i>	1890, 393
<i>costifimbria</i>	1890, 397	<i>Blacicus brunneicapil-</i>	
<i>cruenta</i>	1890, 398	<i>lus</i>	1889, 326
<i>delicata</i>	1890, 399		1889, 327
<i>determinata</i>	1890, 392	<i>Blarina brevicauda</i>	1890, 49
<i>divakara</i>	1890, 399	(Soriciscus) <i>berlan-</i>	
<i>dohertyi</i>	1890, 394	<i>dieri</i>	1888, 444
	1890, 396	<i>Blatta livida</i>	1888, 547
	1890, 401	<i>Blennius lampretæ-for-</i>	
<i>effracta</i>	1890, 397	<i>mis</i>	1884, 446
<i>fasciculata</i>	1890, 393	<i>Bleptina ægrota</i>	1889, 565
<i>fasciola</i>	1890, 391	<i>dimissalis</i>	1888, 226
<i>gazella</i>	1890, 399		1889, 565
<i>guttifera</i>	1890, 395	<i>funestalis</i>	1888, 226
	1890, 396	<i>incultalis</i>	1889, 564
	1890, 398		1889, 571

	Page		Page
<i>Bleptina lignea</i>	1889, 565	<i>Bolina bistriga</i>	1884, 323
<i>metisalis</i>	1889, 565	<i>fasciolaris</i>	1884, 323
<i>morosa</i>	1883, 166	<i>maximowiczi</i>	1889, 547
	1889, 565	<i>obstructa</i>	1881, 328
<i>petrina</i>	1889, 565	<i>Bombinator bombinus</i> ..	1886, 499
<i>spacoalis</i>	1889, 565		1886, 500
<i>Blythipicus porphyro-</i>			1886, 501
<i>melas</i>	1887, 443		1888, 123
	1888, 279		1888, 125
	1888, 279		1888, 503
<i>Boarmia compactaria</i> ..	1888, 546		1888, 511
<i>contectaria</i>	1885, 854	<i>brevipes</i>	1886, 499
<i>cornaria</i>	1885, 854	<i>igneus</i>	1884, 422
	1886, 454		1884, 424
<i>ferrolavata</i>	1885, 853		1886, 499
<i>gelidaria</i>	1885, 853		1886, 500
<i>gleba</i>	1885, 853		1886, 501
	1885, 885		1888, 123
<i>infixaria</i>	1885, 853		1888, 164
<i>iterata</i>	1886, 389		1888, 181
	1888, 320		1890, 326
<i>picata</i>	1888, 320	<i>orientalis</i>	1890, 326
<i>pleniferata</i>	1886, 389	<i>pachypus</i>	1886, 499
<i>repandaria</i>	1886, 389		1890, 326
<i>repandata</i>	1888, 120	<i>Bombus hortorum</i>	1887, 218
<i>samoana</i>	1888, 226	<i>lapidarius</i>	1887, 222
<i>trikotaria</i>	1888, 320		1887, 223
<i>Bocana digramma</i>	1883, 165		1887, 224
<i>erythusalis</i>	1888, 318		1887, 273
<i>gravatalis</i>	1888, 545	<i>terrestris</i>	1887, 222
<i>incongruens</i>	1889, 566		1887, 224
<i>metisalis</i>	1888, 226	<i>Bombycilla garrula</i>	1888, 459
	1889, 565	<i>Bombyx abietis</i>	1888, 631
<i>niphona</i>	1889, 566	<i>æsculi</i>	1888, 646
<i>pamphosalis</i>	1885, 474	<i>anachoreta</i>	1888, 636
	1886, 453	<i>anastomosis</i>	1888, 636
<i>symphoides</i>	1888, 226	<i>arundinis</i>	1888, 644
<i>tristis</i>	1889, 566	<i>auriflua</i>	1888, 622
<i>Bociraza goldiei</i>	1882, 781	<i>bicolor</i>	1888, 638
	1882, 782	<i>bicoloria</i>	1888, 638
<i>separata</i>	1882, 781	<i>bifida</i>	1888, 644
	1882, 782	<i>brahma</i>	1885, 306
	1888, 576		1886, 440
<i>vacuna</i>	1888, 576	<i>buddha</i>	1885, 306
	1888, 580		1886, 440
<i>Bœcula cupentina</i>	1884, 322	<i>calunæ</i>	1889, 86
<i>Bolbomorphus gibbosus</i>	1887, 642	<i>camelina</i>	1888, 640
	1887, 647	<i>capucina</i>	1889, 529
	1887, 653	<i>castanea</i>	1888, 644
<i>Bolborhynchus aymara</i>	1883, 40	<i>certhia</i>	1888, 635
<i>d'orbignyi</i>	1886, 339	<i>chaonia</i>	1888, 639
<i>lineolatus</i>	1886, 417	<i>chrysorrhœa</i>	1888, 622
<i>monachus</i>	1882, 621	<i>curtula</i>	1888, 636
<i>orbignesius</i>	1886, 395	<i>curvatula</i>	1888, 649
	1886, 396	<i>dodonæa</i>	1888, 640
	1886, 399	<i>ermineæ</i>	1888, 644
<i>Boletia granulata</i>	1881, 431	<i>fagi</i>	1888, 643
<i>heteropora</i>	1881, 413		

	Page		Page
<i>Bombyx fasciatella</i>	1888,	<i>Bomolochra crassalis</i>	1889,
<i>flaveola</i>	1888,	<i>fontis</i>	1889,
<i>fragariæ</i>	1889,	<i>Bonasa bonasia</i>	1886,
<i>furcula</i>	1888,	<i>Bonasia betulina</i>	1887,
<i>fuscata</i>	1888,		1888,
<i>ganesa</i>	1885,	<i>Bonellia viridis</i>	1889,
	1886,	<i>Bordeta quadriplagiata</i>	1889,
<i>gloriosæ</i>	1885,	<i>Borolia fasciata</i>	1881,
<i>gonostigma</i>	1888,		1881,
<i>griseola</i>	1888,	<i>furcifera</i>	1881,
<i>harpagula</i>	1888,	<i>Bos bonassus</i>	1890,
<i>libatrix</i>	1889,	<i>bubalus</i>	1890,
<i>lubricepeda</i>	1888,	<i>caffer</i>	1890,
<i>luctifera</i>	1888,	<i>frontalis</i>	1883,
<i>mandarinus</i>	1888,		1883,
<i>menthastri</i>	1888,		1883,
<i>milhauseri</i>	1888,		1890,
<i>mori</i>	1888,		1890,
	1888,		1890,
<i>neustria</i>	1881,		1890,
	1888,	<i>gaurus</i>	1883,
<i>nuda</i>	1888,		1883,
<i>ochreola</i>	1888,		1883,
<i>oubie</i>	1885,		1890,
<i>palpina</i>	1888,		1890,
<i>plumigera</i>	1888,		1890,
<i>populifolia</i>	1888,		1890,
<i>pruni</i>	1888,		1890,
<i>purpurea</i>	1888,		1890,
<i>quercus</i>	1881,		1890,
	1885,		1890,
	1886,		1890,
	1888,	<i>gavæus</i>	1890,
<i>rhadama</i>	1889,	<i>grunniens</i>	1890,
	1890,	<i>indicus</i>	1884,
<i>ricini</i>	1886,		1890,
<i>rosea</i>	1888,		1890,
<i>rubi</i>	1881,	<i>sondaicus</i>	1890,
<i>russula</i>	1888,		1890,
<i>sangaica</i>	1888,		1890,
<i>sanguinolenta</i>	1885,		1890,
	1886,		1890,
	1888,		1890,
<i>sinensis</i>	1888,	<i>taurus</i>	1890,
<i>sinex</i>	1888,	<i>Boselaphus caama</i>	1884,
<i>siva</i>	1885,	<i>Bostrichus æqualis</i>	1884,
	1886,		1884,
<i>spretta</i>	1889,	<i>Botaurus minutus</i>	1881,
<i>tau</i>	1888,	<i>pusillus</i>	1881,
<i>terrifica</i>	1888,	<i>stellaris</i>	1884,
<i>thalictri</i>	1889,	<i>Bothrioccephalus macro-</i>	
<i>trimacula</i>	1888,	<i>bothrium</i>	1889,
<i>undatus</i>	1885,	<i>platycephalus</i>	1889,
<i>unita</i>	1888,		1889,
<i>vinula</i>	1888,	<i>tetrapterus</i>	1889,
<i>v-nigrum</i>	1888,		1889,
<i>wallichii</i>	1888,	<i>Bothrops erythrus</i>	1890,
(<i>Saturnia</i>) <i>bau-</i>		<i>flavoviridis</i>	1887,
<i>hiniæ</i>	1888,	<i>hageni</i>	1890,
	94		33

	Page		Page
<i>Botyodes asialis</i>	1885, 873	<i>Botys stultalis</i>	1886, 457
	1888, 229	<i>sublitoral</i>	1885, 873
<i>Botys ablactalis</i>	1885, 874	<i>submarginalis</i>	1885, 871
<i>abruptalis</i>	1888, 230	<i>suspicalis</i>	1888, 334
<i>abstrusalis</i>	1883, 168	<i>tenuialis</i>	1888, 335
	1884, 525	<i>thyasalis</i>	1885, 873
	1885, 873	<i>togatis</i>	1884, 325
<i>agavealis</i>	1884, 325	<i>tropicalis</i>	1885, 873
<i>albidalis</i>	1884, 501	<i>venosalis</i>	1883, 168
<i>albifimbrialis</i>	1885, 874		1884, 501
<i>amyntusalis</i>	1885, 870		1885, 874
<i>aurea</i>	1883, 168	<i>Bourcieria fulgidigula</i> ..	1884, 304
	1885, 873		1885, 69
	1886, 459		1885, 121
<i>campalis</i>	1884, 325	<i>insectivora</i>	1882, 38
<i>carnealis</i>	1888, 335	<i>torquata</i>	1885, 69
<i>catalaunalis</i>	1883, 168		1885, 105
	1884, 501		1885, 121
	1885, 874	<i>Bracca bajularia</i>	1889, 294
<i>celsalis</i>	1885, 871		1889, 297
<i>connectalis</i>	1888, 334	<i>Brachycephalus ephip-</i>	
<i>corticalis</i>	1888, 335	<i>pium</i>	1888, 172
<i>creonalis</i>	1888, 334	<i>Brachycœlia concolor</i> ..	1881, 80
<i>diffusalis</i>	1888, 335	<i>virescens</i>	1881, 80
<i>dilucidalis</i>	1885, 868	<i>Brachygalba albigularis</i>	1881, 778
<i>epastalis</i>	1885, 874	<i>Brachylia acronyctoides</i>	1884, 515
	1885, 886		1885, 306
<i>eurytalis</i>	1884, 325		1886, 441
<i>flexissimalis</i>	1883, 167	<i>Brachypodius melano-</i>	
<i>gastralis</i>	1883, 371	<i>cephalus</i>	1881, 797
<i>graphitalis</i>	1884, 326		1885, 412
<i>idyalis</i>	1885, 874	<i>Brachypteryx malac-</i>	
<i>ilusalis</i>	1883, 168	<i>censis</i>	1881, 797
<i>incalis</i>	1884, 325	<i>nipalensis</i>	1888, 273
<i>incoloralis</i>	1885, 873	<i>umbratilis</i>	1881, 797
	1886, 459	<i>Brachyrhamphus mar-</i>	
<i>iolealis</i>	1885, 873	<i>moratus</i>	1887, 43
<i>ispasalis</i>	1884, 525		1887, 44
<i>luciferalis</i>	1885, 872		1887, 45
<i>lunalis</i>	1885, 867		1887, 46
<i>lupulinalis</i>	1888, 335		1887, 47
<i>molusalis</i>	1886, 460	<i>Brachysphenus batesi</i> ..	1889, 617
<i>multilinealis</i>	1885, 870		1889, 620
<i>neoclesalis</i>	1886, 460	<i>bistrifoliatus</i>	1889, 616
	1888, 334		1889, 620
<i>nitetisalis</i>	1884, 501	<i>bizonatus</i>	1889, 617
<i>nubilalis</i>	1888, 335	<i>cordiger</i>	1889, 615
<i>obtusalis</i>	1886, 460	<i>distinctus</i>	1889, 617
<i>cedipodalis</i>	1884, 325	<i>egensis</i>	1889, 615
	1884, 525		1889, 620
<i>pangialis</i>	1888, 335	<i>epipleuralis</i>	1889, 617
<i>pectinicornalis</i>	1885, 875	<i>glyptoderus</i>	1889, 618
<i>pharisalis</i>	1885, 873	<i>incas</i>	1889, 617
<i>plagiatalis</i>	1885, 873		1889, 620
<i>rosinalis</i>	1883, 371	<i>musicalis</i>	1889, 617
<i>signatalis</i>	1883, 168	<i>mutabilis</i>	1889, 618
<i>stultalis</i>	1885, 867	<i>perversus</i>	1889, 618

	Page		Page
<i>Brachysphenus ucayalensis</i>	1889, 615	<i>Brunia chota</i>	1885, 293
	1889, 620		1885, 307
<i>Brachyurus calvus</i>	1886, 417	<i>Bryophila algæ</i>	1881, 332
	1887, 119		1889, 479
	1887, 120	<i>glandifera</i>	1881, 331
<i>melanocephalus</i> ..	1886, 417	<i>guenei</i>	1889, 526
	1887, 119	<i>literata</i>	1881, 331
	1887, 120	<i>mediana</i>	1881, 332
<i>rubicundus</i>	1886, 417	<i>modesta</i>	1881, 332
	1887, 119	<i>nigrivittata</i>	1888, 301
	1887, 120	<i>nilgira</i>	1881, 332
<i>Brachyxanthia peculiaris</i>	1889, 517	<i>Buarremon albinuchus</i>	1881, 485
<i>Brada truncata</i>	1885, 301	<i>assimilis</i>	1882, 15
<i>Bradymerus, sp.</i>	1884, 216		1884, 291
<i>Bradyornis ater</i>	1889, 363		1885, 84
<i>modestus</i>	1881, 578	<i>brunneinuchus</i>	1882, 15
<i>pallida</i>	1881, 578		1884, 292
	1888, 20		1885, 84
<i>subalaris</i>	1881, 578		1885, 121
<i>Bradypterus barratti</i> ..	1889, 364	<i>castaneiceps</i>	1885, 116
<i>brevirostris</i>	1881, 921	<i>castaneifrons</i>	1881, 486
<i>Bradypus cuculliger</i> ..	1886, 163	<i>comptus</i>	1881, 485
<i>tridactylus</i>	1882, 298	<i>elæoprorus</i>	1881, 485
<i>ursinus</i>	1885, 391	<i>gutturalis</i>	1881, 485
<i>Bradytus brevipennis</i> ..	1888, 370	<i>inornatus</i>	1881, 485
<i>Brahmæa carpenteri</i> ..	1888, 635		1884, 291
<i>certhia</i>	1888, 635		1885, 121
<i>japonica</i>	1888, 635	<i>latinuchus</i>	1882, 16
<i>mniszehi</i>	1888, 635	<i>leucopis</i>	1881, 486
<i>Brassolis sophoræ</i>	1890, 567	<i>leucopterus</i>	1885, 121
<i>Brenthia euphrosyne</i> ..	1883, 151	<i>melanolæmus</i>	1881, 485
<i>perryi</i>	1887, 423	<i>melanops</i>	1881, 485
<i>selene</i>	1883, 151	<i>nationi</i>	1881, 485
<i>Briarda bolinoides</i>	1883, 164		1883, 348
	1886, 449	<i>pallidinuchus</i>	1885, 116
<i>Brissus unicolor</i>	1888, 384	<i>personatus</i>	1881, 486
	1888, 388	<i>schistaceus</i>	1885, 116
<i>Broderipus acrorhynchus</i>	1885, 261	<i>specularis</i>	1882, 16
<i>coronatus</i>	1885, 551	<i>spodionotus</i>	1881, 485
<i>palawanensis</i>	1885, 261		1885, 123
<i>Bromius japanus</i>	1885, 753	<i>taczanowskii</i>	1881, 485
<i>Bronhocela cristatella</i> ..	1881, 215	<i>tricolor</i>	1881, 485
<i>moluccana</i>	1883, 386	<i>Bubalis koba</i>	1890, 355
<i>Brontes prenadilla</i>	1887, 277		1890, 357
<i>Brookesia ebenau</i>	1890, 80	<i>lunatus</i>	1890, 357
<i>Brotogerys aurifrons</i> ..	1885, 279	<i>Bubalus æquinotialis</i> ..	1885, 222
<i>jugularis</i>	1882, 46	<i>caffer</i>	1885, 218
	1885, 109		1885, 222
<i>pyrrhoptera</i>	1883, 573	<i>centralis</i>	1885, 222
	1885, 109	<i>indicus</i>	1888, 415
	1885, 122	<i>Bubo blakistoni</i>	1883, 466
<i>xanthoptera</i>	1882, 46		1886, 125
<i>Brotula ensiformis</i>	1889, 241		1887, 138
<i>maculata</i>	1889, 241	<i>cinerascens</i>	1881, 564
<i>multibarbata</i>	1889, 241		1888, 47
<i>Bruijnia tridactyla</i>	1885, 151	<i>coromandus</i>	1883, 466
	1885, 339	<i>ignavus</i>	1887, 599
			1888, 461

	Page		Page
<i>Bubo lacteus</i>	1889,	<i>Buceros ruficollis</i>	1889,
<i>leucostictus</i>	1884,		1889,
<i>maculosus</i>	1881,	<i>subcylindricus</i>	1882,
	1881,		1889,
	1882,	<i>Buchanga assimilis</i>	1881,
	1884,		1882,
	1884,	<i>atra</i>	1886,
	1888,	<i>leucophæa</i>	1889,
<i>magellanicus</i>	1881,	<i>Bucklandium diluvii</i>	1889,
<i>nigrescens</i>	1884,		1889,
	1885,		1889,
	1885,	<i>Bucoryus abyssinicus</i>	1881,
<i>orientalis</i>	1885,		1885,
<i>shellyi</i>	1884,		1885,
<i>virginianus</i>	1883,		1889,
(<i>Huhua</i>) <i>orientalis</i>	1884,		1889,
<i>Bubulcus coromandus</i>	1881,		1889,
	1889,		1889,
<i>ibis</i>	1881,		1889,
<i>Buccinum acutecostatum</i>	1883,		1889,
<i>cereale</i>	1890,		1889,
<i>concinnum</i>	1890,	<i>Bucranium taurifrons</i>	1881,
<i>corneum</i>	1883,		1881,
<i>hydrophanum</i>	1883,		1881,
<i>incisum</i>	1890,	<i>Budorcas taxicolor</i>	1884,
<i>parvulum</i>	1890,		1887,
<i>sabinii</i>	1883,		1887,
<i>tæniolatum</i>	1881,	<i>Budytes flava</i>	1881,
<i>testæ</i>	1883,		1888,
<i>Bucco collaris</i>	1881,	<i>viridis</i>	1881,
<i>dysoni</i>	1885,		1885,
<i>lanceolatus</i>	1881,		1885,
<i>leucocrissus</i>	1885,	<i>Bufo aqua</i>	1882,
<i>macrodactylus</i>	1882,	<i>andersoni</i>	1886,
<i>picatus</i>	1882,	<i>angusticeps</i>	1887,
<i>radiatus</i>	1883,	<i>asper</i>	1890,
<i>subtectus</i>	1885,		1890,
	1885,	<i>calamita</i>	1888,
<i>Bucephala albeola</i>	1883,		1888,
<i>Buceros abyssinicus</i>	1881,		1889,
<i>albirostris</i>	1889,	<i>ceratophrys</i>	1887,
<i>atratus</i>	1889,	<i>concolor</i>	1884,
<i>bicornis</i>	1889,	<i>crucigera</i>	1884,
	1889,	<i>debilis</i>	1890,
	1889,	<i>formosus</i>	1883,
<i>buccinator</i>	1881,		1886,
<i>casuarinus</i>	1885,	<i>igneus</i>	1886,
<i>coronatus</i>	1889,	<i>jerboa</i>	1890,
<i>cristatus</i>	1881,		1890,
	1885,	<i>leptopus</i>	1890,
<i>lunatus</i>	1889,	<i>lineata</i>	1884,
<i>melanoleucus</i>	1881,	<i>macrotis</i>	1890,
	1885,	<i>maculata</i>	1884,
<i>plicatus</i>	1888,	<i>marinus</i>	1887,
	1889,	<i>melanosticta</i>	1881,
<i>rhinoceros</i>	1889,		1884,
	1889,		1890,
	1889,		1890,
	1889,	<i>mexicanus</i>	1886,
	1889,		413

	Page		Page
<i>Bufo muelleri</i>	1890, 325	<i>Buliminus</i> (Achatinelloides) <i>tigris</i>	1881, 805
<i>parvus</i>	1890, 32		1881, 812
	1890, 37	(—) <i>zebrinus</i> ..	1881, 806
	1890, 325		1881, 812
<i>philippinicus</i>	1890, 325	(Ena) <i>carpathius</i> ..	1885, 26
<i>punctatus</i>	1886, 413	(—) <i>stokesi</i>	1885, 25
<i>quadriporeatus</i>	1890, 37		1885, 26
	1890, 325	(Mastus) <i>milensis</i>	1885, 25
<i>regularis</i>	1888, 51	(—) <i>pupa</i>	1885, 24
<i>superciliaris</i>	1887, 565	(—) <i>unius</i>	1885, 23
	1890, 325	(Pachnodus) <i>adon-</i>	
<i>tuberosus</i>	1887, 565	<i>ensis</i>	1881, 808
<i>typhonius</i>	1883, 637		1881, 812
	1887, 154	(—) <i>fragilis</i>	1881, 808
	1887, 500		1881, 812
<i>variabilis</i>	1888, 146	(—) <i>heliciformis</i>	1881, 807
	1888, 149		1881, 812
<i>variegatus</i>	1888, 169	(Zebrina) <i>cæsius</i> ..	1885, 24
<i>viridis</i>	1884, 422	<i>Bulimulus exilis</i>	1884, 277
	1884, 424	<i>Bulimus artensis</i>	1887, 185
	1888, 169	<i>blainvilleanus</i>	1889, 582
<i>vulgaris</i>	1883, 139	<i>colubrinus</i>	1887, 181
	1883, 140	<i>crassilabrum</i>	1887, 183
	1884, 422	<i>diaphanus</i>	1887, 185
	1884, 424	<i>dombeianus</i>	1881, 842
	1888, 169	<i>elobatus</i>	1887, 180
<i>Bulaca newarensis</i>	1887, 471		1887, 183
<i>Buliminus cæsius</i>	1885, 24	—, var. <i>minor</i>	1887, 181
<i>cleryi</i>	1885, 595	<i>eximius</i>	1887, 180
<i>hombroni</i>	1885, 595	<i>founaki</i>	1885, 595
<i>kirbyi</i>	1881, 282	<i>fulguratus</i>	1887, 165
<i>obesa</i>	1881, 281		1887, 180
<i>paiensis</i>	1881, 635	<i>fulminans</i>	1889, 582
<i>socotrensis</i>	1881, 801	—, var. <i>linteræ</i>	1889, 582
<i>unius</i>	1885, 24	<i>gibbosa</i>	1889, 138
<i>velutinus</i>	1881, 801		1889, 139
(Achatinelloides)		<i>gnauensis</i>	1887, 184
<i>alba</i>	1881, 804	<i>gräffei</i>	1887, 184
	1881, 807	<i>hoyti</i>	1887, 182
	1881, 811	<i>johannius</i>	1887, 186
	1881, 812	<i>junceus</i>	1887, 185
(—) <i>balfouri</i>	1881, 804	<i>kantavuensis</i>	1887, 182
	1881, 805	<i>koroensis</i>	1887, 182
(—) <i>elongatus</i> ..	1881, 803	<i>loveni</i>	1889, 582
	1881, 811	<i>malleatus</i>	1887, 165
(—) <i>gollonsiren-</i>			1887, 179
<i>sis</i>	1881, 805	<i>mitocheilus</i>	1885, 595
	1881, 812	<i>morosus</i>	1887, 181
(—) <i>hadibuensis</i>	1881, 803	<i>moussonii</i>	1887, 184
	1881, 812	<i>nichollsi</i>	1883, 595
(—) <i>longiformis</i>	1881, 806		1883, 596
	1881, 812	<i>nigrilineatus</i>	1882, 376
(—) <i>minor</i>	1881, 804	<i>notabilis</i>	1881, 277
(—) <i>semicas-</i>			1881, 282
<i>taneus</i>	1881, 807		1881, 300
	1881, 812	<i>novemgyratus</i>	1887, 186
(—) <i>socotrensis</i> ..	1881, 802	<i>ochrostoma</i>	1887, 183
	1881, 811		

	Page		Page
<i>Bulimus panayensis</i>	1887, 185	<i>Bulla media</i>	1890, 296
<i>rambiensis</i>	1887, 183	<i>recta</i>	1890, 297
<i>rugatus</i>	1887, 183	<i>striata</i>	1890, 253
<i>salteri</i>	1889, 578		1890, 296
<i>seemanni</i>	1887, 165	<i>Bunæa pygela</i>	1886, 409
	1887, 181		1886, 411
<i>souverbianus</i>	1887, 185	<i>pygmæa</i>	1886, 410
<i>subula</i>	1887, 186	<i>Bunea caffraria</i>	1886, 2
<i>superstriatus</i>	1889, 578		1886, 297
	1889, 582	<i>Bungarus fasciatus</i>	1881, 216
<i>tarnerianus</i>	1884, 276		1890, 35
<i>taylorianus</i>	1889, 578	<i>semifasciatus</i>	1881, 216
<i>tristis</i>	1881, 290	<i>Bunocephalus kneri</i>	1887, 278
<i>tuckeri</i>	1887, 185	<i>Buphaga africana</i>	1888, 37
<i>upolensis</i>	1887, 185	<i>Bürgeria maculata</i>	1889, 31
<i>variabilis</i>	1889, 138	<i>Burnesia leucopogon</i>	1888, 22
<i>ventrosus</i>	1884, 277	<i>Bursa (Apollon) pro-</i>	
<i>venustus</i>	1889, 580	<i>ditor</i>	1881, 31
<i>vitiensis</i>	1887, 184	<i>Butalis grisola</i>	1881, 577
<i>walli</i>	1887, 185		1888, 26
(<i>Amphidromus</i>)		<i>latirostris</i>	1887, 605
<i>adamsi</i>	1881, 630		1888, 465
(—) <i>interruptus</i>	1881, 835	<i>Butastur indicus</i>	1885, 253
(<i>Borus</i>) <i>rosaceus</i>	1884, 280		1885, 545
(<i>Buliminus</i>) <i>gomezi</i>	1889, 580		1889, 225
	1889, 582	<i>rufipennis</i>	1881, 562
(—) <i>hanningtoni</i>	1889, 580		1888, 46
	1889, 582	<i>Buteo abbreviatus</i>	1883, 348
(—) <i>kirbyi</i>	1881, 282	<i>albonotatus</i>	1883, 348
	1881, 300	<i>augur</i>	1885, 223
(<i>Canistrum</i>) <i>fulge-</i>		<i>desertorum</i>	1885, 223
<i>trum</i>	1884, 260	<i>erythronotus</i>	1883, 426
(<i>Corona</i>) <i>melano-</i>			1886, 399
<i>stoma</i>	1884, 280	<i>pennsylvanicus</i>	1882, 47
(<i>Leptomerus</i>) <i>exilis</i>	1883, 596		1883, 574
(—) <i>liliaceus</i>	1883, 596		1885, 110
(—) <i>multifasci-</i>			1885, 124
<i>atus</i>	1883, 596		1889, 326
(—) <i>tenuissimus</i>	1884, 280		1889, 395
(<i>Mesembrinus</i>) <i>bow-</i>		<i>plumipes</i>	1887, 597
<i>keri</i>	1889, 581		1888, 461
	1889, 582	<i>pteroles</i>	1882, 622
(<i>Orthostylus</i>) <i>faun-</i>		<i>rufipennis</i>	1881, 562
<i>us</i>	1884, 260	<i>Buteola brachyura</i>	1883, 574
(<i>Placostylus</i>) <i>cleryi</i>	1885, 594	<i>Butheolus melanurus</i>	1890, 121
(<i>Rhachis</i>) <i>braunsii</i>	1881, 281	<i>thalassinus</i>	1890, 127
	1881, 300	<i>Buthraupis chloronota</i>	1885, 80
(—) <i>nigrilineatus</i>	1882, 382		1885, 116
	1882, 389	<i>cucullata</i>	1885, 80
(<i>Stenogyra</i>) <i>paioen-</i>			1885, 116
<i>sis</i>	1881, 630	<i>edwardi</i>	1885, 117
<i>Buliveria columbina</i>	1887, 562		1885, 121
<i>Bulla adansonii</i>	1890, 296	<i>Buthus acutecarinatus</i>	1890, 126
<i>aplustre</i>	1883, 399	<i>cæruleus</i>	1884, 207
<i>bidentata</i>	1890, 297	<i>emini</i>	1890, 126
<i>cylindræa</i>	1883, 399	<i>europæus</i>	1890, 122
<i>halistoidea</i>	1885, 45		1890, 125
			1890, 127

	Page		Page
<i>Buthus europæus</i>	1890, 128	<i>Cacatua hæmaturophygia</i> .	1885, 251
<i>hottentota</i>	1890, 126	<i>moluccensis</i>	1889, 225
<i>judaicus</i>	1890, 126	<i>philippinarum</i>	1882, 701
<i>limbatus</i>	1890, 123	<i>sanguinea</i>	1884, 251
<i>lobidens</i>	1890, 123	1883, 194
<i>martensii</i>	1890, 126	1883, 197
<i>minax</i>	1890, 126	1883, 199
<i>occitanus</i>	1890, 125	1883, 200
<i>piceus</i>	1890, 123	<i>sulphurea</i>	1884, 431
<i>socotrensis</i>	1890, 126	<i>triton</i>	1885, 502
<i>Butorides javanica</i>	1881, 800	1885, 562
.....	1882, 710	1885, 618
.....	1885, 274	<i>Cacoëcia micaceana</i>	1883, 173
.....	1885, 561	1885, 881
.....	1886, 336	<i>simulana</i>	1888, 337
.....	1887, 333	<i>Cacomantis lanceolatus</i> .	1885, 176
.....	1888, 187	1885, 551
.....	1888, 202	<i>merulinus</i>	1881, 792
.....	1889, 225	1889, 225
<i>plumbeus</i>	1883, 428	<i>sepulchralis</i>	1885, 170
<i>virescens</i>	1883, 428	1885, 175
.....	1883, 458	1885, 550
.....	1889, 326	1885, 551
<i>Buzura multipunctaria</i> .	1889, 426	1886, 467
<i>panterinaria</i>	1886, 454	<i>tymbonomus</i>	1885, 551
<i>varianaria</i>	1889, 425	1888, 187
<i>Byasa philoxenus</i>	1882, 259	1888, 191
.....	1882, 263	<i>Cacopus globulosus</i>	1887, 189
<i>ravana</i>	1882, 259	<i>systema</i>	1887, 189
<i>Byblis kallarthrus</i>	1886, 4	<i>Cacoscelis semifulva</i> ..	1889, 274
<i>Bycanistes buccinator</i> ..	1881, 591	<i>Cacosternum nanum</i> ..	1890, 325
<i>cristatus</i>	1881, 591	<i>Cacotus calcaratus</i>	1881, 19
.....	1885, 224	<i>coppingeri</i>	1881, 19
.....	1885, 851	<i>Caduga banksii</i>	1883, 251
.....	1889, 590	<i>larissa</i>	1883, 207
<i>Byssodes argentata</i>	1884, 324	1883, 251
<i>Bythinia alberti</i>	1888, 52	<i>loochooana</i>	1883, 250
.....	1888, 54	<i>luzonensis</i>	1883, 251
.....	1888, 55	<i>melaneus</i>	1883, 207
<i>badiella</i>	1888, 54	1883, 247
<i>walleri</i>	1888, 54	1883, 250
.....	1888, 55	<i>nilgiriensis</i>	1883, 207
<i>Byturna cucullata</i>	1885, 476	1883, 251
<i>digramma</i>	1883, 29	<i>niphonica</i>	1883, 249
.....	1883, 165	<i>pseudomelaneus</i> ..	1883, 250
.....	1884, 522	<i>swinhoei</i>	1883, 250
.....	1886, 453	<i>tytia</i>	1882, 235
<i>Cacatua alba</i>	1885, 562	1882, 260
<i>citrinocristata</i>	1883, 58	1883, 215
.....	1883, 197	1883, 249
<i>ducorpsi</i>	1887, 329	<i>Cadugoïdes agestor</i>	1882, 260
.....	1888, 187	<i>gopala</i>	1882, 260
.....	1888, 188	<i>govindra</i>	1882, 260
.....	1888, 249	1882, 261
<i>gymnopis</i>	1886, 320	<i>Cadulus abyssicola</i>	1882, 664
<i>hæmaturophygia</i> ..	1885, 250	<i>amphora</i>	1882, 665
		1882, 687

	Page		Page
<i>Cadulus cylindratus</i>	1882, 664	<i>Calamoherpe ochotensis</i> .	1889, 621
	1882, 667	<i>palustris</i>	1889, 621
	1884, 147	<i>Calantica polita</i>	1881, 302
<i>diploconus</i>	1882, 665		1881, 325
<i>gibbus</i>	1882, 666	<i>Calanus finmarchicus</i> ..	1886, 259
	1882, 687		1886, 261
<i>gracilis</i>	1882, 664		1886, 262
	1882, 687		1886, 263
	1884, 147	<i>Calcinus tibicen</i>	1887, 520
<i>jeffreysi</i>	1882, 664	<i>Calicula exempta</i>	1889, 543
	1882, 665	<i>squamiplena</i>	1889, 543
	1884, 148	<i>Calidris arenaria</i>	1881, 16
	1890, 253		1881, 600
	1890, 300		1882, 654
<i>minor</i>	1882, 665		1883, 429
<i>olivi</i>	1882, 663		1883, 462
	1884, 147	<i>Caligo idomeneus</i>	1890, 566
<i>ovulum</i>	1882, 666	<i>oberon</i>	1890, 566
<i>pandionis</i>	1882, 664	<i>Caligula japonica</i>	1888, 633
<i>propinquus</i>	1882, 664	<i>jonasi</i>	1888, 633
	1882, 665	<i>simla</i>	1886, 355
	1884, 147		1886, 387
<i>subfusiformis</i>	1882, 664	<i>Caligus chæmichthys</i> ..	1881, 79
	1882, 665	<i>Callænia elongata</i>	1883, 157
	1884, 147	<i>pullata</i>	1881, 358
<i>tumidosus</i>	1882, 665	<i>Callene isabellæ</i>	1887, 124
	1882, 687	<i>Callerebia annada</i>	1882, 237
	1884, 148		1886, 358
<i>tumidula</i>	1882, 665	<i>cashapa</i>	1882, 236
<i>Cadyanda lugens</i>	1889, 295	<i>daksha</i>	1886, 358
<i>Cadytis vashti</i>	1883, 214	<i>hybrida</i>	1882, 237
	1883, 226		1886, 358
<i>Cæcilia polyzona</i>	1890, 326	<i>intermedia</i>	1882, 236
<i>Cæculus echinipes</i>	1890, 424	<i>modesta</i>	1883, 521
<i>spatulifer</i>	1890, 418	<i>nada</i>	1882, 237
	1890, 423	<i>nirmala</i>	1882, 236
	1890, 425		1883, 521
<i>Cæcum imbricatum</i>	1890, 252		1886, 358
	1890, 291	<i>scanda</i>	1882, 236
<i>jucundum</i>	1890, 252	<i>shallada</i>	1882, 237
	1890, 291	<i>Callistia grandis</i>	1882, 779
(Meioceras) <i>niti-</i>			1882, 782
<i>dum</i>	1890, 252	<i>Callialcyon coromanda</i> .	1881, 793
	1890, 291		1885, 407
<i>Cænolanguria</i>	1887, 361	<i>rufa</i>	1885, 548
<i>Cæcio chrysozona</i>	1887, 657	<i>Callianassa californiensis</i>	1882, 341
<i>Caica melanocephala</i> ..	1882, 46		1882, 342
	1885, 109	<i>longimana</i>	1882, 341
<i>Cairina moschata</i>	1882, 625	<i>madagassa</i>	1884, 15
<i>rutila</i>	1887, 611	<i>martensi</i>	1884, 10
	1888, 469		1884, 13
<i>Calamaria longiceps</i> ..	1881, 218		1884, 15
<i>quadrimaculata</i> ..	1890, 34		1884, 17
<i>septentrionalis</i>	1890, 34	<i>mauritiana</i>	1882, 339
<i>sumatrana</i>	1890, 34		1882, 341
<i>vermiformis</i>	1890, 32		1884, 15
—, var. <i>sumatrana</i>	1890, 32		1884, 17
<i>Calamodyta brevirostris</i> .	1881, 921	<i>parisiensis</i>	1884, 15

	Page		Page
<i>Callianassa subterranea</i>	1882, 341	<i>Callimorpha dominula</i>	1888, 120
	1882, 342		1889, 86
<i>tridentata</i>	1884, 13	<i>glaucoptis</i>	1888, 613
	1884, 14	<i>hera</i>	1886, 3
<i>uncinata</i>	1881, 63	<i>Calliodes rectifasciata</i>	1889, 545
	1881, 73	<i>Callionymus lyra</i>	1890, 545
	1882, 341	<i>Calliope fluviatilis</i>	1886, 6
	1882, 342	<i>Calliostoma hungerfordi</i>	1888, 568
<i>Callichroma afrum</i>	1890, 486		1888, 570
<i>barbiventris</i>	1890, 486	<i>Calliphlox mitchelli</i>	1885, 116
<i>bungii</i>	1888, 379	<i>Calliplœa adyte</i>	1883, 295
<i>fragrans</i>	1890, 485	<i>aristotelis</i>	1883, 292
<i>piliventris</i>	1890, 486	<i>darchia</i>	1883, 255
<i>rugicollis</i>	1890, 486		1883, 292
<i>Callichrous bimaculatus</i>	1890, 38		1883, 293
<i>hypophthalmus</i>	1890, 38		1883, 295
<i>Callichthys littoralis</i>	1885, 717	<i>doryca</i>	1883, 294
	1886, 330	<i>engrammelli</i>	1883, 293
<i>punctatus</i>	1886, 331	<i>forsteri</i>	1883, 296
<i>Callicilix abraxata</i>	1888, 648	<i>græffiana</i>	1883, 303
<i>Callicore candrena</i>	1890, 562	<i>hopfferi</i>	1883, 295
<i>marchalii</i>	1890, 562	<i>hyems</i>	1883, 208
<i>Callidea morgani</i>	1890, 474		1883, 209
<i>novemmaculata</i>	1890, 474		1883, 210
<i>Calliderma emma</i>	1881, 96		1883, 294
<i>grayi</i>	1881, 95		1883, 366
	1881, 140	<i>infantilis</i>	1883, 367
<i>Callidrepana argentifera</i>	1888, 574	<i>jamesii</i>	1883, 294
<i>scintillata</i>	1888, 574		1883, 208
<i>Callidryas argante</i>	1884, 317		1883, 209
<i>eubule</i>	1884, 317		1883, 210
	1890, 556		1883, 211
<i>florella</i>	1884, 226		1883, 294
	1885, 540	<i>kirschi</i>	1883, 293
<i>hyblæa</i>	1884, 487	<i>ledereri</i>	1883, 210
	1885, 773		1883, 292
	1887, 572		1883, 302
<i>leachiana</i>	1890, 557	<i>mariesis</i>	1883, 293
<i>philea</i>	1890, 556	<i>mazares</i>	1883, 210
<i>pyrene</i>	1884, 226		1883, 292
	1885, 540		1883, 293
<i>sennæ</i>	1890, 556		1883, 302
<i>statira</i>	1890, 557	<i>monilis</i>	1883, 293
<i>thisorella</i>	1881, 611	<i>niveata</i>	1883, 208
	1884, 511		1883, 209
	1885, 139		1883, 210
<i>trite</i>	1884, 317		1883, 211
	1890, 557		1883, 295
(Catopsilia) <i>florella</i>	1884, 486	<i>pollita</i>	1883, 210
<i>Callidula felderi</i>	1888, 612		1883, 211
<i>Calligenia pallida</i>	1888, 603		1883, 293
<i>sanguinea</i>	1890, 398	<i>priapus</i>	1883, 295
<i>Calligrapha percheroni</i>	1889, 267	<i>pumila</i>	1883, 293
<i>Callimorpha dominula</i>	1881, 652		1883, 294
	1881, 654	<i>salabanda</i>	1883, 294
	1881, 825	<i>saundersi</i>	1883, 294
	1885, 66	<i>seriata</i>	1883, 295
	1887, 52	<i>sisamis</i>	1883, 294

	Page		Page
<i>Calliploea stephensi</i>	1883, 293	<i>Calliste yeni</i>	1885, 425
<i>striata</i>	1883, 293		1885, 426
<i>tulliolus</i>	1883, 295	<i>Calliteara abietis</i>	1888, 631
<i>turneri</i>	1883, 295		1888, 632
<i>vestigata</i>	1883, 300	<i>pseudabietis</i>	1888, 632
<i>violetta</i>	1883, 282	<i>pubibunda</i>	1888, 631
<i>visenda</i>	1883, 366	—, var. <i>concolor</i> ..	1888, 631
	1883, 367	<i>Callithea buckleyi</i>	1882, 338
	1883, 371	<i>degandii</i>	1882, 338
<i>Callisphyris schythei</i> ..	1881, 82	<i>Callithraupis cyanicterata</i> .	1881, 213
<i>Calliste argentea</i>	1882, 11	<i>Callithrix brunnea</i>	1881, 258
<i>argyrophenges</i>	1882, 12	<i>gigot</i>	1884, 6
<i>aurulenta</i>	1883, 544		1884, 7
	1884, 288		1884, 8
<i>cæruleocephala</i> ..	1883, 545		1884, 9
<i>chrysotis</i>	1882, 12	<i>moloch</i>	1884, 7
	1885, 79		1884, 8
	1885, 121	<i>Callocardia guttata</i>	1888, 212
<i>cœlicolor</i>	1882, 11	<i>Callolophus malaccensis</i> .	1887, 442
	1885, 425	<i>mentalis</i>	1885, 405
<i>cœruleocephala</i> ..	1885, 68	<i>puniceus</i>	1881, 792
	1885, 79		1885, 405
	1885, 121	<i>Callopeltis conspicilla-</i>	
<i>cyaneicollis</i>	1882, 12	<i>tus</i>	1887, 595
	1883, 537	<i>leopardinus</i>	1887, 595
	1883, 545	<i>Callophis bivingatus</i> ..	1881, 216
	1883, 653	<i>intestinalis</i>	1881, 216
<i>cyanopygia</i>	1883, 537	<i>Callopiastes maculatus</i> ..	1889, 465
	1883, 545		1890, 240
	1883, 653	<i>Callopietria æthiops</i>	1889, 536
	1885, 68	<i>agyra</i>	1890, 517
	1885, 121	<i>duplicans</i>	1889, 536
<i>gouldi</i>	1885, 849	<i>exotica</i>	1884, 496
<i>guttata</i>	1885, 116		1888, 222
<i>gyroloides</i>	1882, 11		1889, 536
	1883, 545	<i>floridensis</i>	1890, 518
	1885, 78	<i>langia</i>	1890, 518
<i>icterocephala</i>	1885, 116	<i>latreillei</i>	1881, 374
<i>inornata</i>	1883, 421	<i>obscura</i>	1889, 536
<i>lunigera</i>	1884, 289	<i>pteridis</i>	1889, 536
	1885, 121	<i>purpureofasciata</i> ..	1889, 536
<i>melanotis</i>	1882, 12	<i>recurvata</i>	1885, 457
	1885, 79	<i>repleta</i>	1889, 537
<i>nigricincta</i>	1882, 12	<i>rivularis</i>	1889, 537
<i>nigroviridis</i>	1884, 289	<i>yerburii</i>	1884, 496
<i>pulchra</i>	1882, 11	<i>Callorhynchus antarcti-</i>	
— <i>æquatorialis</i>	1885, 77	<i>cus</i>	1881, 19
<i>punctata</i>	1885, 77		1889, 323
<i>ruficervix</i>	1884, 288	<i>Callosune damarensis</i> ..	1888, 95
	1885, 79	<i>deidamioides</i>	1888, 95
<i>rufigularis</i>	1885, 116	<i>eveninus</i>	1888, 95
<i>taylori</i>	1885, 78	<i>evippe</i>	1884, 226
<i>venusta</i>	1884, 289	<i>farrina</i>	1882, 254
	1885, 80	<i>pura</i>	1882, 254
<i>vitriolina</i>	1885, 116	<i>vulnerata</i>	1888, 93
<i>xanthogastra</i>	1882, 11	<i>Callula baleata</i>	1888, 172
<i>yeni</i>	1882, 11	<i>picta</i>	1888, 172
	1885, 77	<i>Callulops doriae</i>	1890, 325

	Page		Page
<i>Callyna jugaria</i>	1885, 460	<i>Calornis crassa</i>	1883, 195
<i>sidera</i>	1885, 460		1883, 200
<i>Callyspongia bullata</i> ..	1881, 111		1884, 433
	1881, 112	<i>feadensis</i>	1883, 347
<i>Calmarius annellata</i>	1887, 142	<i>gularis</i>	1884, 429
<i>Calobates melanope</i>	1885, 644		1884, 430
	1887, 441		1884, 433
	1887, 582		1884, 579
	1887, 603	<i>inornata</i>	1884, 579
	1888, 464	<i>metallica</i>	1883, 51
<i>Calobochyla salicalis</i> ..	1889, 555		1883, 195
<i>Calocampa exoleta</i>	1889, 539		1883, 200
<i>formosa</i>	1889, 539		1884, 429
<i>fumosa</i>	1889, 539		1884, 430
<i>Calocitta formosa</i>	1883, 423		1884, 433
	1890, 412		1884, 579
<i>Calœnas nicobarica</i>	1882, 327		1885, 573
	1885, 248		1885, 644
	1885, 275		1887, 331
	1885, 558		1888, 187
	1885, 576	<i>minor</i>	1885, 509
	1885, 663	<i>neglecta</i>	1885, 556
	1887, 332	<i>obscura</i>	1888, 573
	1888, 248	<i>panayensis</i>	1885, 250
	1889, 225		1885, 267
<i>Calogale venatica</i>	1882, 69		1885, 418
<i>Calometopus nyassæ</i> ..	1885, 231		1885, 419
<i>planatus</i>	1885, 231		1889, 225
	1885, 233	<i>purpurascens</i>	1884, 430
	1885, 235	<i>purpureiceps</i>	1884, 430
<i>senegalensis</i>	1885, 231		1884, 579
	1885, 233	<i>solomonensis</i>	1887, 331
<i>Calonotos almon</i>	1883, 373	<i>viridescens</i>	1884, 430
<i>flavicornis</i>	1883, 373	<i>Calosoma senegalense</i> ..	1885, 231
	1883, 384	<i>Calospila leucomela</i>	1889, 294
<i>sandion</i>	1883, 373		1889, 295
<i>Calophasia cashmirensis</i> .	1881, 358		1889, 296
<i>linariæ</i>	1881, 358		1889, 297
<i>lobifera</i>	1881, 358	<i>picaria</i>	1889, 295
<i>postica</i>	1885, 454	<i>posthumaria</i>	1889, 294
<i>upsilon</i>	1885, 454		1889, 295
<i>Calopsitta novæ-hollandiæ</i>	1886, 190	<i>Calotes cristatellus</i>	1890, 33
.....	1886, 211	<i>microlepis</i>	1890, 78
<i>Calorhamphus fuliginosus</i>	1881, 792	<i>versicolor</i>	1881, 215
.....	1885, 405	<i>Calothorax fanny</i>	1883, 425
<i>hayii</i>	1888, 281	<i>micrura</i>	1883, 425
<i>Calornis cantoroides</i> ..	1885, 644	<i>Calpe bicolor</i>	1883, 19
	1887, 331	<i>capucina</i>	1889, 529
<i>chalybæus</i>	1881, 799	<i>excavata</i>	1889, 529
<i>circumscripta</i>	1884, 429	<i>fasciata</i>	1883, 157
	1884, 430	<i>lata</i>	1889, 529
	1884, 433	<i>libatrix</i>	1889, 505
	1884, 577	<i>minuticornis</i>	1883, 19
	1884, 579	<i>ophideroides</i>	1883, 19
<i>crassa</i>	1883, 51	<i>thalactri</i>	1883, 19
	1883, 56	<i>Calurus aureiceps</i>	1882, 410
		<i>Calvasterias antipodum</i> .	1882, 121
			1882, 124

	Page		Page
<i>Calydna caieta</i>	1890,	<i>Campephilus sclateri</i> ..	1884, 307
<i>catana</i>	1890,		1885, 122
<i>Calymnia achatina</i>	1889,	<i>Camponotus ligniperda</i> .	1888, 551
<i>affinis</i>	1889,	<i>melichloros</i>	1888, 551
<i>camptosigma</i>	1889,	<i>Campophaga nigra</i>	1889, 359
<i>pryeri</i>	1889,	<i>Campothera maculosa</i> ..	1888, 41
	1889,	<i>nubica</i>	1888, 41
<i>pyralina</i>	1889,		1889, 356
<i>restituta</i>	1889,	<i>Camptocarpus</i>	1887, 361
<i>trapezina</i>	1889,	<i>Camptogramma</i> <i>bili-</i>	
	1889,	<i>neata</i>	1887, 252
<i>Calyphantria erythro-</i>			1887, 268
<i>genys</i>	1888,	<i>Camptoloma interiorata</i> .	1888, 615
<i>Calyptocephalus gayi</i> ..	1887,	<i>Camptostoma imberbe</i> .	1883, 554
	1887,	<i>Campylopterus lazulus</i> .	1885, 116
<i>Calyptomena viridis</i> ..	1881,	<i>Campylorhynchus balte-</i>	
	1885,	<i>atus</i>	1883, 539
	1887,		1884, 282
	1887,		1885, 71
<i>whiteheadi</i>	1887,		1885, 122
<i>Calyptorhynchus banksi</i>	1882,	<i>guttatus</i>	1883, 439
<i>naso</i>	1882,	<i>Campylotes atkinsoni</i> ..	1890, 385
<i>Calyptra libatrix</i>	1889,	<i>desgodinsi</i>	1890, 384
<i>Calyptræa chinensis</i> ..	1882,		1890, 385
<i>costellata</i>	1881,	—, <i>var. splendida</i> ..	1890, 384
<i>dillwynii</i>	1890,		1890, 401
<i>martiniana</i>	1890,	<i>histrionicus</i>	1890, 383
<i>sinensis</i>	1882,		1890, 384
<i>Calysisme anynana</i>	1881,		1890, 401
<i>blasius</i>	1882,	—, <i>var. altissima</i> ..	1890, 384
<i>drusia</i>	1886,	<i>prattii</i>	1890, 385
<i>mineus</i>	1886,	<i>sikkimensis</i>	1890, 384
<i>perseus</i>	1882,		1890, 401
	1885,	<i>Cancellaria buccinoides</i> .	1885, 49
	1886,	<i>cancellata</i>	1885, 49
<i>socotrana</i>	1881,		1885, 50
	1881,	<i>costifera</i>	1888, 568
<i>subfasciata</i>	1882,	<i>fusca</i>	1888, 568
	1882,		1888, 570
<i>visala</i>	1882,	<i>minima</i>	1885, 49
	1885,	<i>mitræformis</i>	1885, 49
<i>Camarhynchus cinereus</i> .	1883,	<i>obtusa</i>	1890, 249
	1885,	<i>pusilla</i>	1885, 49
<i>Camaroptera brevicau-</i>		<i>scalata</i>	1881, 638
<i>data</i>	1888,	<i>similis</i>	1885, 50
<i>Camelus bactrianus</i>	1881,	<i>solida</i>	1890, 249
<i>Camena cippus</i>	1883,	<i>subangulosa</i>	1885, 49
<i>ctesia</i>	1883,	<i>tessellata</i>	1890, 249
<i>Campephaga jardinii</i> ..	1881,	<i>viridula</i>	1885, 48
<i>melas</i>	1885,	<i>wilmeri</i>	1881, 637
<i>nigra</i>	1881,		1881, 639
<i>obiensis</i>	1885,	<i>Cancer arctus</i>	1881, 63
<i>Campephilus boiei</i>	1882,	<i>edwardsii</i>	1881, 63
<i>guatemalensis</i>	1883,		1881, 67
<i>hæmatogaster</i>	1882,	—, <i>var. annulipes</i> ..	1881, 63
	1885,		1881, 67
<i>pollens</i>	1884,	<i>niger</i>	1884, 11
<i>sclateri</i>	1883,	<i>pagurus</i>	1890, 579

	Page		Page
<i>Cancer pagurus</i>	1890,	581	
	1890,	582	
<i>planatus</i>	1881,	70	
<i>plebejus</i>	1881,	63	
	1881,	67	
<i>ursus minor</i>	1881,	63	
<i>variegatus</i>	1881,	69	
<i>Cancroma cochlearia</i> ..	1883,	458	
	1888,	288	
<i>Canda, sp.</i>	1881,	45	
<i>Candona lutea</i>	1886,	84	
	1886,	92	
	1886,	93	
<i>stanleyana</i>	1886,	84	
	1886,	89	
<i>tenuis</i>	1886,	84	
	1886,	92	
	1886,	93	
<i>Candyba punctata</i>	1885,	303	
	1886,	439	
<i>Cania bilinea</i>	1889,	409	
<i>pulligonis</i>	1889,	408	
	1889,	432	
<i>Caniopoda orientalis</i> ..	1887,	643	
<i>Canis alopex</i>	1887,	635	
<i>anthus</i>	1888,	2	
<i>aureus</i>	1886,	56	
	1888,	2	
<i>azaræ</i>	1888,	2	
	1890,	99	
	1890,	100	
	1890,	101	
	1890,	102	
	1890,	103	
	1890,	104	
	1890,	105	
	1890,	106	
	1890,	108	
	1890,	109	
	1890,	113	
<i>brasiliensis</i>	1890,	109	
	1890,	110	
	1890,	113	
<i>cancrivorus</i>	1890,	102	
	1890,	110	
	1890,	113	
	1890,	377	
<i>chama</i>	1888,	2	
<i>corsac</i>	1887,	635	
<i>dingo</i>	1885,	397	
	1888,	2	
<i>domesticus</i>	1890,	8	
<i>entrierianus</i>	1890,	104	
	1890,	105	
	1890,	109	
	1890,	113	
<i>extrarius</i>	1890,	10	
<i>familiaris, var. dingo</i>	1890,	90	
<i>Canis familiaris, var.</i>			
<i>dingo</i>	1890,	91	
	1890,	92	
<i>fulvicaudus</i>	1890,	105	
	1890,	106	
	1890,	107	
	1890,	110	
	1890,	113	
<i>fulvipes</i>	1888,	2	
	1890,	99	
	1890,	101	
	1890,	103	
	1890,	108	
	1890,	109	
	1890,	113	
<i>fulvus</i>	1888,	2	
—, var. pennsylvanicus	1887,	636	
<i>gracilis</i>	1890,	104	
	1890,	108	
	1890,	109	
	1890,	113	
<i>griffithi</i>	1888,	2	
	1888,	140	
<i>griseus</i>	1890,	101	
	1890,	102	
	1890,	103	
	1890,	105	
	1890,	109	
	1890,	113	
<i>himalayicus</i>	1887,	636	
<i>javanicus</i>	1888,	2	
	1890,	89	
<i>jubatus</i>	1881,	165	
	1889,	220	
<i>lagopus</i>	1882,	655	
<i>laniger</i>	1881,	202	
<i>lateralis</i>	1885,	220	
	1888,	2	
	1890,	377	
<i>latrans</i>	1888,	2	
	1890,	72	
<i>lupus</i>	1881,	201	
	1888,	1	
—, var. occidentalis	1890,	90	
<i>magellanicus</i>	1890,	377	
<i>matris optimæ</i>	1890,	20	
<i>mesomelas</i>	1888,	2	
	1890,	378	
<i>microtis</i>	1882,	631	
	1890,	110	
	1890,	111	
	1890,	112	
	1890,	113	
<i>molossus mastivus</i> .	1890,	10	
<i>montanus</i>	1888,	265	
<i>niger</i>	1888,	2	

	Page		Page
<i>Canis occidentalis</i>	1888,	<i>Capito squamatus</i>	1885,
<i>pallidus</i>	1885,	<i>steerii</i>	1882,
	1888,	<i>Capnodes cinerea</i>	1889,
<i>pallipes</i>	1881,	<i>cremata</i>	1889,
	1890,	<i>curvipalpis</i>	1889,
<i>parvidens</i>	1890,	<i>gensanalis</i>	1889,
	1890,	<i>stellata</i>	1883,
	1890,		1888,
	1890,	<i>trifasciata</i>	1888,
<i>patagonicus</i>	1890,	<i>Capra ægagrus</i>	1882,
	1890,		1884,
	1890,		1886,
	1890,		1887,
<i>rudis</i>	1888,		1887,
<i>sinensis</i>	1885,	<i>arabica</i>	1886,
<i>urostictus</i>	1890,	<i>beden</i>	1886,
	1890,	<i>caucasica</i>	1886,
	1890,		1887,
	1890,		1887,
<i>velox</i>	1887,		1887,
	1888,		1887,
<i>vetulus</i>	1890,	<i>cylindricornis</i>	1887,
	1890,		1887,
	1890,	<i>falconeri</i>	1881,
	1890,		1881,
	1890,		1886,
	1890,	<i>himalayana</i>	1886,
	1890,	<i>hispanica</i>	1886,
	1890,	<i>hylocrius</i>	1886,
<i>virginianus</i>	1887,	<i>ibex</i>	1886,
	1888,		1886,
<i>vulpes</i>	1887,	<i>jemlaica</i>	1883,
	1888,		1886,
— <i>montana</i>	1887,	<i>jemlanica</i>	1886,
<i>Canna splendens</i>	1888,		1886,
<i>Cantharus lævis</i>	1890,	<i>jerdoni</i>	1886,
<i>nodulosus</i>	1890,	<i>megaceros</i>	1881,
<i>orbignyi</i>	1890,		1882,
(<i>Tritonidea</i>) <i>albo-</i>			1884,
<i>zonatus</i>	1890,		1886,
	1890,	<i>nubiana</i>	1885,
	1890,		1886,
(—) <i>consanguineus</i>	1890,	<i>pallasi</i>	1887,
	1890,		1887,
	1890,	<i>pyrenaica</i>	1886,
(—) <i>lævis</i>	1890,		1886,
	1890,	<i>severtzowi</i>	1887,
	1890,		1887,
<i>Canthelia ægnusalis</i>	1888,		1887,
<i>lucida</i>	1888,	<i>sibirica</i>	1881,
<i>Capito auratus</i>	1882,		1886,
<i>bourcierii</i>	1883,		1887,
	1885,		1889,
	1885,	<i>sinaitica</i>	1886,
<i>glaucoangularis</i>	1882,		1886,
<i>niger</i>	1882,		1889,
<i>squamatus</i>	1885,	<i>walie</i>	1886,

	Page		Page
<i>Capra (Ibex) warryato</i>	1886, 318	<i>Carabus kiukiangensis</i> ..	1888, 381
<i>Capreolus capræa</i>	1884, 152	<i>lafossei</i>	1888, 381
<i>Capricornis argyrochætus</i>	1890, 93	<i>longipennis</i>	1889, 217
<i>edwardsi</i>	1890, 93	<i>protenes</i>	1889, 217
<i>maritimus</i>	1890, 93	<i>pumilio</i>	1885, 231
<i>Caprimulgus affinis</i>	1885, 504	<i>smaragdinus</i>	1889, 217
<i>europæus</i>	1882, 305	<i>suturalis</i>	1881, 80
	1885, 893	<i>tientei</i>	1889, 217
	1885, 894	—, var. <i>minor</i>	1889, 217
	1886, 188	<i>tuberculosis</i>	1888, 368
	1886, 471	<i>van-volxemi</i>	1888, 368
	1889, 178	<i>wallichi</i>	1889, 211
	1889, 181	(<i>Coptolabrus</i>) <i>au-</i>	
<i>fossei</i>	1881, 564	<i>gustus</i>	1888, 381
	1882, 451	(—) <i>longipennis</i>	1889, 217
<i>jotaka</i>	1887, 581	(—) <i>principalis</i>	1889, 216
	1887, 599	(—) <i>pustulifer</i>	1889, 217
	1888, 462	(<i>Imaïbius</i>) <i>baryso-</i>	
<i>macrurus</i>	1885, 408	<i>mus</i>	1889, 210
	1885, 504	<i>Caradrina alana</i>	1890, 513
	1889, 226	<i>albosignata</i>	1889, 493
<i>manillensis</i>	1889, 225	—, var. <i>cæca</i>	1889, 493
<i>mossambicus</i>	1881, 564	<i>arenacea</i>	1881, 349
<i>Capromys brachyurus</i> ..	1884, 234		1883, 158
	1884, 235		1883, 160
	1884, 236	<i>bremusa</i>	1885, 451
<i>melanurus</i>	1884, 233	<i>delecta</i>	1881, 349
	1884, 234		1881, 380
	1884, 235	<i>exigua</i>	1889, 493
	1884, 236	<i>externa</i>	1888, 303
	1884, 247	<i>fabulosa</i>	1886, 379
	1884, 250	<i>farinacea</i>	1888, 411
<i>pilorides</i>	1884, 234	<i>insignata</i>	1884, 516
	1884, 235		1885, 451
	1884, 236	<i>kadeni</i>	1881, 349
	1884, 238	<i>lenta</i>	1889, 493
	1884, 247	<i>morpheus</i>	1888, 303
	1884, 250		1889, 493
<i>prehensilis</i>	1884, 234	<i>sabulosa</i>	1884, 516
	1884, 235		1884, 529
	1884, 236		1888, 303
<i>Capsiempis flaveola</i>	1883, 537	<i>triturrata</i>	1886, 380
	1883, 554	<i>venosa</i>	1884, 516
	1885, 90	<i>Caranx affinis</i>	1889, 240
<i>Capulus hungaricus</i>	1885, 46	<i>auroguttatus</i>	1887, 660
<i>Carabus bilbergi</i>	1888, 368	<i>chrysophryoides</i>	1887, 661
<i>boysi</i>	1889, 211	<i>chrysophrys</i>	1887, 661
<i>dardiellus</i>	1889, 211	<i>ciliaris</i>	1889, 240
—, var. <i>granuli-</i>		<i>crumenophthalmus</i>	1887, 660
<i>sparsus</i>	1889, 211	<i>djeddaba</i>	1887, 660
<i>deckeni</i>	1885, 230	<i>ferdau</i>	1887, 660
	1885, 231	<i>fulvoguttatus</i>	1887, 660
<i>fiduciaris</i>	1888, 381	<i>gallus</i>	1887, 661
<i>hortensis</i>	1887, 256	<i>helvolus</i>	1887, 661
	1887, 273	<i>hippos</i>	1887, 661
<i>ichangensis</i>	1889, 217	<i>jayakari</i>	1887, 661
<i>ignimitella</i>	1888, 381		1889, 245
<i>kashmirensis</i>	1889, 211		1889, 246

	Page		Page
Caranx kurra	1887, 660	Cardium fragile	1882, 686
leptolepis	1889, 240	islandicum	1881, 707
malabaricus	1889, 240	kochi	1881, 707
nigrescens	1889, 245	minimum	1881, 709
russellii	1887, 660	mucronatum	1881, 707
speciosus	1887, 661	nodosum	1881, 708
trachurus	1887, 394	norvegicum	1881, 709
	1889, 240		1882, 685
Carapus fasciatus	1887, 282	papillosum	1881, 707
Carbo cormorans	1885, 691		1884, 145
Carbula melacantha....	1890, 476	paucicostatum	1881, 706
Carcharias acutidens ..	1889, 242	pygmæum.....	1881, 708
brachyurus	1887, 615	roseum	1881, 708
brevipinna.....	1889, 243	rubrum	1881, 699
gangeticus.....	1889, 243	rusticum	1881, 707
glaucus	1886, 334	speciosum	1890, 302
hemiodon	1889, 243	tuberculatum	1881, 707
leucas	1887, 615		1882, 685
melanopterus	1889, 243	(Fragum) medium .	1890, 322
menisorrah	1889, 243	(—) speciosum ..	1890, 253
murrayi	1889, 243		1890, 302
Carcharodon rondeletii .	1887, 27	(Papyridea) bulla-	
	1887, 615	tum	1890, 253
Carcineutes melanops ..	1881, 793		1890, 302
pulchellus	1886, 352	Carduelis albigularis ..	1882, 312
Cardinalis virginianus .	1883, 421	caniceps.....	1882, 134
	1883, 444	elegans	1882, 134
Cardiosoma carnifex ..	1888, 88	major	1882, 134
Cardita aculeata	1881, 705	spinus	1887, 194
	1884, 145	Carenochrous castanei-	
calyculata	1881, 705	frons	1883, 70
corbis	1881, 705	comptus	1884, 292
flabellum	1881, 43	dresseri	1883, 70
minuta	1881, 705	leucopterus	1883, 70
nuculina	1881, 705		1883, 548
semen	1881, 43		1884, 292
spurca	1881, 42	pallidinuchus	1885, 84
tegulata.....	1881, 43	schistaceus	1883, 70
(Actinobolus) com-			1885, 84
pressus	1881, 42	seebohmi	1883, 70
(—) velutinus ..	1881, 42	spodionotus	1884, 292
	1881, 138	taczanowskii	1883, 70
Carditella pallida.....	1881, 43	Cariacus macrotis	1883, 464
	1881, 138	virginianus	1890, 76
Cardium aculeatum	1881, 706	Cariama cristata	1881, 1
	1884, 145		1889, 25
ciliare	1881, 706		1889, 594
ciliatum	1881, 707		1889, 595
deshayesii	1881, 707		1890, 337
echinatum	1881, 706	Caridagrus concretus ..	1881, 793
	1881, 707		1885, 407
	1882, 685	Carineta apicalis	1883, 192
edule	1881, 708		1883, 193
erinaceum	1881, 707	cingenda	1883, 192
exiguum	1881, 707	crocea	1883, 191
fasciatum	1881, 708		1883, 194
	1882, 685	diplographa	1883, 193
	1884, 145	fasciculata	1883, 193

	Page		Page
<i>Carineta rubricata</i>	1883, 193	<i>Carpophaga versicolor</i> ..	1889, 586
<i>viridicata</i>	1883, 193	<i>whartoni</i>	1887, 515
(<i>Cicada</i>) <i>obtusa</i> ..	1883, 193		1888, 520
<i>Carphibis spinicollis</i> ..	1883, 640		1888, 521
<i>Carpocapsa pomonella</i> ..	1888, 338		1888, 522
<i>Carpococyx radiatus</i> ..	1882, 358	<i>zoeae</i>	1885, 659
	1886, 196	<i>Carteriospongia otahi-</i>	
<i>Carpodacus rubicillus</i> ..	1886, 353	<i>tica</i>	1881, 109
	1886, 354	<i>Carterocephalus argyro-</i>	
<i>severtzofi</i>	1886, 354	<i>stigma</i>	1881, 869
<i>Carpophaga aenea</i>	1881, 799		1881, 914
	1885, 270	<i>callicles</i>	1885, 757
	1885, 284		1885, 775
	1887, 515	<i>macomo</i>	1885, 775
	1889, 225	<i>ornatus</i>	1881, 915
<i>badia</i>	1887, 443	<i>palæmon</i>	1881, 869
<i>basilica</i>	1885, 575		1881, 914
<i>bicolor</i>	1885, 416	<i>sylvius</i>	1881, 869
	1889, 225		1881, 914
<i>brenchleyi</i>	1888, 186	<i>unicolor</i>	1881, 915
	1888, 199	<i>Carthara amisena</i>	1890, 506
<i>chalconota</i>	1885, 660	<i>vecca</i>	1890, 506
<i>concinna</i>	1883, 51	<i>Caryatis hersilia</i>	1887, 670
	1883, 195	<i>phileta</i>	1887, 670
	1883, 200	<i>Caryophyllia clavus</i> , var.	
	1884, 433	<i>tincta</i>	1882, 216
<i>goliath</i>	1886, 320		1882, 220
<i>ianthina</i>	1887, 515	<i>cyathus</i>	1882, 214
<i>insignis</i>	1887, 443		1882, 215
<i>latrans</i>	1882, 329		1882, 220
<i>melanochroa</i>	1883, 348	<i>endothecata</i>	1882, 216
<i>mülleri</i>	1885, 660		1882, 220
<i>myristicivora</i>	1885, 575		1882, 221
	1885, 659	<i>Cascellius gravesii</i>	1881, 80
	1888, 522	<i>kingii</i>	1881, 80
<i>neglecta</i>	1882, 709	<i>nitidus</i>	1881, 80
<i>paulina</i>	1885, 557	<i>Cassiculus chrysonotus</i> .	1882, 17
<i>perspicillata</i>	1882, 709	<i>melanicterus</i>	1883, 422
<i>pickeringi</i>	1885, 248	<i>Cassicus flavicrissus</i> ..	1883, 552
	1885, 270		1885, 86
	1885, 418		1885, 123
	1885, 420	<i>holosericeus</i>	1883, 445
<i>pinon</i>	1881, 996	<i>leucorhamphus</i> ..	1882, 17
	1881, 997		1885, 86
	1885, 660	<i>persicus</i>	1881, 214
	1885, 661	<i>prevosti</i>	1883, 552
<i>radiata</i>	1885, 557		1885, 86
<i>rosacea</i>	1883, 51		1885, 123
	1883, 195	<i>uropygialis</i>	1883, 552
	1883, 200		1885, 68
	1884, 433		1885, 86
<i>rufigaster</i>	1885, 660	<i>Cassida consociata</i>	1885, 282
<i>rufigula</i>	1887, 332	<i>equestris</i>	1885, 281
	1888, 199		1885, 282
<i>rufiventris</i>	1885, 660	<i>erudita</i>	1885, 281
<i>salvadorii</i>	1881, 996	<i>fuscio-rufa</i>	1885, 282
<i>vanwyckii</i>	1888, 521	<i>nebulosa</i>	1885, 282
	1888, 522	<i>nigroguttata</i>	1885, 281

	Page		Page		
<i>Cassida rugifera</i>	1885,	283	<i>Casuaris westermanni</i> ..	1881,	784
<i>rugoso-punctata</i> ..	1885,	281	<i>Casyapa thrax</i>	1881,	869
<i>vespertina</i>	1885,	282		1881,	909
<i>viridis</i>	1885,	281	<i>Catachlæna diadema</i> ..	1881,	678
<i>Cassidix oryzivora</i>	1885,	117		1881,	679
<i>Cassidula crassiuscula</i> ..	1887,	296	<i>Cataclysta dilucidalis</i> ..	1885,	868
	1887,	297	<i>drusialis</i>	1888,	228
<i>intuscarinata</i>	1887,	296	<i>elutalis</i>	1885,	875
<i>mustellina</i>	1887,	296	<i>halialis</i>	1885,	868
<i>nucleus</i>	1887,	296	<i>principalis</i>	1884,	325
	1887,	297	<i>Catada captiosalis</i>	1885,	474
<i>paludosa</i>	1887,	297	<i>Catagela admotella</i>	1885,	878
<i>sulculosa</i>	1887,	297	<i>Catagramma candrena</i> ..	1890,	562
<i>Cassis cernica</i>	1888,	211	<i>hydaspes</i>	1890,	562
	1888,	213	<i>marchalii</i>	1890,	562
<i>crumena</i>	1890,	267	<i>miles</i>	1890,	562
<i>testiculus</i>	1890,	251	<i>sorana</i>	1890,	562
	1890,	267	<i>texa</i>	1890,	562
<i>Castalia chandra</i>	1887,	418	<i>thamyra</i>	1890,	563
<i>dichroa</i>	1882,	240	<i>Catamblyrhynchus dia-</i>		
	1887,	418	<i>dema</i>	1884,	293
<i>Castalius calice</i>	1885,	764	<i>Catamenia analis</i>	1882,	599
<i>carana</i>	1885,	764	<i>analoides</i>	1884,	293
<i>chota</i>	1885,	133		1885,	85
<i>cretosus</i>	1885,	764	<i>homochroa</i>	1884,	293
<i>decidia</i>	1883,	523		1885,	85
<i>interruptus</i>	1883,	523		1885,	115
	1883,	535		1885,	116
<i>isis</i>	1890,	473	<i>inornata</i>	1881,	486
<i>lactinatus</i>	1885,	757		1884,	293
	1885,	764		1885,	85
	1885,	776	— <i>minor</i>	1885,	115
<i>rosimon</i>	1882,	246	<i>rufirostris</i>	1881,	486
	1885,	133	<i>Catapœcilma bubases</i> ..	1887,	455
<i>Castnia buckleyi</i>	1882,	778	<i>delicatum</i>	1887,	455
	1882,	782	<i>Catarractes chryso-</i>		
<i>cononia</i>	1882,	778	<i>come</i>	1889,	84
<i>erycina</i>	1881,	141	<i>Catascopus amœnus</i>	1884,	213
	1881,	142	<i>Catephia dubia</i>	1883,	370
	1881,	145	<i>linteola</i>	1885,	461
<i>mars</i>	1882,	778	<i>Catharistes atratus</i>	1883,	457
	1882,	782	<i>Catharsius cribricollis</i> ..	1888,	86
<i>truxilla</i>	1882,	778	<i>pithecus</i>	1888,	86
<i>Castor fiber</i>	1890,	463	<i>sesostris</i>	1888,	86
<i>Castropoda</i>	1883,	359	<i>Cathartes atratus</i>	1882,	624
<i>sigillata</i>	1883,	360		1885,	119
	1883,	364		1889,	313
	1883,	365	<i>aura</i>	1881,	9
<i>Casuaris beccarii</i>	1881,	784		1882,	47
<i>bennetti</i>	1881,	784		1882,	624
	1888,	658		1885,	119
<i>galeatus</i>	1881,	782		1889,	82
	1881,	783	<i>urubitinga</i>	1882,	624
	1881,	784	<i>Catharus dryas</i>	1883,	538
<i>uniappendiculatus</i> .	1881,	784		1884,	283
	1886,	145		1882,	4
	1886,	320	<i>fuscater</i>		

	Page		Page
<i>Catharus fuscater</i>	1884,		283
<i>maculatus</i>	1882,		5
<i>Catoblepas gnu</i>	1889,		2
	1889,		3
	1889,		4
	1889,		220
<i>gorgon</i>	1881,		764
<i>Catocala actæa</i>	1889,		549
<i>afghana</i>	1888,		313
<i>amata</i>	1889,		547
<i>bella</i>	1889,		550
<i>connexa</i>	1889,		552
<i>dissimilis</i>	1889,		549
<i>dotata</i>	1888,		314
<i>dula</i>	1889,		549
<i>duplicata</i>	1889,		552
<i>electa</i>	1889,		550
<i>ella</i>	1889,		551
<i>esther</i>	1889,		551
<i>fraxini</i>	1881,		654
	1886,		3
	1887,		52
<i>hymenea</i>	1889,		551
<i>intacta</i>	1889,		548
	1889,		571
<i>jonasii</i>	1888,		314
	1888,		315
	1889,		550
<i>lara</i>	1889,		548
<i>mirifica</i>	1889,		550
<i>modesta</i>	1889,		548
<i>nivea</i>	1889,		548
	1888,		313
<i>nubila</i>	1889,		552
<i>nupta</i>	1887,		52
	1889,		549
—, var. <i>obscurata</i> ..	1889,		549
<i>omphale</i>	1889,		551
<i>paranympha</i>	1889,		552
<i>patala</i>	1888,		314
	1888,		315
<i>persimilis</i>	1888,		314
<i>prægnax</i>	1889,		552
<i>puella</i>	1889,		551
	1889,		571
<i>sancta</i>	1889,		549
<i>separans</i>	1889,		551
	1889,		571
<i>sponsa</i>	1881,		654
<i>volcanica</i>	1889,		550
<i>xarippe</i>	1889,		552
<i>zalmunna</i>	1889,		550
<i>Catochrysops aleurona</i> ..	1885,		757
	1885,		773
<i>asopus</i>	1884,		483
	1888,		68
<i>cnejus</i>	1881,		605
	1882,		246
<i>Catochrysops cnejus</i> ..	1883,		149
	1884,		506
	1885,		131
	1886,		365
	1886,		426
<i>conguensis</i>	1885,		762
<i>contracta</i>	1881,		605
	1881,		606
	1883,		149
	1884,		506
<i>cyclopteris</i>	1888,		68
<i>ella</i>	1881,		606
	1883,		148
	1883,		149
	1884,		506
	1886,		365
	1886,		426
<i>fumosa</i>	1885,		757
	1885,		762
<i>hapalina</i>	1883,		148
	1883,		149
	1883,		175
	1885,		131
	1886,		365
	1886,		426
<i>lois</i>	1885,		757
	1885,		762
<i>naidina</i>	1885,		757
	1885,		762
	1885,		776
<i>nicola</i>	1885,		132
<i>osiris</i>	1888,		68
<i>pandava</i>	1881,		606
	1885,		132
	1885,		763
<i>patala</i>	1883,		148
	1883,		149
	1883,		366
	1883,		368
	1885,		131
	1886,		365
	1886,		426
<i>strabo</i>	1882,		246
	1885,		131
	1886,		365
	1886,		425
<i>theseus</i>	1885,		131
	1885,		148
<i>ubaldus</i>	1883,		149
<i>Catonephele antinoë</i> ..	1890,		563
<i>numilia</i>	1890,		563
<i>Catopra grootii</i>	1890,		38
<i>Catopsilia aleurona</i>	1884,		485
	1884,		486
	1884,		487
	1885,		757
	1885,		773
<i>catilla</i>	1885,		140

	Page		Page
Catopsilia catilla	1886,	Cavolinia longirostris ..	1890,
crocale	1882,	quadridentata	1890,
	1884,	tridentata	1890,
	1885,	uncinata	1890,
	1886,	Cebus agaræ	1886,
eubule	1890,	fatuellus	1890,
florella	1884,	Cecropis daurica	1887,
	1884,		1888,
	1884,	japonica	1887,
gnoma	1882,	rustica	1881,
	1884,	Ceira straminea	1888,
heera	1885,	Celeopsyche nitens	1889,
hyblæa	1884,	Celerena andamana	1883,
	1885,	cincta	1889,
	1885,	extenuata	1889,
	1887,	leucomela	1889,
ilea	1885,	sobria	1889,
larra	1890,	Celeus castaneus	1883,
leachiana	1890,	grammicus	1882,
philea	1890,	jumana	1882,
philippina	1884,	loricatus	1885,
	1885,		1885,
	1886,	undatus	1885,
pyranthe	1881,	Cellepora bilabiata	1881,
	1882,	dichotoma	1881,
	1884,	fusca	1881,
	1885,	hyalina	1881,
	1886,	mammillata	1881,
pyrene	1881,	pumicosa	1881,
	1884,	tubigera	1881,
	1884,	turrita	1881,
	1884,	Celcena, sp.	1884,
	1888,	inclinata	1884,
	1890,	lilacina	1890,
rufo-sparsa	1884,	semifurca	1884,
	1884,	serva	1883,
	1885,		1885,
sennæ	1890,		1886,
statira	1890,		1889,
thiorella	1881,	sikkimensis	1881,
	1884,		1881,
	1885,	tepens	1884,
trite	1890,	Centraspis imperialis,	
Catrisicus apicalis	1881,	var. bicolor	1890,
	1881,	Centrites niger	1881,
Catuna crithea	1887,		1882,
Caudina arenata	1883,		1883,
meridionalis	1883,	oreas	1886,
	1883,		1886,
ransonnetti	1883,	Centrococcyx affinis	1885,
	1883,		1885,
Caura bipartita	1890,	eurycercus	1881,
marginata	1890,		1885,
Cavernularia glans	1885,		1885,
lutkenii	1885,		1889,
	1885,	javanensis	1889,
	1885,	viridis	1885,
Cavolinia gibbosa	1890,		1885,
inflexa	1890,		257

	Page		Page
Centropus ateralbus	1885, 172	Cephalopterus pendu-	
celebensis	1885, 184	liger	1883, 560
phasianus	1885, 170		1884, 282
	1886, 467		1884, 298
	1886, 486		1885, 68
philippensis	1885, 183		1885, 121
rufipennis	1885, 173	Cephalorhynchus eu-	
senegalensis	1881, 595	tropia	1883, 477
	1886, 467	heavisidii	1883, 473
superciliosus	1881, 172		1883, 476
	1881, 595		1883, 477
	1881, 955	hectori	1883, 477
Centropyx altamazoni-		Cephalotes peronii	1887, 323
cus	1881, 228		1887, 327
dorsalis	1881, 228		1888, 476
pelviceps	1881, 228		1888, 483
Centrotrachelus asmussi	1881, 677		1888, 484
loricatus	1881, 677	Cepheus tegeocranus . .	1890, 417
Centrurus biaculeatus . .	1890, 121	Cephonodes hylas	1881, 613
gracilis	1890, 127		1884, 514
trilineatus	1890, 130		1885, 287
Centurus albifrons	1883, 452		1886, 434
dubius	1883, 452		1886, 435
elegans	1883, 425		1888, 294
rubriventris	1883, 452		1888, 581
Cephalodonta lycoides . .	1881, 260	Cephus carbo	1887, 593
	1881, 269	Cerace onustana	1886, 394
Cephalolia affinis	1881, 261	tetraonis	1886, 394
alternans	1881, 261	Cerastis albipunctata . .	1889, 514
	1881, 269		1889, 571
angustata	1881, 263	evelina	1889, 514
angusticollis	1881, 263	fragariæ	1889, 514
	1881, 269	lævis	1889, 485
antennata	1881, 262	serotina	1889, 514
	1881, 269	subdolens	1888, 306
corallina	1881, 261	vaccinii	1889, 514
degandei	1881, 261	Cerasus capule	1885, 68
felix	1881, 263	Ceratinia vallonina	1890, 559
	1881, 269	Ceratisolen legumen . .	1881, 928
flavipennis	1881, 261	Ceratites jaspideus	1888, 87
grayi	1881, 262	Ceratobatrachus guen-	
læta	1881, 260	theri	1884, 212
	1881, 262		1886, 411
	1881, 269		1887, 334
laticollis	1881, 262		1888, 88
ornata	1881, 261		1888, 90
	1881, 269		1890, 30
princeps	1881, 261	Ceratocampa imperi-	
pulchella	1881, 261	alis	1882, 633
succincta	1881, 262	Ceratoclasia barbicor-	
Cephalophus grimmii . .	1890, 604	nis	1888, 230
maxwelli	1890, 661	Ceratocoris buceph-	
mergens	1881, 763	alus	1890, 473
ocularis	1890, 661	Ceratodus forsteri	1881, 659
Cephalopterus ornatus . .	1882, 24		1883, 139
	1885, 69		1886, 219
	1885, 94		1887, 10
	1885, 121		1887, 25

	Page		Page
Ceratogymna elata	1889, 589	Cercomacra tyrannina ..	1883, 565
	1889, 590		1885, 68
	1889, 591		1885, 100
Ceratolophus auriculatus	1883, 127	Cercopis grossa	1890, 479
hexaceros	1883, 127	Cercopithecus ascanias	1887, 502
Ceratophrys americana .	1887, 494	callitrichus	1881, 812
	1887, 495		1881, 815
	1887, 497		1881, 816
	1887, 499		1881, 817
	1888, 170	erythrotis	1884, 176
	1888, 171	martini	1884, 176
calcarata	1890, 325	petaurista	1884, 176
	1890, 327		1887, 502
	1890, 328	pyerythrus	1885, 216
ornata	1886, 137		1885, 219
	1888, 170	sabæus	1881, 816
	1888, 171		1881, 817
	1888, 182	samango	1888, 564
Ceratorhina savagei ..	1890, 483	Cercosaura ocellata	1881, 228
torquata	1887, 128		1881, 229
Ceratorhinus suma-		schreibersii	1881, 230
trensisi	1889, 257		1881, 231
	1889, 258	(Pantodactylus)	
Ceratotrochus johnsoni .	1882, 213	argulus	1881, 229
	1882, 217		1881, 231
	1882, 220	(—) reticulata ..	1881, 230
	1882, 221		1881, 245
Ceratrachia argyrosticta	1887, 574	(Prionodactylus)	
Cerbera odollam	1888, 119	manicata	1881, 231
Cerberus rhynchops ..	1881, 215		1881, 245
	1890, 35	Ceresium nigrum	1888, 539
Cerbia fugitiva	1881, 619		1888, 540
	1883, 23	simplex	1888, 540
	1885, 459	Cerianthus membrana-	
Cerchneis alopex	1888, 47	ceus	1888, 359
ardesiaca	1888, 47	Ceriornis blythi	1882, 715
cinnamomina	1881, 10		1883, 74
	1885, 110		1884, 477
moluccensis	1884, 431	caboti	1882, 421
sparverius cinna-			1883, 388
mominus	1885, 119	melanocephala	1882, 421
tinnunculus	1888, 46	Cerithidea charbonnieri	1881, 635
— japonicus	1887, 598	cornea	1885, 603
Cercolabes novæ-his-		obtusa	1881, 634
paniæ	1889, 260	Cerithiella whiteavesii..	1885, 55
prehensilis	1884, 237	Cerithium dextrum ..	1885, 59
Cercoleptes caudivol-		Cerithiopsis acicula	1885, 59
vulus	1885, 356	atalaya	1885, 59
	1885, 784	barleii	1885, 60
Cercomacra approximans	1885, 68	bilineata	1885, 59
	1885, 100	bizonalis	1885, 62
cinerascens	1882, 31		1885, 63
maculosa	1885, 117	clarkii	1885, 59
nigricans	1885, 100	coppolæ	1885, 59
	1885, 114	costulata	1883, 391
	1885, 117		1885, 61
tyrannina	1882, 31	diadema	1885, 60
	1883, 424		1885, 63

	Page		Page
<i>Cerithiopsis fayalensis</i> ..	1885, 60	<i>Cerithium submammilla-</i>	
<i>fibula</i>	1885, 60	<i>tum</i>	1885, 57
<i>horrida</i>	1885, 60	<i>terebrale</i>	1885, 62
	1885, 63	<i>trilineatum</i>	1885, 61
<i>metaxæ</i>	1885, 61	<i>tubercularis</i>	1885, 58
<i>minima</i>	1885, 59		1885, 59
<i>neglecta</i>	1890, 252	<i>tuberculatum</i>	1885, 53
	1890, 293	<i>varicosum</i>	1885, 57
<i>nivea</i>	1885, 61	<i>vulgatum</i>	1885, 53
<i>rugulosa</i>	1890, 252	<i>watsoni</i>	1885, 56
	1890, 292		1885, 63
<i>trilineata</i>	1885, 61	(<i>Bittium</i>) <i>cælatum</i> ..	1881, 32
<i>tubercularis</i>	1885, 55	(—) <i>gibberulum</i> ..	1890, 252
	1885, 59		1890, 291
	1885, 60	<i>Ceroplesis calabarica</i> ..	1890, 490
<i>tuberculata</i>	1885, 59	<i>5-fasciata</i>	1890, 490
<i>vicinum</i>	1890, 293	<i>Cerostoma alpella</i>	1881, 308
<i>Cerithium algerianum</i> ..	1885, 56	<i>brassicella</i>	1881, 306
<i>angustissimum</i> ..	1885, 57	<i>canariella</i>	1881, 309
<i>arcticum</i>	1885, 61		1881, 325
<i>benoitianum</i>	1885, 61	<i>cervella</i>	1881, 307
<i>cylindratum</i>	1885, 55		1881, 325
	1885, 63	<i>dentiferella</i>	1881, 308
<i>danielsseni</i>	1885, 54		1881, 325
<i>elegans</i>	1885, 56	<i>falciferella</i>	1881, 307
<i>fasciatum</i>	1885, 54		1881, 325
<i>gemmatum</i>	1885, 56	<i>frustella</i>	1881, 309
<i>gibberulum</i>	1890, 291		1881, 325
<i>gracile</i>	1885, 54	<i>instabilella</i>	1881, 306
	1885, 63		1881, 307
<i>granosum</i>	1885, 52	<i>lucella</i>	1881, 308
<i>henkeliusii</i>	1885, 59	<i>radiatella</i>	1881, 307
<i>lacteam</i>	1885, 56	<i>rugosella</i>	1885, 883
<i>melanura</i>	1890, 291	<i>sublucella</i>	1881, 308
<i>metaxa</i>	1885, 57		1881, 325
<i>metula</i>	1883, 392	<i>sylvella</i>	1881, 308
	1885, 54	<i>xylostella</i>	1881, 306
<i>naiadis</i>	1885, 61	<i>Certhia cyanocephala</i> ..	1888, 39
<i>neglectum</i>	1890, 293	<i>familiaris</i>	1887, 600
<i>nigrocinctum</i>	1885, 58		1888, 463
<i>nigrum</i>	1885, 57	<i>spilonota</i>	1884, 415
<i>nitidum</i>	1885, 54	<i>verticalis</i>	1888, 39
<i>obeliscoïdes</i>	1885, 55	<i>Certhiola dominicana</i> ..	1889, 326
	1885, 63	<i>martinicana</i>	1889, 395
<i>perversum</i>	1885, 57	<i>mexicana</i>	1883, 543
<i>procerum</i>	1885, 53	<i>Cerura bifida</i>	1888, 644
	1885, 54	<i>erminea</i>	1888, 401
	1885, 63	<i>furcula</i>	1888, 644
<i>pusillum</i>	1885, 57	<i>himalayana</i>	1888, 400
<i>pygmæum</i>	1885, 59	<i>lanigera</i>	1888, 644
<i>reticulatum</i>	1885, 53	<i>menciana</i>	1888, 644
	1885, 56	<i>vinula</i>	1881, 822
	1885, 59		1881, 825
<i>rugulosum</i>	1885, 61		1887, 206
	1890, 292		1887, 216
<i>schwartzi</i>	1885, 57		1887, 217
<i>sinistratum</i>	1885, 52		1887, 248
<i>subcylindricum</i>	1885, 61		1887, 262

	Page		Page
<i>Cerura vinula</i>	1888, 400	<i>Cetonia brevitarsis</i>	1888, 377
	1888, 401	<i>floricola</i>	1888, 370
<i>Cervicapra arundinacea</i> .	1881, 758	<i>marmorata</i>	1888, 377
	1890, 604	<i>seulensis</i>	1888, 377
	1890, 605	<i>submarmorea</i>	1888, 377
	1890, 607	<i>Cetopsis plumbeus</i>	1887, 276
	1890, 653	<i>Cettia apicalis</i>	1881, 921
<i>bohor</i>	1890, 604	<i>diphone</i>	1889, 586
	1890, 607	<i>Ceuthmocharis æneus</i> ..	1881, 595
<i>isabellina</i>	1886, 320	<i>australis</i>	1881, 595
<i>redunda</i>	1890, 604	<i>Ceycopsis fallax</i>	1885, 548
	1890, 605	<i>Ceyx dillwynni</i>	1881, 793
	1890, 607		1885, 407
<i>Cervulus crinifrons</i>	1885, 1	<i>lepida</i>	1882, 704
	1885, 2		1885, 567
	1886, 267	<i>rufidorsa</i>	1889, 226
	1889, 85	<i>sharpei</i>	1885, 407
<i>feæ</i>	1889, 85	<i>solitaria</i>	1885, 626
<i>lacrymans</i>	1886, 267		1888, 193
<i>vaginalis</i>	1885, 1	<i>Chabora undulifera</i>	1884, 324
<i>Cervus algericus</i>	1890, 602	<i>Chabria</i>	1887, 92
	1890, 603	<i>apicicornis</i>	1887, 93
	1885, 246		1887, 119
<i>aristotelis</i>	1885, 246	<i>nigroplagiata</i>	1887, 93
<i>axis</i>	1883, 465		1887, 119
<i>campestris</i>	1885, 326	<i>Chænichthys esox</i>	1881, 20
<i>cashmirianus</i>	1890, 603	<i>Chærocampa alecto</i>	1885, 288
<i> davidianus</i>	1883, 598		1886, 379
<i>elaphus</i>	1887, 619		1886, 434
	1890, 364		1886, 434
	1890, 365	<i>andamanensis</i>	1888, 220
<i>eldi</i>	1883, 73	<i>celerio</i>	1881, 613
	1890, 97		1884, 494
<i>giganteus</i>	1890, 603		1884, 513
<i>macrotis</i>	1882, 311		1885, 288
	1883, 346		1886, 379
<i>mexicanus</i>	1884, 4		1886, 434
<i>sika</i>	1884, 209		1888, 220
<i>Ceryle alcyon</i>	1883, 426	<i>clotho</i>	1885, 289
	1889, 175		1888, 584
	1889, 181	<i>docilis</i>	1882, 778
	1889, 182	<i>elpenor</i>	1881, 821
<i>amazona</i>	1883, 40		1881, 825
	1883, 453		1884, 514
<i>cabanisi</i>	1883, 426		1887, 52
	1883, 453		1887, 206
	1883, 571		1887, 216
	1885, 107		1887, 217
<i>inda</i>	1885, 120		1888, 120
<i>lugubris</i>	1887, 600		1888, 584
	1888, 463		1889, 87
<i>maxima</i>	1889, 357	<i>erotus</i>	1888, 220
<i>rudis</i>	1881, 568	<i>fraterna</i>	1881, 613
<i>stellata</i>	1881, 9		1888, 584
<i>superciliosa</i>	1883, 453	<i>gonograpta</i>	1885, 289
<i>torquata</i>	1883, 426	<i>japonica</i>	1888, 584
	1888, 118	<i>lewisii</i>	1888, 584
<i>Cestracion philippi</i>	1887, 26	<i>lucasia</i>	1885, 289
<i>Cethosia maharatta</i>	1885, 128	<i>macromera</i>	1888, 584
<i>Cetola dentata</i>	1886, 438	<i>maculator</i>	1886, 269

	Page		Page
<i>Chærocampa moeschleri</i>	1886, 269	<i>Chætodon modestus</i> ..	1889, 239
<i>nerii</i>	1885, 66	<i>obscurus</i>	1887, 657
	1887, 52	<i>selene</i>	1887, 657
<i>nessus</i>	1881, 613	<i>Chætogaster limnæi</i> ..	1885, 828
	1884, 514	<i>Chætops pycnopygius</i> ..	1882, 451
	1885, 288	<i>Chætostomus cirrhosus</i> ..	1887, 277
	1888, 584	<i>dermorhynchus</i> ..	1887, 277
<i>oldenlandiæ</i>	1881, 613		1887, 283
	1884, 514	<i>microps</i>	1887, 277
	1885, 289	<i>nudirostris</i>	1887, 277
	1886, 434	<i>Chætura brunneitorques</i>	1885, 105
	1888, 120	<i>cassini</i>	1882, 688
	1888, 584	<i>dominica</i>	1889, 327
<i>porcellus</i>	1887, 52	<i>gaumeri</i>	1883, 435
<i>punctivenata</i>	1885, 289		1883, 451
<i>rafflesii</i>	1885, 289	<i>gigantea</i>	1889, 224
<i>torsa</i>	1884, 321	<i>rutila</i>	1882, 40
<i>thyelia</i>	1885, 288	<i>sabinii</i>	1882, 688
	1886, 434	<i>selateri occidentalis</i>	1883, 537
	1886, 436		1883, 569
<i>vinula</i>	1887, 216		1885, 122
<i>wolffi</i>	1882, 778	<i>spinicauda</i>	1883, 537
	1882, 782		1883, 569
<i>Chærocoris nigricollis</i> ..	1890, 474	<i>ussheri</i>	1882, 688
<i>Chærops ammopterus</i> ..	1889, 151	<i>vauxi</i>	1883, 435
	1889, 158		1883, 451
<i>Chærotriche nipponis</i> ..	1888, 624	<i>Chalcides viridanus</i>	1889, 143
	1888, 625	<i>Chalciope deltifera</i>	1884, 229
<i>orestis</i>	1887, 674	<i>Chalcopygia singalensis</i> ..	1881, 796
<i>squamosa</i>	1888, 624		1885, 411
	1888, 625	<i>Chalcopygia afra</i>	1881, 596
<i>staudingeri</i>	1888, 624		1889, 369
	1888, 625	<i>chalcospilos</i>	1881, 596
<i>vitellina</i>	1886, 386		1889, 369
<i>Chætocercus bombus</i> ..	1882, 35	<i>tympanistria</i>	1881, 597
	1883, 568	<i>Chalcophaps chryso-</i>	
	1884, 306	<i>chlora</i>	1883, 51
	1885, 102		1883, 195
	1885, 121		1883, 200
	1887, 638		1884, 433
<i>burmeisteri</i>	1887, 639	<i>indica</i>	1885, 416
<i>Chætocnema aurifrons</i> ..	1885, 733		1885, 510
	1885, 755		1885, 558
<i>chalceola</i>	1885, 731		1888, 522
	1885, 732		1889, 225
	1885, 755	<i>margarithæ</i>	1888, 201
<i>concinicollis</i>	1885, 755	<i>natalis</i>	1888, 522
<i>cylindrica</i>	1885, 755	<i>stephani</i>	1888, 201
<i>fulvipes</i>	1885, 732		1888, 522
	1885, 755		1888, 523
<i>granulifrons</i>	1885, 732	<i>Chalcopsittacus ater</i> ..	1885, 622
<i>granulosa</i>	1885, 755	<i>scintillatus</i>	1885, 622
<i>ingenua</i>	1885, 732	<i>Chalcosia affinis</i>	1885, 292
<i>japonica</i>	1885, 732	<i>appendiculata</i>	1888, 220
	1885, 755	<i>caudata</i>	1888, 612
<i>Chætocneme cerymica</i> ..	1888, 97		1890, 387
<i>Chætodon collaris</i>	1887, 657	<i>histrionica</i>	1890, 383
<i>melanopterus</i>	1887, 657	<i>palearctica</i>	1890, 381
<i>modestus</i>	1889, 236	<i>pulchella</i>	1888, 295

	Page		Page
Chalcostetha insignis ..	1881, 796	Chamæpelia buckleyi ..	1883, 575
	1885, 410		1885, 111
	1889, 226		1885, 122
Chalcothea affinis	1889, 389	cruziana	1883, 575
planiuscula	1889, 389		1886, 396
pomacea	1889, 389		1886, 402
virens	1889, 387	passerina	1885, 111
(Plectrone) auripes	1889, 387		1889, 326
(—) spathulifera ..	1889, 388		1889, 395
(—) viridipes ..	1889, 388	rufipennis	1883, 459
Chalina argus	1881, 110	talpacoti	1882, 626
coppingeri	1881, 110	Chamæpetes goudoti ..	1884, 282
	1881, 131		1884, 312
	1881, 140	tshudii	1884, 312
gracilentata	1881, 131		1885, 112
granti	1881, 126	Chamæsauro ænea	1890, 82
limbata	1881, 111		1890, 86
Chalinocinia	1886, 588	anguina	1890, 82
Chalinula granti	1881, 127		1890, 86
Challa bimaculata	1888, 395	didactyla	1890, 78
quadrimaculata ..	1888, 395		1890, 82
Chalybs marsyas	1890, 576		1890, 86
Chama, sp.	1890, 253	Chameleonurus chahoua	1883, 126
	1890, 303	trachycephalus	1883, 117
aculeata	1881, 705		1883, 126
argentea	1881, 931		1883, 127
arietina	1881, 931	Chanapa angasi	1883, 270
bicornis	1881, 710	corinna	1883, 208
calyculata	1881, 705		1883, 209
cavernosa	1881, 710		1883, 210
circinata	1881, 710		1883, 211
cor	1881, 710		1883, 254
gryphica	1881, 710		1883, 270
gryphoides	1881, 709	lewini	1883, 270
	1890, 253		1883, 366
	1890, 303	sacerdos	1883, 366
piperata	1881, 925		1883, 371
sinistrorsa	1881, 710	Chanos salmoneus	1887, 666
squamata	1881, 710	Chapra agna	1885, 147
Chamæleon boettgeri ..	1890, 80		1886, 433
calcarifer	1885, 717	mathias	1882, 261
	1885, 833		1883, 154
campani	1890, 80		1885, 147
gastrotaenia	1890, 80		1886, 433
guentheri	1890, 80		1888, 81
monachus	1881, 464	promineus	1882, 261
owenii	1887, 127	Chaptia malayensis ...	1885, 409
parsonii	1890, 158	Characidium etheostoma	1887, 280
	1890, 160	fasciatum	1887, 280
polleni	1890, 80	purpuratum	1887, 280
pumilus	1886, 543	Charadrius damarensis .	1888, 49
roperi	1890, 80	dominicus	1887, 585
	1890, 85	fluviatilis	1888, 49
senegalensis, var.		fulvus	1881, 996
lævigata	1888, 50		1882, 355
vulgaris	1886, 543		1883, 52
	1890, 213		1883, 200
willsii	1890, 80		1884, 433
Chamæpelia buckleyi ..	1883, 537		1885, 559

	Page		Page
<i>Charadrius fulvus</i>	1885, 664	<i>Charidea quadricolor</i> ..	1883, 380
	1886, 79	<i>splendida</i>	1890, 495
	1887, 585	<i>Chariesthes aruwimia</i> ..	1890, 489
	1888, 456	<i>bella</i>	1890, 490
	1889, 225	<i>lætissima</i>	1890, 490
<i>geoffroyi</i>	1888, 528	<i>Charis cleodora</i>	1890, 573
<i>pecuarius</i>	1888, 49	<i>cleonus</i>	1890, 573
<i>placidus</i>	1890, 345	<i>fulguratus</i>	1887, 180
<i>tricollaris</i>	1888, 49	<i>malleatus</i>	1887, 180
<i>virginicus</i>	1882, 628	<i>theodora</i>	1890, 573
	1887, 585	<i>Charltona kala</i>	1885, 879
<i>Charaxes agrarius</i>	1886, 425		1885, 886
	1886, 465		1886, 461
<i>antamboulou</i>	1888, 72	<i>Charmosyna josephinae</i> .	1885, 624
<i>athamus</i>	1886, 425	<i>papuensis</i>	1885, 624
<i>balfouri</i>	1881, 176	<i>Charmosynopsis pul-</i>	
	1881, 180	<i>chella</i>	1885, 624
<i>brutus</i>	1890, 472	<i>Charnidas aurantiaca</i> ..	1888, 296
<i>candiope</i>	1890, 472	<i>disjuncta</i>	1883, 156
<i>castor</i>	1890, 472	<i>rotundata</i>	1883, 156
<i>cowani</i>	1888, 72		1885, 299
<i>cynthia</i>	1887, 570	<i>subrugosa</i>	1883, 406
	1890, 472	<i>testacea</i>	1883, 156
<i>epijasius</i>	1884, 223		1885, 299
<i>etesipe</i>	1890, 472		1886, 437
<i>eupalis</i>	1890, 472	<i>Charus helenus</i>	1885, 145
<i>fabius</i>	1882, 238	<i>Chasmina alcidamea</i> ..	1890, 512
	1885, 130	<i>atrata</i>	1889, 522
<i>hamata</i>	1886, 425	<i>cyanus</i>	1885, 449
<i>imperialis</i>	1887, 570	<i>cygnus</i>	1888, 222
<i>jasius</i>	1887, 51	<i>glabra</i>	1888, 222
	1887, 52	<i>Chasmocephalon neglec-</i>	
<i>kirki</i>	1888, 60	<i>tum</i>	1889, 45
<i>lucretius</i>	1888, 60		1889, 46
<i>mandarinus</i>	1881, 891	<i>Chasmognathus granu-</i>	
<i>narceus</i>	1881, 866	<i>latus</i>	1881, 63
	1881, 891		1881, 69
<i>pollux</i>	1888, 60		1881, 70
<i>samatha</i>	1885, 130	<i>Chatachlein diadema</i> ..	1881, 678
<i>tiridates</i>	1890, 472	<i>Chatamla flavescens</i> ..	1881, 326
<i>varanes</i>	1881, 176	<i>nigrescens</i>	1881, 326
<i>Chariclea taurica</i>	1881, 361	<i>Chatoessus nasus</i>	1887, 606
<i>umbra</i>	1889, 520	<i>Chauna chavaria</i>	1882, 625
<i>Charidea amata</i>	1890, 494		1886, 178
<i>bertha</i>	1883, 381		1886, 179
	1883, 384		1886, 180
<i>buckleyi</i>	1883, 381		1886, 181
	1883, 384		1886, 196
<i>chloe</i>	1883, 381		1889, 586
<i>cleasa</i>	1883, 380		1890, 442
	1883, 384	<i>derbiana</i>	1886, 178
<i>imperialis</i>	1883, 380		1886, 181
	1883, 381	<i>nigricollis</i>	1886, 196
	1883, 384	<i>Chaunosia fragilis</i>	1881, 45
<i>julia</i>	1883, 381		1881, 139
<i>mariamne</i>	1885, 519	<i>hirtissima</i>	1881, 46
	1885, 536	<i>Chazaria incarnata</i>	1881, 361
<i>perilla</i>	1883, 381	<i>Cheilinus lunulatus</i>	1887, 664

	Page		Page
<i>Cheiridea subrugosa</i> ..	1882, 55	<i>Chibia hottentotta</i>	1887, 2
<i>Chela anomalurus</i>	1890, 39	<i>leucops</i>	1885, 554
<i>Chelaria conscriptella</i> ..	1885, 884	<i>palawanensis</i>	1889, 225
<i>indica</i>	1885, 884	<i>pectoralis</i>	1885, 259
<i>Chelidion urbica</i>	1889, 182	1885, 418
<i>Chelidoptera tenebrosa</i> .	1882, 44	1885, 554
<i>Chelisoches morio</i>	1888, 547	<i>Chilades laius</i>	1885, 133
<i>Chelone crassicastrata</i> ..	1889, 60	1886, 427
.....	1889, 61	1887, 446
.....	1889, 63	<i>pontis</i>	1887, 446
.....	1889, 65	1887, 447
.....	1889, 66	<i>putli</i>	1882, 245
<i>longiceps</i>	1889, 62	1884, 507
<i>mydas</i>	1890, 618	1886, 427
<i>planimentum</i>	1889, 61	<i>sinensis</i>	1887, 446
.....	1889, 62	<i>varunana</i>	1882, 245
.....	1889, 63	1885, 133
<i>trigoniceps</i>	1889, 62	1886, 427
<i>viridis</i>	1889, 188	<i>Chilasa clytia</i>	1885, 145
<i>Chelonia caja</i>	1881, 654	<i>dissimilis</i>	1882, 261
.....	1885, 66	1885, 145
<i>flavida</i>	1888, 616	<i>panope</i>	1882, 261
<i>rubescens</i> , var. <i>amu-</i>		<i>Chilena similis</i>	1886, 387
<i>rensis</i>	1888, 616	1888, 297
<i>villica</i>	1881, 654	<i>strigula</i>	1886, 438
.....	1886, 3	<i>Chilina acuminata</i>	1881, 840
.....	1887, 51	1881, 842
<i>virgata</i>	1888, 529	1881, 844
<i>Chelonomorpha japana</i> .	1888, 613	1881, 845
<i>Chelys matamata</i>	1884, 206	<i>amoena</i>	1881, 37
<i>Chemnitzia areolata</i> ..	1884, 354	1881, 138
<i>costaria</i>	1884, 357	1881, 846
<i>densicastrata</i>	1884, 356	<i>ampullacea</i>	1881, 840
<i>gracilis</i>	1884, 359	1881, 842
<i>gulsonæ</i>	1884, 344	1881, 843
<i>nivea</i>	1884, 357	<i>angusta</i>	1881, 842
<i>obliquata</i>	1884, 358	1881, 845
<i>pallida</i>	1884, 357	<i>bulloides</i>	1881, 843
<i>pusilla</i>	1884, 358	<i>dombeyana</i>	1881, 840
<i>terebellum</i>	1884, 353	1881, 841
<i>Chen cærulescens</i>	1884, 476	1881, 842
<i>Chenalopex ægyptiaca</i> ..	1886, 2	1881, 844
<i>Chenopus desciscens</i> ..	1885, 51	<i>elegans</i>	1881, 840
<i>serresianus</i>	1885, 50	1881, 841
<i>Cheritrella truncipen-</i>		1881, 842
<i>nis</i>	1887, 456	1881, 843
.....	1887, 467	<i>fasciata</i>	1881, 840
<i>Chersotis quadrisigna</i> ..	1881, 617	1881, 841
.....	1888, 305	1881, 842
.....	1889, 498	1881, 844
<i>rectangula</i>	1881, 617	<i>fluctuosa</i>	1881, 840
.....	1888, 305	1881, 842
<i>Chersydrus granulatus</i> .	1890, 35	<i>fluminea</i>	1881, 840
<i>Chettusia inornata</i>	1881, 598	1881, 841
<i>melanoptera</i>	1881, 598	1881, 843
<i>Chibia bimaensis</i>	1885, 506	1881, 845
<i>borneensis</i>	1885, 259	<i>fluviatilis</i>	1881, 840
<i>carbonaria</i>	1885, 635	1881, 841

	Page		Page
<i>Chilina gibbosa</i>	1881, 840	<i>Chilodipterus octovitta-</i>	
	1881, 842	<i>tus</i>	1887, 650
	1881, 844	<i>Chilomycterus echina-</i>	
<i>globosa</i>	1881, 842	<i>tus</i>	1889, 236
	1881, 843		1889, 242
	1881, 845	<i>orbicularis</i>	1889, 242
<i>major</i>	1881, 840	<i>Chilonycteris rubiginosa</i>	1888, 129
	1881, 841	<i>Chilotoma geniculata</i> ..	1885, 753
	1881, 844	<i>Chimæra monstrosa</i> ..	1886, 531
<i>obovata</i>	1881, 844		1887, 26
<i>ovalis</i>	1881, 840		1887, 481
	1881, 843	(<i>Ganodus</i>) <i>avita</i> ..	1887, 481
<i>parchappii</i>	1881, 37	<i>Chimarrogale himalayica</i>	1889, 229
	1881, 840	<i>Chioglossa lusitanica</i> ..	1890, 32
	1881, 841	<i>Chionæma candida</i>	1890, 396
	1881, 843	<i>Chione, sp.</i>	1881, 38
<i>parva</i>	1881, 842	<i>gayi</i>	1881, 38
	1881, 844	<i>mesodesma</i>	1881, 38
<i>patagonica</i>	1881, 840	<i>Chionis alba</i>	1881, 644
	1881, 845	<i>Chionobas nanna</i>	1881, 906
	1884, 281	<i>pumilus</i>	1882, 404
<i>portillensis</i>	1881, 842		1882, 405
	1881, 846		1882, 407
<i>puelcha</i>	1881, 840	<i>Chionomera argentea</i> ..	1888, 606
	1881, 841		1890, 387
	1881, 842	<i>pulchella</i>	1890, 387
	1881, 844		1890, 401
<i>pulchra</i>	1881, 37	<i>superba</i>	1888, 606
	1881, 844		1890, 387
<i>robustior</i>	1881, 840	<i>Chirocentrus dorab</i>	1883, 138
	1881, 842		1887, 666
	1881, 844	<i>Chirodota purpurea</i>	1881, 101
<i>subcylindrica</i>	1881, 840	<i>rufescens</i>	1887, 140
	1881, 845		1888, 389
<i>tehuelcha</i>	1881, 840	<i>Chirogaleus coquereli</i> ..	1882, 631
	1881, 841		1887, 370
	1881, 842		1887, 372
<i>tenuis</i>	1881, 840	<i>Chiroleptes albogutta-</i>	
	1881, 842	<i>tus</i>	1887, 499
	1881, 843	<i>australis</i>	1887, 497
<i>Chilkasa falcata</i>	1885, 853		1887, 498
	1885, 855		1887, 499
<i>Chilo aurifusellus</i>	1885, 878		1887, 500
	1886, 461		1888, 170
<i>cervinellus</i>	1885, 878	<i>Chiromachæris man-</i>	
<i>chrysographellus</i> ..	1883, 173	<i>acus</i>	1882, 23
	1885, 879		1883, 559
	1886, 394	<i>Chiromys madagascar-</i>	
	1888, 337	<i>iensis</i>	1881, 393
<i>gratiosellus</i>	1885, 878		1882, 640
<i>interruptellus</i>	1885, 878		1883, 44
	1886, 461		1887, 559
<i>lincusalis</i>	1885, 878	<i>Chironectes minimus</i> ..	1889, 197
<i>ortellus</i>	1886, 461	<i>variegatus</i>	1885, 6
	1886, 465	<i>Chiropodomys gliroides</i>	1886, 78
<i>Chilodipterus lineatus</i> ..	1887, 656		1889, 235
			1890, 532

	Page		Page
<i>Chiropodomys gliroides</i>	1890, 534	<i>Chiton strigillatus</i>	1882, 667
	1890, 536	<i>variegatus</i>	1882, 669
	1890, 537	<i>viridulus</i>	1881, 35
<i>penicillatus</i>	1886, 78	(<i>Callochiton</i>) <i>illum-</i>	
	1886, 418	<i>inatus</i>	1881, 35
	1890, 532	(<i>Ischnochiton</i>) <i>imi-</i>	
<i>Chiropotes albinasa</i>	1881, 258	<i>tator</i>	1881, 35
<i>Chirosa brenchleyi</i>	1883, 208		1881, 138
	1883, 209	(<i>Plaxiphora</i>) <i>car-</i>	
	1883, 210	<i>michaelis</i>	1881, 35
	1883, 254	(<i>Tonicia</i>) <i>fastigia-</i>	
	1883, 284	<i>tus</i>	1881, 35
<i>eurypon</i>	1883, 209	<i>Chittera fumata</i>	1883, 215
	1883, 210		1883, 252
	1883, 284	<i>fumosa</i>	1883, 207
<i>lapeyrousei</i>	1883, 285	<i>Chizala decipiens</i>	1885, 852
<i>morosa</i>	1883, 285		1886, 454
<i>pierretii</i>	1883, 208	<i>Chlænienus anchomenoi-</i>	
	1883, 209	<i>des</i>	1889, 212
	1883, 211	<i>aruwimius</i>	1890, 481
	1883, 285	<i>cæruleus</i>	1889, 213
<i>vicina</i>	1883, 208	<i>costiger</i>	1888, 369
	1883, 209	<i>hospes</i>	1888, 369
	1883, 210	<i>lissoderus</i>	1890, 481
	1883, 284		1890, 482
<i>Chiroscelis passaloides</i>	1890, 639	<i>lucidicollis</i>	1890, 481
<i>Chiroxiphia caudata</i>	1882, 608	<i>næviger</i>	1888, 369
<i>Chiruromys</i>	1888, 237	<i>noguchii</i>	1889, 213
<i>forbesi</i>	1888, 238	<i>virgulifer</i>	1888, 369
	1888, 239	<i>Chlamydoselachus an-</i>	
<i>Chiton abyssorum</i>	1882, 667	<i>guineus</i>	1886, 219
<i>albus</i>	1881, 35		1888, 126
	1882, 669	<i>lawleyi</i>	1887, 544
<i>alveolus</i>	1882, 668	<i>Chlamydotheca austra-</i>	
	1884, 148	<i>lis</i>	1886, 84
<i>apiculatus</i>	1882, 667		1886, 91
<i>arcticus</i>	1882, 668		1886, 93
<i>asellus</i>	1882, 668	<i>Chlamys interjecta</i>	1885, 753
<i>bowenii</i>	1881, 35	<i>japonica</i>	1885, 198
<i>caietanus</i>	1882, 667		1885, 211
<i>cancellatus</i>	1882, 668		1885, 753
<i>cinereus</i>	1882, 668	<i>lewisii</i>	1885, 753
	1882, 669	<i>pallifrons</i>	1887, 68
<i>crinitus</i>	1882, 666		1887, 69
<i>dentiens</i>	1882, 669	<i>spilota</i>	1885, 199
<i>discrepans</i>	1882, 666		1885, 753
	1882, 667		1887, 69
<i>fascicularis</i>	1882, 666	<i>Chloephaga antarctica</i>	1881, 13
	1882, 667	<i>poliocephala</i>	1881, 13
<i>hanleyi</i>	1882, 667	<i>Chloephora prasinana</i>	1887, 252
<i>marginatus</i>	1882, 669		1887, 269
<i>mendicarius</i>	1882, 667		1887, 270
<i>nagelfar</i>	1882, 667	<i>Chlorida festiva</i>	1887, 490
<i>rarinota</i>	1882, 668	<i>Chloridea rhexiæ</i>	1884, 323
	1882, 687	<i>Chloridops kona</i>	1888, 218
		<i>Chlorippe chalciope</i>	1890, 565

	Page		Page
<i>Chlorippe marse</i>	1890,	<i>Chlorospingus canigu-</i>	
<i>selina</i>	1890,	<i>laris</i>	1883, 547
<i>Chlorochrysa bourcierii</i> ..	1885,		1885, 68
<i>calliparæa</i>	1885,	<i>flavigularis</i>	1883, 547
<i>phœnicotis</i>	1885,		1885, 68
<i>Chlorocichla gracilli-</i>			1885, 81
<i>rostris</i>	1888,	<i>leucogaster</i>	1882, 3
<i>occidentalis</i>	1882,		1882, 15
<i>Chlorodius niger</i>	1884,	<i>melanotis</i>	1884, 291
	1884,		1885, 82
<i>rufescens</i>	1884,		1885, 121
<i>Chloronerpes affinis</i>	1882,	<i>nigrifrons</i>	1884, 220
<i>aurulentus</i>	1882,	<i>ochraceus</i>	1884, 291
<i>callonotus</i>	1883,		1885, 121
	1885,	<i>oleagineus</i>	1885, 81
— <i>major</i>	1883,	<i>phæocephalus</i>	1884, 290
<i>canipileus</i>	1883,		1885, 123
	1885,	<i>semifuscus</i>	1885, 116
<i>ceciliæ</i>	1883,	<i>signatus</i>	1885, 62
<i>flavigula</i>	1882,		1885, 82
<i>fumigatus</i>	1884,	<i>superciliaris</i>	1882, 3
	1884,		1882, 15
	1885,	— <i>nigrifrons</i>	1885, 81
<i>hæmatostigma</i>	1882,	<i>Chlorospiza sinica</i>	1887, 606
<i>malherbii</i>	1884,		1888, 466
	1885,	<i>Chlorostilbon atala</i>	1883, 568
<i>oleagineus</i>	1883,		1885, 115
<i>rubiginosus</i>	1885,	<i>brevicaudatus</i>	1882, 40
<i>yucatanensis</i>	1883,	<i>caniveti</i>	1883, 451
<i>Chlorophanes atrica-</i>		<i>melanorhynchus</i> ..	1883, 568
<i>pilla</i>	1882,		1884, 306
<i>spiza exsul</i>	1883,		1885, 115
	1883,		1885, 116
	1885,	<i>splendidus</i>	1882, 616
<i>Chlorophoneus sulfurei-</i>		<i>Chlorothraupis stolz-</i>	
<i>pectus</i>	1889,	<i>manni</i>	1885, 121
<i>Chlorophonia flaviros-</i>		<i>Choaspes benjamini</i> ..	1882, 261
<i>tris</i>	1885,	<i>Chærocampa, see Chæ-</i>	
<i>torrejoni</i>	1882,	<i>rocampa.</i>	
<i>viridis</i>	1882,	<i>Chæropsis liberiensis</i> ..	1887, 612
<i>Chloropipo flavica-</i>		<i>Chærotriche, see Chæro-</i>	
<i>pilla</i>	1885,	<i>triche.</i>	
<i>Chloropsinus viridis</i> ..	1883,	<i>Cholæpus didactylus</i> ..	1886, 163
<i>Chloropsis cyanopo-</i>		<i>hoffmanni</i>	1885, 353
<i>gon</i>	1885,	<i>Cholus forbesi</i>	1881, 826
<i>palawanensis</i>	1889,	<i>Chondrella parva</i>	1887, 314
<i>sonneratii</i>	1885,	<i>Chondria lutea</i>	1887, 642
<i>zosterops</i>	1881,		1887, 652
	1885,	<i>Chondrodactylus angu-</i>	
<i>Chloroselas esmeralda</i> ..	1885,	<i>lifer</i>	1887, 339
	1885,		1887, 340
	1885,	<i>weiri</i>	1887, 340
<i>Chlorospingus atripi-</i>			1890, 77
<i>leus</i>	1885,	<i>Chondrospingiæ</i>	1886, 580
	1885,	<i>Chordeiles acutipennis</i>	
<i>berlepschi</i>	1885,	<i>texensis</i>	1885, 915
	1885,		

	Page		Page
<i>Chordeiles texensis</i>	1883, 451	<i>Chrysomela japana</i>	1888, 345
	1885, 891	<i>musiva</i>	1885, 754
	1885, 892	<i>nikkoensis</i>	1885, 207
	1885, 904		1885, 754
	1885, 915	<i>obscurifasciata</i> ..	1885, 208
<i>Chorinemus lysan</i>	1887, 661		1885, 211
<i>moadetta</i>	1887, 661		1885, 754
<i>Chorismodactylus mul-</i>			1888, 346
<i>tibarbis</i>	1889, 239	<i>ordinata</i>	1885, 207
<i>Choristes elegans</i>	1885, 47	<i>populi</i>	1887, 222
<i>Chorodromus lineo-</i>			1887, 224
<i>maculatus</i>	1881, 747		1887, 233
<i>Chotorea chrysopsis</i> ..	1885, 405		1887, 237
<i>mystacophanes</i> ..	1885, 405	<i>quadrangulata</i>	1885, 754
<i>versicolor</i>	1885, 405	<i>speciosa</i>	1885, 209
<i>Chroicocephalus ridi-</i>		<i>stali</i>	1885, 754
<i>bundus</i>	1887, 592	<i>subænea</i>	1885, 754
<i>saundersi</i>	1888, 458	<i>templetoni</i>	1885, 207
<i>Chromauges</i>	1887, 361	<i>violaceicollis</i>	1885, 754
<i>Chromis messambicus</i> ..	1889, 70	<i>virgata</i>	1888, 346
<i>niloticus</i>	1889, 70	<i>Chrysomitridops cæru-</i>	
<i>Chrostogastria brevi-</i>		<i>leirostris</i>	1889, 445
<i>venis</i>	1888, 627	<i>Chrysomitris atrata</i> ..	1886, 396
<i>Chryseridia macleayii</i> ..	1882, 782		1886, 397
<i>Chrysis melanops</i>	1883, 345	<i>barbata</i>	1882, 600
<i>parallela</i>	1883, 346		1883, 422
<i>Chrysochus chinensis</i> ..	1885, 753	<i>capitalis</i>	1882, 17
<i>Chysoclista lineella</i>	1881, 324		1883, 422
<i>Chysococyx cupreus</i> ..	1881, 594		1883, 551
	1888, 42		1884, 294
<i>meyeri</i>	1885, 625		1884, 313
<i>xanthorhynchus</i> ..	1881, 792		1885, 85
	1889, 226	<i>citrinelloides</i>	1889, 367
<i>Chrysocolaptes erythro-</i>		<i>icterica</i>	1883, 551
<i>cephalus</i>	1889, 225		1884, 313
<i>Chrysocoma pachyrhyn-</i>		<i>mexicana</i>	1883, 445
<i>chus</i>	1889, 83	<i>olivacea</i>	1884, 313
<i>saltator</i>	1889, 84	<i>siemiradzki</i>	1883, 536
<i>Chrysodema auropla-</i>			1883, 551
<i>giata</i>	1887, 520		1884, 282
	1887, 521		1884, 313
<i>simplex</i>	1887, 520		1885, 121
	1888, 538	<i>spinescens</i>	1885, 85
<i>Chrysolampra puncta-</i>		<i>spinus</i>	1887, 606
<i>tissima</i>	1887, 73		1888, 466
<i>Chrysomela ambulans</i> ..	1885, 207	<i>Chrysopa perla</i>	1887, 254
<i>angusticollis</i>	1885, 754	<i>Chrysopelea ornata</i>	1881, 215
<i>aurichalcea</i>	1885, 754		1890, 35
<i>banksii</i>	1890, 583	<i>rhodopleuron</i>	1883, 388
<i>consimilis</i>	1885, 754	<i>Chrysophanus, sp.?</i>	1885, 539
<i>cyrtionoides</i>	1885, 206	<i>chryseis</i>	1886, 80
	1885, 207	<i>dido</i>	1886, 80
	1885, 753	<i>hippochæ</i>	1886, 80
<i>geminata</i>	1885, 207	<i>kasyapa</i>	1882, 247
	1885, 754	<i>pavana</i>	1882, 247
<i>guttata</i>	1885, 754		1889, 397
<i>japana</i>	1885, 753		1889, 398

	Page		Page
<i>Chrysophanus phlœas</i> ..	1881, 847	<i>Chrysotis guildingi</i>	1889, 327
	1882, 247	<i>mercenaria</i>	1882, 46
	1886, 368	<i>nichollsi</i>	1881, 627
	1889, 397	<i>ochrocephala</i>	1885, 109
<i>phœnicurus</i>	1889, 397	<i>pretii</i>	1889, 394
<i>stygianus</i>	1886, 368	<i>versicolor</i>	1881, 627
<i>susanus</i>	1889, 397		1889, 327
<i>timæus</i>	1881, 849		1889, 395
<i>timeus</i>	1886, 368	<i>vinacea</i>	1881, 968
<i>Chrysophlegma flavi-</i>			1882, 621
<i>nucha</i>	1888, 280	<i>viridigenalis</i>	1885, 109
<i>malaccense</i>	1887, 442		1885, 119
<i>puniceus</i>	1888, 279	<i>xantholora</i>	1883, 434
<i>wrayi</i>	1888, 279		1883, 455
<i>Chrysophrys bifasciata</i>	1887, 659	<i>Chryso albomaculata</i> ..	1882, 429
<i>hasta</i>	1887, 659		1882, 430
<i>sarba</i>	1887, 659		1882, 431
<i>Chrysopoloma bithynia</i>	1887, 676		1882, 440
<i>citriua</i>	1886, 410		1882, 441
	1886, 411	<i>cordiformis</i>	1882, 763
	1887, 677		1882, 768
<i>labda</i>	1887, 677	<i>nivipictus</i>	1882, 764
<i>obtusa</i>	1886, 410		1882, 768
<i>rosea</i>	1886, 410	<i>quadrata</i>	1882, 430
	1886, 411		1882, 440
	1887, 677		1882, 441
<i>rudis</i>	1886, 411		1882, 764
	1887, 574	<i>Chyruonia humboldti</i> .	1885, 118
<i>thelda</i>	1887, 677		1885, 121
<i>Chrysoptilus atricollis</i> ..	1882, 42	<i>josephinae</i>	1882, 40
<i>cristatus</i>	1882, 618		1885, 121
<i>Chrysothrum amatum</i>	1889, 547	<i>Chthamaloptyryx mel-</i>	
<i>fuscum</i>	1889, 547	<i>bournensis</i>	1887, 616
<i>maximowiczi</i>	1889, 547		1887, 617
<i>rufescens</i>	1889, 547	<i>Chthoneis margini-</i>	
<i>sericeum</i>	1889, 547	<i>collis</i>	1881, 449
<i>Chrysospiza euchlora</i> ..	1881, 958	<i>Chthonerpeton indis-</i>	
<i>Chrysotis</i> , sp. ?	1885, 114	<i>tinctum</i>	1886, 414
	1885, 115	<i>Chunga burmeisteri</i>	1882, 617
	1885, 121		1887, 319
	1885, 190		1889, 594
<i>albifrons</i>	1883, 455		1890, 144
<i>amazonica</i>	1882, 46		1890, 145
	1882, 621		1890, 337
<i>augusta</i>	1881, 627	<i>Chuquiragua insignis</i> ..	1885, 67
	1889, 326	<i>Churia maculata</i>	1881, 360
	1889, 327	<i>nigrisigna</i>	1881, 360
	1887, 2		1881, 379
<i>bodini</i>	1887, 2	<i>ochracea</i>	1881, 360
<i>bouqueti</i>	1888, 627	<i>Chusaris punctilinealis</i> ..	1885, 576
	1889, 326	<i>Chydorus angustus</i>	1886, 83
	1889, 327	<i>leonardi</i>	1886, 83
<i>coccineifrons</i>	1885, 109	<i>Cicada lifuana</i>	1883, 190
<i>cyanopis</i>	1881, 627	<i>melanopygia</i>	1882, 132
<i>erythrura</i>	1884, 562	<i>spinosa</i>	1883, 193
<i>farinosa</i>	1883, 573	<i>Ciccaba virgata</i>	1885, 110
<i>festiva</i>	1882, 46		
<i>guildingi</i>	1881, 627		

	Page		Page
<i>Cicliherminia sanctæ-luciæ</i>	1889, 395	<i>Cimex melacantha</i>	1890, 476
<i>Cicindela borneeana</i>	1889, 383	<i>multipunctatus</i>	1890, 474
<i>campestris</i>	1881, 655	<i>pallens</i>	1890, 478
<i>chinensis</i>	1888, 368	<i>rostratus</i>	1890, 475
<i>cincta</i>	1890, 480	(<i>Afrius</i>) <i>purpureus</i>	1884, 459
<i>crespignyi</i>	1889, 383	<i>Cimitra seclusella</i>	1888, 338
<i>gemmata</i>	1888, 368	<i>Cinclocerthia macro-rhyncha</i>	1889, 395
<i>japanensis</i>	1888, 368	<i>ruficauda</i>	1889, 326
<i>lobipennis</i>	1888, 380	<i>Cinclodes albidiventris</i>	1885, 94
<i>neglecta</i>	1890, 480	<i>bifasciatus</i>	1885, 115
<i>raddei</i>	1888, 368	1886, 396
<i>sylvatica</i>	1888, 368	1886, 398
<i>Cicinnurus regius</i>	1882, 410	<i>excelsior</i>	1885, 115
.	1888, 616	<i>fuscus</i>	1881, 8
.	1888, 653	1882, 610
.	1888, 655	1883, 424
.	1888, 656	1886, 398
<i>Ciconia alba</i>	1888, 658	<i>nigrifumosus</i>	1883, 424
<i>boyciana</i>	1887, 611	<i>patachonicus</i>	1881, 8
.	1888, 468	<i>rivularis</i>	1886, 398
<i>maguari</i>	1883, 640	<i>Cinclus leuconotus</i>	1885, 71
.	1883, 652	<i>pallasii</i>	1887, 601
<i>nigra</i>	1883, 640	1888, 463
.	1884, 552	<i>Cingula aculeus</i>	1884, 123
<i>Cidaria, sp.</i>	1881, 84	<i>arenaria</i>	1884, 124
<i>albigirata</i>	1884, 324	<i>Cingulina circinata</i>	1890, 248
<i>aliena</i>	1886, 394	1890, 251
<i>amplicata</i>	1886, 393	1890, 277
<i>aurata</i>	1888, 328	1890, 278
<i>brevifasciata</i>	1886, 393	<i>spina</i>	1890, 278
<i>cervinaria</i>	1888, 330	(<i>Mathilda</i>) <i>quadri-carinata</i>	1890, 251
<i>corylata</i>	1889, 429	1890, 277
<i>fulvata</i>	1886, 393	<i>Cinnicerthia unibrunnea</i>	1885, 71
<i>fulvata</i>	1881, 84	1885, 116
<i>jameza</i>	1886, 393	<i>unirufa</i>	1885, 116
.	1888, 329	<i>Cinnyris acik</i>	1888, 38
<i>multifaria</i>	1888, 329	<i>afer</i>	1882, 452
.	1889, 429	<i>affinis</i>	1885, 228
<i>pamphilata</i>	1889, 432	1889, 365
<i>perpulchra</i>	1888, 330	<i>aspasiæ</i>	1885, 639
<i>picata</i>	1886, 393	<i>auriceps</i>	1883, 63
<i>prunata</i>	1886, 394	1883, 69
<i>rostifera</i>	1886, 394	1885, 572
<i>sagittata</i>	1888, 330	<i>aurora</i>	1885, 265
<i>subrubescens</i>	1885, 66	1889, 225
<i>suffumata</i>	1888, 329	<i>balfouri</i>	1881, 169
<i>thomasata</i>	1886, 394	<i>chalybeus</i>	1882, 452
<i>Cidaripura gladiata</i>	1888, 329	1885, 228
<i>Cidaris tribuloides</i>	1889, 564	1887, 125
<i>Cifuna locuplex</i>	1881, 411	<i>chlorocephala</i>	1885, 639
<i>Cigaritis amine</i>	1888, 632	<i>chloropygius</i>	1882, 452
<i>Cilix spinula</i>	1884, 224	1885, 228
<i>Cillurus nigrifumosus</i>	1885, 66	1888, 38
<i>Cimex calidus</i>	1883, 424	<i>cuprea</i>	1888, 38
<i>curvipes</i>	1890, 477	<i>erikssoni</i>	1882, 451
<i>marginalis</i>	1890, 478		
.	1884, 459		

	Page		Page
<i>Cinnyris erikssoni</i>	1882, 452	<i>Circaëtus cinereus</i>	1882, 304
<i>erythroceria</i>	1888, 38	<i>Circe fluctuata</i>	1890, 249
<i>frenata</i>	1885, 265	<i>minima</i>	1881, 489
	1885, 554		1881, 713
	1885, 572		1884, 145
	1885, 639	<i>Circulus striatus</i>	1883, 95
	1888, 197		1884, 359
<i>fuliginosus</i>	1887, 125	<i>Circus æruginosus</i>	1881, 563
<i>grayi</i>	1885, 554		1888, 45
<i>gutturalis</i>	1881, 570	<i>cinereus</i>	1881, 10
	1882, 302		1883, 426
	1889, 365	<i>cyaneus</i>	1887, 598
<i>hasselti</i>	1881, 796		1888, 461
	1885, 410	<i>hudsonius</i>	1883, 456
<i>hunteri</i>	1889, 356	<i>maurus</i>	1889, 78
	1889, 365		1889, 79
<i>jardinei</i>	1881, 570	<i>melanoleucus</i>	1885, 254
<i>jobiensis</i>	1885, 638	<i>spilonotus</i>	1889, 225
<i>jugularis</i>	1885, 250	<i>Cirina forda</i>	1886, 2
	1885, 265		1886, 297
<i>juliæ</i>	1885, 250		1887, 51
	1885, 266	<i>Cirrhitichthys macu-</i>	
<i>kalkkreuthi</i>	1881, 571	<i>latus</i>	1889, 239
	1889, 366	<i>Cirrochroa aoris</i>	1881, 604
<i>kirki</i>	1881, 571	<i>mithila</i>	1881, 604
	1885, 228	<i>swinhoei</i>	1881, 604
	1889, 366	<i>thais</i>	1881, 604
<i>mediocris</i>	1885, 222	<i>Cirrœdia edentata</i>	1884, 497
	1885, 228		1889, 505
	1889, 365	<i>variolosa</i>	1884, 497
<i>microrhynchus</i>	1881, 570		1889, 505
	1882, 302	<i>Cispia punctifascia</i>	1887, 674
	1889, 365	<i>Cissopis media</i>	1882, 16
<i>obscura</i>	1881, 169	<i>Cisticola cinerascens</i>	1888, 23
	1888, 38	<i>cisticola</i>	1888, 23
<i>operata</i>	1889, 225		1889, 224
<i>pectoralis</i>	1885, 507	<i>cursitans</i>	1888, 23
<i>superba</i>	1888, 38	<i>exilis</i>	1885, 250
<i>verticalis</i>	1888, 38		1885, 263
<i>Cinogon askoldensis</i>	1888, 585	<i>ferruginea</i>	1888, 23
<i>cingulatum</i>	1888, 585	<i>grayi</i>	1885, 263
<i>Ciocalypa calva</i>	1881, 115	<i>hæmatocephala</i>	1881, 571
	1881, 131	<i>hunteri</i>	1889, 356
	1881, 140		1889, 364
<i>leei</i>	1881, 116	<i>hypoxantha</i>	1888, 23
	1881, 131	<i>incana</i>	1881, 166
<i>penicillus</i>	1881, 116		1881, 954
<i>tuberculata</i>	1881, 107	<i>iodoptera</i>	1888, 22
	1881, 116	<i>isodactyla</i>	1881, 571
<i>Cionella conica</i>	1887, 187	<i>ladoensis</i>	1888, 24
<i>Cioniscus gracilis</i>	1884, 341	<i>lateralis</i>	1888, 23
<i>striatus</i>	1884, 342	<i>lugubris</i>	1888, 24
<i>unicus</i>	1884, 341	<i>marginalis</i>	1888, 23
	1890, 251	<i>marginata</i>	1888, 23
	1890, 280	<i>mentalis</i>	1888, 22
<i>Circaëtus cinerascens</i>	1888, 46		1888, 23
<i>cinereus</i>	1881, 562	<i>nævica</i>	1888, 24

	Page		Page
<i>Cisticola natalensis</i>	1888,	<i>Clathrina poterium</i>	1881,
<i>rhodoptera</i>	1881,		132
<i>rufa</i>	1888,		133
<i>ruficapilla</i>	1887,	<i>Clausilia abyssoclista</i>	1883,
<i>semirufa</i>	1885,		340
<i>strangii</i>	1888,	<i>affinis</i>	1888,
<i>subruficapilla</i>	1885,	<i>albicosta</i>	1883,
	1889,	<i>amorgia</i>	1883,
<i>tenella</i>	1888,	<i>anaplicensis</i>	1883,
<i>Cistothorus brunnei-</i>	22		331
<i>ceps</i>	1884,	<i>anatolica</i>	1883,
	285	<i>aphrodite</i>	1883,
	1885,		326
<i>Cistudo carolina</i>	1887,		329
<i>virginea</i>	1882,		343
<i>Cithna adamsi</i>	1883,	<i>arcadica</i>	1883,
	111		338
<i>carinata</i>	1883,		339
	111	<i>arthuriana</i>	1883,
	1883,	<i>astropalia</i>	1883,
	115		330
	1884,		343
<i>ciucta</i>	1883,	<i>bathyclista</i>	1883,
	111	<i>bicolor</i>	1883,
	1883,	<i>bicristata</i>	1883,
	115		342
<i>naticiformis</i>	1883,	<i>bigibbosa</i>	1883,
	112	<i>blanci</i>	1883,
	1883,	—, var. <i>thebana</i>	1883,
	115	<i>brevicollis</i>	1883,
<i>tenella</i>	1883,	<i>byzantina</i>	1883,
	110		326
	1883,		327
	111	<i>cærulea</i>	1883,
—, var. <i>costulata</i>	1884,		324
	149		1883,
<i>Citrea cerago</i>	1889,		330
<i>silago</i>	517		1883,
<i>Citrinella citrinelloides</i>	1885,		331
<i>Cittocinclia nigra</i>	1889,	<i>campylauchen</i>	1883,
<i>stricklandi</i>	1881,		340
	798		1883,
	1885,	<i>canaliculata</i>	1883,
<i>Cittura cyanotis</i>	415	<i>candida</i>	1883,
<i>sanguirensis</i>	1885,	<i>carpathia</i>	1883,
<i>Cladocera debilis</i>	548		335
	1882,		1883,
	219		336
	1882,		343
	220	<i>clara</i>	1883,
<i>Cladochalina armigera</i>	1882,		332
	221		1883,
	1881,	<i>coarctata</i>	1883,
	112	<i>conemenosi</i>	1883,
	1881,		337
	114		1883,
—, var. <i>pergamentacea</i>	1881,	<i>confusa</i>	1883,
	112	<i>contaminata</i>	1883,
	1881,		338
	114		1883,
	1881,	<i>corrugata</i>	1883,
	131		331
	1881,		1883,
	140	—, var. <i>inflata</i>	1883,
<i>Cladocyclus gardneri</i>	1890,	<i>cretensis</i>	1883,
<i>Clais guineti</i>	630	<i>cyclothyra</i>	1883,
<i>Clangula glaucion</i>	1882,	<i>deglupta</i>	1883,
	37	<i>denticulata</i>	1883,
	1887,	<i>discolor</i>	1883,
	611	<i>dissepata</i>	1883,
	1888,	<i>distans</i>	1883,
	469	<i>eburnea</i>	1883,
<i>Clanis bilineata</i>	1888,	<i>eustropha</i>	1883,
	583	<i>furcilla</i>	1883,
	1888,		338
	587		
<i>deucalion</i>	1888,		
<i>exusta</i>	587		
	1883,		
	154		
<i>Clarias magur</i>	1890,		
<i>mossambicus</i>	38		
	1889,		
	70		
<i>nieuhoffii</i>	1890,		
	38		
<i>Clathrina coriacea</i>	1881,		
	132		

	Page		Page
<i>Clausilia glabella</i>	1883, 326	<i>Clausilia strigata</i>	1883, 326
<i>glabricollis</i>	1883, 336	<i>sublactea</i>	1883, 337
	1883, 337	<i>sublamellosa</i>	1883, 327
<i>goldfussi</i>	1883, 338		1883, 328
	1883, 343		1883, 343
<i>grayana</i>	1883, 337	<i>subvirginea</i>	1883, 327
<i>heracleensis</i>	1883, 332		1883, 343
	1883, 343	<i>sumatrana</i>	1881, 631
<i>heteroptyx</i>	1883, 328	<i>suturalis</i>	1883, 335
<i>hians</i>	1883, 337	<i>tenuicostata</i>	1883, 328
<i>hippolyti</i>	1883, 329	<i>teres</i>	1883, 334
<i>holostoma</i>	1883, 338		1883, 335
<i>idaea</i>	1883, 326	<i>thessalonica</i>	1883, 341
<i>incrustata</i>	1883, 338	<i>thiesseæ</i>	1883, 329
	1883, 339		1883, 343
	1883, 343	<i>troglydites</i>	1883, 327
<i>isabellina</i>	1883, 340	<i>turrata</i>	1883, 336
<i>kephissæ</i>	1883, 342	<i>ungeri</i>	1883, 336
—, var. <i>debilitata</i> ..	1883, 342	<i>unicolor</i>	1883, 336
—, var. <i>pikerm-</i>		<i>unio</i>	1883, 331
<i>iana</i>	1883, 342		1883, 343
<i>kreglingeri</i>	1883, 331	<i>valida</i>	1887, 318
<i>krueperi</i>	1883, 338	<i>vermiculata</i>	1883, 333
<i>lamellosa</i>	1883, 328		1883, 343
<i>maculata</i>	1883, 330	<i>vestis</i>	1883, 333
<i>maculosa</i>	1883, 339		1883, 334
	1883, 340		1883, 343
<i>manselli</i>	1883, 332	<i>virginea</i>	1883, 327
	1883, 343		1883, 328
<i>messenica</i>	1883, 338	<i>virgo</i>	1883, 336
<i>milleri</i>	1883, 330	(Pseudonenia)	
<i>moreletiana</i>	1883, 331	<i>shanica</i>	1888, 244
<i>multicostata</i>	1883, 333	<i>Clausina croulinensis</i> ..	1881, 703
<i>olivieri</i>	1883, 335	<i>Clea bockii</i>	1881, 635
	1883, 336	<i>fasciata</i>	1881, 635
<i>oscarii</i>	1883, 339	<i>maxima</i>	1881, 635
<i>osculans</i>	1883, 340	<i>nigricans</i>	1881, 635
<i>paucicosta</i>	1883, 333	<i>Cledeobia hypotialis</i> ..	1885, 866
<i>petrosa</i>	1883, 326		1886, 457
<i>praclara</i>	1883, 333	<i>infumatalis</i>	1888, 332
<i>prægracilis</i>	1883, 328		1888, 333
<i>privigna</i>	1883, 336	<i>Cleis biplagiata</i>	1888, 572
	1883, 343	<i>hypoleuca</i>	1888, 572
<i>pura</i>	1883, 326	<i>nenia</i>	1888, 572
<i>retusa</i>	1883, 333		1888, 580
	1883, 334	<i>nigrescens</i>	1888, 572
<i>rothi</i>	1883, 342	<i>Clelea chala</i>	1890, 380
<i>saxatilis</i>	1883, 336	<i>nigroviridis</i>	1890, 380
<i>schuchi</i>	1883, 339	<i>sapphirina</i>	1890, 380
—, var. <i>oscarii</i>	1883, 343	<i>Cleopatra bulimoides</i> ..	1888, 54
<i>sculpticollis</i>	1883, 331	<i>emini</i>	1888, 54
	1883, 332	<i>trabonjiensis</i>	1882, 375
	1883, 343		1882, 384
—, var. <i>unia</i>	1883, 331		1882, 389
	1883, 343	<i>Cleosiris catamita</i>	1883, 15
<i>sowerbyana</i>	1883, 341	<i>fasciata</i>	1883, 15
<i>spratti</i>	1883, 341	<i>major</i>	1883, 15
<i>spreta</i>	1883, 341	<i>Clerome eumæus</i>	1881, 903
<i>straminea</i>	1883, 329	<i>Clerota brama</i>	1889, 388

	Page		Page
<i>Clerotilia flavomarginata</i>	1885, 751	<i>Clymenia doris</i>	1883, 512
	1885, 755	<i>dubia</i>	1883, 512
<i>Climacteris placens</i>	1885, 638	<i>euphrosyne</i>	1883, 498
<i>Clio pyramidata</i>	1890, 254		1883, 500
<i>Clione lobata</i>	1881, 130	<i>euphrosynoides</i>	1883, 512
<i>Clisiocampa neustria</i> ..	1887, 195		1883, 497
	1887, 196	<i>frænata</i>	1883, 512
	1887, 197	<i>frontalis</i>	1883, 512
	1887, 202	<i>longirostris</i>	1883, 498
	1887, 212		1883, 512
	1887, 225	<i>marginatus</i>	1883, 512
	1887, 234	<i>microps</i>	1883, 512
	1887, 236	<i>normalis</i>	1883, 498
	1887, 268		1883, 512
	1887, 271	<i>obscura</i>	1883, 482
<i>testacea</i>	1888, 627		1883, 495
<i>Clitellio arenarius</i>	1888, 485		1883, 496
	1888, 487		1883, 497
	1888, 488		1883, 498
	1888, 490		1883, 512
	1888, 491	<i>roseiventris</i>	1883, 512
	1888, 492	<i>similis</i>	1883, 496
	1888, 494		1883, 512
	1888, 495	<i>stenorhyncha</i>	1883, 512
<i>ater</i>	1888, 485	<i>styx</i>	1883, 512
	1888, 487	<i>superciliosa</i>	1883, 512
	1888, 488	<i>tethyos</i>	1883, 512
	1888, 489	(<i>Electra</i>) <i>thicola</i> .	1883, 512
	1888, 490	(<i>Euphrosyne</i>)	
	1888, 492	<i>alope</i>	1883, 499
	1888, 493	(—) <i>microps</i>	1883, 499
	1888, 494	(<i>Micropia</i>) <i>euphrosyne</i>	1883, 497
<i>Clitumnus stilpnoides</i> ..	1888, 547	(—) <i>stenorhyncha</i>	1883, 499
<i>stilpnus</i>	1888, 547	(—) <i>styx</i>	1883, 497
<i>Cloantha intermedia</i> ..	1889, 494	(<i>Steno</i>) <i>attenuata</i> ..	1883, 512
<i>perspicillaris</i>	1889, 494	(—) <i>capensis</i> ..	1883, 512
<i>polyodon</i>	1889, 494	<i>Clypeaster humilis</i>	1888, 384
<i>Clostera anachoreta</i>	1886, 3		1888, 388
	1888, 636	<i>Clytanthus plebejus</i>	1888, 379
<i>anastomosis</i>	1888, 636	<i>Clythra japonica</i>	1885, 753
—, var. <i>orientalis</i> ..	1888, 636	<i>læviuscula</i>	1885, 753
<i>Clubiona holosericea</i> ..	1883, 357	<i>Clytus capra</i>	1888, 379
<i>Clupea harengus</i>	1887, 129	<i>contractifrons</i>	1890, 487
	1890, 586	<i>Cnemiornis calcitrans</i> ..	1882, 694
<i>kowal</i>	1887, 595	<i>Cneorane elegans</i>	1885, 755
<i>pilchardus</i>	1887, 129		1887, 113
	1890, 586		1888, 350
<i>scombrina</i>	1887, 666	<i>femoralis</i>	1888, 350
<i>venenosa</i>	1887, 666	<i>fulvicollis</i>	1887, 113
<i>zunasi</i>	1887, 595		1888, 350
<i>Clymenia alope</i>	1883, 512	<i>pallida</i>	1887, 113
<i>brevimana</i>	1883, 512	<i>Cnethocampa proces-</i>	
<i>dorides</i>	1883, 497	<i>sionea</i>	1888, 654
	1883, 512	<i>Cnethodonta grises-</i>	
<i>doris</i>	1883, 498	<i>cens</i>	1888, 642
	1883, 498		

	Page		Page
<i>Cnipodectes minor</i>	1883, 654	<i>Coccyzus americanus</i> ..	1886, 490
<i>subbrunneus</i>	1883, 654	<i>cinereus</i>	1889, 187
	1885, 118	<i>erythrophthalmus</i> .	1882, 620
	1885, 123	<i>landsbergi</i>	1886, 490
<i>Cnipolegus, sp.</i>	1882, 604	1885, 108
<i>aterrimus</i>	1882, 604	1885, 114
<i>cyaneirostris</i>	1882, 604	<i>melanocoryphus</i> ..	1882, 620
<i>hudsoni</i>	1883, 39	<i>minor</i>	1882, 619
<i>Coassus rufinus</i>	1890, 76	1882, 620
<i>Cobitis barbatula</i>	1883, 132	1886, 490
<i>tænia</i>	1883, 132	1889, 326
	1888, 3	1889, 395
<i>Cobus, sp.</i>	1885, 932	<i>Cocytodes immodesta</i> ..	1889, 548
<i>ellipsiprymnus</i>	1881, 758	<i>modesta</i>	1889, 548
	1885, 932	<i>Cœcilia buckleyi</i>	1886, 414
	1890, 589	<i>gracilis</i>	1887, 154
	1890, 651	<i>Cœliaxis layardi</i>	1881, 839
<i>leche</i>	1881, 760	1881, 840
<i>vardoni</i>	1881, 759	<i>Cœlogenys paca</i>	1885, 161
	1881, 760	1885, 164
<i>Coccinella bipunctata</i> ..	1887, 222	1885, 165
	1887, 224	1885, 166
	1887, 233	1885, 167
	1887, 237	<i>taczanowskii</i>	1885, 161
	1887, 274	1885, 163
<i>septempunctata</i> ..	1887, 222	1885, 164
	1887, 224	1885, 165
	1887, 233	1885, 166
	1887, 237	1885, 167
	1887, 273	<i>Cœlomera cayanensis</i> ..	1889, 286
	1887, 274	<i>Cœlopeltis lacertina</i>	1881, 680
<i>Coccothraustes cocco-</i>		<i>Cœlophis biloba</i>	1887, 490
<i>thraustes</i>	1886, 96	<i>Cœnobita perlata</i>	1882, 339
	1886, 97	1887, 520
<i>humi</i>	1886, 97	<i>rugosa</i>	1887, 520
<i>japonicus</i>	1886, 97	<i>Cœnobius piceus</i>	1885, 753
<i>personatus</i>	1890, 345	<i>sulcicollis</i>	1885, 753
<i>vulgaris</i>	1886, 96	<i>Cœnonympha amaryllis</i> . 1881,	809
— <i>japonicus</i>	1887, 606	1881, 909
	1888, 466	<i>annulifer</i>	1881, 909
<i>Cocculina beanii</i>	1882, 672	1887, 427
<i>corrugata</i>	1883, 392	<i>hero</i>	1881, 869
	1883, 394	1881, 909
	1883, 399	1887, 403
<i>spinigera</i>	1883, 392	1887, 427
	1883, 393	—, <i>var. perseis</i>	1887, 427
	1883, 399	<i>iphis</i>	1881, 869
<i>Coccygius cayanus</i>	1885, 178	1881, 909
<i>Coccytes afer</i>	1881, 594	<i>œdipus</i>	1881, 869
<i>albonotatus</i>	1881, 594	1881, 909
<i>coromandus</i>	1885, 406	1887, 403
<i>jacobinus</i>	1881, 594	1887, 427
<i>pica</i>	1881, 594	<i>perseis</i>	1881, 909
<i>serratus</i>	1881, 594	<i>rinda</i>	1881, 909
<i>Coccyzus americanus</i> ..	1883, 572	<i>Cœreba cærulea</i>	1883, 543
	1885, 124	<i>cyanea</i>	1882, 9
	1885, 170	<i>nitida</i>	1882, 9
	1885, 178	<i>Cœrostris albipes</i>	1890, 628

	Page		Page
<i>Crerostris albipes</i>	1890,	<i>Colias edusa</i>	1885,
<i>Colalena fatih</i>	1882,	—, var. <i>myrmi-</i>	540
<i>Colænis cillene</i>	1884,	<i>done</i>	1882,
<i>julia</i>	1890,	<i>edusina</i>	402
<i>phærusa</i>	1890,	<i>elwesi</i>	1886,
<i>Colaptes campestris</i>	1882,		1881,
<i>elegans</i>	1885,		879
<i>mexicanus</i>	1883,		1887,
<i>rupicola</i>	1881,		408
<i>stolzmanni</i>	1881,	<i>erate</i>	1887,
<i>Colaspoides amazona</i>	1881,		409
<i>chinensis</i>	1888,		602
<i>femoralis</i>	1888,		1881,
<i>martini</i>	1888,		607
<i>oprea</i>	1888,		1881,
<i>spinipes</i>	1888,		864
<i>Colasposoma anten-</i>		—, var. <i>pallida</i>	1881,
<i>nale</i>	1881,		879
<i>apicale</i>	1881,	<i>eurytheme</i>	1886,
<i>barbatum</i>	1881,	<i>fieldii</i>	370
<i>chloris</i>	1881,		1881,
<i>cyaneum</i>	1885,		880
<i>femorale</i>	1881,		1882,
	1881,		254
<i>gibbicolle</i>	1881,		255
	1881,		401
<i>igneicolle</i>	1881,		1885,
<i>instabile</i>	1881,		140
	1881,		1886,
<i>longipes</i>	1881,	<i>helietha</i>	370
<i>melancholicum</i>	1881,		1881,
<i>ornaticolle</i>	1881,		880
<i>ornatum</i>	1881,	<i>hyale</i>	1881,
<i>pretiosum</i>	1881,		864
<i>pubescens</i>	1881,		1881,
<i>robustum</i>	1881,		879
<i>sellatum</i>	1881,		1881,
<i>senegalense</i>	1881,		880
<i>subcostatum</i>	1881,	—, var. <i>sareptensis</i>	1886,
<i>tarsale</i>	1881,	<i>lakadensis</i>	371
<i>thoracicum</i>	1881,	<i>lativitta</i>	1882,
<i>variabile</i>	1881,	<i>leucotis</i>	254
<i>varians</i>	1881,	<i>melinos</i>	1882,
<i>vestitum</i>	1881,		255
<i>Coleosoma blandum</i>	1882,	<i>myrmidone</i>	1881,
	1882,	<i>nereine</i>	401
	1882,		1881,
<i>Colias aurora</i>	1881,		879
	1881,	<i>nilgiriensis</i>	408
<i>aurorina</i>	1886,	<i>palæno</i>	1881,
<i>chloë</i>	1881,		864
<i>chrysothème</i>	1881,		1881,
<i>edusa</i>	1881,		879
	1882,		401
	1882,		1887,
	1882,		408
	1882,	<i>pallens</i>	1881,
	1885,		1881,
	537		879
			1887,
			408
			1887,
		<i>pallida</i>	409
			1882,
			254
			1882,
			255
			1886,
			370
			1886,
		<i>picomone</i>	371
		<i>philodice</i>	1881,
		<i>poliographus</i>	880
			1881,
			879

	Page		Page
<i>Colias poliographus</i> ..	1887, 408	<i>Colobocentrotus atratus</i>	1881, 421
	1887, 409		1887, 140
<i>pyrene</i>	1881, 178		1888, 388
	1884, 226	<i>mertensi</i>	1881, 421
	1884, 487	<i>Colobus ferrugineus</i> ..	1890, 590
	1885, 540	<i>guereza</i>	1885, 219
	1888, 75		1888, 5
<i>sareptensis</i>	1882, 254	— <i>caudatus</i>	1885, 219
	1886, 370		1885, 220
	1886, 371	<i>Colochirus armatus</i>	1888, 389
<i>shipkee</i>	1882, 254	<i>Coloenas nicobarica</i>	1888, 187
<i>simoda</i>	1881, 849	<i>Colopterus galeatus</i>	1882, 18
	1881, 879	<i>Coloradia lepta</i>	1890, 501
	1881, 880	<i>Colotois kumetaria</i>	1889, 424
	1887, 408		1889, 425
	1887, 409	<i>Colpodes amoena</i>	1888, 383
<i>subaurata</i>	1881, 861	<i>eulabes</i>	1889, 215
	1881, 879	<i>fryi</i>	1889, 384
	1887, 408	<i>melittus</i>	1889, 215
	1887, 409	<i>splendens</i>	1888, 383
<i>Colius capensis</i>	1885, 322	<i>superlita</i>	1888, 383
	1885, 542	<i>Coluber constrictor</i>	1884, 475
<i>castanotus</i>	1885, 542	<i>halys</i>	1887, 594
<i>erythromelon</i>	1884, 475	<i>mandarinus</i>	1887, 595
	1885, 542	<i>melanurus</i>	1890, 35
<i>leucotis</i>	1885, 224	(<i>Gonyosoma</i>) <i>oxy-</i>	
	1889, 358	<i>cephalus</i>	1890, 32
<i>nigricollis</i>	1884, 530	<i>Columba albilinea</i>	1884, 311
	1885, 542	<i>corensis</i>	1889, 395
<i>striatus</i>	1885, 542	<i>denisea</i>	1882, 48
<i>Coliuspasser axillaris</i> ..	1888, 33	<i>flavirostris</i>	1883, 428
<i>capensis</i>	1887, 126		1883, 458
<i>macrurus</i>	1888, 33	<i>guinea</i>	1886, 193
<i>xanthomelas</i>	1887, 126		1886, 195
<i>Collita agrota</i>	1888, 599	<i>guineensis</i>	1889, 369
<i>Collocalia esculenta</i> ..	1885, 549	<i>livia</i>	1882, 314
	1888, 520		1882, 327
<i>fuciphaga</i>	1884, 532		1888, 521
	1888, 108	<i>maculosa</i>	1882, 626
	1889, 224	<i>rufina</i>	1882, 48
<i>linchi</i>	1881, 793		1885, 110
	1885, 408		1885, 114
<i>natalis</i>	1888, 520	<i>rupestris</i>	1887, 609
<i>neglecta</i>	1888, 520		1888, 467
<i>spodopygia</i>	1888, 194	<i>speciosa</i>	1885, 119
<i>troglydites</i>	1889, 225	<i>subvinacea</i>	1883, 574
<i>Collophus puniceus</i> ..	1888, 279		1885, 123
<i>Collonia cunninghami</i> ..	1881, 33	<i>vinacea</i>	1882, 48
	1881, 138		1883, 574
<i>multistriata</i>	1890, 294	<i>Columbella crassila-</i>	
<i>rubrilineata</i>	1890, 294	<i>bris</i>	1890, 261
<i>verruca</i>	1890, 294	<i>decipiens</i>	1890, 261
<i>Colluricincla affinis</i> ..	1885, 637	<i>delicata</i>	1890, 262
<i>megarhyncha</i>	1885, 571	<i>filbyi</i>	1888, 208
	1885, 637		1888, 213
<i>Collyris aureofusca</i>	1889, 216	<i>fulminea</i>	1890, 308
<i>formosaria</i>	1889, 216	<i>guttata</i>	1890, 262
<i>Colobocentrotus atratus</i> .	1881, 415	<i>haliaeeti</i>	1883, 392

	Page		Page
<i>Columbella haliæti</i> ..	1883, 393	<i>Conirostrum albifrons</i> ..	1884, 288
	1885, 50		1885, 117
<i>kraussii</i>	1890, 308	<i>atrocyaneum</i>	1882, 8
<i>lunata</i>	1890, 262		1884, 288
<i>mitriformis</i>	1890, 262		1885, 117
<i>nigricans</i>	1882, 120	<i>fraseri</i>	1884, 288
(<i>Anachis</i>) <i>decipiens</i>	1890, 250		1885, 76
	1890, 261		1885, 115
(—) <i>fulminea</i> ..	1890, 308		1885, 123
(—) <i>kraussii</i>	1890, 308	<i>sitticolor</i>	1885, 75
(—) <i>ostreicola</i> ..	1882, 119	<i>Connochætes taurina</i> ..	1890, 663
	1882, 121	<i>Conopias cinchoneti</i> ..	1885, 91
(<i>Mitrella</i>) <i>cribraria</i>	1890, 250	<i>Conopophaga ardesiaca</i>	1882, 34
	1890, 262	<i>aurita</i>	1881, 435
	1890, 318		1881, 437
(—) <i>proscripta</i> ..	1890, 308	<i>lineata</i>	1881, 436
	1890, 316		1881, 437
(—) <i>pusilla</i>	1890, 250	<i>melanops</i>	1881, 435
	1890, 262	<i>Conovulus buiioides</i> ..	1881, 842
(—) <i>sanctæ-helenæ</i>	1890, 250	<i>fasciatus</i>	1887, 285
	1890, 262	<i>luteus</i>	1887, 285
	1890, 315	<i>Contopus ardesiacus</i> ..	1882, 21
(<i>Pusiostoma</i>) <i>men-dicaria</i>	1887, 517		1883, 558
<i>Columbula picui</i>	1882, 612		1884, 297
	1882, 626		1885, 92
<i>Colylopus parvipin-nis</i>	1884, 170	<i>borealis</i>	1882, 22
<i>Colymbetes exoletus</i> ..	1881, 826	<i>brachytarsus</i>	1882, 608
<i>grapei</i>	1881, 826	<i>latirostris</i>	1889, 395
<i>Colymbus holboelli</i>	1887, 594	<i>punensis</i>	1883, 558
<i>minor</i>	1881, 602		1885, 122
<i>septentrionalis</i>	1882, 654	<i>richardsoni</i>	1883, 558
	1890, 432		1884, 297
<i>Comatula lævissima</i> ..	1882, 746		1885, 68
<i>mertensi</i>	1882, 746		1885, 92
<i>Cometes caroli</i>	1881, 487		1885, 124
<i>Comibœna glareosa</i>	1885, 855	<i>virens</i>	1882, 22
	1885, 886	<i>Conurus acuticaudatus</i> .	1882, 621
<i>Cominella lugubris</i>	1890, 260	<i>aztec</i>	1883, 455
<i>Composia olympia</i>	1888, 120	<i>cyanolyseos</i>	1883, 426
	1888, 121	<i>enops</i>	1886, 539
<i>subcyanea</i>	1884, 322	<i>erythrogeyns</i>	1883, 426
<i>Compsocoma notabilis</i>	1885, 116		1883, 573
<i>sumptuosa</i>	1882, 13		1885, 122
	1885, 80	<i>luciani</i>	1882, 46
— <i>cyanoptera</i>	1883, 546		1886, 320
	1884, 289	<i>molinae</i>	1882, 621
<i>victorini</i>	1885, 80	<i>patagonus</i>	1882, 620
<i>Compsosoma melanurum</i>	1881, 215	<i>petzii</i>	1883, 426
<i>Concholepas peruviana</i> .	1881, 31	<i>rubritorquis</i>	1886, 539
<i>Conilera cylindracea</i> ..	1884, 44	<i>sonancai</i>	1885, 108
		<i>vittatus</i>	1882, 621
		<i>Conus</i> , sp.	1890, 255
		<i>abbas</i>	1882, 121
		<i>acutangulus</i>	1882, 118
		<i>archiepiscopus</i>	1882, 121
		<i>bocki</i>	1881, 636
			1881, 637

	Page		Page
<i>Conus bocki</i>	1881, 639	<i>Copsychus mindanensis</i>	1885, 263
<i>brunneus</i>	1882, 117		1886, 123
<i>canonicus</i>	1882, 120		1886, 124
	1882, 121	<i>musicus</i>	1886, 123
<i>corbula</i>	1882, 121		1887, 436
<i>dianthus</i>	1882, 118	<i>niger</i>	1886, 123
	1882, 121		1886, 124
<i>euetrios</i>	1882, 121	<i>saularis</i>	1886, 123
<i>evelynæ</i>	1882, 117		1886, 124
	1882, 121	<i>seychellarum</i>	1886, 123
<i>gloynei</i>	1881, 637		1886, 124
	1881, 639	<i>Coptobasis ænealis</i>	1885, 867
<i>irregularis</i>	1890, 250		1886, 458
	1890, 254	<i>lunalis</i>	1885, 867
<i>legatus</i>	1882, 121	<i>opisalis</i>	1885, 867
<i>lividus</i>	1882, 117		1886, 458
<i>lombei</i>	1881, 637	<i>Coptocephala bifasciata</i> .	1888, 341
	1881, 639		1888, 342
<i>panniculus</i>	1882, 121	<i>küsteri</i>	1888, 342
<i>pastinaica</i>	1881, 636	<i>nair</i>	1888, 342
<i>prevosti</i>	1881, 636	<i>orientalis</i>	1885, 753
	1881, 639	<i>pallens</i>	1885, 753
<i>prytanis</i>	1882, 117	<i>Coptocycla biramosa</i> ..	1885, 283
	1882, 121		1885, 284
<i>punctatus</i>	1882, 118	<i>crucifera</i>	1885, 283
<i>scriptus</i>	1882, 121		1885, 284
<i>semivelatus</i>	1882, 118	<i>hebraica</i>	1885, 284
	1882, 121	<i>lewisii</i>	1885, 283
<i>striatus</i>	1881, 637	<i>sigillata</i>	1885, 284
<i>sulcatus</i>	1881, 637	<i>sparsa</i>	1885, 284
<i>terebellum</i>	1881, 636	<i>spilota</i>	1885, 284
<i>testudinarius</i>	1890, 250		1885, 285
<i>textile</i>	1882, 121	<i>thais</i>	1885, 283
—, var. <i>euetrios</i> ..	1882, 120		1885, 284
	1882, 121	<i>versicolor</i>	1885, 283
<i>thomasi</i>	1881, 635	<i>vesicularis</i>	1885, 285
	1881, 636	(<i>Deloyala</i>) <i>clavata</i> .	1885, 283
	1881, 639	<i>Coptolabrus celestis</i> ..	1889, 217
<i>tiaratus</i>	1882, 117	<i>elysii</i>	1889, 217
<i>tigrinus</i>	1882, 121	<i>gehinii</i>	1888, 369
<i>tinianus</i>	1890, 255	<i>leechi</i>	1888, 369
<i>verriculum</i>	1882, 121	<i>schrenckii</i>	1888, 369
<i>vicarius</i>	1882, 121	<i>smaragdinus</i>	1888, 368
<i>virgo</i>	1881, 636	<i>Coptops fusca</i>	1884, 219
<i>wilmeri</i>	1882, 118		1890, 488
	1882, 121	<i>modica</i>	1888, 541
<i>Copeoglossum cinctum</i> ..	1881, 237	<i>Copurus leuconotus</i>	1885, 117
<i>Cophias flavescens</i>	1887, 153	<i>Coracias affinis</i>	1890, 547
<i>Cophophryne sikkimensis</i>	1890, 325		1890, 548
<i>Cophyla phyllodactyla</i> ..	1886, 412	<i>caudata</i>	1881, 566
<i>Copris ochus</i>	1888, 371		1882, 302
<i>tripartita</i>	1888, 371		1889, 358
<i>Copsychus amœnus</i>	1881, 798	<i>garrula</i>	1881, 566
	1885, 415		1890, 547
	1886, 123		1890, 549
	1886, 124	<i>indica</i>	1890, 547
<i>mindanensis</i>	1885, 250		1890, 548
			1890, 549

	Page		Page
Coracias indica affinis ..	1890,	Corbicula madagascari-	
nævia	1881,	ensis	1882, 375
orientalis	1885,		1882, 388
	1890,		1882, 389
temminckii	1885,	minor.....	1884, 272
Coracopsis vasa	1884,	pusilla	1888, 55
	1884,	radiata	1881, 277
Corallana acuticauda ..	1881,		1888, 55
	1881,	Corbula ambigua.....	1881, 694
	1881,	amurensis	1881, 945
Coralliophaga setosa ..	1881,	costellata	1881, 944
Coralliophilaatlan-		gibba	1881, 944
tica	1890,		1881, 945
	1890,	granulata	1881, 936
	1890,	lævis	1881, 945
bracteata	1890,	mediterranea.....	1881, 945
	1890,	ovata	1881, 945
erythrostroma	1890,	physoides	1881, 945
	1890,	quadrata	1890, 303
	1890,	reflexa	1881, 943
turrata	1888,	rosea	1881, 944
	1888,	striata	1881, 945
Corallium beckii	1882,	swiftiana	1890, 253
	1882,		1890, 302
	1882,	Coregonus coregonoides.	1885, 483
	1882,	vandesius	1885, 483
johnsoni	1882,	Coremia livida.....	1888, 329
	1882,	Coreura euchromoides..	1885, 521
nobile	1882,	salmoni	1885, 521
	1882,		1885, 536
	1882,	Corinea mathewi	1888, 580
	1882,	naviguttella	1885, 883
	1882,	Coriphilus fringillaceus	1882, 702
	1882,	placens	1882, 702
	1882,		1885, 565
	1882,		1885, 623
pallidum	1882,	subplacens.....	1883, 347
	1882,	wilhelminæ	1885, 623
	1882,	Corma ernestina	1885, 302
	1882,		1885, 307
	1882,	horsfieldi	1881, 327
rubrum	1882,	rafflesi	1881, 327
	1882,	Cornufer corrugatus ..	1888, 88
	1882,		1888, 90
	1882,	dorsalis	1887, 337
	1882,		1888, 90
secundum	1882,	guppyi	1884, 211
	1882,		1886, 412
	1882,		1887, 334
stylasteroides	1882,		1888, 90
	1882,	johnstoni	1887, 564
	1882,		1890, 324
	1882,	solomonis	1884, 212
	1882,		1886, 412
Coraphites leucotis	1888,		1887, 334
melanauchen	1881,		1888, 88
	1881,		1888, 90
Corax albicollis	1889,	vitianus.....	1887, 500
Corbicula gracilis.....	1881,		1888, 173

	Page		Page
Corone enca	1881, 799	Corydon sumatranus ..	1885, 408
	1885, 555		1888, 278
japonensis	1887, 583	Coryphæna hippurus ..	1887, 662
philippina	1885, 250	Coryphistera alaudina ..	1883, 40
	1885, 266	Coryphocera africana ..	1888, 86
	1889, 225	borneensis	1889, 386
pusilla	1889, 226	Coryphodon korros	1890, 33
validus	1881, 799	Coryphospingus cris-	
Coronella cana	1883, 33	tatus	1882, 598
	1887, 486	cruentus	1883, 551
multimaculata	1886, 124		1885, 70
Correlophus ciliatus ..	1883, 128		1885, 84
Corucia zebrata	1887, 334		1885, 122
	1888, 88	Corythaix fischeri	1881, 590
	1888, 90	hartlaubi	1885, 224
	1890, 30		1889, 358
Corvultur albicollis	1885, 227	leucolophus	1888, 44
	1885, 229	livingstonei	1882, 309
	1889, 368		1882, 451
Corvus australis	1883, 144		1889, 220
capellanus	1884, 475	meriani	1887, 123
enca	1885, 555	musophaga	1882, 309
	1887, 583	porphyreolophus ..	1881, 590
hawaiiensis	1888, 218		1889, 358
infumatus	1881, 955	Corytheola cristata	1888, 44
japonensis	1887, 583	Corythocichla leucc-	
	1888, 465	sticta	1887, 438
latirostris	1884, 580	striata	1887, 438
macrorhynchus ..	1887, 583	Corythopis anthoides ..	1882, 34
— japonensis	1887, 605	Corythornis cristatus ..	1881, 567
monedula	1882, 708	cyanostigma	1881, 567
orientalis	1888, 459		1881, 568
orru	1884, 580	Corythura cinnamomea	1888, 49
	1885, 645	Coscoroba davidi	1887, 590
philippinus	1885, 266	Cosmetornis vexilla-	
scapulatus	1881, 582	rius	1881, 564
	1885, 229		1882, 305
sinensis	1887, 583		1888, 40
torquatus	1887, 2	Cosmia, sp.	1888, 309
umbrinus	1881, 172	achatina	1889, 515
	1881, 955	affinis	1889, 515
validissimus	1882, 708	curvata	1889, 516
	1883, 51	distincta	1889, 515
	1883, 195	hypenoides	1881, 354
	1883, 200		1881, 380
	1884, 433	laoripa	1890, 514
	1884, 577	pyralina	1889, 515
	1884, 580	restituta	1889, 516
	1885, 573	trapezina	1889, 516
validus	1882, 708	Cosmonetta histrionica .	1887, 319
	1887, 583		1887, 591
violaceus	1882, 708	Cosmophila auragoides .	1884, 497
vociferus	1883, 447	indica	1883, 163
Corycia magica	1885, 464		1884, 497
mytilata	1888, 323		1885, 459
Corydalis asiatica	1884, 110		1886, 448
Corydalla gustavi	1885, 552		1889, 505
	1885, 572	xanthindyma	1883, 163

	Page		Page
Cosmophila xanthin-		Coturnix vulgaris japon-	
dyma	1884, 497	ica	1888, 467
	1885, 459	Cotyle, <i>see</i> Cotile.	
	1886, 448	Cotylophus	1884, 154
	1888, 223	Cotylophiza borbonica..	1883, 47
	1889, 505	Coua ruficeps	1885, 174
Cosmopsaltria abdulla .	1883, 193	Couthouyia plicifera ..	1890, 286
distans	1882, 126	Cracticus cassicus	1885, 635
meyeri	1883, 189		1885, 636
	1883, 194	quoyi	1885, 636
spinosa	1883, 189	Crambomorpha entella .	1885, 293
	1883, 193	Crambus, sp.	1884, 326
stuarti	1882, 125	aurifusellus	1885, 878
	1882, 134		1886, 461
Cosmopsarus unicolor ..	1881, 583	crassalis	1889, 556
Cosmosoma auge	1883, 377	decolorellus	1884, 528
	1884, 322	desistalis	1885, 879
confine	1883, 377	luteellus	1888, 337
omole	1883, 377	multivagellus	1886, 462
ufentina	1883, 377	partellus	1885, 879
Cossa basigera	1889, 403		1886, 462
ruma	1889, 403	sabulinus	1881, 623
Cossus amundasa	1890, 508	todarius	1883, 173
	1890, 520	zonellus	1884, 528
cossus	1888, 647		1884, 529
ligniperda	1881, 654	Crania anomala	1881, 948
	1881, 822		1884, 142
	1881, 825	Cranorhinus cassidix ..	1885, 549
	1887, 685	leucocephalus	1885, 275
	1888, 646	Craspedia persimilis ..	1888, 322
toluminus	1887, 684	Craspedophora magnifica	1885, 650
vicarius	1888, 646	Craspedophorus bonnyi.	1890, 480
Cossypha caffra	1889, 363	erichsonii	1890, 481
heuglini	1881, 574	eximius	1890, 480
	1882, 302	oxygonus	1890, 481
	1888, 21	Craspedosis ernestina ..	1889, 294
isabellæ	1887, 124		1889, 295
natalensis	1881, 574	extenuata	1889, 294
verticalis	1888, 21		1889, 295
Cosuma polana	1887, 682		1889, 297
	1887, 686	Craspedotropis bar-	
rugosa	1887, 682	batus	1889, 339
Cotanda placodoides ..	1881, 374	bellulus	1889, 339
Cotile cincta	1888, 40	confluens	1889, 339
fucata	1882, 596	metcalfi	1889, 339
	1883, 37	Crasatella bellula	1881, 490
	1888, 454	knockeri	1881, 491
Cotinga cærulea	1882, 410	Crassina depressa	1881, 712
maynana	1882, 24	elliptica	1881, 711
Cottus lilljeborgii	1889, 27	Crastia æthiops	1883, 262
Coturniculus manimbe.	1882, 600	alecto	1883, 262
peruanus	1882, 17	anymone	1883, 209
	1885, 85		1883, 279
Coturnix communis....	1881, 173		1883, 280
	1887, 610	asela	1883, 209
	1888, 467		1883, 211
delegorgii	1881, 259		1883, 277
ussurianus	1888, 467	binghami	1883, 278

	Page		Page
<i>Crastia bremeri</i>	1883, 276	<i>Crastia ochsenheimeri</i> ..	1883, 270
<i>camaralzeman</i>	1883, 264	<i>prunosa</i>	1883, 280
<i>camorta</i>	1883, 279	<i>resarta</i>	1883, 259
	1883, 323	<i>rogeri</i>	1883, 318
<i>cerberus</i>	1883, 263	<i>scudderi</i>	1883, 270
<i>climena</i>	1883, 260	<i>sepulchralis</i>	1883, 260
<i>confusa</i>	1883, 260	<i>snellieni</i>	1883, 280
<i>core</i>	1883, 209	<i>squalida</i>	1883, 259
	1883, 211	<i>vermiculata</i>	1882, 235
	1883, 212		1883, 277
	1883, 254	<i>wallacei</i>	1883, 262
	1883, 273	<i>Crateropus jardinei</i>	1881, 575
	1883, 277	<i>kirki</i>	1881, 575
	1883, 323		1885, 227
	1885, 126	<i>melodus</i>	1884, 232
	1886, 421	<i>plebejus</i>	1882, 302
<i>cramerii</i>	1883, 266	<i>rubiginosus</i>	1881, 575
<i>cratis</i>	1883, 269	<i>Crax alberti</i>	1882, 327
<i>cupreipennis</i>	1883, 264		1882, 351
<i>decipiens</i>	1883, 280		1885, 708
<i>diocletia</i>	1883, 287	<i>alector</i>	1882, 351
<i>di-stantii</i>	1883, 208	<i>carunculata</i>	1882, 351
	1883, 209	<i>daubentoni</i>	1882, 351
	1883, 211	<i>glocicera</i>	1882, 351
	1883, 212		1883, 434
	1883, 278		1883, 459
	1883, 323		1886, 321
<i>ebenina</i>	1883, 264		1889, 163
<i>esperii</i>	1883, 278	<i>globulosa</i>	1882, 351
<i>felderi</i>	1883, 280	<i>incommoda</i>	1882, 351
<i>frauenfeldi</i>	1883, 279	<i>selateri</i>	1882, 351
<i>funerea</i>	1883, 259	<i>Creagrus furcatus</i>	1882, 523
<i>godarti</i>	1883, 278	<i>Creagrutus muelleri</i>	1887, 281
<i>goudotii</i>	1883, 257	<i>Creatonotus emittens</i> ..	1881, 614
<i>grammifera</i>	1883, 209		1885, 296
	1883, 211		1886, 437
	1883, 277	<i>interruptus</i>	1885, 296
<i>grayi</i>	1883, 260		1886, 437
<i>haworthii</i>	1883, 280	<i>Crenella decussata</i>	1881, 950
<i>honesta</i>	1883, 261	<i>pura</i>	1890, 314
<i>illudens</i>	1883, 208		1890, 317
	1883, 280	<i>Crenicichla saxatilis</i> ..	1887, 275
<i>inconspicua</i>	1883, 209	<i>Crenis occidentaliun</i> ..	1887, 569
	1883, 211	<i>ribbei</i>	1887, 570
	1883, 279	<i>vadimonis</i>	1887, 570
<i>kinbergii</i>	1883, 269	<i>Crepidodera acuminata</i>	1883, 722
<i>lapeyrousei</i>	1883, 259		1885, 754
<i>layardi</i>	1883, 279	<i>bimaculata</i>	1885, 723
<i>limnoria</i>	1883, 260		1885, 754
<i>lorquini</i>	1883, 279	<i>castanea</i>	1889, 274
<i>lugens</i>	1883, 259	<i>chloris</i>	1885, 724
<i>malayica</i>	1883, 269		1885, 754
<i>melancholica</i>	1883, 263	<i>exoleta</i>	1885, 722
<i>melina</i>	1883, 261	<i>ferruginea</i>	1885, 722
<i>modesta</i>	1883, 264	<i>hirtipennis</i>	1887, 90
<i>moorei</i>	1883, 267	<i>impressa</i>	1885, 721
<i>nox</i>	1883, 263	<i>interpunctata</i>	1885, 722
<i>oculta</i>	1883, 262	<i>japonica</i>	1885, 723

	Page		Page
<i>Crepidodera japonica</i> ..	1885, 754	<i>Cricetus</i> (<i>Rhipidomys</i>)	
<i>laevicollis</i>	1885, 722	<i>latimanus</i>	1888, 133
	1885, 723	(—) <i>leucodac-</i>	
	1885, 754	<i>tylus</i>	1888, 133
<i>lewisi</i>	1885, 721	(—) <i>mastacalis</i> ..	1888, 133
	1885, 722	(—) <i>sclateri</i>	1888, 133
	1885, 754	(—) <i>sumi-</i>	
<i>minuta</i>	1887, 90	<i>chrasti</i>	1888, 133
<i>obscuritarsis</i>	1885, 721	(<i>Thomasomys</i>)	
	1885, 754	<i>cinereus</i>	1888, 134
<i>parvula</i>	1885, 754	(<i>Vesperimus</i>) <i>leu-</i>	
<i>pleuralis</i>	1889, 274	<i>copus</i>	1888, 445
<i>recticollis</i>	1885, 721		1888, 447
	1885, 722	(—) <i>taylori</i>	1888, 446
	1885, 754	<i>Cricula trifenestrata</i> ..	1882, 459
<i>transversa</i>	1885, 721		1882, 548
<i>Crepidula fornicata</i>	1882, 680		1882, 633
<i>moulinsi</i>	1882, 680		1887, 51
<i>plana</i>	1882, 680		1888, 119
<i>spirata</i>	1882, 680		1889, 86
<i>unguiformis</i>	1882, 680		1890, 94
<i>Crepipatella dilatata</i> ..	1881, 32	<i>Crinia varia</i>	1888, 170
<i>pallida</i>	1881, 32	<i>victoriana</i>	1890, 325
<i>Creurgops verticalis</i> ..	1885, 81	<i>Criniger chloris</i>	1885, 572
<i>Crex suahelensis</i>	1882, 93	<i>frater</i>	1889, 226
<i>Cribrella minuta</i>	1882, 122	<i>gutturalis</i>	1881, 797
	1882, 124		1885, 412
<i>Cribrillina radiata</i>	1881, 47		1888, 272
<i>Cricetodipus flavus</i>	1886, 447	<i>palawanensis</i>	1889, 226
	1888, 448	<i>phæocephalus</i>	1881, 797
	1888, 449		1888, 413
<i>parvus</i>	1888, 450	<i>strepitans</i>	1881, 575
<i>Cricetomys gambianus</i> ..	1888, 10		1888, 24
	1888, 16	<i>verreauxi</i>	1888, 24
	1888, 480	<i>Crinodes sommeri</i>	1888, 645
<i>Cricetulus phæus</i>	1888, 133	<i>Criocephalus rusticus</i> ..	1888, 378
<i>Cricetus aureolus</i>	1888, 133	<i>Crioceris chinensis</i>	1888, 340
<i>aztecus</i>	1888, 133	12-punctata	1885, 195
<i>californicus</i>	1888, 133	<i>lateritia</i>	1885, 753
<i>cinereus</i>	1888, 134	<i>lewisi</i>	1885, 194
<i>frumentarius</i>	1888, 135		1885, 211
<i>fulvus</i>	1881, 205		1885, 753
<i>isabellinus</i>	1881, 205	<i>orientalis</i>	1885, 195
<i>leucogaster</i>	1888, 133		1885, 753
<i>leucopus</i>	1888, 133	<i>parvicollis</i>	1885, 753
<i>longicaudatus</i>	1888, 133	14-punctata	1885, 753
	1888, 134	<i>rugata</i>	1885, 753
<i>mexicanus</i>	1888, 138		1888, 340
<i>michiganensis</i>	1888, 133	<i>semipunctata</i>	1887, 68
<i>mongolicus</i>	1888, 134	<i>subpolita</i>	1885, 753
<i>obscurus</i>	1888, 134	<i>tripagiata</i>	1888, 340
<i>palustris</i>	1888, 133	<i>Criserpia dichotoma</i> ..	1881, 59
<i>phæus</i>	1881, 205	<i>Crithagra barbata</i>	1888, 37
<i>taylori</i>	1888, 133	<i>burtoni</i>	1887, 126
<i>torridus</i>	1888, 133	<i>butyracea</i>	1881, 589
<i>truei</i>	1888, 133		1881, 590
(<i>Onochymys</i>) <i>leuco-</i>		<i>chrysopyga</i>	1881, 589
<i>gaster</i>	1888, 445		1881, 590

	Page		Page
<i>Crithagra striolatus</i>	1889, 367	<i>Crossarchus gambianus</i> .	1882, 91
<i>Crocallis angularia</i>	1889, 423		1882, 181
<i>bilinearis</i>	1889, 423	<i>obscurus</i>	1882, 73
<i>Crocidura aranea</i>	1885, 324		1882, 86
	1887, 575		1882, 87
	1887, 576		1882, 88
<i>cærulescens</i>	1883, 346		1882, 91
	1887, 576		1882, 181
<i>doriana</i>	1888, 7		1882, 182
<i>etrusca</i>	1887, 577		1882, 183
<i>fuliginosa</i>	1889, 230		1882, 463
—, var. <i>trichura</i>	1888, 517		1882, 486
	1888, 532		1882, 487
<i>lasiura</i>	1887, 581		1882, 489
<i>morio</i>	1887, 576		1882, 490
<i>murina</i>	1886, 73		1882, 491
(<i>Crocidura</i>) sp.	1889, 230		1888, 7
<i>Crocisa cæruleifrons</i>	1883, 343		1888, 16
<i>nitidula</i>	1883, 344	<i>typicus</i>	1882, 87
<i>Crocodylus acutus</i>	1885, 839	<i>zebra</i>	1882, 61
	1885, 840		1882, 86
	1890, 213		1882, 87
<i>americanus</i>	1888, 439		1882, 88
<i>niloticus</i>	1888, 439		1882, 89
<i>porosus</i>	1888, 88		1882, 90
	1888, 90		1882, 91
	1890, 33		1882, 181
<i>Crocothemis erythraea</i>	1886, 328		1888, 6
<i>reticulata</i>	1886, 328		1888, 16
	1886, 329	<i>Crossleyia xanthophrys</i> .	1881, 196
<i>soror</i>	1886, 328		1881, 197
<i>Croesus septentrionalis</i>	1887, 196	<i>Crossobamon evermanni</i>	1890, 77
	1887, 204	<i>Crossochilus oblongus</i>	1890, 39
	1887, 206	<i>Crossoptilon auritum</i>	1885, 431
	1887, 225	<i>Crossopus fodiens</i>	1885, 846
	1887, 273		1890, 51
	1887, 274	<i>Crotalus confluentus</i>	1882, 720
<i>Cromileptes altivelis</i>	1888, 258	<i>Crotaphytus collaris</i>	1890, 220
<i>Cropera testacea</i>	1888, 83		1890, 233
<i>Crossarchus fasciatus</i>	1882, 60		1890, 234
	1882, 86	<i>Crotchia vagabunda</i>	1887, 362
	1882, 87	<i>Crotophaga ani</i>	1882, 619
	1882, 88		1885, 108
	1882, 89		1885, 114
	1882, 90		1885, 170
	1882, 91		1885, 173
	1882, 181		1885, 181
	1882, 182		1886, 489
	1882, 183		1889, 395
	1882, 487	<i>—</i>	1889, 395
	1886, 56	<i>sulcirostris</i>	1883, 426
	1887, 633		1883, 454
	1887, 635		1885, 108
	1888, 6		1885, 118
<i>gambianus</i>	1882, 86		1886, 489
	1882, 87	<i>Cryptacrus comes</i>	1890, 474
	1882, 88	<i>novemmaculatus</i>	1890, 474
	1882, 89	<i>Cryptaxis crebri-</i>	
		<i>punctatus</i>	1883, 393

	Page		Page
<i>Cryptaxis crebri-</i>		<i>Cryptocephalus signati-</i>	
<i>punctatus</i>	1883, 398	<i>ceps</i>	1885, 202
	1883, 399		1885, 753
<i>Crypticus quisqui-</i>		<i>tessellatus</i>	1885, 201
<i>lius</i>	1881, 477	<i>tetradecaspilotus</i> ..	1885, 753
<i>Cryptobranchus japon-</i>		<i>tetrathyrus</i>	1885, 202
<i>icus</i>	1888, 434	<i>transversalis</i>	1885, 202
<i>Cryptocephalus amatus</i> .	1885, 753	<i>3-fasciata</i>	1885, 753
<i>amiculus</i>	1885, 753	<i>Cryptodon</i> , sp.	1890, 322
<i>anceps</i>	1889, 266	<i>obesus</i>	1881, 702
<i>approximatus</i>	1885, 753	<i>Cryptodrilus fletcheri</i> ..	1887, 544
<i>atomaroides</i>	1889, 266		1887, 545
<i>auratus</i>	1889, 266		1887, 546
<i>bilineatus</i>	1885, 201		1887, 547
<i>boehmi</i>	1885, 201	<i>rusticus</i>	1887, 544
<i>chinensis</i>	1888, 341		1887, 545
<i>convexus</i>	1885, 201		1887, 546
<i>crucipennis</i>	1888, 341		1887, 547
<i>decorus</i>	1889, 266	<i>saccarius</i>	1887, 545
<i>difformis</i>	1885, 201	<i>Cryptolechia straminella</i>	1885, 884
	1885, 211	<i>tentoriferella</i>	1881, 312
	1885, 753	<i>Cryptolopha davisoni</i> ..	1888, 271
<i>discretus</i>	1885, 753	<i>montis</i>	1888, 271
<i>fortunatus</i>	1885, 753		1889, 226
<i>fulcratus</i>	1885, 203	<i>trivirgata</i>	1887, 435
	1885, 753		1888, 271
<i>instabilis</i>	1885, 753	<i>umbrovirens</i>	1889, 360
<i>japanus</i>	1885, 753	<i>Cryptophractus pilosus</i> .	1886, 420
<i>lateralis</i>	1885, 200	<i>Cryptopora gnomon</i> ..	1886, 182
<i>limbatipennis</i>	1885, 199	<i>Cryptoprocta ferox</i> . . .	1889, 261
	1885, 200		1890, 647
	1885, 753	<i>Cryptops hortensis</i> . . .	1888, 556
<i>limbellus</i>	1885, 200	<i>inermipes</i>	1888, 556
<i>liothorax</i>	1885, 202	<i>Cryptopsophis multipli-</i>	
	1885, 753	<i>catus</i>	1886, 414
<i>luridipennis</i>	1885, 202	<i>Cryptopterus mononema</i>	1890, 38
<i>mannerheimi</i>	1885, 753	<i>Cryptosoma præstans</i> ..	1888, 241
<i>minutus</i>	1885, 201	<i>Crypturus</i> , sp.	1883, 577
<i>multiplex</i>	1885, 202		1885, 120
	1885, 753		1885, 121
<i>nigrofasciatus</i>	1885, 200	<i>aspersus</i>	1882, 374
	1885, 201		1882, 375
	1885, 753	<i>balstoni</i>	1882, 374
<i>nobilis</i>	1885, 203	<i>bartletti</i>	1882, 375
	1885, 211	<i>cinereus</i>	1882, 629
	1885, 753	<i>obsoletus</i>	1882, 49
<i>obfuscatus</i>	1889, 266	<i>parvirostris</i>	1885, 120
<i>partitus</i>	1885, 200	<i>pileatus</i>	1885, 113
	1885, 211	<i>sallæi</i>	1883, 434
	1885, 753		1883, 462
<i>perelegans</i>	1885, 753	<i>tataupa</i>	1882, 629
<i>permolestus</i>	1885, 753	<i>transfasciatus</i>	1884, 282
<i>pilosus</i>	1885, 753		1884, 312
<i>pini</i>	1885, 202		1885, 121
<i>regalis</i>	1885, 753	<i>vermiculatus</i>	1882, 375
<i>scitulus</i>	1885, 753	<i>Ctenodactylus vulgaris</i> .	1881, 747
<i>sexpunctatus</i>	1885, 203	<i>Ctenodiscus cristatus</i> ..	1881, 495
	1885, 753	<i>Ctenodrilus monostylos</i> .	1889, 55

	Page		Page
<i>Ctenodrilus pardalis</i> ..	1889, 55	<i>Cucumaria versicolor</i> ..	1887, 532
<i>parvulus</i>	1889, 55	<i>Culasta indecisa</i>	1881, 377
<i>Ctenomys magellanicus</i> .	1881, 6		1885, 301
<i>minutus</i>	1889, 199	<i>Culcita</i> , sp.	1887, 140
<i>Ctenosaura erythromelas</i>	1886, 241		1887, 142
	1886, 266	<i>grex</i>	1887, 140
<i>Ctypolhippus arenivolans</i>	1881, 85		1887, 142
<i>Cucullia albescens</i>	1881, 357		1888, 388
<i>asteris</i>	1889, 538	<i>novæ-guineæ</i>	1888, 388
<i>atkinsoni</i>	1881, 357	<i>schmideliana</i>	1887, 140
<i>fraterna</i>	1889, 538		1887, 141
<i>perforata</i>	1889, 538		1888, 388
<i>verbosci</i>	1887, 195	<i>Culicicapa ceylonensis</i> ..	1888, 271
	1887, 202		1889, 224
	1887, 235	<i>panayensis</i>	1889, 225
	1887, 237	<i>Culicivora stenura</i>	1882, 605
	1887, 238	<i>Cultellus cultellatus</i> ..	1881, 928
	1887, 252	<i>suttonensis</i>	1881, 928
	1887, 252	<i>Cuma carinifera</i>	1890, 264
<i>Cuculus canoroides</i>	1885, 565	<i>Cuncuma leucogaster</i> ..	1882, 698
	1885, 624		1882, 699
<i>canorus</i>	1882, 309		1884, 431
	1885, 170		1885, 545
	1885, 174		1885, 562
	1885, 182	(<i>Haliaetus</i>) <i>leuco-</i>	
	1885, 551	<i>gaster</i>	1884, 426
	1886, 196	<i>Cuneus vittatus</i>	1881, 723
	1886, 467	<i>Cuon dukhunensis</i>	1890, 89
	1886, 471	<i>primævus</i>	1881, 202
	1889, 175	<i>Cupido ariana</i>	1886, 368
	1889, 181	<i>cassius</i>	1890, 576
	1889, 187	<i>monops</i>	1890, 576
	1889, 225	<i>nazira</i>	1886, 368
— <i>telephonus</i>	1887, 607	<i>Curæus aterrimus</i>	1881, 7
	1888, 466		1883, 423
<i>clamosus</i>	1888, 42	<i>Curetis acuta</i>	1881, 865
<i>cupreus</i>	1888, 42		1881, 882
<i>fucatus</i>	1885, 248		1887, 401
<i>gularis</i>	1888, 42		1887, 410
<i>heuglini</i>	1882, 310	<i>angulata</i>	1883, 522
<i>indicus</i>	1888, 466		1883, 535
<i>poliocephalus</i>	1881, 593	<i>arcuata</i>	1883, 523
<i>solitarius</i>	1882, 310		1883, 535
<i>sonnerati</i>	1889, 226	<i>bulis</i>	1883, 522
<i>validus</i>	1888, 42	<i>dentata</i>	1882, 244
<i>viridis</i>	1885, 257	<i>gloriosa</i>	1883, 522
<i>Cucumaria assimilis</i> ..	1888, 389		1883, 535
<i>bicolor</i>	1887, 532	<i>phædrus</i>	1881, 605
	1887, 534	<i>tethys</i>	1883, 523
<i>culcigera</i>	1883, 59	<i>truncata</i>	1881, 865
<i>forbesi</i>	1888, 389		1881, 882
<i>frondosa</i>	1884, 254	(<i>Anops</i>) <i>bulis</i>	1881, 882
<i>inconspicua</i>	1887, 532	<i>Curimatus dobula</i>	1887, 279
	1887, 534	<i>nasus</i>	1887, 279
<i>niger</i>	1884, 373	<i>Curruca abyssinica</i>	1884, 231
<i>sancti-johannis</i>	1887, 531	<i>Cursorius cinctus</i>	1889, 371
	1887, 534	<i>gallicus</i>	1881, 173
<i>semperi</i>	1889, 7		1881, 644

	Page		Page
Cursorius senegalensis..	1881, 598	Cyaniris rollari.....	1886, 367
Curubasa calamaria....	1881, 367	sikkima.....	1883, 524
cruentata.....	1885, 449	transpectus.....	1883, 535
lanceolata.....	1881, 367	vardhana.....	1883, 523
marginata.....	1888, 310		1886, 367
Cuscus maculatus.....	1881, 366	Cyanissa maia.....	1886, 297
orientalis.....	1881, 185	Cyanocitta crassirostris.	1883, 446
Cutia cervinicrossa.....	1881, 188	joliaea.....	1882, 17
nipalensis.....	1887, 327	melanocyanea....	1883, 446
Cuvieria antarctica.....	1888, 248	pulchra.....	1885, 116
carisochroma.....	1888, 276	stelleri.....	1883, 423
Cyamium minutum....	1888, 276	turcosa.....	1884, 294
Cyamus thompsoni....	1881, 100	yucatanica.....	1885, 86
Cyanalcyon diops.....	1882, 642	Cyanocorax caeruleus ..	1883, 434
lazuli.....	1882, 643	incas.....	1883, 446
leucopygia.....	1881, 699	luxuosus.....	1885, 86
Cyanauges gorhami....	1882, 730	mystacalis.....	1883, 447
nigropiceus.....	1885, 568	pileatus.....	1883, 423
plagiatus.....	1882, 704	turcosa.....	1885, 117
quadra.....	1888, 193	Cyanoderma bicolor ..	1885, 122
Cyane decipiens.....	1887, 642	chrysaea.....	1882, 602
Cyanea anaskala.....	1887, 651	erythropterum....	1884, 283
Cyanicterus venustus ..	1887, 653	Cyanomyia cyanicollis..	1881, 797
Cyaniris albidisca.....	1887, 653	ramsayi.....	1887, 440
coelestina.....	1887, 642	Cyanoptila cyanomelæna	1881, 797
huegelii.....	1887, 650	cyanus.....	1885, 413
jynteana.....	1887, 650	Cyanomyias caelestis ..	1882, 39
kasmira.....	1887, 653	Cyanopolius cooki.....	1882, 342
latimargo.....	1888, 604	cyanus.....	1885, 3
lavendularis.....	1889, 585	cyanus.....	1887, 2
levettii.....	1881, 213	Cyanops ooti.....	1887, 605
marginata.....	1883, 524	ramsayi.....	1888, 465
placida.....	1883, 535	Cyanops ooti.....	1887, 442
pseudargiolus.....	1883, 535	ramsayi.....	1887, 442
puspa.....	1883, 523	Cyanoptila cyanomelæna	1887, 605
	1883, 524	zealandiae.....	1888, 465
		zelandiae.....	1882, 630
		Cyanospiza ciris.....	1883, 444
		cyanea.....	1883, 444
		leclancheri.....	1883, 421
		Cyanotis azarae.....	1883, 38
		zealandiae.....	1883, 423
		Cyanura stelleri.....	1883, 423
		Cybdelis bechina.....	1883, 423
		caelina.....	1890, 561
		caresa.....	1890, 561
		margarita.....	1890, 561
		viola.....	1890, 561
		Cybernetes yetapa.....	1882, 604
		Cybister africanus.....	1881, 470
		Cybium commersonii ..	1887, 662
		lineolatum.....	1889, 240
		Cycethra simplex.....	1881, 96
			1881, 140

	Page		Page
<i>Cyclas ferruginea</i>	1882,	<i>Cyclopsittacus dioph-</i>	
<i>Cyclemys amboinensis</i> ..	1890,	<i>thalmus</i>	1885,
<i>Cyclobatis oligodactylus</i>	1888,	<i>occidentalis</i>	1885,
	1888,	<i>occipitalis</i>	1885,
<i>Cyclodus boddaerti</i>	1890,	<i>Cyclorhis contrerasi</i>	1882,
<i>gigas</i>	1888,	<i>flaviventris</i>	1883,
	1888,	<i>virenticeps</i>	1883,
<i>Cyclopelta tristis</i>	1890,		1885,
<i>Cyclophorus</i> , sp.	1888,	<i>viridis</i>	1882,
<i>amboinensis</i>	1889,	<i>Cyclosia ochrea</i>	1890,
<i>amethystinus</i>	1883,		1890,
<i>bellulus</i>	1889,	<i>panthona</i>	1890,
<i>borneensis</i>	1889,	<i>Cyclostoma albicans</i> ..	1881,
	1889,		1881,
	1889,	<i>anostoma</i>	1889,
<i>cochranei</i>	1889,	<i>betsileoense</i>	1882,
—, var. <i>ochraceus</i> ..	1889,		1882,
<i>confluens</i>	1889,	<i>bicolor</i>	1889,
<i>crassalabella</i>	1888,	<i>birostre</i>	1889,
<i>exaltatus</i>	1887,	<i>borneensis</i>	1889,
<i>excellens</i>	1888,	<i>congener</i>	1882,
<i>eximius</i>	1881,		1882,
<i>fulguratus</i>	1888,	<i>consanguineum</i>	1882,
<i>hildebrandti</i>	1881,		1882,
<i>ibyatensis</i>	1887,	<i>delicatum</i>	1885,
<i>magilensis</i>	1881,	<i>diatretum</i>	1887,
<i>metcalfei</i>	1889,	<i>fulvifrons</i>	1882,
<i>niahensis</i>	1889,	<i>goudotianum</i>	1881,
	1889,	<i>gratum</i>	1881,
<i>phlegethon</i>	1889,	<i>hanningtoni</i>	1889,
<i>planorbulus</i>	1881,		1889,
<i>talboti</i>	1889,	<i>infans</i>	1884,
<i>tenebricosus</i>	1889,		1884,
<i>triliratus</i>	1889,		1885,
<i>tuba</i>	1881,	<i>insulare</i>	1881,
<i>turgidus</i>	1887,		1881,
<i>wahlbergi</i>	1881,		1881,
(<i>Ostodes</i>) <i>diatretus</i> ,			1882,
var. <i>intercostata</i> ..	1887,		1889,
<i>Cyclopides callicles</i>	1885,	<i>johnsoni</i>	1882,
<i>cheles</i>	1885,		1882,
	1885,	<i>kraussianum</i>	1881,
<i>maro</i>	1881,	<i>leferi</i>	1889,
<i>mene</i>	1885,	<i>ligatum</i>	1881,
<i>morpheus</i>	1881,	<i>lineatum</i>	1881,
	1881,		1882,
	1887,	<i>macareæ</i>	1882,
	1887,	<i>madagascariense</i> ..	1882,
<i>ornatus</i>	1881,	<i>naticoides</i>	1881,
	1881,	<i>obsoletum</i>	1882,
	1887,		1882,
	1887,	<i>parvum</i>	1887,
<i>unicolor</i>	1881,	<i>pellucida</i>	1885,
<i>Cyclops australis</i>	1886,	<i>pertusum</i>	1889,
<i>finmarchicus</i>	1886,	<i>ptero-cycloides</i>	1889,
<i>Cyclopsittacus aruensis</i> .	1885,	<i>pulchellum</i>	1882,
<i>blythi</i>	1885,	<i>pygmeum</i>	1884,
<i>desmaresti</i>	1885.	<i>quadrifilum</i>	1889,

	Page		Page
<i>Cyclostoma roseum</i>	1887, 309	<i>Cyclotus amboinensis</i> ..	1889, 344
<i>rostellatum</i>	1889, 341	<i>angulatus</i>	1889, 345
<i>sarcodes</i>	1882, 379	<i>boxalli</i>	1889, 343
<i>secfilabrum</i>	1889, 352		1889, 355
<i>spiniferum</i>	1889, 341	<i>diatretus</i>	1887, 305
<i>spiracellum</i>	1889, 346	<i>latistrigus</i>	1889, 341
<i>subinvolutus</i>	1889, 334	<i>linitus</i>	1889, 345
<i>taylorianum</i>	1889, 341		1889, 355
<i>tenebricosus</i>	1889, 334	<i>poirierii</i>	1884, 266
<i>tenuilabiatus</i>	1889, 339	<i>ptychoraphe</i>	1889, 345
<i>triliratum</i>	1880, 345	<i>triliratus</i>	1889, 345
<i>triste</i>	1885, 596	<i>trusanensis</i>	1889, 344
<i>undatum</i>	1889, 337		1889, 355
<i>unicarinatum</i>	1882, 378	<i>Cyclura nubia</i>	1888, 100
(<i>Adelostoma</i>) <i>triste</i>	1885, 596	<i>quinque-carinata</i> ..	1890, 239
(<i>Leptopoma</i>) <i>bar-</i>		<i>Cyenia testacea</i>	1883, 156
<i>batum</i>	1889, 339		1885, 299
(—) <i>sericatum</i> ..	1889, 336		1886, 437
(—) <i>signatum</i> ..	1889, 336	<i>Cyenus togarna</i>	1890, 575
(<i>Lithidion</i>) <i>lithi-</i>		<i>Cydalima conchylalis</i> ..	1885, 871
<i>dion</i>	1881, 257	<i>submarginalis</i>	1885, 871
(<i>Opisthoporus</i>) <i>eu-</i>		<i>Cydosia nobililella</i>	1884, 326
<i>ryomphalus</i>	1889, 341	<i>Cygnopsis cygnoides</i> ..	1888, 460
(<i>Pterocyclos</i>) <i>char-</i>		<i>Cygnus americanus</i>	1882, 352
<i>bonnieri</i>	1889, 341	<i>atratus</i>	1882, 352
<i>Cyclostrema affine</i>	1883, 92	<i>bewicki</i>	1882, 352
	1883, 115		1887, 589
<i>areolatum</i>	1883, 90		1887, 590
<i>basistriatum</i>	1883, 89		1887, 591
	1883, 90	<i>buccinator</i>	1882, 352
<i>bithynoides</i>	1883, 93	<i>coscoroba</i>	1882, 352
	1883, 115		1887, 590
	1884, 148		1887, 591
<i>curvistriatum</i>	1883, 90	<i>dauidi</i>	1887, 580
<i>cutlerianum</i>	1883, 91		1887, 589
<i>granulata</i>	1890, 311		1887, 590
<i>laevigatum</i>	1883, 89		1887, 591
<i>nitens</i>	1883, 91	<i>falconeri</i>	1890, 404
<i>peterseni</i>	1883, 91		1890, 409
<i>profundum</i>	1883, 91		1890, 410
<i>rugulosum</i>	1883, 90	<i>ferus</i>	1882, 352
<i>sculptum</i>	1883, 90	<i>immutabilis</i>	1882, 352
<i>serpuloides</i>	1883, 90	<i>minor</i>	1887, 589
<i>simile</i>	1883, 92	<i>musicus</i>	1888, 460
	1883, 93	<i>nigricollis</i>	1881, 14
	1883, 115		1882, 352
<i>spheroides</i>	1883, 93		1884, 390
	1884, 148	<i>olor</i>	1882, 352
<i>tenerum</i>	1883, 91		1887, 591
	1883, 115		1887, 592
<i>trochoides</i>	1883, 91		1888, 458
	1883, 92		1890, 410
	1884, 148	<i>sibilus</i>	1887, 591
<i>valvatoides</i>	1883, 92	(<i>Coscoroba</i>) <i>dauidi</i>	1887, 589
	1883, 115	<i>Cylichna alba</i>	1883, 392
<i>Cyclotopsis ornatus</i>	1881, 257		1883, 393
	1881, 258	<i>atlantica</i>	1890, 253
<i>semistriatus</i>	1881, 252		1890, 297

	Page		Page
<i>Cylichna atlantica</i>	1890, 316	<i>Cymochorea markhami</i>	1883, 430
<i>bidentata</i>	1890, 253	<i>melania</i>	1890, 376
<i>cylindracea</i>	1890, 297	<i>abyssorum</i>	1883, 430
<i>ovata</i>	1890, 253	<i>darwinii</i>	1883, 431
<i>parvula</i>	1890, 297	<i>Cymodocea</i>	1886, 114
<i>remissa</i>	1890, 321	<i>darwinii</i>	1881, 79
<i>Cylogramma latona</i>	1883, 393	<i>Cymones cowani</i>	1886, 158
	1883, 398	<i>helopioides</i>	1886, 163
	1890, 312	<i>sharpi</i>	1886, 158
	1890, 317	<i>sharpi</i>	1886, 163
	1884, 498	<i>sharpi</i>	1886, 157
	1887, 574	<i>sharpi</i>	1886, 158
	1888, 85	<i>sharpi</i>	1886, 163
<i>Cylindrodesmus hir-</i>		<i>Cymothoë bonnyi</i>	1890, 470
<i>sutus</i>	1888, 558	<i>cænis</i>	1890, 471
<i>Cylindrophis lineatus</i>	1881, 215	<i>coccinata</i>	1888, 61
<i>maculatus</i>	1881, 217	<i>egesta</i>	1887, 568
<i>melanonotus</i>	1881, 218	<i>fumana</i>	1890, 471
<i>rufus</i>	1881, 227	<i>herminia</i>	1887, 568
	1881, 218	<i>hypatha</i>	1890, 471
	1881, 215	<i>iodutta</i>	1890, 471
	1881, 218	<i>ochreata</i>	1890, 471
	1890, 34	<i>sangaris</i>	1887, 568
<i>Cylindrorrhinus angula-</i>		<i>sangaris</i>	1890, 471
<i>tus</i>	1881, 82	<i>theobena</i>	1890, 471
<i>Cylogenes janetæ</i>	1887, 453	<i>theodota</i>	1887, 568
<i>suradeva</i>	1887, 454	<i>uselda</i>	1890, 471
<i>Cymatophora albicos-</i>		<i>westermanni</i>	1887, 568
<i>tata</i>	1887, 454	<i>westermanni</i>	1890, 471
<i>ampliata</i>	1888, 652	<i>Cynælurus jubatus</i>	1886, 1
<i>angustata</i>	1888, 652	<i>Cynanthus cyanurus</i>	1884, 282
<i>arctipennis</i>	1888, 652	— <i>cœlestis</i>	1885, 69
<i>argenteopicta</i>	1888, 653	<i>griseiventris</i>	1883, 567
<i>duplaris</i>	1888, 652	<i>mocoa</i>	1884, 305
<i>maxima</i>	1888, 653	<i>mocoa</i>	1883, 72
<i>mirabilis</i>	1888, 655	<i>mocoa</i>	1885, 69
<i>octogesima</i>	1888, 651	<i>mocoa</i>	1885, 103
<i>ocularis</i>	1888, 652	<i>Cynestis thyodamas</i>	1887, 402
<i>or</i>	1888, 653	<i>thyodamas</i>	1887, 419
<i>plumbea</i>	1888, 652	<i>Cynictis leptura</i>	1882, 83
<i>punctigera</i>	1888, 652	<i>melanura</i>	1882, 84
<i>retusa</i>	1888, 652	<i>melanura</i>	1882, 61
<i>ruficollis</i>	1889, 576	<i>ogilbii</i>	1882, 68
<i>tristis</i>	1888, 653	<i>ogilbii</i>	1882, 83
	1888, 652	<i>penicillata</i>	1882, 84
	1888, 655	<i>penicillata</i>	1882, 82
<i>Cymborhynchus macro-</i>		<i>penicillata</i>	1882, 83
<i>rhynchus</i>	1881, 798	<i>penicillata</i>	1882, 84
	1885, 408	<i>steedmanni</i>	1882, 83
<i>Cymochorea cryptoleu-</i>		<i>typicus</i>	1882, 83
<i>cura</i>	1883, 431	<i>Cynocephalus hama-</i>	
<i>leucorrhœa</i>	1881, 736	<i>dryas</i>	1887, 622
	1883, 431	<i>leucophæus</i>	1887, 624
	1890, 375	<i>Cynodraco major</i>	1889, 576
	1890, 376	<i>Cynonycteris brachyotis</i>	1887, 323
		<i>brachyotis</i>	1887, 327
		<i>brachyotis</i>	1888, 475

	Page		Page
<i>Cynonycteris brachyotis</i>	1888, 483	<i>Cypræa pyriformis</i>	1888, 208
	1888, 484	<i>smithi</i>	1881, 638
<i>Cynopotamus humeralis</i>	1887, 282	<i>spurca</i>	1890, 252
<i>Cynopterus ecaudatus</i>	1889, 229		1890, 283
<i>lucasi</i>	1889, 229	<i>testudinaria</i>	1890, 319
<i>marginatus</i>	1886, 73	<i>thersites</i>	1890, 249
<i>Cynthia asela</i>	1889, 396	<i>turdus</i>	1881, 558
	1889, 397		1890, 283
<i>erota</i>	1889, 396	<i>Cypricardia caillati</i>	1881, 950
	1889, 397	<i>lithophagella</i>	1881, 952
<i>saloma</i>	1889, 396		1882, 683
<i>Cyon alpinus</i>	1881, 202	<i>Cypridopsis funebris</i>	1886, 84
	1890, 88		1886, 91
	1890, 89		1886, 93
	1890, 90	<i>minna</i>	1886, 84
	1890, 92		1886, 91
<i>dukhunensis</i>	1890, 89		1886, 93
<i>javanicus</i>	1890, 89	<i>Cyprina islandica</i>	1881, 710
	1890, 91		1881, 716
	1890, 92	<i>montagui</i>	1881, 712
	1890, 377	<i>Cyprinodon dispar</i>	1887, 666
<i>primævus</i>	1881, 202	<i>Cypris bennelong</i>	1886, 84
<i>rutilans</i>	1890, 89	<i>brasiliensis</i>	1886, 90
<i>sumatrensis</i>	1890, 89	<i>candonoides</i>	1886, 84
<i>Cyornis albo-olivacea</i>	1886, 354	<i>carinata</i>	1886, 84
<i>banyumas</i>	1881, 794	<i>clarkii</i>	1886, 84
	1885, 260	<i>frengensis</i>	1886, 89
<i>philippensis</i>	1885, 250	<i>incongruens</i>	1886, 89
	1885, 260	<i>lateraria</i>	1886, 84
<i>poliogenys</i>	1886, 354	<i>minna</i>	1886, 84
<i>Cyphogastra anguli-</i>			1886, 91
<i>collis</i>	1884, 213	<i>mytiloides</i>	1886, 84
	1884, 215		1886, 89
<i>splendens</i>	1884, 213		1886, 93
	1884, 215	<i>prasina</i>	1886, 89
	1884, 219	<i>scottii</i>	1886, 84
<i>Cyphon patagonica</i>	1881, 82	<i>stanleyana</i>	1886, 84
<i>Cyphorhinus modulator</i>	1882, 6		1886, 89
<i>phæocephalus</i>	1883, 539		1886, 93
	1885, 68	<i>stobarti</i>	1886, 84
	1885, 120	<i>sydneia</i>	1886, 84
<i>salvini</i>	1882, 6	<i>tatei</i>	1886, 84
<i>thoracicus</i>	1885, 71		1886, 89
— <i>dichrous</i>	1885, 68		1886, 93
	1885, 71	<i>varrovillia</i>	1886, 84
	1885, 120	<i>viridula</i>	1886, 84
<i>Cypra crocipes</i>	1887, 673		1886, 88
<i>nyses</i>	1887, 673		1886, 89
<i>Cypræa arabica</i>	1890, 249		1886, 93
<i>decipiens</i>	1881, 558	<i>Cypselus affinis</i>	1889, 359
<i>fimbriata</i>	1881, 638	<i>andicola</i>	1885, 279
<i>hungerfordi</i>	1888, 208	<i>apus</i>	1885, 898
<i>lurida</i>	1890, 251		1885, 899
	1890, 282		1885, 913
	1890, 319		1886, 187
<i>macula</i>	1881, 638		1887, 163
<i>moneta</i>	1890, 249		1889, 178
<i>pyriformis</i>	1881, 638		1889, 182

	Page		Page
<i>Cypselus caffer</i>	1882, 688	<i>Dabarita icterica</i>	1886, 439
	1889, 359		1886, 465
<i>comatus</i>	1885, 256	<i>Dacnidea albiventris</i> ..	1882, 15
<i>horus</i>	1889, 359	<i>leucogastra</i>	1882, 15
<i>melanoleucus</i>	1887, 163	<i>Dacnis cayana</i>	1882, 9
<i>melba</i>	1889, 359	<i>egregia æquatoria-</i>	
<i>montivagus</i>	1882, 40	<i>lis</i>	1883, 543
<i>sharpii</i>	1882, 688		1885, 121
	1889, 359	<i>modesta</i>	1882, 9
<i>Cyrena pusilla</i>	1888, 55	<i>pulcherrima aurei-</i>	
<i>radiata</i>	1881, 295	<i>nucha</i>	1885, 76
	1888, 55	<i>xanthophthalma</i> ..	1882, 9
(<i>Corbicula</i>) <i>radiata</i> .	1881, 295	<i>Dacrydium vitreum</i>	1881, 950
<i>Cyrestis ganescha</i>	1886, 363		1882, 683
<i>lutea</i>	1886, 363		1883, 393
<i>nivea</i>	1886, 363		1884, 143
<i>thyodamas</i>	1882, 240	<i>Dactylethra capensis</i> ..	1888, 434
	1886, 363	<i>Dactylopterus orientalis</i> .	1889, 240
<i>Cyrsillus drassiformis</i> ..	1883, 358	<i>Dadica lineosa</i>	1881, 349
	1883, 360		1889, 493
	1883, 364	<i>palpalis</i>	1889, 493
	1883, 365	<i>Dafila acuta</i>	1886, 80
<i>Cyrtacanthacris dispar-</i>			1888, 460
<i>ilis</i>	1888, 549	<i>bahamensis</i>	1883, 428
<i>fusilinea</i>	1888, 549		1886, 80
<i>melanocerus</i>	1888, 550	<i>modesta</i>	1886, 79
<i>nigricorne</i>	1888, 550	<i>oxyura</i>	1882, 47
<i>Cyrtanotus nitens</i>	1888, 370	<i>spinicauda</i>	1881, 14
<i>Cyrtostomus frenatus</i> ..	1882, 708		1883, 42
	1885, 572		1886, 80
	1885, 639		1886, 402
	1888, 197	<i>Dahira rubiginosa</i>	1888, 391
<i>zenobia</i>	1882, 708	<i>Daimio felderi</i>	1881, 911
<i>Cystidia stratonice</i>	1888, 614		1887, 428
<i>Cystignathus bibronii</i> ..	1881, 18	<i>tethys</i>	1881, 869
<i>macrodactylus</i>	1881, 18		1881, 911
<i>Cystophora cristata</i> ..	1881, 154		1887, 403
	1881, 158		1887, 428
	1881, 159	<i>Dalcera abrasa</i>	1890, 505
	1885, 491	<i>ampela</i>	1890, 505
	1885, 499		1890, 506
<i>proboscidea</i>	1885, 492	<i>laxta</i>	1890, 506
<i>Cystosoma saundersii</i> ..	1882, 132	<i>libernia</i>	1890, 505
	1882, 133	<i>Dalchina cloanthus</i>	1882, 257
<i>schmeltzi</i>	1882, 132	<i>sarpedon</i>	1882, 257
	1882, 134	<i>Dalsira affinis</i>	1884, 461
<i>Cytherea guttata</i>	1888, 213	<i>modesta</i>	1884, 461
<i>lunaris</i>	1881, 714	<i>Damaeus bicostatus</i>	1890, 417
<i>multilamella</i>	1881, 715	<i>clavipes</i>	1890, 417
<i>rudis</i>	1890, 301	<i>femoratus</i>	1890, 417
(<i>Caryatis</i>) <i>hunger-</i>		<i>flagellifer</i>	1890, 417
<i>fordi</i>	1888, 212		1890, 422
	1888, 213		1890, 425
(—) <i>isocardia</i> ..	1888, 213	<i>globipes</i>	1890, 417
(—) <i>rudis</i>	1890, 253	<i>patelloides</i>	1890, 416
	1890, 301		1890, 417
<i>Cytheridea perforata</i> ..	1887, 541		1890, 420
			1890, 425

	Page		Page
<i>Damæus phalangioides</i> .	1890, 416	<i>Danais berenice</i>	1883, 235
	1890, 417	<i>brasiliensis</i>	1883, 235
	1890, 421	<i>cecilia</i>	1883, 243
	1890, 425	<i>ceylanica</i>	1883, 248
<i>troisii</i>	1890, 417	<i>chinensis</i>	1883, 223
<i>Damalis alciphron</i>	1885, 292	<i>chionippe</i>	1883, 243
<i>capensis</i>	1884, 48	<i>chloris</i>	1883, 222
<i>hunteri</i>	1889, 58	<i>choaspes</i>	1883, 231
	1889, 372	<i>chrysippus</i>	1881, 175
	1889, 373		1881, 867
	1889, 374		1881, 903
	1889, 375		1883, 237
<i>korrigum</i>	1890, 357		1883, 238
<i>senegalensis</i>	1886, 176		1884, 220
	1889, 58	<i>citrina</i>	1883, 247
	1889, 372	<i>claribella</i>	1883, 233
	1890, 354	<i>claudia</i>	1883, 287
	1890, 355	<i>cleona</i>	1883, 244
	1890, 356	<i>cleophile</i>	1883, 235
	1890, 357	<i>cleothera</i>	1883, 236
<i>sericea</i>	1885, 292	<i>conspicua</i>	1883, 243
<i>strigivenata</i>	1885, 292	<i>cora</i>	1883, 289
<i>tiang</i>	1890, 355	<i>corinna</i>	1883, 270
	1890, 357	<i>coseta</i>	1883, 277
<i>Damora paulina</i>	1887, 424	<i>cratippus</i>	1883, 239
<i>Danaë orientalis</i>	1887, 642	<i>crocea</i>	1883, 245
	1887, 643	<i>damocles</i>	1883, 227
<i>Danaga concisalis</i>	1889, 420	<i>darchia</i>	1883, 295
<i>pullatalis</i>	1889, 420	<i>diocletia</i>	1883, 296
<i>Danaïda aglea</i>	1883, 248	<i>dominicanus</i>	1883, 227
<i>chrysippus</i>	1883, 237	<i>dorippus</i>	1883, 238
<i>eunice</i>	1883, 304		1885, 537
<i>plexippus</i>	1883, 234	<i>dufresneyi</i>	1883, 321
	1883, 240	<i>echeria</i>	1883, 228
(Euplœa) <i>desjar-</i>		<i>edmondii</i>	1883, 242
<i>dinsii</i>	1883, 257	<i>egialea</i>	1883, 227
<i>Danaïs adustus</i>	1882, 755	<i>eleusina</i>	1883, 299
	1883, 244	<i>eleuthe</i>	1883, 272
<i>affinis</i>	1883, 243	<i>erebus</i>	1883, 251
<i>aglea</i>	1883, 247	<i>eresimus</i>	1883, 236
<i>agleoides</i>	1883, 248	<i>erippus</i>	1883, 234
<i>alcathoe</i>	1883, 274		1883, 236
<i>alcidice</i>	1883, 296	<i>eryx</i>	1883, 248
<i>alcippus</i>	1883, 238	<i>eunice</i>	1883, 301
	1884, 220	<i>euphone</i>	1883, 257
<i>algea</i>	1883, 260	<i>exprompta</i>	1883, 224
<i>alopia</i>	1883, 313	<i>ferruginea</i>	1883, 244
<i>amymone</i>	1883, 279	<i>formosa</i>	1883, 229
<i>anapis</i>	1883, 222	<i>fulgurata</i>	1883, 243
<i>archippus</i>	1883, 235	<i>fumata</i>	1883, 252
	1886, 344	<i>gautama</i>	1883, 231
	1886, 346	<i>genutia</i>	1883, 240
<i>artenice</i>	1883, 242		1883, 241
<i>aspasia</i>	1883, 245	<i>gilippus</i>	1883, 236
—, var. <i>crocea</i>	1883, 245	<i>gloriola</i>	1883, 247
<i>australis</i>	1883, 232	<i>grammica</i>	1883, 248
<i>aventina</i>	1883, 223	<i>hamata</i>	1883, 232
<i>baudiniana</i>	1883, 271	<i>hebridisia</i>	1883, 246

	Page		Page
<i>Danais hecate</i>	1883,	<i>Danais petiverana</i>	1883,
	1887,	<i>phaedon</i>	1883,
<i>hegesippus</i>	1883,	<i>philene</i>	1883,
<i>hermippus</i>	1883,		1883,
<i>idea</i>	1883,	<i>phyle</i>	1883,
<i>ino</i>	1883,	<i>plexaure</i>	1883,
<i>insolata</i>	1883,	<i>plexippus</i>	1883,
	1886,		1883,
<i>inuncta</i>	1883,		1884,
<i>ishma</i>	1883,		1886,
<i>ismare</i>	1883,	<i>prothoe</i>	1883,
<i>ismareola</i>	1883,	<i>pullata</i>	1883,
<i>jamaicensis</i>	1883,	<i>punila</i>	1883,
<i>juventa</i>	1883,	<i>purpurata</i>	1883,
	1883,	<i>rhadamia</i>	1883,
<i>larissa</i>	1883,	<i>salvini</i>	1883,
<i>leonora</i>	1883,	<i>schenkii</i>	1883,
<i>leopardus</i>	1883,	<i>septentrionis</i>	1882,
<i>leucoglene</i>	1883,		1883,
<i>leucoptera</i>	1883,	<i>similis</i>	1883,
<i>limniace</i>	1881,	—, var. <i>nicobarica</i> .	1883,
	1881,	<i>sita</i>	1882,
	1883,		1883,
	1883,	<i>sobrina</i>	1883,
—, var. <i>petiverana</i> .	1888,	<i>sobrinoides</i>	1883,
<i>lotis</i>	1883,	<i>strigosa</i>	1883,
<i>lutescens</i>	1883,	<i>swainsonii</i>	1883,
<i>luzonensis</i>	1883,	<i>sylvestris</i>	1883,
<i>mariana</i>	1883,	<i>taprobana</i>	1883,
<i>meganira</i>	1883,	<i>thersippus</i>	1883,
<i>melaneus</i>	1883,	<i>tulliola</i>	1883,
	1883,	<i>turneri</i>	1883,
	1883,	<i>tytia</i>	1881,
<i>melanippus</i>	1883,		1881,
—, var. <i>hegesippus</i>	1883,		1883,
<i>melanoleuca</i>	1883,		1887,
<i>melina</i>	1883,		1887,
<i>melittula</i>	1883,	<i>vaillantiana</i>	1883,
<i>microsticta</i>	1883,	<i>vashiti</i>	1883,
<i>midama</i>	1883,	<i>vitrea</i>	1883,
<i>moderata</i>	1883,	<i>vitrina</i>	1883,
<i>mytilene</i>	1882,	<i>vulgaris</i>	1883,
	1883,	<i>xanthippus</i>	1883,
	1883,	(<i>Chittira</i>) <i>melaneus</i>	1883,
<i>neptunia</i>	1883,	(—) <i>nilgiriensis</i> .	1883,
<i>nesippus</i>	1883,	(—) <i>taprobana</i> ..	1883,
<i>niavius</i>	1883,	(—) <i>tytia</i>	1883,
<i>nilgiriensis</i>	1881,	(<i>Euplœa</i>) <i>chloe</i> ..	1883,
	1883,	(<i>Parantica</i>) <i>aglea</i> ..	1883,
	1883,	(—) <i>agleoides</i> ..	1883,
<i>nipalensis</i>	1883,	(—) <i>ceylanica</i> ..	1883,
<i>nossima</i>	1883,	(—) <i>cleona</i>	1883,
<i>nubila</i>	1883,	(—) <i>crocea</i>	1883,
<i>obscurata</i>	1883,	(—) <i>grammica</i> ..	1883,
<i>ochlea</i>	1883,	(—) <i>melanoleuca</i>	1883,
<i>œnone</i>	1883,	(—) <i>philomela</i> ..	1883,
<i>œnopia</i>	1883,	(<i>Radena</i>) <i>ex-</i>	
<i>orientalis</i>	1883,	<i>prompta</i>	1883,
<i>persimilis</i>	1883,		224
<i>petilia</i>	1883,		

	Page		Page
Danais (Radena) nico-		Dasychira cangia	1887, 674
barica	1883, 224	crausis	1884, 228
(—) vulgaris	1883, 224	dalbergiæ	1884, 229
(Salatura) chrysip-		gentilis	1888, 399
pus	1883, 238	inclusa	1884, 228
(—) dorippus	1883, 238	lunulata	1888, 399
(—) genutia	1883, 240		1888, 631
(—) hegesippus	1883, 241		1888, 642
(—) nesippus	1883, 241	mascarena	1887, 675
(—) nipalensis	1883, 240	pryeri	1888, 631
(Tirumala) gautama	1883, 231	pudibunda	1887, 248
(—) limniace	1883, 230		1887, 269
(—) septentrionis	1883, 231	pudica	1888, 631
Dandaca eurychlora	1883, 23	remota	1887, 675
megei	1889, 542	solitaria	1888, 631
senex	1889, 542	Dasydactylus bupres-	
Dangila kuhlii	1890, 39	toides	1887, 361
Danisepa alcidice	1883, 296	Dasymys gueinzii	1888, 12
diocletianus	1883, 296		1888, 16
lowei	1883, 297	Dasypeltis scabra	1888, 51
rhadamanthus	1883, 255	Dasyprocta punctata	1888, 129
	1883, 296	Dasyptilus pesquiti	1885, 621
	1883, 297	Dasyptus sexcinctus	1886, 163
Daphnella casta	1890, 298	Dasysphinx mucescens	1883, 377
Daphnia carinata	1886, 83	Dasyurus maculatus	1884, 407
elizabethæ	1886, 83	maugæi	1883, 610
honorata	1886, 83	ursinus	1890, 21
mucronata	1886, 83	Datanoides, sp.	1888, 636
Daphnis nerii	1881, 613	approximans	1888, 636
	1884, 494		1888, 637
	1884, 513		1888, 655
	1885, 288	fasciata	1888, 636
	1886, 435		1888, 637
	1886, 436	Daxata tantilla	1885, 470
Daphnusa colligata	1888, 587	Deba milvinalis	1885, 875
Daption capensis	1881, 12		1885, 886
	1883, 432	Debis dyrta	1882, 235
Daptonoura ælia	1890, 556		1886, 357
albunea	1890, 556	europa	1881, 868
pedrosina	1890, 556		1881, 903
Darna colorata	1885, 526	isana	1882, 405
imperialis	1885, 526	nicetas	1882, 235
	1885, 536	segonax	1881, 909
tripunctata	1885, 527	sicelis	1887, 426
	1885, 536	sidonis	1882, 235
unifasciata	1885, 526	verma	1882, 405
	1885, 536	(Tansima) masoni	1882, 405
Dasaratha himalayana	1888, 397		1882, 407
Daseyllus trimaculatus	1887, 664	Debes iratus	1885, 291
Dasyampa ardescens	1889, 514		1885, 307
evelina	1889, 514	Decipula ovata	1881, 696
fornax	1889, 517		1884, 144
rubiginea	1889, 517	Decticus verucivorus	1887, 254
Dasychira abietis	1888, 631	Defrancia formosa	1883, 393
acronycta	1888, 631		1883, 397
	1888, 642		1883, 399
amata	1888, 632	scalaris	1883, 391
argentata	1888, 632	Deilemera albipuncta	1888, 573

	Page		Page		
<i>Deilephila dahli</i>	1890,	95	<i>Deiopeia pulchella</i>	1888,	120
<i>eras</i>	1888,	220		1888,	121
<i>euphorbiæ</i>	1881,	821		1888,	615
	1881,	825	—, var. <i>lotrix</i>	1885,	294
	1882,	548	<i>sarpedon</i>	1885,	146
	1885,	65	<i>thyter</i>	1881,	614
	1886,	3		1883,	155
	1887,	52		1883,	156
	1887,	196		1884,	515
	1887,	198		1886,	385
	1887,	205	<i>Delchina teredon</i>	1885,	146
	1887,	212	<i>thermodusa</i>	1885,	146
	1887,	217	<i>Delias belladonna</i>	1882,	401
	1887,	232	<i>eucharis</i>	1882,	256
	1887,	237		1885,	139
	1888,	120		1886,	431
	1889,	87	<i>flavalba</i>	1882,	759
	1890,	95	<i>sanaca</i>	1882,	256
<i>galii</i>	1881,	824		1882,	760
	1887,	196	<i>timorensis</i>	1883,	366
	1887,	198		1883,	368
	1887,	235		1883,	371
	1887,	237	<i>vishnu</i>	1883,	368
	1888,	120	<i>Delocharis herbicolens</i> .	1886,	391
	1888,	583	<i>Deloyala difformis</i>	1885,	280
	1889,	87	<i>Delphinula duminyi</i> ..	1883,	95
	1890,	95	<i>lævis</i>	1883,	90
<i>livornica</i>	1881,	613	<i>nitens</i>	1883,	91
	1884,	494	<i>Delphinus acutus</i>	1883,	491
	1884,	513		1883,	492
	1885,	65		1883,	493
	1885,	287		1883,	494
	1886,	379	<i>albigena</i>	1883,	511
	1886,	435	<i>angustatus</i>	1883,	505
	1888,	293	<i>bairdii</i>	1883,	503
<i>lucasia</i>	1885,	289		1883,	512
<i>romanovi</i>	1888,	583	<i>balteatus</i>	1883,	501
<i>rubiginosa</i>	1888,	583	<i>bidentatus</i>	1882,	723
<i>vespertilio</i>	1882,	633	<i>bivittatus</i>	1883,	490
	1889,	87		1883,	511
<i>vigil</i>	1885,	287	<i>borealis</i>	1883,	513
<i>Deinodrilus benhami</i> ..	1889,	379	<i>brasiliensis</i>	1883,	488
<i>Deiopeia cingulifera</i> ...	1888,	83	<i>brevimanus</i>	1883,	499
<i>dulcis</i>	1885,	294	<i>butskopf</i>	1882,	723
<i>lotrix</i>	1884,	514	<i>capensis</i>	1883,	474
	1886,	436		1883,	506
<i>ornatrix</i>	1884,	322	<i>cephalorhynchus</i> ..	1883,	475
<i>pulchella</i>	1881,	179		1883,	506
	1881,	602	<i>clymene</i>	1883,	498
	1881,	614	<i>cruciger</i>	1883,	490
	1883,	155		1883,	495
	1883,	156		1883,	511
	1884,	227	<i>declivis</i>	1883,	505
	1884,	495	<i>delphis</i>	1883,	470
	1884,	514		1883,	485
	1885,	294		1883,	486
	1886,	436		1883,	487
	1888,	83		1883,	497

	Page		Page
Delphinus delphis	1883, 498	Delphinus longirostris..	1883, 512
	1883, 499	major.....	1883, 503
	1883, 500		1883, 512
	1883, 501	malayanus	1883, 489
	1883, 503	marginata	1883, 497
	1883, 512		1883, 498
diodon	1882, 723		1883, 499
dubius	1883, 498	melas	1883, 506
	1883, 499	moschatus	1883, 501
eschrichtii	1883, 491	novæ-zealandiæ ..	1883, 502
	1883, 492		1883, 512
	1883, 493	obscurus	1883, 495
euphrosyne	1883, 497	pallidus	1883, 488
	1883, 499	pectoralis	1883, 506
eutropia	1883, 477	perspicillatus	1883, 487
	1883, 507	planiceps	1883, 484
fitzroyi	1883, 490	plumbeus	1883, 489
	1883, 511	pomeegra	1883, 503
forsteri	1883, 502		1883, 512
	1883, 512	reinwardtii	1883, 485
frænatus	1883, 499	rhinodon	1883, 505
frontalis	1883, 499	roseiventris	1883, 500
frontatus	1883, 483	rostratus	1883, 483
	1883, 484		1883, 484
fulvo-fasciatus	1883, 503		1883, 486
	1883, 512	sinensis	1883, 486
fusiformis	1883, 494		1883, 488
fusus	1883, 501		1883, 489
gangeticus	1883, 484	soverbianus	1883, 501
geoffrensis	1883, 483	supercilius	1883, 495
globiceps	1883, 493	tethys	1883, 497
guianensis	1883, 487	tursio	1883, 470
	1883, 488		1883, 478
hastatus	1883, 475		1883, 479
	1883, 476		1883, 480
	1883, 506		1883, 485
heavisidii	1883, 473		1883, 487
	1883, 474		1883, 492
	1883, 475		1883, 493
	1883, 476	variegatus	1883, 501
	1883, 506	(Grampus) obscu-	
intermedius	1883, 509	rus	1883, 495
janira	1883, 503	(Steno) gadamu ..	1883, 489
	1883, 512	(—) perspicil-	
kingii	1883, 505	latus	1883, 486
lentiginosus	1883, 489		1883, 487
leucas	1883, 505	Demarchus pubipennis .	1887, 101
leucopleurus	1883, 491	Demas coryli	1888, 120
	1883, 493	Demiogretta rufa	1883, 458
	1883, 494	sacra	1883, 52
leucorhamphus	1883, 497		1883, 195
	1883, 512		1883, 200
longirostris	1883, 492		1883, 200
	1883, 493		1884, 434
	1883, 499		1885, 274
	1883, 500		1885, 420
	1883, 503		1885, 561
	1883, 504		1885, 665
			1887, 333

	Page		Page
<i>Demiegretta sacra</i>	1888, 187	<i>Dendroeca aureola</i>	1883, 420
	1888, 202		1885, 117
<i>Demotina bipunctata</i> ..	1885, 204		1885, 122
	1885, 753	<i>blackburniæ</i>	1882, 6
<i>ceylonensis</i>	1887, 72		1884, 286
<i>decorata</i>	1885, 204		1885, 74
	1885, 753		1885, 124
<i>fasciata</i>	1885, 753	<i>cærulea</i>	1882, 6
	1887, 72		1885, 74
<i>fasciculata</i>	1885, 753	<i>canadensis</i>	1882, 6
<i>lewisii</i>	1887, 71	<i>coronata</i>	1883, 440
<i>modesta</i>	1885, 204	<i>delicata</i>	1889, 395
	1885, 753	<i>dominica</i>	1883, 441
<i>semifasciata</i>	1887, 70	<i>melanoptera</i>	1889, 326
	1887, 71	<i>palmarum</i>	1883, 441
	1887, 119	<i>plumbea</i>	1889, 326
<i>thoracica</i>	1887, 70	<i>superciliosa</i>	1883, 441
	1887, 71	<i>vieilloti</i>	1883, 441
	1887, 72	<i>Dendrofalco æsalon</i>	1887, 598
<i>Demotispa elegans</i>	1881, 261		1888, 461
<i>Dendraspis angusticeps</i> .	1887, 127	<i>Dendrogama boulengeri</i> .	1890, 78
<i>Dendrelaphis caudolin-</i>		<i>Dendrohyrax arboreus</i> .	1888, 15
<i>eatus</i>	1890, 35	<i>emini</i>	1888, 15
<i>Dendricon rastratum</i> ..	1889, 250		1888, 16
	1889, 251	<i>Dendrolagus inustus</i> ..	1881, 980
	1890, 621		1881, 984
	1890, 623		1881, 989
	1890, 629		1881, 990
<i>Dendrobates fantasticus</i> .	1883, 636		1881, 992
	1886, 412		1881, 993
<i>hahneli</i>	1883, 636	<i>lumholtzi</i>	1884, 387
	1886, 412		1884, 388
<i>namaqueus</i>	1881, 593		1884, 407
<i>reticulatus</i>	1883, 635		1884, 408
	1883, 636		1885, 64
	1886, 412	<i>Dendromys melanotis</i> ..	1887, 340
<i>schoensis</i>	1881, 593	<i>Dendrophila azurea</i>	1887, 441
<i>tinctorius</i>	1883, 636	<i>frontalis</i>	1881, 795
	1888, 173		1885, 410
	1888, 173		1889, 226
<i>trivittatus</i>	1883, 636	<i>Dendrophis calligaster</i> .	1888, 88
<i>typographus</i>	1887, 482		1888, 90
<i>Dendrochelidon comata</i> .	1885, 256		1890, 30
	1885, 408	<i>caudolineata</i>	1881, 215
	1888, 278	<i>pieta</i>	1881, 215
<i>longipennis</i>	1888, 278		1890, 35
<i>Dendrocincla anabatina</i> .	1883, 450	<i>punctulatus</i>	1883, 388
<i>atirostris</i>	1883, 563		1885, 717
<i>fumigata</i>	1882, 27	<i>solomonis</i>	1887, 334
<i>homochroa</i>	1883, 450		1888, 88
<i>Dendrocolaptes perroti</i> .	1889, 34		1888, 90
<i>picumnus</i>	1882, 613	<i>Dendropicus fulviscapus</i>	1881, 593
<i>validus</i>	1884, 301		1882, 303
<i>Dendrocynna fulva</i>	1882, 625	<i>lafresnayii</i>	1888, 40
<i>guttata</i>	1883, 52	<i>Dendrornis chuncho-</i>	
	1883, 200	<i>tambo</i>	1882, 27
	1884, 434	<i>eburneirostris</i>	1883, 450
<i>viduata</i>	1881, 601	<i>elegans</i>	1882, 27
<i>Dendroeca æstiva</i>	1883, 441		

	Page		Page
Dendronis erythro-		Dentalium olivi	1882, 663
pygia	1885, 123		1882, 664
— æquatorialis....	1883, 537	panormitanum	1882, 657
	1883, 563		1884, 147
	1885, 118	panormum	1882, 657
rostripallens	1882, 27	pretiosum	1882, 660
susurrans	1883, 424	pseudo-antalis ...	1882, 657
triangularis	1882, 27	quiquangulare ...	1882, 662
	1885, 98	rubescens	1882, 660
	1885, 118		1882, 661
Dentalium, sp.	1881, 34		1882, 662
abyssorum	1882, 659	semiclausum	1882, 657
	1884, 147	sexangulare	1882, 662
agile	1882, 658	sexangulum	1882, 662
	1884, 147	striatum	1882, 659
attenuatum	1882, 659	striolatum	1882, 657
brevifissum	1882, 659		1882, 659
candidum	1882, 658		1883, 393
	1882, 687		1884, 147
	1884, 147	subterfissum	1882, 660
capillosum	1882, 658		1882, 662
	1882, 687		1882, 687
	1884, 147	tarentinum	1882, 657
coarctatum	1882, 663		1882, 658
	1882, 664		1882, 660
compressum	1886, 569	tetragonum	1882, 662
	1888, 570	translucidum ...	1882, 660
costatum	1882, 657	ventricosum	1882, 664
dentalis	1882, 656	vitreum	1882, 662
	1882, 657		1882, 663
	1882, 659	vulgare	1882, 658
	1882, 662	Deomys ferrugineus....	1888, 130
	1884, 147		1888, 135
ensiculus	1882, 660	Depressaria adpersella.	1881, 314
	1882, 687	angelicella	1881, 315
entalis	1882, 657	applana	1881, 316
	1882, 658	argillacea	1881, 313
	1882, 659		1881, 325
	1882, 660	arnicella	1881, 314
	1882, 661		1881, 325
	1884, 147	astrantiæ	1881, 316
fasciatum	1890, 321	atrodorsella	1881, 312
filum	1882, 658		1881, 319
	1882, 660	ciliella	1881, 316
	1884, 147	cinereocostella ...	1881, 312
fissura	1882, 660	ciniflonella	1881, 315
fusticulus	1882, 658	clausella	1881, 312
gadus	1882, 664	cnicella	1881, 317
gracile	1882, 661	confertella	1881, 312
incertum	1882, 659	culcitella	1881, 174
indianorum	1882, 660	emeritella	1881, 318
inversum	1882, 660	eupatoriella	1881, 312
lacteam	1882, 659	fernaldella	1881, 312
lessoni	1882, 657	georgiella	1881, 312
lobatum	1882, 663	grotella	1881, 312
nebulosum	1882, 658	hepatariella	1881, 317
novemcostatum ..	1882, 657	heracliana	1881, 312
occidentale	1882, 659	hilarella	1881, 312

	Page		Page
Depressaria klamath-		Dero perrieri	1889, 441
iana	1881, 314	Derrima heurietta	1881, 361
	1881, 325	stellata	1881, 361
lecontella	1881, 312	Desmacidon fruticosum.	1881, 116
nanatella	1881, 313	Desmia, sp.	1884, 229
nebulosa	1881, 312	afflictalis	1884, 500
nervosa	1881, 317	opisalis	1885, 867
novi-mundi	1881, 318		1886, 458
nubiferella	1881, 316	Desmidocnemis asmo-	
	1881, 325	deus	1883, 378
ocellana	1881, 314	eumonides	1883, 378
pallidochrella	1881, 312	Desmobathra niph-	
parella	1881, 317	placa	1888, 578
	1881, 318	Desmogramma decor-	
posticella	1881, 315	ata	1889, 268
	1881, 325	Destolmia insignis	1888, 644
psoraliella	1881, 317	Deudorix, sp.	1884, 225
	1881, 325	amyntor	1883, 529
pulvipumella	1881, 312	epijarbas	1882, 250
rileyella	1881, 312		1885, 135
robiniella	1881, 312		1886, 370
sabulella	1881, 313	grisea	1882, 251
	1881, 325	lankana	1883, 528
scabrella	1881, 312	livia	1884, 485
subpropinquella . .	1881, 313	melampus	1883, 147
swinhoei	1883, 174	nissa	1882, 250
	1885, 884	perse	1882, 250
	1886, 465	petosiris	1883, 528
umbraticostella . .	1881, 318	pheretima	1883, 528
	1881, 325	selira	1882, 250
versicolorella	1881, 312	similis	1887, 463
yeatiana	1881, 314	suffusa	1883, 528
	1881, 316	Deuterocampta discicol-	
Deragena boisduvalii .	1883, 272	lis	1885, 927
childreni	1883, 272	Deva conducens	1885, 458
proserpina	1883, 254	splendida	1889, 534
	1883, 272	Devara bubona	1885, 531
schmeltzii	1883, 272		1885, 536
whitmei	1883, 272	lassippa	1890, 499
Dercas verhuellii	1882, 402		1890, 520
wallichii	1882, 402	onoba	1890, 499
Dermestes vulpinus . .	1881, 470	phyleis	1885, 531
Dermophis thomensis . .	1886, 414	Diabaena cincticollis . .	1883, 382
Dermorrhysis ceylonen-		imitata	1883, 382
sis	1887, 81	Diabrotica ægrota	1889, 90
	1887, 119	æneiventris	1889, 95
cuprea	1887, 81	albido-vittata	1889, 95
fasciato-rutilans . .	1887, 82	albicincta	1889, 93
igneofasciata	1887, 83	albomarginata	1889, 92
	1887, 119	albopicta	1889, 93
lewisii	1887, 82	alcyone	1889, 94
ornatissima	1887, 82	ambitiosa	1889, 282
	1887, 119	atomaria	1889, 284
piceipes	1887, 82	atromaculata	1889, 90
variabilis	1887, 82	biannularis	1889, 282
Dero digitata	1889, 440	bimaculata	1889, 284
obtusa	1889, 440	bipartita	1889, 95
perrieri	1889, 440	boliviana	1889, 283

	Page		Page
<i>Diabrotica clarkella</i> ..	1889,	<i>Diacantha oberthuri</i> ..	1885, 929
<i>clypeata</i>	1889,	<i>viridipennis</i>	1885, 929
<i>cognata</i>	1889,	<i>Diacria trispinosa</i>	1890, 254
<i>confraterna</i>	1889,	<i>Diacrisia irene</i>	1888, 615
<i>contigua</i>	1889,	<i>russula</i>	1888, 615
<i>delineata</i>	1889,	<i>subvaria</i>	1888, 616
<i>dilatata</i>	1889,	<i>Diadema alimena</i>	1885, 276
<i>discrepans</i>	1889,	—, var. <i>salvini</i>	1885, 276
<i>12-signata</i>	1889,	—, var. <i>velleda</i> ..	1885, 276
<i>erythroptera</i>	1889,	<i>anthon</i>	1884, 223
<i>estebanensis</i>	1889,	<i>bolina</i>	1882, 241
<i>evanescens</i>	1889,		1884, 223
<i>extensa</i>	1889,		1884, 316
<i>fulvofasciata</i>	1889,		1888, 223
<i>gemmingeri</i>	1889,	<i>misippus</i>	1882, 241
<i>glauca</i>	1889,		1884, 222
<i>haroldi</i>	1889,	<i>setosum</i>	1887, 140
<i>hemixantha</i>	1889,		1887, 142
<i>inæqualis</i>	1889,		1888, 338
<i>interrupta-lineata</i> ..	1889,	<i>Diagramma gaterina</i> ..	1887, 656
<i>limbatipennis</i>	1889,	<i>griseum</i>	1887, 656
<i>limitata</i>	1889,		1889, 245
<i>melancholica</i>	1889,	<i>jayakari</i>	1887, 656
<i>melanopyga</i>	1889,		1889, 245
<i>mutabilis</i>	1889,	<i>punctatum</i>	1887, 656
<i>nigrodorsata</i>	1889,	<i>Diala fuscipicta</i>	1890, 252
<i>nigrostriata</i>	1889,		1890, 286
<i>nitidicollis</i>	1889,		1890, 315
<i>notaticollis</i>	1889,	<i>Diamphidia angolensis</i> .	1882, 55
<i>obsкуро-maculata</i> ..	1889,	<i>Diancta juvenilis</i>	1887, 314
<i>obtiva</i>	1889,	<i>Dianthœcia compta</i>	1889, 517
<i>perspicua</i>	1889,		1889, 518
<i>piceicornis</i>	1889,	<i>confluens</i>	1881, 354
<i>porracea</i>	1889,		1881, 380
<i>puncticollis</i>	1889,	<i>cucubali</i>	1889, 518
<i>robusta</i>	1889,	<i>geometroides</i>	1889, 543
	1889,	<i>Diaphemora femorata</i> ..	1890, 95
<i>rufotestacea</i>	1885,		1890, 96
<i>scutellata</i>	1889,	<i>Diaphœtes rugosus</i>	1884, 213
<i>separata</i>	1889,		1884, 214
<i>serraticornis</i>	1889,		1884, 219
<i>simoni</i>	1889,	<i>Diapromorpha quadri-</i>	
	1889,	<i>punctata</i>	1887, 68
<i>simplicipennis</i>	1889,	<i>trifasciata</i>	1888, 87
<i>simulans</i>	1889,	<i>Diaptomus cookii</i>	1886, 88
<i>spiloptera</i>	1889,	<i>maria</i>	1886, 83
<i>spilota</i>	1889,	<i>pollux</i>	1886, 83
<i>stali</i>	1889,	<i>uxorius</i>	1886, 83
<i>suaveola</i>	1889,	<i>Diasemia geometralis</i> ..	1881, 622
<i>tuberculata</i>	1889,		1884, 524
<i>unifasciata</i>	1889,		1885, 875
<i>vagrans</i>	1889,		1886, 460
<i>varicornis</i>	1889,	<i>Diastema virgo</i>	1889, 534
<i>virginella</i>	1889,	<i>Diastopora patina</i>	1881, 56
<i>viridans</i>	1889,	<i>Diatomocephala pachy-</i>	
<i>zonula</i>	1889,	<i>mera</i>	1884, 217
<i>Diacantha aperta</i>	1885,	<i>Dicæum æneum</i>	1883, 579
<i>oberthuri</i>	1885,		1888, 197

	Page		Page
<i>Dicaeum celebicum</i>	1883, 578	<i>Dicranura vinula</i>	1886, 3
	1883, 579		1887, 675
	1885, 554		1888, 643
<i>concolor</i>	1883, 580	<i>Dicrocercus hirundina-</i>	
<i>everetti</i>	1883, 580	<i>ceus</i>	1881, 569
<i>fulgidum</i>	1883, 51	<i>Dicruropsis atrocærulea</i>	1885, 570
	1883, 56		1885, 571
	1883, 200	<i>bracteata</i>	1883, 51
	1884, 432		1883, 200
<i>hæmatostictum</i>	1883, 580		1884, 432
<i>hypoleucum</i>	1885, 250		1884, 577
	1885, 265	<i>carbonaria</i>	1885, 635
<i>ignicolis</i>	1883, 56	<i>pectoralis</i>	1885, 571
<i>ignipectus</i>	1883, 580	<i>Dicrurus atripennis</i>	1881, 578
	1887, 441	<i>bimaensis</i>	1885, 506
<i>inornatum</i>	1883, 580	<i>divaricatus</i>	1881, 578
<i>keiensis</i>	1883, 56	<i>fugax</i>	1881, 578
<i>modestum</i>	1883, 580	<i>leucops</i>	1885, 554
<i>nigrimentum</i>	1881, 795	<i>pectoralis</i>	1885, 248
<i>olivaceum</i>	1883, 580		1885, 259
<i>pectorale</i>	1883, 579		1885, 260
	1885, 639	<i>Didelphys aurita</i>	1888, 129
<i>pryeri</i>	1881, 795	<i>carnivora</i>	1888, 129
<i>pulchrius</i>	1883, 579	<i>cinerea</i>	1882, 111
<i>rubriventer</i>	1883, 580	<i>dimidiata</i>	1888, 353
<i>rubro-cornatum</i>	1883, 579		1888, 354
<i>sanghirense</i>	1883, 579		1888, 355
<i>schistaceum</i>	1883, 580	<i>dorsigera</i>	1881, 978
<i>sulaense</i>	1883, 579	<i>marsupialis</i>	1888, 129
<i>trigonostigma</i>	1881, 796		1890, 76
	1885, 410	<i>murina</i>	1882, 111
<i>tristrami</i>	1883, 579		1882, 372
<i>Dicerobatis eregoodoo</i>	1889, 244		1887, 153
<i>Dichelia retractana</i>	1885, 881	<i>nudicaudata</i>	1882, 111
<i>Dichirotrichus obsole-</i>		<i>quica</i>	1883, 617
<i>tus</i>	1890, 617		1883, 624
<i>Dicholophus cristatus</i>	1889, 594		1883, 626
<i>Dichonia intermissa</i>	1889, 507	<i>virginiana</i>	1888, 129
<i>protea</i>	1889, 506	<i>Didimus punctipectus</i>	1890, 482
<i>Dichorragia nesimachus</i>	1881, 866	<i>Didonis biblis</i>	1884, 316
	1881, 891		1890, 564
	1887, 402	<i>Didunculus strigiros-</i>	
	1887, 417	<i>tris</i>	1887, 482
<i>Dichostates bimaculatus</i>	1890, 491	<i>Didus ineptus</i>	1885, 712
<i>collaris</i>	1890, 491		1890, 402
<i>Dichromia amica</i>	1889, 556	<i>Didymodus anguineus</i>	1887, 543
<i>claripennis</i>	1889, 556	<i>Didymozoon serrani</i>	1889, 322
<i>duplicalis</i>	1888, 226		1889, 323
<i>orosialis</i>	1885, 470		1889, 325
<i>pullata</i>	1885, 470	<i>Dielis loratensis</i>	1883, 345
<i>Dichrorhampha subse-</i>		<i>Diemenia psammophis</i>	1885, 717
<i>quana</i>	1885, 882	<i>Digama hearseyana</i>	1885, 293
	1886, 463		1888, 295
<i>Dicotyles tajacu</i>	1890, 76	<i>Digenea albifrons</i>	1888, 247
<i>Dicranura erminea</i>	1888, 644	<i>leucops</i>	1888, 246
<i>felina</i>	1888, 643	<i>malayana</i>	1888, 247
<i>furcula</i>	1881, 825	<i>moniliger</i>	1888, 247
<i>vinula</i>	1885, 66	<i>solitaria</i>	1888, 247

	Page		Page
<i>Digenea submoniliger</i> ..	1888, 246	<i>Dione juno</i>	1890, 560
	1888, 247	<i>vanillæ</i>	1890, 560
<i>Diglossa albilateralis</i> ..	1884, 287	<i>Dionychopius niveus</i> ..	1888, 620
	1885, 69	<i>Diorhina arthuriana</i> . . .	1890, 572
	1885, 75		1890, 577
<i>aterrima</i>	1884, 287	<i>periander</i>	1890, 572
<i>brunneiventris</i>	1882, 8	<i>Diorctus lewisii</i>	1885, 753
<i>indigotica</i>	1885, 75	<i>Diphlogæna hesperus</i> ..	1884, 303
	1885, 116		1885, 121
<i>lafresnayi</i>	1885, 75	<i>iris</i>	1882, 3
<i>personata</i>	1882, 8		1882, 38
	1884, 287		1885, 121
	1885, 75	<i>warszewiczi</i>	1882, 3
<i>sittoides</i>	1882, 8	<i>Diphthera fasciata</i>	1888, 408
<i>Diglossopsis cærulescens</i>	1882, 8	<i>gemmifera</i>	1889, 480
<i>Dilipa morgiana</i>	1882, 238	<i>lætevirens</i>	1889, 480
<i>Diloba cæruleocephala</i> .	1887, 195	<i>ludifica</i>	1886, 3
	1887, 200	<i>orion</i>	1881, 825
	1887, 235		1889, 479
	1887, 236	<i>pallida</i>	1888, 298
<i>Dilophonota ello</i>	1884, 321	<i>Diphylloides chrysoptera</i>	1885, 616
<i>merianæ</i>	1884, 321		1885, 654
<i>Dilophus carunculatus</i> ..	1882, 307	<i>magnifica</i>	1885, 654
	1885, 322	<i>speciosa</i>	1885, 616
<i>Diludia casuarinæ</i>	1883, 366		1885, 653
	1883, 370	<i>wilsoni</i>	1885, 616
<i>incretæ</i>	1888, 589		1885, 654
<i>nebulosa</i>	1888, 571	<i>Diploderma polygonatum</i>	1887, 146
<i>vates</i>	1885, 289	<i>Diplodonta apicalis</i>	1881, 705
<i>Dineutes æreus</i>	1881, 470	<i>astarteæ</i>	1881, 705
<i>Dinia eagrus</i>	1890, 494	<i>intermedia</i>	1881, 705
<i>laudamia</i>	1890, 494	<i>lamellata</i>	1881, 38
	1890, 520		1881, 138
<i>Dinidor tristis</i>	1890, 477	<i>rotundata</i>	1881, 704
<i>Dinopelma plantigradum</i>	1889, 385		1881, 718
<i>Dinornis crassus</i>	1885, 445	<i>trigonula</i>	1881, 705
	1885, 482	<i>Diplognatha gagates</i> ..	1890, 484
	1885, 712	<i>Diplommatina adversa</i> ..	1889, 348
<i>didinus</i>	1882, 549		1889, 355
<i>elephantopus</i>	1884, 176	<i>albata</i>	1889, 113
<i>ingens</i>	1882, 2		1889, 117
	1882, 695	<i>ascendens</i>	1887, 303
<i>maximus</i>	1882, 2	<i>aurea</i>	1889, 113
<i>oweni</i>	1885, 482		1889, 117
<i>parvus</i>	1882, 2	<i>australiæ</i>	1887, 303
<i>Dinumma bipunctata</i> ..	1889, 541	<i>beccarii</i>	1889, 348
<i>Diodon hystrix</i>	1889, 242	<i>busanensis</i>	1889, 348
<i>Diomedea brachyura</i> ..	1882, 548		1889, 355
	1883, 430	<i>concinna</i>	1889, 348
	1889, 324	<i>crassilabris</i>	1889, 113
<i>exulans</i>	1882, 548		1889, 117
	1885, 708	<i>distorta</i>	1887, 303
	1885, 715	<i>gibboni</i>	1889, 114
	1889, 324		1889, 117
<i>irrorata</i>	1883, 430	<i>godeffroyana</i>	1887, 304
<i>melanophrys</i>	1881, 12	<i>isseli</i>	1889, 348
	1883, 430		1889, 355
	1885, 833		

	Page		Page
<i>Diplommatina lutea</i> ..	1889, 112	<i>Dipodomys compactus</i> ..	1888, 448
	1889, 117	<i>deserti</i>	1888, 449
<i>macrostoma</i>	1887, 303	<i>phillipsi</i>	1888, 448
<i>martensi</i>	1887, 302	<i>Dipsadoboa unicolor</i> ..	1887, 564
<i>niahensis</i>	1889, 349	<i>Dipsas antalus</i>	1884, 485
	1889, 355	<i>ataxas</i>	1882, 247
<i>paradoxa</i>	1887, 303	<i>birupa</i>	1882, 247
<i>patula</i>	1889, 114	<i>cynodon</i>	1881, 215
	1889, 117		1890, 33
<i>platycheilus</i>	1889, 112		1890, 35
	1889, 117	<i>dendrophila</i>	1881, 215
<i>pomatiaeformis</i>	1887, 303		1890, 35
<i>quadrata</i>	1887, 304	<i>drapiezii</i>	1890, 33
<i>rubella</i>	1889, 113	<i>epijarbas</i>	1882, 250
	1889, 117		1885, 135
<i>rubicunda</i>	1889, 348		1886, 370
<i>rubra</i>	1889, 349	<i>flamen</i>	1887, 401
	1889, 355		1887, 410
<i>spinosa</i>	1889, 349		1887, 431
<i>strigata</i> , var. <i>koror-</i>		<i>irregularis</i>	1887, 333
<i>ensis</i>	1889, 115		1887, 334
	1889, 117		1888, 88
<i>subregularis</i>	1887, 303		1888, 90
<i>taviensis</i>	1887, 304		1890, 30
<i>tuberosa</i>	1887, 304	<i>jonasi</i>	1881, 865
(<i>Diancta</i>) <i>ascendens</i>	1887, 303		1881, 883
(—) <i>godeffroyana</i>	1887, 304		1887, 399
(—) <i>quadrata</i> ..	1887, 304		1887, 401
(—) <i>martensi</i> ..	1887, 302		1887, 411
(—) <i>pomatiaef-</i>		<i>katura</i>	1887, 461
<i>formis</i>	1887, 303	<i>lutea</i>	1881, 865
(—) <i>subregularis</i>	1887, 303		1881, 883
(—) <i>tuberosa</i> ..	1887, 304		1887, 401
(<i>Moussonia</i>) <i>fuscula</i>	1887, 304		1887, 411
<i>Diplopterus nævius</i>	1883, 572	<i>michaelis</i>	1881, 865
	1885, 108		1881, 883
	1885, 170	<i>odata</i>	1882, 247
	1885, 171	<i>raphaelis</i>	1881, 865
	1885, 179		1881, 883
<i>Diplothele</i>	1890, 621	<i>sæpistriata</i>	1881, 865
<i>walshii</i>	1890, 622		1881, 883
	1890, 629		1887, 401
<i>Diplotyla cyclospila</i> ...	1888, 230	<i>sila</i>	1882, 247
<i>ochrosema</i>	1888, 230	<i>taxila</i>	1881, 884
<i>Dipodillus campestris</i> ..	1884, 97		1887, 412
<i>simoni</i>	1884, 97	<i>Dipterygia japonica</i> ...	1889, 489
	1884, 100		1889, 571
	1884, 102	<i>pinastri</i>	1889, 488
	1884, 103	<i>scabriuscula</i>	1889, 489
	1884, 104	<i>Dipterygium glaucum</i> ..	1885, 834
	1884, 105	<i>Dipus ægyptius</i>	1884, 101
	1884, 106	<i>gerbillus</i>	1884, 88
	1884, 109	<i>hirtipes</i>	1884, 101
	1885, 334	<i>indicus</i>	1884, 88
<i>Dipodomys agilis</i>	1888, 448	<i>jaculus</i>	1881, 552
	1888, 449	<i>Dircenna epidero</i>	1890, 558
— <i>compactus</i>	1888, 448	<i>Dirphia latemedia</i>	1890, 501
	1888, 449		

	Page		Page
<i>Dirphia laverna</i>	1890, 501	<i>Diva vassori</i>	1882, 11
	1890, 520		1885, 77
<i>rosea</i>	1890, 501		1885, 116
	1890, 502	<i>Docela affinis</i>	1881, 618
<i>tarquinia</i>	1887, 51		1885, 467
	1887, 52		1886, 451
	1888, 119	<i>vetustalis</i>	1881, 372
	1889, 86	<i>Docimastes ensifer</i>	1882, 38
<i>Dischides bifissus</i>	1882, 663	<i>ensiferus schlie-</i>	
<i>Discina atlantica</i>	1881, 949	<i>phackei</i>	1884, 304
	1882, 632		1885, 105
	1884, 142	<i>Dociraya æquilineata</i> ..	1888, 330
<i>Discoglossus ocellata</i> ..	1884, 424	<i>uvaria</i>	1888, 330
<i>pictus</i>	1884, 422	<i>Dodona dipæa</i>	1886, 364
	1884, 424	<i>durga</i>	1882, 243
	1888, 125	<i>eugenes</i>	1882, 244
	1888, 164		1885, 130
	1888, 181		1886, 364
	1888, 500	<i>Dolichosticha perinephes</i>	1888, 230
<i>sardus</i>	1884, 422	<i>Dolichus flavicordis</i>	1888, 371
	1884, 424	<i>Dombeya fasciata</i>	1881, 841
<i>vittata</i>	1884, 424		1881, 844
<i>Discophora tullia</i>	1881, 605	<i>obovata</i>	1881, 844
<i>Discopora trispinosa</i>	1881, 53	<i>Donacia æraria</i>	1885, 752
<i>Discoporella complicata</i>	1881, 58	<i>aquatica</i>	1885, 192
<i>grignonensis</i>	1881, 57	<i>constricticollis</i>	1885, 192
<i>Discordia evulsa</i>	1885, 448		1885, 193
	1885, 476		1885, 211
<i>Disonycha austriaca</i>	1889, 272		1885, 752
<i>eximia</i>	1889, 272	<i>discolor</i>	1885, 193
<i>glabrata</i>	1889, 272	<i>gracilipes</i>	1885, 191
<i>lævipennis</i>	1889, 272		1885, 192
<i>steinheili</i>	1889, 272		1885, 752
<i>trifasciata</i>	1889, 271	<i>sericea</i>	1885, 193
<i>Dissemurus brachy-</i>		—, var. <i>sibirica</i>	1885, 193
<i>phorus</i>	1881, 795		1885, 752
	1885, 409	<i>simplex</i>	1885, 193
<i>Dissodectes ardesiacus</i> ..	1888, 47		1885, 752
<i>Dissura maguari</i>	1886, 200	<i>sulcicollis</i>	1885, 193
<i>Distenia japonica</i>	1888, 378	<i>Donacilla lamarcki</i>	1881, 923
<i>Distira cyanocincta</i>	1890, 618	<i>Donacospiza albifrons</i> ..	1883, 38
<i>Distomum gigas</i>	1889, 322	<i>Donax bellardii</i>	1881, 724
	1889, 325	<i>castaneum</i>	1881, 922
<i>halosauri</i>	1889, 322	<i>irus</i>	1881, 716
	1889, 325	<i>plebeia</i>	1881, 923
<i>microcephalum</i>	1889, 322	<i>trunculus</i>	1881, 723
<i>microporum</i>	1889, 322	<i>venustus</i>	1881, 723
	1889, 325		1882, 685
<i>veliporum</i>	1889, 321	<i>vittatus</i>	1881, 723
	1889, 322	<i>Donda eurychlora</i>	1883, 23
<i>Ditytophis vivax</i>	1881, 462	<i>ornata</i>	1883, 23
<i>Diuca grisea</i>	1881, 7		1883, 30
	1883, 421	<i>striatovirens</i>	1883, 23
<i>speculifera</i>	1881, 486		1883, 30
<i>Diva branickii</i>	1882, 3	<i>Dorcopsis luctuosa</i>	1881, 981
	1882, 10		1881, 992
<i>vassori</i>	1882, 3		1881, 993
	1882, 10		

	Page		Page
<i>Dorcopsis luctuosa</i>	1887, 531	<i>Dreata citrinula</i>	1885, 304
<i>Doricha</i>	1883, 317	<i>undans</i>	1885, 304
<i>pelor</i>	1883, 209	<i>Drepana acuta</i>	1888, 649
	1883, 211	<i>crocea</i>	1888, 649
	1883, 318		1888, 665
<i>rogeri</i>	1883, 318	<i>curvatula</i>	1888, 649
<i>sylvester</i>	1883, 208	<i>falcataria</i>	1888, 649
	1883, 209	<i>flava</i>	1888, 649
	1883, 210	<i>harpagula</i>	1888, 648
	1883, 211	<i>hyalina</i>	1888, 401
	1883, 255	<i>japonica</i>	1888, 648
	1883, 318	<i>lilacina</i>	1888, 401
<i>Dorika aureola</i>	1881, 363		1888, 402
<i>sanguinolenta</i>	1881, 363	<i>palleolus</i>	1888, 648
	1888, 310	<i>patrana</i>	1888, 648
<i>Doris</i> , sp.	1881, 36	<i>scabiosa</i>	1888, 648
<i>tuberculata</i>	1881, 36	<i>simillima</i>	1888, 402
<i>Doritis apollinus</i>	1886, 8	<i>Drepane punctata</i>	1887, 657
<i>Dorycha elisæ</i>	1883, 451	<i>Drepanorhynchus reich-</i>	
<i>Doryichthys caudatus</i> . .	1890, 40	<i>enowi</i>	1884, 556
<i>Doryodes electaria</i>	1889, 554		1885, 227
<i>Doryphora blanda</i>	1889, 267		1889, 365
<i>citrinella</i>	1885, 925	<i>Drepanornis albertisi</i> . .	1883, 578
<i>dilaticollis</i>	1885, 926		1885, 616
<i>euchalca</i>	1885, 926		1885, 649
<i>euphrosynæ</i>	1882, 35	— <i>œrvinicauda</i> . .	1883, 578
<i>fasciata</i>	1889, 267	<i>bruijni</i>	1883, 578
<i>glomerata</i>	1885, 927		1885, 616
<i>gratiosa</i>	1885, 925		1885, 649
	1885, 926	<i>Drepanulides rufulus</i> . .	1888, 654
<i>hybrida</i>	1885, 926	<i>palleolus</i>	1888, 648
<i>imperialis</i>	1885, 926	<i>Dromæus novæ-hol-</i>	
<i>johannæ</i>	1882, 34	<i>landiæ</i>	1881, 784
<i>maculata</i>	1889, 267	<i>Dromas ardeola</i>	1881, 174
<i>oberthuri</i>	1885, 926		1881, 259
<i>pictipennis</i>	1885, 927		1881, 599
<i>pluviata</i>	1885, 927		1881, 644
<i>prætextata</i>	1885, 925		1886, 336
<i>punctatissima</i>	1889, 267	<i>Dromia vulgaris</i>	1882, 538
<i>pura</i>	1889, 267	<i>Dromicia nana</i>	1881, 186
<i>rectirostris</i>	1882, 35	<i>Dromococyx phasia-</i>	
<i>simoni</i>	1889, 267	<i>nellus</i>	1883, 455
<i>trivittata</i>	1885, 925	<i>Drosica deviella</i>	1885, 883
<i>vespertina</i>	1885, 925		1886, 465
<i>Doryscus testaceus</i>	1887, 115	<i>Drusilla phorceas</i>	1886, 345
<i>Doryura garnotii</i>	1883, 118	<i>Drymocataphus capistra-</i>	
<i>Dosara cœlatalis</i>	1885, 876	<i>toides</i>	1881, 797
	1886, 384		1885, 413
<i>Doththa mesenterialis</i> . .	1888, 228	<i>nigricapitatus</i>	1888, 275
<i>Dracænura agramma</i>	1888, 229	<i>Drymocichla incana</i> . . .	1888, 21
<i>asthenota</i>	1888, 229	<i>Drymœca apicalis</i>	1881, 921
<i>myota</i>	1888, 229	<i>concolor</i>	1888, 23
<i>Draco fimbriatus</i>	1890, 33	<i>curvirostris</i>	1888, 24
<i>volans</i>	1890, 33	<i>hæsitata</i>	1881, 166
	1890, 200		1881, 167
<i>Draconipterus gigantea</i> .	1890, 502	<i>isodactyla</i>	1881, 571
	1890, 520	<i>madagascariensis</i> . .	1881, 166
<i>Dragana pansalis</i>	1888, 545		1881, 167

	Page		Page
<i>Drymceca mentalis</i>	1881,	<i>Dycladia batesii</i>	1883,
<i>mystacea</i>	1888,	<i>chalonitis</i>	1883,
<i>natalensis</i>	1888,	<i>cretheis</i>	1883,
<i>ruficapilla</i>	1887,	<i>felderi</i>	1883,
<i>strangei</i>	1888,	<i>militaris</i>	1883,
<i>stulta</i>	1881,	<i>varipe</i>	1883,
<i>tenella</i>	1881,	<i>vindonissa</i>	1883,
	1885,		1881,
<i>Drymonia chaonia</i>	1888,	<i>Dynamene darwinii</i>	1881,
	1888,	<i>hispidata</i>	1884,
<i>circumscripita</i>	1888,	<i>prædator</i>	1884,
<i>daelia</i>	1888,	<i>Dynamine arene</i>	1890,
	1888,	<i>decima</i>	1890,
<i>manleyi</i>	1888,	<i>pieridoides</i>	1890,
	1888,	<i>Dynastor darius</i>	1890,
<i>permagna</i>	1888,	<i>Dyphlebia trimenii</i>	1888,
<i>trimacula</i>	1888,	<i>Dysauxes indica</i>	1885,
<i>Drymophila abyssinica</i>	1884,	<i>Dyschirius globosus</i>	1890,
<i>Drymornis bridgesi</i>	1882,	<i>Dy-dercus antennatus</i>	1881,
<i>Dryococcyx harringtoni</i>	1889,	<i>superstitiosus</i>	1881,
<i>Dryocopus erythroptus</i>	1882,		1884,
<i>fuscipennis</i>	1885,	<i>Dysgonia albivitta</i>	1888,
<i>lineatus</i>	1882,	<i>analisis</i>	1888,
	1883,	<i>arctotæmia</i>	1888,
	1885,	<i>conficiens</i>	1888,
<i>major</i>	1882,	<i>latifascia</i>	1888,
<i>medius</i>	1882,	<i>olympia</i>	1888,
<i>minor</i>	1882,	<i>Dysideissa</i>	1886,
<i>Dryophis fasciolatus</i>	1890,	<i>Dysithamnus leucostictus</i>	1885,
<i>prasina</i>	1886,	<i>semicinereus</i>	1882,
	1890,		1883,
<i>Dryoscopus æthiopicus</i>	1889,		1884,
<i>affinis</i>	1881,		1885,
	1888,	<i>subplumbeus</i>	1885,
<i>cubla</i>	1881,		1885,
	1885,	<i>unicolor</i>	1884,
	1889,	<i>Dysopes cestoni</i>	1886,
<i>funnebris</i>	1889,	<i>Dyssallacta negatalis</i>	1885,
<i>orientalis</i>	1881,	<i>Dytiscus marginalis</i>	1881,
<i>salimæ</i>	1881,		1881,
<i>sublacteus</i>	1881,		1888,
	1885,	<i>Eacles imperialis</i>	1888,
<i>sulphureipectus</i>	1888,		1889,
<i>Drypta dentata</i>	1888,	<i>leona</i>	1890,
<i>Dubusia selysia</i>	1885,	<i>regalis</i>	1890,
<i>tæniata</i>	1884,	<i>splendens</i>	1890,
	1885,	<i>Earias chlorana</i>	1888,
<i>Dundubia rafflesii</i>	1883,	<i>chromotaria</i>	1885,
	1883,		1888,
<i>rufivena</i>	1883,	<i>frondosana</i>	1881,
<i>Dunhevedia crassa</i>	1886,		1884,
<i>podagra</i>	1886,		1885,
<i>Durdara fenestrata</i>	1883,		1885,
	1883,		1886,
	1885,		1888,
<i>zonula</i>	1885,		1888,
	1885,		1888,
<i>Durgella levicula</i>	1888		1888,

	Page		Page
<i>Earias limbana</i>	1888, 605	<i>Echidna aculeata typica</i>	1885, 339
<i>ochroleucana</i>	1888, 606	<i>australiensis</i>	1885, 338
<i>pudicana</i>	1888, 606	<i>australis</i>	1883, 8
<i>roseifera</i>	1888, 606	<i>breviaculeata</i>	1885, 339
<i>sigillima</i>	1885, 880	<i>hystrix</i>	1881, 737
<i>speiplena</i>	1886, 463		1885, 149
<i>tristrigosa</i>	1881, 614		1885, 150
	1883, 157		1885, 338
	1884, 528	<i>lawesi</i>	1885, 151
	1885, 881		1885, 155
	1886, 463		1885, 156
<i>Ebulea catalaunalis</i>	1883, 168		1885, 159
	1884, 501		1885, 160
	1884, 525		1885, 161
	1885, 874		1885, 329
	1886, 460		1885, 331
<i>Eccoctocnemis barthi</i>	1890, 483		1885, 332
<i>latipes</i>	1890, 483		1885, 336
<i>thoreyi</i>	1890, 483	<i>longiaculeata</i>	1885, 338
<i>Echeneis clypeata</i>	1889, 236	<i>oweni</i>	1885, 337
	1889, 240	<i>ramsayi</i>	1885, 337
<i>lophoides</i>	1889, 240	<i>setosa</i>	1885, 151
<i>naucrates</i>	1889, 240		1885, 332
<i>Echidna acanthion</i>	1885, 148		1885, 333
	1885, 150		1885, 338
	1885, 151	<i>Echinanthus tumidus</i>	1884, 40
	1885, 152	<i>Echinaster purpureus</i>	1888, 384
	1885, 153		1888, 388
	1885, 154	<i>Echinocidaris dufresnii</i>	1881, 87
	1885, 155	<i>punctulata</i>	1881, 413
	1885, 157	<i>Echinodiscus auritus</i>	1889, 7
	1885, 158	<i>biforis</i>	1888, 384
	1885, 159		1888, 388
	1885, 160	<i>Echinolampas depressa</i>	1884, 43
	1885, 161	<i>oviformis</i>	1888, 384
	1885, 329		1888, 388
	1885, 330	<i>testudinarius</i>	1884, 41
	1885, 331		1884, 42
	1885, 336	<i>Echinometra lucunter</i>	1881, 415
	1885, 338		1881, 421
<i>aculeata</i>	1885, 149		1881, 422
	1885, 151		1881, 423
	1885, 152		1887, 140
	1885, 153		1888, 384
	1885, 155		1888, 388
	1885, 156	<i>macrostoma</i>	1881, 415
	1885, 157		1881, 425
	1885, 158	<i>oblonga</i>	1881, 414
	1885, 159		1881, 415
	1885, 331		1888, 388
	1885, 332	<i>subangularis</i>	1881, 415
	1885, 336		1881, 421
	1885, 338		1881, 423
— <i>lawesi</i>	1885, 338	<i>vanbrunti</i>	1881, 415
	1885, 339		1881, 421
— <i>setosa</i>	1885, 338		1881, 423
	1885, 339	<i>viridis</i>	1881, 415
	1885, 338		1881, 421
— <i>typica</i>	1885, 338		

	Page		Page
<i>Echinometra viridis</i> ..	1881, 424	<i>Eclectus polychlorus</i> ..	1888, 187
<i>Echinomys semispinosus</i>	1882, 101		1888, 189
<i>Echinoneus cyclostomus</i>	1887, 140		1888, 249
	1888, 388	riedeli	1881, 916
<i>Echinoptilum macintoshii</i>	1885, 515		1881, 917
	1885, 517		1881, 918
<i>Echinorhinus spinosus</i> ..	1889, 236		1883, 51
	1889, 243		1883, 53
<i>Echinorhynchus brevicollis</i>	1886, 256		1883, 58
	1886, 259		1883, 194
porrigens	1886, 256		1883, 195
proteus	1886, 259		1883, 196
ruber	1886, 258		1883, 200
	1886, 259	roratus	1884, 431
<i>Echinosaura</i>	1890, 82		1881, 917
horrida	1890, 79		1881, 918
	1890, 83		1883, 196
	1890, 86		1885, 563
<i>Echinostrephus molare</i> ..	1881, 414	westermanni	1881, 918
	1881, 415		1883, 53
	1881, 433		1883, 196
<i>Echinothrix calamarina</i> ..	1888, 388	<i>Ecpanteria eridane</i> ..	1884, 322
turcarum	1881, 413	<i>Ecpleopus</i> (<i>Euspondylus</i>)	
<i>Echinus albocinctus</i>	1881, 91	guentheri	1881, 235
angulosus	1888, 388		1881, 245
esculentus	1881, 413	(—) maculatus ..	1881, 236
magellanicus	1881, 87	(—) strangulatus	1881, 236
	1881, 90	<i>Ectima iona</i>	1890, 564
margaritaceus	1881, 90	<i>Ectomychus basalis</i>	1887, 642
<i>Echis carinata</i>	1881, 463		1887, 646
	1881, 682	<i>Ectrichodia imperialis</i> ..	1890, 478
colorata	1881, 463	<i>Edema alata</i>	1890, 510
<i>Echlonia buccinalis</i>	1890, 247	lanassa	1890, 509
<i>Eclectus cardinalis</i>	1881, 917	nivilinea	1888, 638
	1881, 918		1888, 655
	1882, 701	pulchra	1890, 510
	1883, 196	<i>Edessa guineensis</i>	1890, 476
cornelia	1881, 917	<i>Edessena hamada</i>	1889, 564
	1881, 918	<i>Edoliisoma erythropo-</i>	
	1883, 53	gon	1888, 196
	1883, 196	erythropygium	1888, 184
grandis	1881, 916		1888, 196
	1881, 917	incertum	1885, 635
	1881, 918	melan	1885, 634
intermedius	1882, 701	montanum	1885, 634
linnaei	1881, 917	morio	1885, 553
	1881, 918	obiense	1885, 570
pectoralis	1881, 917	remotum	1888, 184
	1881, 918		1888, 185
	1881, 919	schisticeps	1885, 634
	1883, 196	<i>Eglisia macandreae</i>	1884, 364
	1885, 620		1890, 277
	1887, 329	<i>Egnasia erebina</i>	1888, 317
personatus	1885, 502		1889, 569
polychlorus	1881, 916	fallax	1889, 569
	1887, 329	opalina	1889, 569
		polybapta	1889, 568
		porphyrea	1889, 569

	Page		Page
<i>Egnasia pulcherrima</i> ..	1889,	<i>Elcysma westwoodi</i>	1890,
<i>pusilla</i>	1889,		1890,
<i>simplex</i>	1889,	<i>Electra acuta</i>	1883,
<i>trimantesalis</i>	1889,		1883,
<i>vasava</i>	1889,	<i>clancula</i>	1883,
<i>Elacate nigra</i>	1887,		1883,
<i>Elainea</i> , sp.	1882,		1883,
<i>albiceps</i>	1882,		1883,
	1882,		1883,
	1882,		1883,
	1883,	<i>hectori</i>	1883,
	1884,		1883,
<i>flavivertex</i>	1887,		1883,
<i>gaimardi</i>	1887,	<i>obtusa</i>	1883,
<i>gigas</i>	1882,	<i>thicolea</i>	1883,
<i>griseigularis</i>	1884,		1883,
	1885,	<i>Eleginus maclovinus</i> ..	1881,
<i>hypospodia</i>	1887,	<i>Eleotris butis</i>	1890,
<i>implacens</i>	1885,	<i>elliotti</i>	1888,
<i>leucospodia</i>	1885,	<i>hoedtii</i>	1888,
<i>martinica</i>	1889,	<i>macrolepidota</i>	1888,
	1889,	<i>Elephas africanus</i>	1882,
<i>modesta</i>	1884,		1883,
<i>pagana</i>	1882,		1885,
	1883,	<i>bombifrons</i>	1885,
	1887,		1885,
	1888,	<i>clifti</i>	1885,
<i>pallatangæ</i>	1885,	<i>indicus</i>	1882,
	1885,		1883,
<i>placens</i>	1883,		1886,
	1883,	<i>insignis</i>	1885,
	1885,		1885,
	1885,	<i>namadicus</i>	1885,
<i>ridleyana</i>	1888,	<i>primigenius</i>	1885,
<i>semipagana</i>	1883,	<i>Eletica bicolor</i>	1890,
	1885,		1890,
	1885,	<i>rufa</i>	1890,
<i>subplacens</i>	1883,	<i>Eliochroea senex</i>	1889,
	1885,	<i>Ellobium elongatum</i> ..	1887,
<i>Elanus cæruleus</i>	1887,	<i>oparicum</i>	1887,
<i>hypoleucus</i>	1887,	<i>semisculptum</i>	1887,
<i>leucurus</i>	1882,	<i>subula</i>	1887,
<i>Elaphis conspicillatus</i> ..	1887,	<i>Elminia longicauda</i>	
<i>quadrivirgata</i>	1884,	<i>minor</i>	1888,
<i>Elaphodus michianus</i> ..	1885,	<i>teresita</i>	1888,
	1886,	<i>Elops saurus</i>	1887,
	1886,	<i>Elydna diurna</i>	1889,
	1886,		1889,
<i>Elapoides annulatus</i> ..	1890,	<i>transversa</i>	1889,
<i>Elaps hygiæ</i>	1885,	<i>Emalodera obesa</i>	1881,
<i>lemniscatus</i>	1885,	<i>Emarginula adriatica</i> ..	1882,
	1887,	<i>cancellata</i>	1882,
<i>Elcysma caudata</i>	1890,	<i>capuliformis</i>	1882,
	1890,	<i>compressa</i>	1882,
<i>dohertyi</i>	1890,	<i>conica</i>	1882,
	1890,	<i>costæ</i>	1882,
<i>translucida</i>	1888,	<i>crassa</i>	1882,
	1890,	<i>crassalta</i>	1882,
<i>westwoodi</i>	1890,		

	Page		Page
<i>Emarginula curvirostris</i>	1882, 678	<i>Emberiza unicolor</i>	1886, 397
<i>cusmichiana</i>	1882, 679	<i>Embernagra chloronota</i>	1883, 444
<i>decussata</i>	1882, 678		1883, 445
<i>depressa</i>	1882, 679	<i>chrysona</i>	1883, 551
<i>elongata</i>	1882, 679	<i>plateusis</i>	1882, 600
	1890, 252	<i>rufivirgata</i>	1883, 444
	1890, 295	<i>striaticeps</i>	1883, 422
<i>fissura</i>	1882, 678		1883, 551
<i>fissurelloides</i>	1882, 679		1885, 85
<i>gigantea</i>	1882, 678		1885, 122
<i>huzardi</i>	1882, 679	<i>verticalis</i>	1883, 444
<i>maculata</i>	1890, 295	<i>Embia (Oligotoma)</i>	
<i>multistriata</i>	1882, 680	<i>michaeli</i>	1883, 634
	1882, 687	(—) <i>saundersii</i>	1883, 628
	1884, 148		1883, 634
<i>papillosa</i>	1882, 679	<i>Embolophorus fritillus</i>	1888, 423
<i>pileolus</i>	1882, 678	<i>Emesis arminius</i>	1890, 572
<i>reticulata</i>	1882, 678	<i>mandana</i>	1890, 572
<i>rosea</i>	1882, 678	<i>spretta</i>	1890, 572
<i>rubra</i>	1882, 678	<i>Eminia lepida</i>	1888, 21
<i>tuberculosa</i>	1882, 679	<i>Emminia olivacea</i>	1881, 228
<i>Emballonura nigrescens</i>	1887, 326	<i>Empidochanes fuscatus</i>	1882, 21
	1887, 327	<i>griseipectus</i>	1883, 558
	1888, 479		1885, 121
	1888, 483	<i>Empidonax acadicus</i>	1883, 558
	1888, 484		1885, 124
<i>Emberiza atriceps</i>	1886, 397	<i>griseigularis</i>	1883, 558
<i>castaneiceps</i>	1887, 582	<i>minima</i>	1883, 448
	1887, 583	<i>obscurus</i>	1887, 50
	1888, 465	<i>ridgwayi</i>	1887, 50
<i>cioides</i>	1887, 582	<i>trailli</i>	1883, 448
	1887, 583		1887, 50
	1887, 606	<i>Empusa egena</i>	1888, 88
	1889, 6	<i>Emys blandingii</i>	1887, 555
<i>ciopsis</i>	1887, 583		1887, 556
	1889, 6	<i>europæa</i>	1889, 603
<i>citrinella</i>	1887, 194	<i>orbicularis</i>	1887, 555
<i>elegans</i>	1887, 606		1887, 556
<i>flaviventris</i>	1889, 367	<i>Encaustes crotchi</i>	1883, 75
<i>fucata</i>	1887, 583		1883, 76
	1887, 606	<i>humeralis</i>	1883, 76
	1888, 465	<i>verticalis</i>	1883, 76
<i>fucata</i>	1887, 583	<i>Enchesia unxia</i>	1889, 518
<i>gigliolii</i>	1887, 583	<i>Encymon angulatus</i>	1886, 158
<i>rustica</i>	1881, 827	<i>Endocelus orbicularis</i>	1886, 163
	1882, 721	<i>Endomychus bicolor</i>	1887, 649
	1882, 722	<i>biguttatus</i>	1887, 650
	1887, 582	<i>coccineus</i>	1887, 649
	1888, 456	<i>quadripunctatus</i>	1887, 650
<i>schoeniclus</i>	1882, 722	<i>rufipennis</i>	1887, 649
	1887, 194	<i>Endotricha rhodophi-</i>	
<i>septemstriata</i>	1881, 171	<i>lalis</i>	1885, 868
	1881, 955	<i>suffusalis</i>	1885, 864
<i>speculifera</i>	1881, 486	<i>Endromis versicolor</i>	1886, 3
<i>spodocephala</i>	1887, 606		1890, 95
	1888, 466	<i>Engina angulata</i>	1888, 210
<i>tahapisi</i>	1881, 171		1888, 213
	1881, 955		

	Page		Page
<i>Engina xantholeuca</i> ..	1882, 119	<i>Enyalius præstabilis</i> ..	1881, 247
	1882, 121	<i>Enygrus bibronii</i>	1888, 90
<i>Engis annulata</i>	1889, 614	<i>carinatus</i>	1883, 387
<i>Engraulis commersoni-</i>			1888, 88
<i>anus</i>	1887, 666		1888, 90
<i>Engystoma leucostictum</i>	1890, 324		1890, 30
<i>Enhydria lutris</i>	1885, 387	<i>Enyo anceus</i>	1888, 585
<i>marina</i>	1885, 387	<i>lugubris</i>	1884, 321
<i>stelleri</i>	1885, 387	<i>Eophona melanura</i>	1888, 456
<i>Enispe euthymius</i>	1883, 521	<i>Eos cardinalis</i>	1887, 330
<i>tessellata</i>	1883, 521		1888, 187
<i>Ennea balfouri</i>	1881, 809		1888, 190
	1881, 812	<i>fuscata</i>	1885, 622
<i>lævigata</i>	1881, 281	<i>insularis</i>	1885, 565
	1881, 300	<i>reticulata</i>	1883, 50
<i>obesa</i>	1881, 281		1883, 51
<i>ovoidea</i>	1881, 281		1883, 58
<i>passamaana</i>	1881, 808		1883, 194
	1881, 812		1883, 200
(Ptychotrema) <i>cy-</i>			1884, 431
<i>athostoma</i>	1887, 566	<i>riciniata</i>	1885, 562
<i>Enneamera ceylonensis</i> .	1887, 84		1885, 564
<i>cyanea</i>	1885, 740		1885, 565
	1885, 755		1885, 621
<i>fulva</i>	1885, 755	<i>rubra</i>	1882, 701
<i>fulviventris</i>	1885, 740	<i>wallacei</i>	1885, 621
<i>tibialis</i>	1885, 740	<i>Epacromia collecta</i>	1881, 85
	1885, 755	<i>rufostriata</i>	1888, 550
<i>Ennomos angularia</i>	1887, 252	<i>Epeira diadeuina</i>	1887, 202
	1887, 272		1887, 254
	1887, 274		1887, 274
	1889, 87	<i>Ephialtes menadensis</i> ..	1885, 545
<i>Ennychia arabica</i>	1884, 500	<i>Ephyra cleoraria</i>	1883, 170
<i>Enome ampla</i>	1885, 300		1885, 856
<i>detersa</i>	1885, 300		1886, 454
	1885, 307	<i>dharmsalæ</i>	1883, 169
	1886, 438	<i>extrusata</i>	1885, 306
<i>incerta</i>	1885, 300		1886, 441
	1886, 438	<i>fluidaria</i>	1885, 856
<i>Entomogramma torsa</i> ..	1885, 462		1885, 886
	1886, 449	<i>invexata</i>	1885, 856
<i>Enyalius heterolepis</i> ..	1881, 239		1886, 455
	1881, 241	<i>quieta</i>	1885, 856
	1881, 246		1885, 885
	1881, 247	<i>subdolaria</i>	1885, 856
<i>laticeps</i>	1881, 238	<i>Ephyrodes postica</i>	1884, 323
	1881, 239	<i>Epia claripennis</i>	1889, 518
<i>microlepis</i>	1881, 238	<i>Epialtus dentatus</i>	1881, 63
	1881, 245		1881, 66
	1881, 246	<i>marginatus</i>	1881, 63
	1881, 247		1881, 66
<i>oshaughnessyi</i>	1881, 246	<i>Epicalia antinoë</i>	1890, 563
	1881, 247	<i>numilia</i>	1890, 563
<i>palpebralis</i>	1883, 46	<i>obrinus</i>	1890, 563
<i>planiceps</i>	1881, 238	<i>Epicaula dichrocera</i> ..	1885, 231
<i>præstabilis</i>	1881, 240	<i>Epicopeia mencia</i>	1888, 612
	1881, 245	<i>simulans</i>	1888, 611
	1881, 246		1888, 655

	Page		Page
<i>Epicerionops bicolor</i>	1886, 414	<i>Epitrix flavicola</i>	1889, 273
<i>Epifidonia absona</i>	1889, 427	<i>fulvicornis</i>	1889, 273
<i>signata</i>	1886, 392	<i>hirtula</i>	1889, 273
	1886, 395	<i>opacicollis</i>	1889, 273
	1888, 323	<i>venezuelensis</i>	1889, 273
	1889, 428	<i>Epizeuxia maculifera</i>	1889, 566
<i>Epilachna</i> , sp.	1888, 539	<i>Epomophorus comptus</i>	1881, 690
<i>chrysomelina</i> , var.			1881, 693
<i>reticulata</i>	1881, 470	<i>franqueti</i>	1881, 686
<i>Epilecta opulenta</i>	1883, 160		1881, 687
<i>pulcherrima</i>	1889, 501		1881, 689
<i>semiherbida</i>	1883, 160		1881, 690
	1889, 502		1881, 691
<i>Epimachus albus</i>	1886, 320		1881, 692
<i>macleayanæ</i>	1889, 451		1881, 693
<i>minor</i>	1889, 358		1888, 7
<i>speciosus</i>	1885, 616		1888, 16
	1885, 648	<i>gambianus</i>	1881, 690
<i>Epimecia ænigma</i>	1884, 229	<i>labiatus</i>	1881, 690
<i>Epinephele hyperanthus</i>	1881, 868		1881, 692
	1881, 907	<i>macrocephalus</i>	1881, 393
<i>neoza</i>	1882, 237		1881, 690
<i>pulchella</i>	1882, 237		1881, 691
<i>roxane</i>	1882, 758		1881, 692
	1883, 174	<i>minor</i>	1881, 393
<i>Epinephelus brunneus</i>	1889, 244		1881, 690
<i>retouti</i>	1888, 259		1881, 692
<i>Epione</i> , sp.	1884, 324		1890, 446
<i>brongusaria</i>	1886, 390	<i>monstrosus</i>	1881, 690
<i>inexacta</i>	1885, 856		1881, 693
	1886, 455	<i>pusillus</i>	1881, 690
<i>Episcapha annulata</i>	1889, 614		1881, 693
	1889, 620		1890, 446
<i>cordata</i>	1883, 75	(<i>Hypsignathus</i>)	
	1883, 81	<i>monstrosus</i>	1888, 7
<i>difficilis</i>	1883, 75		1888, 16
	1883, 82	<i>Epopterus eganus</i>	1886, 160
<i>interrupta</i>	1883, 82		1886, 163
<i>obliquata</i>	1883, 83	<i>ephippiger</i>	1886, 160
<i>octonotata</i>	1883, 81		1886, 161
<i>octopustulata</i>	1883, 75		1886, 163
	1883, 82	<i>lineoguttatus</i>	1886, 161
	1883, 87		1886, 163
<i>oculata</i>	1889, 614	<i>Epyrgis binghami</i>	1882, 779
<i>pivicentris</i>	1883, 75	<i>desgodinsi</i>	1890, 384
	1883, 81	<i>forbesi</i>	1882, 779
	1883, 82		1882, 782
<i>semperi</i>	1883, 75	<i>Equula edentula</i>	1887, 661
	1883, 81	<i>fasciata</i>	1887, 661
	1883, 82	<i>Equus africanus</i>	1884, 542
<i>senegalensis</i>	1883, 81	<i>asinus</i>	1884, 541
	1883, 82		1884, 542
<i>Epissublaevis</i>	1883, 81	— <i>africanus</i>	1884, 542
<i>paris exprimens</i>	1889, 416	— <i>somalicus</i>	1884, 476
<i>signata</i>	1885, 470		1884, 540
	1886, 452		1884, 542
<i>sora</i>	1889, 415	<i>burchelli</i>	1885, 221
<i>Epitrix flaveola</i>	1889, 273		1890, 413

	Page		Page
<i>Equus burchelli</i>	1890, 414	<i>Erastria sulphurea</i>	1889, 528
— <i>chapmani</i>	1885, 222	<i>unca</i>	1889, 522
<i>chapmani</i>	1883, 32	<i>vermiculata</i>	1888, 222
	1885, 217	<i>Erato scabriuscula</i>	1890, 249
	1885, 221	<i>Erbessa calydon</i>	1885, 534
	1890, 414	<i>capena</i>	1885, 534
<i>grevyi</i>	1882, 721	<i>Ercheia costipannosa</i> . .	1883, 24
	1883, 175	<i>cyllaria</i>	1885, 465
	1890, 413	<i>cyllota</i>	1885, 465
	1890, 414	<i>diversipennis</i>	1886, 450
	1890, 461	<i>dubia</i>	1883, 366
	1890, 647		1883, 370
<i>hemionus</i>	1885, 421	<i>latera</i>	1890, 496
<i>montanus</i>	1887, 1		1890, 520
<i>tæniopus</i>	1881, 734	<i>pannosa</i>	1883, 24
	1884, 541	<i>porphyria</i>	1890, 496
<i>zebra</i>	1882, 721	<i>umbrosa</i>	1889, 548
	1887, 1	<i>uniformis</i>	1883, 24
	1890, 413	<i>zura</i>	1885, 465
	1890, 461	<i>zygia</i>	1885, 465
	1890, 647	<i>Erebangela melan-</i>	
<i>Eractheus tibialis</i>	1890, 475	<i>auges</i>	1888, 230
<i>Erastria africana</i>	1889, 525	<i>Erebia æthiops</i>	1881, 905
<i>albiorbis</i>	1881, 372	<i>afra</i>	1881, 905
<i>atrata</i>	1889, 527	<i>ajanensis</i>	1881, 868
<i>brunnea</i>	1889, 527		1881, 906
	1889, 571	<i>annada</i>	1882, 237
<i>candidula</i>	1889, 525		1886, 358
<i>costimacula</i>	1889, 525	<i>cyclopius</i>	1881, 868
<i>fasciata</i>	1889, 526		1881, 905
	1889, 527	<i>disa</i>	1881, 905
<i>fontoni</i>	1889, 526	<i>discoidalis</i>	1881, 868
<i>flavicollis</i>	1889, 525		1881, 905
	1889, 571	<i>edda</i>	1881, 868
<i>flavipuncta</i>	1889, 424		1881, 906
	1889, 571	<i>embla</i>	1881, 868
<i>fuscula</i>	1889, 526		1881, 906
<i>futilis</i>	1884, 517	<i>eriphyle</i>	1881, 905
	1884, 529	<i>ero</i>	1881, 868
<i>mandschuriana</i>	1888, 609		1881, 905
<i>marginata</i>	1881, 372	<i>eumonia</i>	1881, 906
	1881, 380	<i>glacialis</i>	1881, 905
<i>nemorum</i>	1889, 525	<i>ligea, var. ajanen-</i>	
<i>olivacea</i>	1889, 526	<i>sis</i>	1881, 906
	1889, 527	<i>medea</i>	1881, 821
	1889, 571		1881, 824
<i>pallidisca</i>	1881, 372		1881, 850
	1881, 380	<i>medusa</i>	1881, 868
<i>rosacea</i>	1889, 527		1881, 905
	1889, 571	<i>niphonica</i>	1881, 849
<i>scitula</i>	1884, 517		1881, 905
<i>securifera</i>	1889, 528		1887, 425
<i>senex</i>	1889, 525	<i>nirmala</i>	1882, 236
<i>sidemiata</i>	1889, 527	<i>parmenio</i>	1881, 868
<i>squalida</i>	1889, 527		1881, 905
	1889, 571	<i>saxicola</i>	1881, 868
<i>stigmatula</i>	1884, 495		1881, 905
<i>stygia</i>	1889, 526	<i>scanda</i>	1882, 236

	Page		Page
<i>Erebia scoparia</i>	1881, 848	<i>Erinaceus blanfordi</i>	1881, 407
	1887, 425		1881, 408
<i>sedakovii</i>	1881, 868	<i>concolor</i>	1881, 402
	1881, 906		1881, 407
	1887, 403	<i>deserti</i>	1881, 402
	1887, 425		1881, 404
<i>shallada</i>	1882, 237	<i>diadematus</i>	1881, 402
<i>stygne</i>	1881, 905		1881, 407
<i>tristis</i>	1881, 868		1881, 407
	1881, 905		1884, 402
	1881, 906		1884, 403
<i>wanga</i>	1881, 905	<i>europæus</i>	1881, 398
<i>Erebus albicinctus</i>	1888, 315		1881, 399
<i>odora</i>	1884, 323		1881, 400
<i>Eremaeus fimbriatus</i>	1890, 418		1881, 401
	1890, 422		1881, 402
	1890, 425		1881, 403
<i>Eremias balfouri</i>	1881, 468		1881, 404
<i>guineensis</i>	1890, 79		1881, 405
<i>guttulata</i>	1881, 469		1881, 407
<i>lugubris</i>	1887, 339		1881, 408
<i>pardalis</i>	1881, 467		1884, 402
<i>rubro-punctata</i>	1887, 482	<i>grayii</i>	1881, 402
<i>suborbitalis</i>	1890, 79		1881, 407
(<i>Mesalina</i>) <i>balfouri</i>	1881, 464	<i>heterodactylus</i>	1881, 402
	1881, 467		1881, 405
(—) <i>pardalis</i>	1881, 469		1881, 407
<i>Eremomela elegans</i>	1888, 22	<i>macracanthus</i>	1881, 402
<i>Eressa confinis</i>	1885, 290		1881, 407
	1886, 436	<i>micropus</i>	1881, 402
<i>musa</i>	1885, 290		1881, 404
	1885, 307		1881, 407
<i>Ereta tipulalis</i>	1884, 325	<i>niger</i>	1881, 402
<i>Erethizon dorsatus</i>	1882, 271		1881, 407
	1882, 286	<i>pictus</i>	1881, 402
	1884, 237		1881, 404
	1884, 243		1881, 407
	1884, 250	<i>Eriocnemis affinis</i>	1882, 39
<i>Eretmophorus kleinenbergi</i>	1889, 328	<i>aureliæ</i>	1885, 116
	1889, 330	<i>derbyana</i>	1885, 116
	1889, 332	<i>dybowskii</i>	1882, 39
<i>Ereunetes petrificatus</i>	1883, 429	<i>godini</i>	1885, 116
<i>Ergolis ariadne</i>	1882, 240	<i>luciani</i>	1884, 303
	1885, 129		1885, 105
<i>enotrea</i>	1887, 570	<i>lugens</i>	1885, 116
	1890, 473	<i>mosquera</i>	1885, 105
<i>Eriauchenus workmanni</i>	1881, 765		1885, 116
	1881, 768	<i>nigrivestis</i>	1885, 116
	1881, 775	<i>smaragdinipectus</i>	1885, 105
	1882, 763		1885, 116
<i>Erilita modestalis</i>	1888, 579	<i>squamata</i>	1885, 116
<i>Erinaceus albiventris</i>	1884, 402	<i>Eriocottis fuscanela</i>	1881, 624
	1884, 403	<i>Eriogaster aleria</i>	1890, 503
<i>algius</i>	1881, 402	<i>lanestris</i>	1887, 194
	1881, 407		1887, 195
<i>blanfordi</i>	1881, 402		1887, 202
	1881, 403		1887, 232
			1887, 237

	Page		Page
<i>Eriogaster submarginalis</i>	1890,	<i>Erythra phœnicura</i>	1885,
<i>Eriopus exotica</i>	1889,		1885,
<i>latreillei</i>	1881,		1889,
	1883,	<i>Erythrichthys schlegeli</i>	1889,
<i>placodoides</i>	1881,		1889,
<i>pteridis</i>	1889,	<i>Erythrina indica</i>	1884,
<i>quieta</i>	1881,	<i>Erythrocercus living-</i>	
	1883,	<i>stoni</i>	1882,
<i>Eriphia lævimanus</i>	1887,	<i>macalli</i>	1882,
<i>Erismatura ferruginea</i> . .	1883,	<i>thomsoni</i>	1882,
<i>rubida</i>	1882,		1882,
<i>Erithaca rubecula</i>	1887,	<i>Erythrochichla bicolor</i> . .	1885,
<i>Eromene bella</i>	1885,	<i>Erythrocnas pulcherrima</i>	1882,
	1886,	<i>Erythropitta celebensis</i>	1885,
<i>ocellea</i>	1888,	<i>Erythropygia leuco-</i>	
<i>Eronia arabica</i>	1884,	<i>phrys</i>	1882,
<i>argia</i>	1890,	<i>munda</i>	1882,
<i>buquetii</i> , var. <i>arabica</i>	1884,	<i>paena</i>	1882,
	1885,		1882,
<i>capensis</i>	1884,	<i>pectoralis</i>	1882,
<i>cleodora</i>	1885,	<i>ruficauda</i>	1888,
	1888,	<i>similis</i>	1882,
<i>dilutata</i>	1888,	<i>zambesiana</i>	1882,
<i>mosambicensis</i>	1884,		1882,
<i>pingasa</i>	1881,	<i>Erythrospiza githaginea</i>	1889,
<i>thalassina</i>	1890,	<i>trinotata</i>	1885,
<i>Erosia</i> , sp.	1884,	<i>Erythrosterna luteola</i> . .	1882,
<i>adjutaria</i>	1883,		1887,
	1885,		1888,
<i>conchiferalis</i>	1888,	<i>Erythrura prasina</i>	1888,
<i>hyperbolica</i>	1884,	<i>psittacea</i>	1888,
	1884,	<i>trichroa</i>	1884,
<i>theclata</i>	1883,		1885,
	1885,		1888,
<i>Errina fissurata</i>	1881,	<i>tricolor</i>	1883,
<i>Erruca aterrima</i>	1883,		1883,
<i>hilaris</i>	1883,		1883,
<i>lycopolis</i>	1883,	<i>Esacus magnirostris</i>	1881,
	1883,		1888,
<i>phyleis</i>	1883,	<i>Eschara radiata</i>	1881,
<i>sephela</i>	1883,	<i>unicornis</i>	1881,
<i>Ervilia subcancellata</i> . .	1890,	<i>Esperia bowerbanki</i> . .	1881,
	1890,	<i>intermedia</i>	1881,
<i>Erycides palemon</i>	1890,	<i>magellanica</i>	1881,
<i>pygmalion</i>	1890,		1881,
<i>Erycina fabula</i>	1881,		1881,
<i>geoffroyi</i>	1881,		1881,
<i>ovata</i>	1881,	<i>nodosa</i>	1881,
<i>pusilla</i>	1881,		1881,
<i>renieri</i>	1881,	<i>rhopalophora</i>	1881,
<i>similis</i>	1881,	<i>tunicata</i>	1881,
<i>vitrea</i>	1881,	<i>Estheria birchii</i>	1886,
<i>Erygia apicalis</i>	1886,	<i>lutraria</i>	1886,
	1889,		1886,
<i>Erythra leucomelana</i> . .	1885,	<i>melitensis</i>	1884,
	1885,	<i>packardi</i>	1886,
<i>phœnicura</i>	1881,		1886,
	1885,		1886,

	Page		Page
<i>Estigena nandina</i>	1885, 306	<i>Euchelia jacobææ</i>	1887, 273
<i>Estigmene lactinea</i>	1888, 620	<i>Euchloë cardamines</i>	1886, 2
<i>menthastri</i>	1888, 618		1887, 51
<i>mœrens</i>	1888, 618		1888, 120
<i>Estrelida astrild</i>	1885, 268		1889, 86
	1888, 32	<i>charlonia</i>	1886, 376
<i>atricapilla</i>	1888, 32	<i>lucilla</i>	1886, 376
<i>cinerea</i>	1888, 32		1886, 395
<i>cyanogastra</i>	1881, 588	<i>Euchlora viridis</i>	1888, 374
<i>nonnula</i>	1888, 31	<i>Euchoreutes naso</i>	1890, 610
<i>paludicola</i>	1888, 32		1890, 611
<i>quartinia</i>	1889, 367		1890, 612
<i>rhodopyga</i>	1888, 32	<i>Euchromia fulvida</i>	1888, 82
<i>subflava</i>	1888, 32	<i>ganymede</i>	1888, 571
<i>Eterusia euchromoides</i>	1888, 613	<i>octomaculata</i>	1888, 594
<i>pulchella</i>	1888, 295	<i>polymena</i>	1884, 514
<i>remota</i>	1888, 612		1885, 290
<i>triliturata</i>	1888, 295	<i>sperchius</i>	1888, 82
<i>Etiella decipiens</i>	1881, 623	<i>Euclasta defamatalis</i>	1885, 872
<i>Eubagis ævata</i>	1890, 561		1886, 459
<i>arene</i>	1890, 562	<i>Euclidia consors</i>	1889, 554
<i>decima</i>	1890, 562	<i>glyphica</i>	1889, 554
<i>peridoides</i>	1890, 562	<i>Eucometes spodoce-</i>	
<i>Eubaphe brevicornis</i>	1888, 296	<i>phala</i>	1883, 443
<i>guniaria</i>	1888, 296	<i>Eucteanus hardwicki</i>	1887, 647
<i>Eublemma amabilis</i>	1886, 447	<i>marseuli</i>	1887, 647
<i>Eublepharis variegatus</i>	1890, 78	<i>Eucyane amica</i>	1885, 520
<i>Eubolia nasifera</i>	1888, 331	<i>chesalon</i>	1885, 520
<i>Eubrachys apicalis</i>	1881, 446	<i>childon</i>	1885, 520
<i>Eucephala cærulea</i>	1882, 40		1885, 536
<i>grayi</i>	1885, 116	<i>chislon</i>	1885, 521
<i>Euceratia castella</i>	1881, 310	<i>jucunda</i>	1885, 520
	1881, 325	<i>phlegon</i>	1885, 520
<i>securella</i>	1881, 311		1885, 536
	1881, 325	<i>simsoni</i>	1885, 521
<i>Eucereon imriei</i>	1884, 320	<i>Eucycla ceylonensis</i>	1887, 87
	1884, 322	<i>Eudæmonia argiphontes</i>	1881, 144
<i>Euchætomyz rufescens</i>	1881, 534	<i>Eudamus bifasciatus</i>	1881, 910
<i>Euchalcia cashmirensis</i>	1881, 376		1887, 428
<i>modesta</i>	1881, 376	<i>guttatus</i>	1881, 912
<i>uralensis</i>	1881, 376		1887, 429
<i>Euchelia jacobææ</i>	1885, 66	<i>santiago</i>	1884, 318
	1886, 3	<i>Eudendrium arbusculum</i>	1881, 103
	1887, 196	<i>rameum</i>	1881, 103
	1887, 197	<i>Eudioptis indica</i>	1884, 501
	1887, 200		1885, 870
	1887, 209		1886, 459
	1887, 212	<i>Eudocimus albus</i>	1889, 26
	1887, 220	<i>longirostris</i>	1889, 26
	1887, 224	<i>Eudorea lativitta</i>	1883, 29
	1887, 231	<i>Eudragana limbata</i>	1888, 545
	1887, 232	<i>Eudrilus boyeri</i>	1886, 302
	1887, 233		1886, 304
	1887, 235		1887, 377
	1887, 236		1887, 382
	1887, 237		1887, 383
	1887, 262		1887, 385
	1887, 272	<i>decipiens</i>	1886, 302

	Page		Page
<i>Eudrilus decipiens</i>	1887, 374	<i>Eulampis jugularis</i>	1889, 326
<i>peregrinus</i>	1887, 386		1889, 395
<i>sylvicola</i>	1887, 372	<i>Eulepis athamas</i>	1882, 238
	1887, 377	<i>hamasta</i>	1882, 238
	1887, 381	<i>Eulina abbreviata</i>	1884, 370
	1887, 383		1884, 372
	1887, 385	<i>aciculata</i>	1890, 279
<i>Eudromias asiaticus</i>	1888, 49	<i>atlantica</i>	1890, 251
<i>modesta</i>	1881, 15		1890, 278
<i>morinellus</i>	1881, 644		1890, 316
<i>vereda</i>	1889, 225	<i>bilineata</i>	1884, 365
<i>versicolor</i>	1885, 65		1884, 366
	1889, 86	<i>brevis</i>	1884, 368
<i>Eudule sanguinea</i>	1885, 524	<i>bulimus</i>	1884, 349
<i>sicelides</i>	1885, 524	<i>chaunax</i>	1884, 369
<i>tritonia</i>	1885, 524	<i>chyta</i>	1890, 319
	1885, 536	<i>cingulata</i>	1884, 117
<i>Eudynamis cyanocephala</i>	1885, 625	<i>conica</i>	1890, 279
	1888, 191	<i>distorta</i>	1884, 367
<i>malayana</i>	1885, 406		1884, 368
	1885, 418		1884, 369
	1889, 226	—, var. <i>gracilis</i>	1884, 367
<i>melanorhyncha</i>	1885, 550	<i>elegantissima</i>	1884, 358
<i>mindanensis</i>	1889, 225	<i>fuscescens</i>	1890, 251
<i>orientalis</i>	1885, 170		1890, 278
	1885, 181		1890, 316
	1885, 182	<i>fusco-apicata</i>	1884, 369
<i>rufiventer</i>	1885, 625		1884, 370
<i>taitensis</i>	1885, 170		1884, 372
	1885, 172	<i>germana</i>	1890, 251
<i>Eudytes chrysocome</i>	1888, 265		1890, 279
	1889, 82		1890, 316
	1889, 84	<i>glabella</i>	1884, 368
<i>filholi</i>	1889, 82	<i>glabra</i>	1884, 367
	1889, 84		1884, 371
<i>nigriventris</i>	1889, 84		1884, 372
<i>nigrivestis</i>	1889, 84	<i>hians</i>	1884, 369
<i>pachyrhynchus</i>	1889, 82	<i>intermedia</i>	1884, 366
	1889, 83		1890, 278
<i>saltator</i>	1889, 82	<i>jeffreysiana</i>	1884, 366
	1889, 84	<i>lineata</i>	1884, 366
	1889, 82	<i>minuta</i>	1884, 370
<i>sclateri</i>	1889, 82		1884, 372
	1889, 83	<i>monodon</i>	1884, 347
	1889, 84	<i>nitida</i>	1884, 367
<i>Eudytula minor</i>	1887, 139	<i>obtusa</i>	1884, 370
	1888, 252		1884, 371
	1888, 253		1884, 372
<i>Eudytus bizonatus</i>	1883, 80	<i>petitiana</i>	1884, 368
<i>Eugenia imperatrix</i>	1885, 116	<i>philippii</i>	1884, 367
<i>Euglyphis fulvidorsalis</i>	1885, 872	<i>piriformis</i>	1884, 369
<i>Eugoa grisea</i>	1888, 604		1884, 372
<i>obscura</i>	1888, 604	—, var. <i>bizonata</i>	1884, 369
	1888, 655	<i>polita</i>	1884, 358
<i>Eulabes palawanensis</i>	1889, 226		1884, 366
<i>religiosa</i>	1890, 551		1884, 367
<i>Eulampis holosericeus</i>	1889, 326	<i>retrorsa</i>	1890, 279
	1889, 395	<i>solida</i>	1884, 368

	Page		Page
<i>Eulima solida</i>	1884,	<i>Eupagurus comptus</i>	1881, 72
<i>stalioides</i>	1884,	—, var. <i>latimanus</i> ..	1881, 73
	1884,	<i>Eupemphix nana</i>	1890, 325
	1884,	<i>nattereri</i>	1886, 413
<i>stenostoma</i>	1884,	<i>trinitatis</i>	1890, 325
<i>subconica</i>	1890,	<i>Eupetes cærulescens</i> ..	1885, 644
	1890,	<i>macrocerus</i>	1881, 837
<i>subulata</i>	1884,		1881, 838
	1884,		1882, 267
—, var. <i>nana</i>	1884,	<i>Euphædra cærulescens</i> .	1890, 469
—, var. <i>pallidula</i> ..	1884,	<i>ceres</i>	1887, 569
<i>subumbilicata</i>	1884,	<i>eleus</i>	1888, 61
	1884,		1890, 470
<i>unifasciata</i>	1884,	<i>johnstoni</i>	1887, 569
(<i>Subularia</i>) <i>fusco-</i>	1884,		1890, 470
<i>punctata</i>	1890,	<i>losinga</i>	1887, 569
	1890,	<i>luperca</i>	1887, 569
	1890,	<i>pratinas</i>	1890, 470
<i>Eulimella compactilis</i> ..	1884,	<i>ruspina</i>	1887, 569
<i>gracilis</i>	1884,		1890, 470
<i>smithii</i>	1884,	<i>xypete</i>	1887, 569
<i>Eulimnadia rivolensis</i> ..	1886,	<i>Euphausia inermis</i>	1886, 259
	1886,		1886, 263
	1886,	<i>Euphenges subcostatus</i> .	1889, 279
<i>Eulychius madagascari-</i>	87	<i>Euphonia affinis</i>	1883, 442
<i>ensis</i>	1882,	<i>chalcopasta</i>	1882, 10
<i>Eumeces brevilineatus</i> .	52	<i>chlorotica</i>	1882, 596
<i>chinensis</i>	1890,	<i>crassirostris</i>	1883, 537
	1881,		1883, 544
	215	<i>flavifrons</i>	1889, 395
<i>mabouia</i>	1881,	<i>hirundinacea</i>	1883, 443
<i>pavimentatus</i>	236	<i>hypoxantha</i>	1883, 537
<i>xanthi</i>	1881,		1883, 544
<i>Eumelia rosalia</i>	1890,		1885, 77
<i>Eumeta cervina</i>	80		1885, 122
<i>cramerii</i>	1888,	<i>insignis</i>	1882, 10
<i>horsfieldi</i>	578	<i>nigricollis</i>	1882, 10
	1887,		1884, 288
	684	<i>saturata</i>	1884, 288
<i>minuscula</i>	1887,		1885, 70
<i>pryeri</i>	684		1885, 76
<i>rafflesi</i>	1881,		1885, 122
	1883,	<i>xanthogastra</i>	1882, 10
<i>wardii</i>	16		1883, 544
<i>Eumolpus surinamensis</i> .	1888,		1884, 288
<i>Eumomota superciliaris</i> .	598		1885, 77
	1883,	<i>Euphysetes grayi</i>	1883, 467
	453	<i>Eupidotis maculipennis</i> .	1889, 371
<i>Eunetta falcata</i>	1887,	<i>Eupithecia</i> , sp.....	1888, 331
<i>Eunica bechina</i>	591	<i>bilinea</i>	1885, 863
<i>cælina</i>	1890,		1885, 886
<i>caresa</i>	561	<i>conscensa</i>	1885, 863
<i>margarita</i>	1890,		1885, 886
<i>orphise</i>	561	<i>immixtaria</i>	1885, 863
<i>viola</i>	1890,	<i>infestata</i>	1889, 430
<i>Eunomia eburneifera</i> ..	561	<i>minuta</i>	1889, 430
<i>ocina</i>	1883,	<i>pulchellata</i>	1885, 65
	379	<i>quadripunctata</i>	1888, 331
	1883,		
<i>Euotaria cinerea</i>	379		
<i>schisthyperões</i>	1883,		
<i>Eupagurus comptus</i>	384		
	1884,		
	194		
	1881,		
	63		

	Page		Page
<i>Eupithecia testacea</i>	1885, 863	<i>Euplœa belinda</i>	1883, 270
	1885, 886	<i>bernsteini</i>	1883, 303
<i>tresignata</i>	1888, 331	<i>bohemanni</i>	1883, 307
<i>Euplecta ataranensis</i>	1888, 243	<i>boisduvalii</i>	1883, 272
<i>falcata</i>	1888, 243		1883, 320
<i>helicifera</i>	1888, 243	<i>brenchleyi</i>	1883, 284
<i>mammillaris</i>	1888, 243		1886, 344
<i>pansa</i>	1888, 243	<i>breweri</i>	1883, 267
<i>pingoungensis</i>	1888, 242	<i>browni</i>	1882, 754
<i>Euplectes capensis</i>	1881, 586		1883, 292
<i>flammiceps</i>	1881, 585	<i>burmeisteri</i>	1883, 309
	1888, 33	<i>butleri</i>	1883, 209
<i>ladoensis</i>	1888, 33		1883, 210
<i>nigriventris</i>	1881, 586		1883, 290
<i>phoenicomerus</i>	1887, 126		1883, 291
<i>taha</i>	1888, 33	<i>callithœ</i>	1883, 305
<i>xanthomelas</i>	1881, 586	<i>camaralzeman</i>	1883, 264
<i>Euplexia albovittata</i>	1888, 293	<i>camorta</i>	1883, 279
	1888, 308	<i>castelnaui</i>	1883, 289
	1889, 504	<i>charox</i>	1883, 261
<i>distorta</i>	1881, 354	<i>chionippe</i>	1883, 243
	1881, 380	<i>chloë</i>	1883, 315
<i>japonica</i>	1889, 504	<i>chrysippus</i>	1883, 237
	1889, 571		1883, 238
<i>lucipara</i>	1887, 250	<i>clerkii</i>	1883, 315
	1887, 270	<i>climena</i>	1883, 260
	1889, 504	<i>configurata</i>	1883, 273
	1889, 505	<i>confusa</i>	1883, 260
<i>pectinata</i>	1888, 293	<i>consimilis</i>	1883, 319
	1888, 308	<i>coracina</i>	1883, 261
<i>semifascia</i>	1883, 161	<i>core</i>	1883, 277
	1885, 454		1885, 126
<i>Euplocamus ignitus</i>	1881, 800	<i>coreoides</i>	1883, 318
<i>nobilis</i>	1881, 800	<i>corinna</i>	1883, 270
	1885, 416	<i>corus</i>	1883, 255
<i>prælatus</i>	1882, 318		1883, 277
	1882, 327		1883, 289
<i>swinhoii</i>	1886, 193		1883, 290
<i>Euplocia membliaria</i>	1883, 156	<i>crameri</i>	1883, 266
<i>Euplœa abjecta</i>	1883, 282	<i>crassa</i>	1883, 307
<i>adyte</i>	1883, 295		1883, 308
<i>ægyptus</i>	1883, 316	<i>cratis</i>	1883, 269
<i>æthiops</i>	1883, 262	<i>cuvieri</i>	1883, 291
<i>aglidice</i>	1883, 302	<i>dalmanii</i>	1883, 285
<i>albata</i>	1883, 249	<i>darchia</i>	1883, 295
<i>alcatheae</i>	1883, 274	<i>decipiens</i>	1883, 280
<i>alecto</i>	1883, 262	<i>dehaanii</i>	1883, 301
<i>althæa</i>	1883, 305	<i>deione</i>	1883, 275
<i>amymone</i>	1883, 279	<i>dejeani</i>	1883, 314
<i>andamanensis</i>	1883, 281	<i>depuiseti</i>	1883, 304
<i>angasi</i>	1883, 270	<i>diana</i>	1883, 273
<i>anthracina</i>	1883, 274	<i>diocletianus</i>	1883, 296
<i>arisbe</i>	1883, 294	<i>distincta</i>	1883, 258
<i>aristotelis</i>	1883, 292	<i>doleschallii</i>	1883, 322
<i>asela</i>	1883, 277	<i>dolosa</i>	1883, 283
<i>assimilata</i>	1883, 299	<i>donovani</i>	1883, 271
<i>badoura</i>	1883, 321	<i>dorippus</i>	1883, 238
<i>batesii</i>	1883, 259		1884, 481

	Page		Page
<i>Euplœa dorippus</i>	1884,	<i>Euplœa gyllenhali</i>	1883,
	1885,	<i>hamata</i>	1883,
	1885,	<i>harrisii</i>	1883,
	1885,		1883,
	1886,	<i>haworthi</i>	1883,
<i>doubledayi</i>	1883,	<i>helcita</i>	1883,
<i>drucei</i>	1883,	<i>herbsti</i>	1883,
<i>dryasis</i>	1883,	<i>herrichii</i>	1883,
<i>duponchelii</i>	1883,	<i>hewitsoni</i>	1883,
<i>ebenina</i>	1883,		1883,
<i>edwardsii</i>	1883,	<i>hisme</i>	1883,
<i>eleutho</i>	1883,	<i>hopei</i>	1883,
	1883,	<i>hopfferi</i>	1883,
<i>elisa</i>	1883,	<i>horsfieldii</i>	1883,
<i>enceladus</i>	1883,	<i>hübneri</i>	1883,
<i>engrammellii</i>	1883,		1883,
<i>erichsonii</i>	1883,	<i>hyacinthus</i>	1883,
<i>erimas</i>	1883,	<i>hyems</i>	1883,
<i>eschscholtzii</i>	1883,	<i>illudens</i>	1883,
<i>esperi</i>	1883,	<i>imitata</i>	1883,
<i>euctemon</i>	1883,	<i>incompta</i>	1883,
<i>eunice</i>	1883,	<i>inquinata</i>	1883,
	1883,	<i>iphianassa</i>	1883,
<i>eupator</i>	1883,	<i>irawada</i>	1883,
<i>euphon</i>	1883,	<i>janus</i>	1883,
<i>euphone</i>	1883,	<i>jessica</i>	1883,
<i>eurianassa</i>	1883,	<i>johanna</i>	1883,
<i>eurypon</i>	1883,	<i>kadu</i>	1883,
<i>euthoë</i>	1883,	<i>kinbergi</i>	1883,
<i>eyndhovii</i>	1883,	<i>kirbyi</i>	1883,
<i>faber</i>	1883,	<i>klugi</i>	1883,
<i>fabricii</i>	1883,	<i>kollari</i>	1883,
<i>felderi</i>	1883,		1883,
	1883,	<i>lacordairei</i>	1883,
<i>forsteri</i>	1883,	<i>lætifica</i>	1883,
<i>fraterna</i>	1883,	<i>lankana</i>	1883,
<i>fraudulenta</i>	1883,	<i>lapeyrousei</i>	1883,
<i>frauenfeldii</i>	1883,	<i>latreillei</i>	1883,
<i>frischii</i>	1883,	<i>layardi</i>	1883,
<i>gamelia</i>	1883,	<i>leachii</i>	1883,
<i>germingii</i>	1883,	<i>leda</i>	1883,
<i>geyeri</i>	1883,	<i>ledereri</i>	1883,
	1883,	<i>leucostictos</i>	1883,
<i>gloriosa</i>	1883,	<i>lewinii</i>	1883,
<i>godartii</i>	1883,	<i>limborgii</i>	1883,
<i>godmani</i>	1883,	<i>limniace</i>	1883,
<i>goezi</i>	1883,	<i>lorenzo</i>	1883,
<i>goudotii</i>	1883,	<i>lorquini</i>	1883,
<i>græffiana</i>	1883,	<i>lorraini</i>	1883,
<i>grandis</i>	1883,	<i>lorzæ</i>	1883,
<i>grayi</i>	1883,	<i>lucasii</i>	1883,
	1883,	<i>lugens</i>	1883,
<i>grotei</i>	1883,	<i>macleayi</i>	1883,
	1883,	<i>magnifica</i>	1883,
<i>guerinii</i>	1883,	<i>malayica</i>	1883,
<i>gyllenhali</i>	1883,	<i>margarita</i>	1883,
	1883,		1883,
	1883,		314

	Page
<i>Euplœa marseuli</i>	1883, 313
maura	1883, 273
mazares	1883, 292
	1883, 299
megæra	1883, 274
megilla	1883, 287
melancholica	1883, 263
melanea	1883, 250
melina	1883, 261
	1883, 285
melpomene	1883, 318
ménétrésii	1883, 275
mesocala	1883, 305
meyeri	1883, 305
midamus	1883, 286
	1883, 287
	1883, 312
—, var. claudius	1883, 287
mindanaoensis	1883, 288
mitra	1883, 281
mniszechii	1883, 298
modesta	1883, 264
mœsta	1883, 322
montana	1883, 318
montrouzieri	1883, 258
moorei	1883, 267
	1883, 274
	1883, 280
morosa	1883, 285
mulciber	1883, 287
niavius	1883, 227
	1887, 567
novaræ	1883, 300
nox	1883, 263
occulta	1883, 262
ochsenheimeri	1883, 270
	1883, 290
	1883, 317
orope	1883, 270
	1883, 271
palea	1883, 321
papuana	1883, 322
pasithea	1883, 303
pavettæ	1883, 291
payeni	1883, 321
paykullii	1883, 261
	1883, 285
perryi	1883, 258
phædon	1883, 229
phænareta	1883, 289
	1883, 291
philomela	1883, 245
phœbus	1883, 209
	1883, 210
	1883, 289
	1883, 290
picina	1883, 320
pierretii	1883, 285

	Page
<i>Euplœa pinwillii</i>	1883, 275
plexippus	1883, 234
	1883, 240
poeyi	1883, 275
poggei	1883, 309
pollita	1883, 293
priapus	1883, 295
proserpina	1883, 272
pumila	1883, 294
reaumuri	1883, 262
redtenbacheri	1883, 261
resarta	1883, 259
roeseli	1883, 304
rogenhoferi	1883, 311
salabanda	1883, 294
saundersii	1883, 294
scherzeri	1883, 273
schlegelii	1883, 321
schmeltzii	1883, 272
semicirculus	1883, 291
semperi	1883, 288
sepulchralis	1883, 260
seriata	1883, 295
servillei	1883, 260
siamensis	1883, 278
similis	1883, 224
simulatrix	1883, 261
sinhala	1883, 309
sisamis	1883, 294
splendens	1883, 311
staintoni	1883, 303
stephensii	1883, 293
subdita	1883, 281
superba	1883, 312
	1883, 313
	1883, 321
sylvester	1883, 318
swainsonii	1883, 271
swinhoei	1883, 321
tisiphone	1883, 288
tobleri	1883, 282
torvina	1883, 285
treitschkei	1883, 298
trimenii	1883, 294
tristis	1883, 322
tulliolus	1883, 294
	1883, 295
tytia	1882, 235
	1883, 249
unibrunnea	1882, 754
	1883, 292
usipetes	1883, 299
vermiculata	1881, 603
	1882, 235
	1883, 277
	1885, 126
vestigata	1883, 300
	1883, 301

	Page		Page
<i>Euploea vicina</i>	1883, 284	<i>Euprepes cyanurus</i>	1883, 386
<i>viola</i>	1883, 304	<i>isseli</i>	1881, 469
<i>violetta</i>	1883, 305	<i>perrotteti</i>	1881, 464
<i>visayo</i>	1883, 282	<i>rufescens</i>	1881, 469
<i>vitella</i>	1883, 288	<i>rufescens</i>	1883, 386
<i>vollenhovii</i>	1883, 274	<i>Euprepia caia</i>	1888, 617
<i>walkenaieri</i>	1883, 299	<i>phaeosoma</i>	1888, 617
<i>wallacei</i>	1883, 274	—, var. <i>auripennis</i>	1888, 617
<i>wallengrenii</i>	1883, 262	<i>quadriramosa</i>	1885, 295
<i>westwoodii</i>	1883, 273	<i>Euproctis abdominalis</i> .	1888, 308
<i>whitei</i>	1883, 301	<i>decussata</i>	1885, 297
<i>whitmei</i>	1883, 304	<i>gamma</i>	1886, 386
<i>zinkenii</i>	1883, 306	<i>irrorata</i>	1888, 545
<i>zonota</i>	1883, 272	<i>lunata</i>	1885, 298
(<i>Calliploea</i>) <i>ledereri</i>	1883, 261	<i>marginalis</i>	1885, 297
(<i>Crastia</i>) <i>bremeri</i> .	1883, 276	—	1886, 438
(—) <i>camaral-</i>		<i>postica</i>	1885, 298
<i>zeman</i>	1883, 267	—	1888, 398
(—) <i>crameri</i>	1883, 264	<i>pygmaea</i>	1888, 297
(—) <i>cupreipennis</i>	1883, 266	<i>vitellina</i>	1885, 298
(—) <i>malayica</i> ..	1883, 264	<i>Euproctus montanus</i> ..	1884, 422
(—) <i>modesta</i> ..	1883, 269	—	1884, 423
(—) <i>ochsenhei-</i>	1883, 264	<i>rusconii</i>	1884, 422
<i>meri</i>	1883, 270	<i>Eupsilia strigifera</i>	1889, 511
(—) <i>simulatrix</i>	1883, 261	<i>tripunctata</i>	1889, 511
(<i>Macroploea</i>) <i>cas-</i>		<i>Eupterote diabolica</i> . . .	1885, 303
<i>telnaui</i>	1883, 289	<i>discrepans</i>	1885, 304
(—) <i>elisa</i>	1883, 289	<i>fraterna</i>	1888, 406
(<i>Salpinx</i>) <i>adamsoni</i>	1883, 313	<i>gyra</i>	1885, 303
(—) <i>diocletianus</i>	1883, 296	<i>ignavus</i>	1886, 440
(—) <i>erichsonii</i> ..	1883, 307	—	1886, 465
(—) <i>grantii</i>	1883, 307	<i>invalida</i>	1888, 406
(—) <i>illustris</i> . . .	1883, 306	<i>mollis</i>	1885, 304
(—) <i>irawada</i> ..	1883, 307	<i>mutans</i>	1885, 303
(—) <i>klugii</i>	1883, 311	—	1886, 440
(—) <i>leucogonys</i>	1883, 306	<i>similis</i>	1885, 304
(—) <i>margarita</i> ..	1883, 301	<i>undans</i>	1885, 304
(—) <i>masoni</i>	1883, 313	<i>undata</i>	1885, 303
(—) <i>novaræ</i>	1883, 309	—	1886, 441
(—) <i>rhadaman-</i>	1883, 300	<i>Euptoieta hegesia</i>	1890, 562
<i>thus</i>	1883, 296	<i>Euptychia argante</i>	1890, 568
(—) <i>rogenho-</i>		<i>armilla</i>	1890, 569
<i>feri</i>	1883, 311	<i>arnæa</i>	1890, 569
(—) <i>sinhala</i>	1883, 309	<i>celmis</i>	1890, 568
(<i>Stictoploea</i>) <i>core-</i>		<i>chloris</i>	1890, 569
<i>oides</i>	1883, 318	<i>furina</i>	1890, 569
(—) <i>grotei</i>	1883, 320	<i>hermes</i>	1890, 569
(—) <i>hopei</i>	1883, 319	<i>huebneri</i>	1890, 568
(—) <i>montana</i> ..	1883, 319	<i>itonis</i>	1890, 569
(<i>Trepischrois</i>) <i>mi-</i>		<i>myncea</i>	1890, 568
<i>damus</i>	1883, 286	<i>ocirrhoë</i>	1888, 60
<i>Euplynes auro-cinctus</i>	1889, 384	—	1890, 568
<i>Eupodotis australis</i> . . .	1885, 189	<i>ocypete</i>	1890, 568
<i>senegalensis</i>	1890, 337	<i>penelope</i>	1890, 568
<i>Euporus strangulatus</i> ,		<i>terrestris</i>	1890, 568
var. <i>purpureipes</i>	1890, 487	<i>undulata</i>	1890, 568
		<i>Eupyra cephalena</i>	1883, 372

	Page		Page
<i>Eupyra cephalena</i>	1883,	<i>Eurycope abyssicola</i> ..	1885,
<i>gigantea</i>	1890,		921
<i>herodes</i>	1883,		924
	1883,		925
<i>salmoni</i>	1883,	<i>atlantica</i>	1885,
	1883,		916
	1890,		918
	493		919
<i>Euralia anthedon</i>	1887,		920
<i>mima</i>	567		1885,
<i>Eurema albula</i>	1887,	<i>fragilis</i>	924
<i>athalia</i>	567		1885,
<i>elathea</i>	1890,		918
<i>flavilla</i>	558		920
<i>graduata</i>	1890,		1885,
<i>mana</i>	558	<i>gigantea</i>	924
<i>nisella</i>	1890,		925
<i>senegalensis</i>	557		1885,
<i>smilacina</i>	1887,	<i>intermedia</i>	916
<i>Eurhipia bowkeri</i>	572		1885,
<i>guyra</i>	1890,		918
<i>Euripus charonda</i>	557		919
	1888,		1886,
	98	<i>novæ zealandiæ</i> ..	1885,
	1889,		918
	536		919
	1881,	<i>pellucida</i>	1885,
	866		916
	1881,		1885,
	892		918
	1887,		920
	402		1885,
	1887,	<i>robusta</i>	916
<i>coreanus</i>	418	<i>sarsii</i>	1885,
	1887,		918
	402		1885,
	1887,		919
	418		1885,
	1887,		921
	431		1885,
<i>japonica</i>	1881,		924
	848		925
	1881,		1885,
	866		916
	1887,		918
	402		921
	1887,		1885,
	419	<i>spinosa</i>	916
<i>lucasioides</i>	1888,		1885,
<i>similis</i>	79		918
<i>Eurocephalus angui-</i>	1887,		1885,
<i>timens</i>	167		921
	1881,		1885,
	582		924
	1882,		1885,
	307	<i>spinosa</i>	916
	1889,		1885,
	361		918
<i>rueppelli</i>	1882,		921
	307		1885,
	1889,		924
	361	<i>Eurydactylus vieillardii</i>	1883,
<i>Eurois auriplena</i>	1881,		131
	618	<i>Euryechinus disjunc-</i>	
	1888,	<i>tus</i>	1881,
	308	<i>neglectus</i>	426
	1889,	<i>Eurygona cafusa</i>	1881,
	508		427
<i>herbida</i>	1889,	<i>eugæon</i>	1890,
<i>nebulosa</i>	507	<i>euoras</i>	570
<i>occulta</i>	1889,	<i>eutyclus</i>	1890,
<i>prasina</i>	508	<i>gelanor</i>	571
<i>virens</i>	1888,	<i>hygenius</i>	1890,
	308	<i>mys</i>	570
	1889,	<i>Eurylæmus javanicus</i> ..	1890,
	507		407
<i>Euryades corethrus</i>	1886,	<i>ochromelas</i>	1881,
<i>duponcheli</i>	11		798
<i>Eurybia juturna</i>	1886,		1885,
<i>lycisca</i>	11		407
	1890,		1887,
	569	<i>Eurymene dolobraria</i> ..	432
<i>Eurycercus cookii</i>	1890,		52
<i>cunninghami</i>	569	<i>Eurynorhynchus pyg-</i>	
<i>spinosa</i>	1886,	<i>mæus</i>	1884,
	83		410
<i>Eurycope, sp.</i>	1886,		
<i>abyssicola</i>	83		
	1885,		
	920		
	1885,		
	916		
	1885,		
	918		

	Page		Page
<i>Euryphene</i> , sp.....	1890,	469	
<i>brunhilda</i>	1890,	469	
<i>gambiæ</i>	1887,	568	
<i>mandinga</i>	1890,	469	
<i>mardania</i>	1887,	569	
<i>neophron</i>	1888,	91	
<i>phantasia</i>	1887,	568	
<i>plistonax</i>	1888,	61	
<i>violacea</i>	1888,	91	
<i>Eurypholis semicarina-</i> <i>tus</i>	1887,	148	
<i>Eurypodius audouinii</i> ..	1881,	64	
<i>brevipes</i>	1881,	64	
<i>latreillei</i>	1881,	63	
<i>septentrionalis</i>	1881,	64	
<i>tuberculatus</i>	1881,	64	
<i>Eurypus cascus</i>	1887,	166	
<i>Eurypyga helias</i>	1881,	644	
	1885,	119	
	1890,	330	
	1890,	337	
<i>Eurysops esau</i>	1890,	490	
<i>Eurystomus afer</i>	1881,	565	
	1885,	224	
	1888,	44	
<i>azureus</i>	1885,	569	
<i>calonyx</i>	1890,	550	
<i>crassirostris</i>	1890,	551	
	1887,	330	
	1888,	187	
	1888,	194	
	1890,	552	
<i>lætior</i>	1890,	550	
	1890,	551	
<i>orientalis</i>	1881,	793	
	1885,	255	
	1885,	503	
	1885,	546	
	1885,	568	
	1887,	600	
	1888,	462	
	1889,	224	
	1890,	546	
	1890,	550	
	1890,	551	
	1890,	552	
<i>pacificus</i>	1884,	426	
	1884,	433	
	1885,	255	
	1885,	569	
<i>solomonensis</i>	1890,	552	
<i>Eurytela dryope</i>	1888,	92	
	90,	473	
<i>Eurytela hiarbas</i>	1890,	473	
<i>melicerte</i>	1888,	92	
<i>ophione</i>	1888,	92	
	1890,	473	
<i>Euscarthmus apicalis</i> ..	1887,	47	
<i>fulviceps</i>	1885,	122	
<i>granadensis</i>	1887,	48	
<i>gularis</i>	1882,	605	
<i>margaritaceiventer</i>	1882,	605	
<i>pyrrhops</i>	1882,	18	
	1885,	117	
<i>Euschema flavescens</i> ..	1881,	326	
<i>malayana</i>	1885,	864	
<i>militaris</i>	1882,	781	
<i>minervaria</i>	1889,	294	
<i>nigrescens</i>	1881,	326	
<i>palmyra</i>	1885,	864	
<i>pilosa</i>	1888,	576	
<i>proba</i>	1889,	294	
<i>sagana</i>	1882,	781	
	1882,	782	
<i>Euselasia cafusa</i>	1890,	570	
<i>eugæon</i>	1890,	571	
<i>euoras</i>	1890,	571	
<i>eutyclus</i>	1890,	570	
<i>gelanor</i>	1890,	570	
<i>hygenius</i>	1890,	570	
<i>mys</i>	1890,	570	
<i>Eusemia accurata</i>	1889,	401	
<i>afflicta</i>	1885,	292	
	1886,	436	
<i>albomarginata</i>	1885,	518	
<i>basalis</i>	1889,	401	
<i>contracta</i>	1885,	292	
<i>euphemia</i>	1887,	668	
<i>fimbriata</i>	1885,	518	
<i>japana</i>	1888,	613	
<i>opheltes</i>	1885,	518	
<i>pentelia</i>	1887,	668	
<i>perdix</i>	1887,	668	
<i>peshwa</i>	1889,	401	
<i>siriella</i>	1888,	571	
	1888,	580	
<i>superba</i>	1885,	775	
	1887,	668	
<i>thruppii</i>	1885,	757	
	1885,	775	
<i>villicoides</i>	1888,	613	
<i>woodfordii</i>	1888,	571	
<i>Eusirus cuspidatus</i>	1881,	62	
<i>Euspiza rutila</i>	1888,	456	
<i>Eustegnia pyralina</i>	1889,	515	
<i>Eustephanus galeritus</i> .	1881,	9	
	1883,	425	
<i>Eustetha flaviventris</i> ..	1888,	349	
<i>thoracica</i>	1888,	348	
	1888,	349	
<i>Eustomias obscurus</i>	1886,	142	

	Page		Page
<i>Eusyntelia balfouri</i>	1881, 470	<i>Exocœtus altipinnis</i>	1888, 265
	1881, 474	<i>brachysoma</i>	1887, 666
	1881, 478	<i>evolans</i>	1887, 666
<i>ebeuina</i>	1881, 470	<i>katopron</i>	1888, 265
	1881, 474		
<i>glabra</i>	1881, 470	<i>Falcinellus igneus</i>	1882, 625
	1881, 475	<i>Falco æsalou</i>	1889, 78
	1881, 478	<i>alopex</i>	1888, 46
<i>Eusyntheta</i>	1889, 392	<i>ardesiacus</i>	1888, 47
<i>brevicornis</i>	1889, 393	<i>candicans</i>	1882, 654
<i>Eutelia discistriga</i>	1884, 497	<i>caribbæarum</i>	1889, 395
<i>favillatrix</i>	1885, 457	<i>communis</i>	1881, 790
<i>siccifolia</i>	1881, 375		1888, 459
<i>viridatrix</i>	1881, 375		1889, 225
<i>Eutenia parietalis</i>	1882, 720	<i>cuvieri</i>	1881, 562
<i>Euthalia duda</i>	1887, 455		1882, 304
<i>durga</i>	1887, 455		1888, 46
<i>garuda</i>	1882, 239	<i>dickersoni</i>	1882, 302
	1885, 130	<i>fusco-cærulescens</i>	1886, 318
<i>patala</i>	1882, 239	<i>hendersoni</i>	1887, 598
<i>Eutheus leucomelas</i>	1890, 576		1888, 461
<i>marchalii</i>	1890, 577	<i>indicus</i>	1885, 253
<i>Euthisanotia timais</i>	1884, 322	<i>minor</i>	1882, 302
<i>Euthria atrata</i>	1881, 29	<i>percontator</i>	1883, 457
	1881, 138	<i>peregrinus</i>	1881, 172
<i>meridionalis</i>	1881, 29	<i>ruficollis</i>	1888, 46
	1881, 138	<i>severus</i>	1889, 225
<i>Euthyrhynchus flavigula</i>	1885, 642	<i>sparverius</i>	1884, 45
<i>griseigularis</i>	1885, 642	<i>subbuteo</i>	1888, 459
<i>Eutoxeres aquila</i>	1885, 102		1888, 461
— <i>heterurus</i>	1885, 102		1889, 78
	1885, 116	<i>Felinia terminigera</i>	1885, 454
<i>Eutricha audea</i>	1887, 677	<i>Felis aurata</i>	1882, 141
<i>dolosa</i>	1888, 627	<i>badia</i>	1882, 141
<i>excellens</i>	1888, 627		1882, 207
<i>fentoni</i>	1888, 627	<i>bengalensis</i>	1882, 142
<i>nitens</i>	1887, 677		1887, 627
<i>pini</i>	1888, 627		1887, 628
<i>remota</i>	1883, 628		1887, 629
<i>rennei</i>	1887, 678		1887, 630
<i>zonata</i>	1888, 627	<i>borealis</i>	1882, 141
<i>Eutropia dickiei</i>	1883, 477		1882, 142
	1883, 507	<i>caligata</i>	1882, 141
<i>Eutrygon terrestris</i>	1885, 662		1888, 6
<i>Euxanthe ansellica</i>	1890, 469		1888, 16
<i>Everes dipora</i>	1882, 246	— <i>domestica</i>	1888, 6
	1886, 365	<i>canadensis</i>	1882, 141
<i>hellotia</i>	1887, 415		1882, 142
<i>parrhasius</i>	1886, 427	<i>catus</i>	1882, 141
<i>Evibacus princeps</i>	1882, 543		1882, 461
<i>Evius polyxenus</i>	1883, 383		1882, 473
	1883, 384		1882, 507
<i>Excalfactoria chinensis</i>	1885, 272		1882, 517
	1885, 416		1882, 517
	1889, 225		1885, 3
<i>minima</i>	1885, 272		1885, 211
<i>Exema ceylonensis</i>	1887, 69		1885, 212
<i>malayana</i>	1887, 70		1885, 213

	Page		Page
<i>Felis caudata</i>	1882, 141	<i>Felis pardus</i>	1883, 535
<i>chaus</i>	1882, 141		1885, 220
	1882, 517		1887, 397
	1886, 55	—, var. <i>melas</i>	1887, 397
<i>chinensis</i>	1887, 628	<i>planiceps</i>	1882, 141
	1887, 629		1882, 200
<i>colocola</i>	1882, 142		1882, 207
<i>eyra</i>	1882, 141		1887, 628
	1882, 147	<i>rubiginosa</i>	1881, 818
	1882, 472		1887, 628
<i>gracilis</i>	1882, 157		1887, 629
<i>herschellii</i>	1887, 628	<i>rufa</i>	1887, 630
<i>isabellina</i>	1881, 201		1882, 141
	1882, 141		1882, 142
	1882, 720	<i>rutila</i>	1882, 141
	1885, 245	<i>scripta</i>	1882, 141
<i>javanensis</i>	1885, 609	<i>senegalensis</i>	1882, 142
	1887, 628	<i>serval</i>	1882, 141
	1887, 629		1888, 5
	1887, 630	<i>servalina</i>	1888, 5
	1887, 631		1888, 6
<i>jerdoni</i>	1887, 628		1888, 16
	1887, 629		1888, 220
	1887, 630	<i>sumatrana</i>	1887, 628
<i>lanea</i>	1882, 312	<i>tenasserimensis</i> ..	1887, 628
	1884, 476	<i>tigrina</i>	1882, 142
	1887, 397		1890, 72
<i>leo</i>	1885, 220	<i>tigris</i>	1882, 462
<i>leopardus</i> , var. <i>me-</i>			1886, 2
<i>lanotica</i>	1886, 204	<i>torquata</i>	1882, 141
<i>lynx</i>	1881, 201		1886, 55
	1882, 720	<i>uncia</i>	1881, 201
<i>macrocelis</i>	1882, 141		1886, 1
	1882, 207	<i>undata</i>	1887, 628
	1882, 503		1887, 631
<i>macroura</i>	1882, 142	<i>viverrina</i>	1887, 628
<i>maculata</i>	1882, 141		1887, 631
	1882, 142	<i>wagati</i>	1887, 628
<i>manul</i>	1882, 141		1887, 629
<i>marmorata</i>	1882, 141		1887, 630
	1882, 207	<i>Fentonia levis</i>	1888, 644
	1885, 609	<i>ocypete</i>	1888, 644
<i>megalotis</i>	1882, 141	<i>Feresia attenuata</i>	1883, 510
<i>melas</i>	1883, 535		1883, 511
<i>minuta</i>	1887, 628	<i>intermedia</i>	1883, 511
	1887, 629	<i>Feronia (Creobius)</i>	
	1889, 223	<i>eydouxii</i>	1881, 80
<i>mitis</i>	1882, 142	<i>Fibularia volva</i>	1889, 7
<i>neglecta</i>	1882, 141	<i>Fidonia albofascia</i>	1884, 527
<i>nepalensis</i>	1887, 628		1884, 529
<i>ornata</i>	1882, 141	<i>concordaria</i>	1886, 391
	1886, 55	<i>Fierasfer acus</i>	1889, 27
<i>pajeros</i>	1882, 141	<i>dubius</i>	1886, 319
<i>pardalis</i>	1890, 72	<i>homei</i>	1888, 265
<i>pardina</i>	1882, 141	<i>Fiscus caudatus</i>	1889, 362
<i>pardinoides</i>	1887, 628	<i>Fissurella alba</i>	1881, 34
<i>pardochroa</i>	1887, 628	<i>arcuata</i>	1890, 296
<i>pardus</i>	1882, 312	<i>gibba</i>	1882, 677

	Page		Page
<i>Fissurella gibberula</i>	1882, 677	<i>Fossarus ambiguus</i>	1890, 285
	1890, 253	<i>bicarinatus</i>	1890, 285
	1890, 295	<i>crossei</i>	1885, 41
<i>græca</i>	1890, 296	<i>cumingii</i>	1890, 285
<i>melvilli</i>	1882, 677	<i>depressus</i>	1885, 41
	1882, 120		1885, 62
<i>mutabilis</i>	1882, 121	<i>interjunctus</i>	1885, 41
<i>nimbosa</i>	1890, 312	<i>pettianus</i>	1885, 41
<i>nubecula</i>	1882, 678	<i>reticulatus</i>	1885, 41
	1882, 677		1885, 62
	1890, 321	(<i>Couthouyia</i>) <i>den-</i>	
<i>ostrina</i>	1890, 321	<i>tifer</i>	1890, 252
<i>picta</i>	1881, 34		1890, 285
<i>pustula</i>	1882, 677		1890, 316
<i>rosea</i>	1882, 678	(—) <i>læviusculus</i>	1890, 252
	1890, 321		1890, 285
<i>variegata</i>	1890, 295		1890, 316
<i>Fissurisepta granulosa</i>	1882, 675	<i>Fondia madagascariensis</i>	1886, 335
	1882, 687	<i>Francolinus altumi</i>	1885, 230
<i>papillosa</i>	1882, 675	<i>cabanisi</i>	1889, 370
<i>rostrata</i>	1882, 675	<i>coqui</i>	1882, 308
<i>Fistularia serrata</i>	1887, 664	<i>grantii</i>	1889, 370
<i>Flavinia alcidamea</i>	1887, 664		1881, 597
<i>cyrene</i>	1890, 498		1888, 48
<i>lata</i>	1885, 529	<i>hildebranti</i>	1889, 370
<i>lemonia</i>	1885, 529	<i>icterorhynchus</i>	1890, 370
	1890, 499	<i>infuscatus</i>	1888, 48
	1890, 520		1889, 370
<i>ops</i>	1885, 529	<i>kirki</i>	1882, 310
<i>postica</i>	1885, 529	<i>major</i>	1889, 370
<i>roxana</i>	1885, 529	<i>nudicollis</i>	1884, 389
	1885, 536	<i>ochreogaster</i>	1882, 308
<i>Florida cærulea</i>	1883, 427		1888, 48
<i>Florisuga mellivora</i>	1883, 566	<i>orientalis</i>	1889, 370
<i>Flustra lacroixi</i>	1881, 46	<i>pileatus</i>	1882, 308
<i>Fluvicola atripennis</i>	1883, 553	<i>rubricollis</i>	1888, 48
	1885, 87	<i>schuetti</i>	1884, 389
	1885, 122		1885, 230
<i>Forficula auricularia</i>	1887, 254		1889, 370
<i>Formiana mænades</i>	1885, 528	<i>shoanus</i>	1888, 48
	1885, 536	(<i>Pternistes</i>) <i>leuco-</i>	
<i>Formica omnivora</i>	1882, 712	<i>paræus</i>	1889, 370
<i>rufa</i>	1887, 257	(<i>Scleroptera</i>) <i>hilde-</i>	
<i>Formicarius analis</i>	1882, 32	<i>brandti</i>	1889, 370
	1885, 118	(—) <i>schuetti</i>	1885, 230
<i>moniliger</i>	1883, 435		1889, 370
	1883, 450	<i>Fratercula arctica</i>	1888, 252
<i>nigrifrons</i>	1882, 32		1888, 253
<i>pallidus</i>	1882, 32		1890, 439
	1883, 435	<i>corniculata</i>	1890, 439
	1883, 450	<i>Frema maculicornis</i>	1890, 491
<i>thoracicus</i>	1885, 101	<i>Fregata aquila</i>	1883, 427
<i>Formicivora caloptera</i>	1884, 295		1883, 458
<i>caudata</i>	1884, 302		1886, 335
<i>consobrina</i>	1883, 565		1887, 516
	1885, 121		1888, 529
	1885, 121	<i>grallaria</i>	1881, 11
<i>quixensis</i>	1885, 121	<i>minor</i>	1889, 225
<i>speciosa</i>	1885, 118		
<i>Fossarus ambiguus</i>	1885, 121		
	1890, 252		

	Page		Page
<i>Fringilla bengalus</i>	1881,	<i>Furnarius longirostris</i> ..	1883,
<i>chloris</i>	1888,		424
<i>celebs</i>	1887,	<i>rufus</i>	1883,
<i>kittlitzii</i>	1889,		560
<i>lutea</i>	1881,		594
<i>montifringilla</i>	1887,		1882,
	1888,	<i>tricolor</i>	1882,
	466	<i>Fusus albidus</i>	1881,
<i>Fringillaria capensis</i> ..	1888,	<i>attenuatus</i>	1883,
<i>forbesi</i>	1888,	<i>berniciensis</i>	1883,
<i>major</i>	1888,		393
<i>orientalis</i>	1888,	<i>concinus</i>	1883,
<i>Fromia indica</i>	1882,		392
	1887,		1883,
	140		396
	1887,		1883,
	141	<i>corrugatus</i>	1881,
	1888,	<i>costulatus</i>	1883,
<i>milleporella</i>	1882,	<i>delicatus</i>	1883,
	1888,		1883,
	388		392
<i>tumida</i>	1882,		1883,
	1887,		396
	140		1883,
	1888,	<i>fimbriatus</i>	1881,
	388	<i>gracilis</i>	1883,
	1888,	<i>hirsutus</i>	1883,
	389		1883,
<i>Fron dipora cellulosa</i> ..	1881,		396
<i>Frugilegus pastinator</i> ..	1887,		1883,
	1888,		397
	465		1883,
<i>Fulica ardesiaca</i>	1885,	<i>islandicus</i>	1883,
	1886,		1883,
	396	<i>lachesis</i>	1883,
	1886,	<i>liratus</i>	1881,
	402	<i>norvegicus</i>	1883,
	1890,	<i>probosciferus</i>	1890,
	337	<i>sabini</i>	1883,
	1890,		1883,
	436		395
	1890,	<i>semicostatus</i>	1883,
	439	<i>tortuosus</i>	1883,
<i>atra</i>	1887,	<i>turgidulus</i>	1883,
<i>chloropoides</i>	1886,	<i>turritus</i>	1883,
<i>gigantea</i>	1886,		396
	1886,		1883,
	402		399
<i>leucoptera</i>	1883,		392
	1886,		395
	395		1883,
	1886,		392
	403		1883,
<i>leucopygia</i>	1881,		392
<i>stricklandi</i>	1886,		1883,
<i>Fuligula cristata</i>	1886,		396
<i>ferina</i>	1882,	<i>Gabala argentata</i>	1889,
<i>marila</i>	1885,	<i>Gadinia compressa</i>	1882,
<i>nyroca</i>	1881,	<i>costata</i>	1890,
	1881,		248
	956		1890,
<i>rufina</i>	1881,		253
<i>Fulix fuligula</i>	1888,		1890,
<i>marila</i>	1888,	<i>excentrica</i>	1882,
<i>Fulmarus glacialisoides</i> ..	1881,	<i>garnoti</i>	1882,
<i>Funiculina quadrangu-</i>	11	<i>gussoni</i>	1882,
<i>laris</i>	1888,		670
<i>Furcifer chilensis</i>	1882,		1882,
<i>Furia horrens</i>	1887,	<i>Gadus bilabiatus</i>	1882,
<i>Furnarius cinnamomeus</i> .	1883,	<i>esmarkii</i>	1889,
	1883,	<i>parisiensis</i>	1882,
	560	<i>Galago demidoffi</i>	1888,
	1885,		5
	94		1888,
	122	<i>Galathea gregaria</i>	1881,
<i>figulus</i>	1882,	<i>strigosa</i>	1889,
<i>leucopus</i>	1882,	<i>subrugosa</i>	1881,
	373	<i>Galaxias attenuatus</i> ..	1881,
			21

	Page		Page
<i>Galaxias coppingeri</i>	1881,		21
<i>Galbula albirostris</i>	1882,		43
<i>chalcothorax</i>	1882,		374
<i>melanogenia</i>	1883,		572
	1885,		68
	1885,		123
<i>pastazæ</i>	1885,		68
	1885,		107
<i>tombacea</i>	1882,		417
	1885,		108
<i>Galeocerda rayneri</i>	1887,		616
<i>tigrinus</i>	1889,		243
<i>Galeopithecus volans</i>	1886,		73
<i>Galeoscoptes carolinensis</i>	1883,		439
<i>Galera barbara</i>	1882,		373
<i>Galerella ochracea</i>	1882,		61
	1882,		69
<i>Galerida cristata</i>	1881,		959
— <i>corensis</i>	1888,		464
<i>Galerita abyssinica</i>	1887,		603
<i>arenicola</i>	1887,		603
<i>cristata</i>	1888,		29
— <i>corensis</i>	1887,		603
<i>macrorhyncha</i>	1887,		603
<i>magna</i>	1887,		603
<i>modesta</i>	1888,		28
<i>Galeruca ænescens</i>	1887,		107
<i>fulminans</i>	1888,		351
(<i>Adimonia</i>) <i>multi-</i>			
<i>costata</i>	1885,		746
	1885,		755
<i>Galerucella alternata</i>	1889,		291
<i>annulicornis</i>	1885,		746
	1885,		755
<i>ceylonensis</i>	1887,		105
	1887,		107
	1887,		119
<i>crotchi</i>	1887,		107
<i>distincta</i>	1885,		755
<i>fuscipennis</i>	1885,		746
	1885,		755
<i>fuscomaculata</i>	1889,		291
<i>lateralis</i>	1887,		106
<i>maculicollis</i>	1885,		755
<i>marginata</i>	1887,		107
<i>modesta</i>	1885,		745
	1885,		755
<i>nigromarginata</i>	1885,		743
	1885,		755
<i>nymphæa</i>	1885,		744
<i>obscurofasciata</i>	1889,		291
<i>ornata</i>	1889,		290
<i>punctato-striata</i>	1885,		755
	1888,		351
<i>sagittariæ</i>	1885,		755
<i>semifulva</i>	1885,		745
	1885,		746
	1885,		755
<i>Galerucella seminigra</i>	1885,		744
	1885,		755
<i>tibialis</i>	1885,		755
<i>virida</i>	1887,		105
<i>viridipennis</i>	1885,		744
	1885,		755
<i>vittaticollis</i>	1885,		745
	1885,		755
<i>Galerucida bifasciata</i>	1885,		747
	1885,		755
<i>consociata</i>	1885,		747
	1885,		755
<i>eburata</i>	1885,		755
<i>lewisi</i>	1885,		747
	1885,		755
<i>Galictis barbara</i>	1890,		72
	1890,		98
<i>Galidia concolor</i>	1882,		188
	1882,		189
<i>elegans</i>	1882,		187
	1882,		188
	1882,		192
	1886,		418
<i>olivacea</i>	1882,		188
	1882,		189
<i>Galidictis striata</i>	1882,		186
	1882,		187
	1882,		192
<i>vittata</i>	1882,		186
	1882,		187
<i>Gallicrex cinerea</i>	1885,		273
	1887,		611
	1888,		469
<i>cristata</i>	1885,		273
	1887,		2
<i>Gallinago, sp.</i>	1882,		654
<i>æquatorialis</i>	1882,		357
<i>bernieri</i>	1882,		355
	1882,		357
<i>brehmi</i>	1882,		357
<i>cœlestis</i>	1886,		197
<i>gallinago</i>	1881,		174
<i>gallinula</i>	1882,		356
<i>hyemalis</i>	1888,		459
<i>jamesoni</i>	1885,		112
	1885,		115
<i>macroductyla</i>	1882,		353
	1882,		355
	1882,		357
<i>major</i>	1882,		356
<i>megala</i>	1887,		588
	1889,		225
<i>nigripennis</i>	1882,		357
<i>nobilis</i>	1884,		313
<i>paraguaicæ</i>	1881,		15
<i>scolopacina</i>	1881,		409
	1882,		356
	1887,		610

	Page		Page
<i>Gallinago scolopacina</i>	1888,	<i>Gampola noctis</i>	1888,
<i>stenura</i>	1885,	<i>Gampsonyx swainsoni</i> ..	1885
	1887,	<i>Gampsorhynchus satu-</i>	
	1887,	<i>rator</i>	1888,
	1888,	<i>torquatus</i>	1888,
<i>stricklandi</i>	1881,	<i>Ganesa nitidiuscula</i>	1883,
<i>Gallinula angulata</i>	1881,		1883,
<i>chloropus</i>	1881,		1883,
	1881,	<i>pruinosa</i>	1883,
	1890,		1883,
<i>euryzonoides</i>	1885,	<i>Gangara thyrsis</i>	1885,
<i>frontata</i>	1885,	<i>Ganoris ajaka</i>	1886,
<i>galeata</i>	1882,	<i>brassicæ</i>	1886,
	1883,	<i>crucivora</i>	1887,
	1886,	<i>dulcinea</i>	1887,
	1886,	<i>gliciria</i>	1881,
<i>pumila</i>	1881,		1886,
<i>Gallirex chlorochlamys</i> .	1881,	<i>mannii</i>	1881,
	1882,	<i>napi</i>	1886,
	1889,	<i>nipalensis</i>	1886,
<i>Gallus bankiva</i>	1882,	<i>novangliæ</i>	1889,
	1882,	<i>rapæ</i>	1881,
	1885,		1886,
	1885,		1886,
	1885,		1888,
	1889,		1889,
<i>domesticus</i>	1885,	<i>Gareris perdiccas</i>	1881,
	1888,		1887,
<i>stramineicollis</i>	1885,	<i>Garrellia circumlineata</i>	1887,
<i>Gamalia albofasciata</i> ..	1883,	<i>Garrulus brandti</i>	1887,
<i>Gamana costalis</i>	1883,		1888,
<i>daos</i>	1883,	<i>Garzetta candidissima</i> ..	1883,
	1883,	<i>Gasteracantha cowani</i> ..	1882,
	1883,		1882,
<i>Gamatoba æthiops</i>	1883,	<i>Gastornis klaasseni</i>	1885,
<i>alecto</i>	1883,		1889,
	1883,	<i>Gastrolina japonica</i>	1885,
	1883,		1885,
<i>cerberus</i>	1883,		1885,
	1883,	<i>thoracica</i>	1885,
	1883,	<i>Gastropacha alnifolia</i> ..	1888,
<i>diadema</i>	1883,	<i>ilicifolia</i>	1888,
<i>ebenina</i>	1883,	—, var. <i>japonica</i> ..	1888,
<i>latreillei</i>	1883,	<i>populifolia</i>	1888,
<i>melancholica</i>	1883,	<i>quercifolia</i>	1888,
<i>monilifera</i>	1883,	<i>velutina</i>	1885,
<i>nox</i>	1883,	<i>vishnu</i>	1885,
	1883,		1886,
	1883,		1886,
<i>occulta</i>	1883,		1888,
	1883,	<i>Gastrophysa atrocyanea</i>	1885,
<i>reaumuri</i>	1883,	<i>Gauresthes rufipes</i>	1889,
<i>spiculifera</i>	1883,	<i>Gavæus gaurus</i>	1889,
<i>Gambetta flavipes</i>	1885,		1890,
	1885,	<i>Gavialis gangeticus</i>	1888,
	1886,	<i>Gazella</i> , sp.	1885,
<i>melanoleuca</i>	1881,	<i>cuvieri</i>	1884,
	1882,	<i>dama</i>	1884,
	1886,	<i>dorcæ</i>	1886,
	404		504

		Page			Page
Gazella dorcas	1890,	363	Gena asperulata	1890,	252
euchore	1881,	757		1890,	295
granti	1888,	4	Genetta felina	1882,	152
	1889,	59	pardina	1882,	152
kevella	1890,	363	poënsis	1882,	159
naso	1886,	504	senegalensis	1882,	152
sæmmerringi	1884,	542		1882,	157
	1885,	932		1882,	192
spekii	1884,	538	tigrina	1882,	152
	1884,	540		1882,	156
	1885,	931		1882,	157
subgutturosa	1886,	2		1882,	167
thomsoni	1888,	4		1882,	492
	1889,	59		1882,	504
walleri	1884,	539		1882,	505
	1884,	540		1882,	510
	1884,	541		1882,	511
	1884,	542		1882,	516
	1885,	931		1882,	517
	1889,	376		1885,	230
Gebhya oceanica	1887,	333		1888,	6
vorax	1883,	119	vulgaris	1882,	152
	1883,	131		1882,	207
Gecarcinus, sp.	1887,	520	Genussa altaba	1890,	500
Gecinus canus	1882,	95	celeritaria	1890,	500
	1887,	607	Genyophryne thomsoni	1890,	325
	1888,	466		1890,	327
chlorolophus	1887,	443		1890,	328
puniceus	1888,	279	Genyorange bengalensis	1887,	655
viridis	1882,	95	quinguelinearis	1887,	655
	1889,	166	rivulata	1887,	655
	1889,	172	Geocichla, sp.	1883,	51
Gecko guttatus *	1881,	215		1883,	56
japonicus	1887,	146		1883,	200
listeri	1888,	535		1883,	589
	1890,	77		1884,	433
mæstus	1883,	120	erythronota	1883,	588
monarchus	1889,	143		1885,	552
pumilus	1888,	535	imbricata	1883,	56
stentor	1889,	143	machiki	1883,	589
verticillatus	1883,	386		1884,	426
vittatus	1887,	333		1884,	453
	1888,	90	peroni	1883,	56
Gegania pinguis	1884,	365	rubiginosa	1883,	588
Gegenes karsana	1884,	493	Geococcyx, sp.	1885,	170
	1886,	378	affinis	1883,	454
nosedamus	1886,	378		1885,	170
sinensis	1882,	262		1885,	173
Gehyra mutilata	1890,	33		1885,	179
oceanica	1888,	88		1886,	467
	1888,	90		1889,	181
Gelastocera exusta	1888,	606		1889,	187
Gelechia, sp.	1886,	338	californianus	1886,	466
infernalis	1883,	174		1886,	490
litarella	1881,	319	mexicanus	1883,	454
umbripennis	1885,	884	Geocorypha modesta	1888,	28
Geloharpya amena	1890,	488	Geoemyda grandis	1882,	343
Gemmula asperata	1883,	113	imprensa	1882,	343

	Page		Page
<i>Geoemyda impressa</i>	1882, 344	<i>Georychus ochraceo-</i>	
	1882, 345	<i>cinereus</i>	1888, 16
	1882, 346	<i>pallidus</i>	1890, 449
<i>spinosa</i>	1882, 343	<i>Geositta cunicularia</i> ..	1881, 8
	1890, 33		1883, 424
<i>Geoffroius aruensis</i>	1884, 578		1886, 398
<i>cyanicollis</i>	1885, 563	— <i>juviniensis</i>	1886, 398
<i>heteroclitus</i>	1887, 329	<i>tenuirostris</i>	1882, 609
	1888, 187	<i>Geospiza fortis</i>	1883, 421
	1888, 189	<i>Geothlypis æquinocti-</i>	
<i>jobiensis</i>	1885, 620	<i>alis</i>	1882, 6
<i>jukesi</i>	1885, 502		1883, 420
<i>keiensis</i>	1883, 51	<i>auricularis</i>	1883, 420
	1883, 194	<i>chiriquensis</i>	1883, 420
	1883, 200	<i>philadelphia</i>	1885, 68
	1884, 426		1885, 74
	1884, 427	<i>semiflava</i>	1883, 420
	1884, 431		1883, 541
	1884, 578		1884, 287
<i>obiensis</i>	1885, 563		1885, 68
<i>pucherani</i>	1885, 620		1885, 120
<i>timorlaoensis</i>	1884, 427	<i>trichas</i>	1883, 441
	1884, 431	<i>velata</i>	1882, 594
	1884, 577	<i>Geotrygon bourcierii</i> ..	1884, 312
	1884, 578		1885, 69
<i>Geometra aperta</i>	1885, 855		1885, 111
	1885, 885		1885, 123
<i>detracta</i>	1886, 390	<i>montana</i>	1882, 48
<i>dissessa</i>	1885, 855		1889, 395
<i>dissita</i>	1885, 854	<i>Geranospiza cærulescens</i>	1882, 623
<i>indecretata</i>	1885, 855		1885, 119
<i>miniata</i>	1888, 602	<i>Gerardia lamarecki</i>	1890, 361
<i>parvulata</i>	1885, 855	<i>Gerbatha angusta</i>	1889, 478
<i>Geomolge fischeri</i>	1886, 413	<i>granitalis</i>	1889, 479
	1886, 416	<i>pseudodyops</i>	1889, 490
<i>Geomys hispidus</i>	1890, 74	<i>subfasciata</i>	1889, 491
<i>Geopelia maugæi</i>	1883, 51	<i>ypsilon</i>	1889, 479
	1883, 195	<i>Gerbillus</i> , sp.	1888, 10
	1883, 200		1890, 448
	1884, 433	<i>erythrurus</i>	1884, 88
	1885, 510	<i>gætulus</i>	1884, 88
<i>Geophilis lineatus</i>	1887, 154	<i>leucogaster</i>	1888, 10
<i>Georhynchus capensis</i>	1885, 847	<i>nanus</i>	1890, 448
<i>Georissa hosei</i>	1889, 353	<i>tenuis</i>	1882, 265
	1889, 355	<i>Geronticus hagedash</i> ..	1881, 600
<i>hungerfordi</i>	1889, 354	<i>Gerres acinaces</i>	1887, 657
	1889, 355	<i>altispinis</i>	1888, 260
<i>juvenilis</i>	1887, 314	<i>melbournensis</i>	1887, 616
<i>niahensis</i>	1889, 353		1887, 617
	1889, 355	<i>setifer</i>	1888, 260
<i>parva</i>	1887, 314	<i>Gerrhosaurus flavigu-</i>	
<i>williamsi</i>	1889, 353	<i>laris</i>	1889, 465
	1889, 355		1889, 604
<i>Georychus albifrons</i> ..	1890, 449	<i>Gerydus drumila</i>	1883, 521
<i>capensis</i>	1889, 246	<i>Gerygone dorsalis</i>	1883, 195
	1889, 316		1883, 199
	1889, 449		1883, 200
<i>damarensis</i>	1888, 14		1884, 432
<i>ochraceo-cinereus</i>	1888, 14	<i>flaveola</i>	1881, 794

	Page		Page
Gerygone flaveola	1885, 248	Glaucidium nanum	1881, 11
	1885, 250		1883, 41
	1885, 263		1883, 426
	1885, 414	perlatum	1881, 563
simplex	1885, 250		1888, 47
	1885, 263	phalænoides	1882, 374
sulfurea	1881, 794		1883, 456
Gesomia gemma	1885, 469	Glaucis hirsuta	1882, 34
Ghonia collitoides	1888, 601	ruckeri	1885, 118
Gibbula elata	1883, 101		1885, 123
Gibbus insignis	1887, 128	Glaucothœ peronii	1881, 63
martensi	1887, 128	rostrata	1881, 62
(Edentulina) john-			1881, 63
stoni	1887, 127	Glenea chevrolatii	1890, 492
	1887, 128	fasciata	1890, 492
Gigantopora fenestrata	1881, 48	Glinama euctemon	1883, 255
lyncoides	1881, 47		1883, 288
	1881, 139	Globiceps affinis	1883, 509
Girella cyanea	1887, 393	brachypterus	1883, 509
	1887, 394	intermedius	1883, 509
tricuspidata	1886, 539	macrorhynchus	1883, 509
	1887, 394	melas	1883, 509
	1887, 395		1883, 510
zonata	1887, 394	paradoxa	1887, 574
	1887, 395	scammoai	1883, 509
Girpa circumdata	1887, 672	Globicera rubricera	1887, 332
fraterna	1885, 460	rufigula	1887, 332
	1886, 449		1888, 187
inangulata	1885, 460		1888, 199
	1886, 449	Globiocephalus affinis	1883, 267
octogesa	1887, 672	melas	1883, 471
	1887, 686	Glossophaga soricina	1887, 151
optativa	1883, 165		1888, 129
optatura	1881, 620	Glottula dominica	1886, 443
pertendens	1885, 460	sordida	1889, 490
Gisira hercules	1889, 543	squalida	1889, 490
signata	1889, 560		1889, 571
Glaphyra atomosa	1888, 607	Gluphisia indica	1883, 157
Glareola emini	1888, 18		1888, 405
	1888, 49	Glutophrissa albunea	1890, 556
megapoda	1888, 49	contracta	1888, 75
nuchalis	1888, 49	epaphia	1888, 75
ocularis	1882, 353	malatha	1888, 75
	1882, 354	saba	1888, 75
orientalis	1889, 225	Glycyphana beusoni	1888, 377
pratincola	1881, 598	cupreola	1888, 376
	1881, 644	fulvistemma	1883, 377
	1882, 354	jucunda	1888, 377
Glauucidium brodiei	1887, 434	—, var. argyrosticta	1888, 377
capense	1881, 563	kuperi	1888, 377
	1882, 305	pilifera	1888, 377
ferox	1883, 574	viridiopaca	1888, 377
	1885, 109	Glycyphila albifrons	1881, 839
	1885, 117	modesta	1885, 641
ferrugineum	1885, 117	Glyphidelphis rostratus	1883, 484
infuscatum	1883, 456	Glyphidodon celestinus	1887, 664
	1885, 117	sordidus	1887, 664
jardinei	1885, 109	Glyphipteryx bifasciata	1881, 321

	Page		Page
Glyphipteryx bifasciata	1881, 322	Gobius littoreus	1883, 261
	1881, 325	niger	1886, 506
californiæ	1881, 320	plumieri	1884, 156
	1881, 325	Godana simulana	1886, 337
loricatella	1881, 320	Godara comalis	1884, 525
quinqueferella	1881, 322		1885, 875
	1881, 325	incomalis	1881, 622
regalis	1881, 319		1883, 168
	1881, 325		1884, 525
unifasciata	1881, 322	Goliathus torquatus	1881, 823
	1881, 325	Golunda ellioti	1881, 557
Glyphodes actorionalis	1885, 871		1886, 63
diurnalis	1885, 872		1883, 64
excelsalis	1883, 579	meltada	1881, 550
fessalis	1886, 459		1881, 554
	1886, 465	pulchella	1886, 11
luciferalis	1885, 872	Gomialia albofasciata	1882, 263
parvalis	1885, 871		1884, 513
sibillalis	1884, 325		1886, 81
stolalis	1888, 229	elma	1886, 81
univocalis	1881, 622	litoralis	1884, 513
	1884, 525		1884, 529
	1885, 872	Gomena subnotata	1884, 515
Glyphorhynchus cuneatus	1882, 27	Gomezia serrata	1881, 63
	1882, 613		1881, 68
— castelnaudi	1883, 563	Gonathothlibus ero-	
	1884, 300	toides	1888, 220
	1885, 98	Gonatodes albogularis	1887, 154
Glyptonotus megalurus	1886, 121	annularis	1887, 153
Glyptophysa petiti	1889, 142		1887, 154
Glyptosternum platypogon	1890, 39	Gonatus fabricii	1889, 117
Glyptothea whiteheadi	1889, 390	Gonepteryx nepalensis	1882, 253
Gnathocera afzeli	1884, 405	rhamni	1881, 847
	1884, 406		1882, 253
sericinitens	1884, 405	urania	1882, 402
Gnathospiza raimondi	1883, 537	Gongylus melanogas-	
	1883, 549	tricus	1889, 143
	1885, 122	Goniaster obtusangulus	1884, 62
Gnesia menippe	1883, 66	Goniloba bifasciata	1881, 910
perenna	1883, 66		1887, 428
pseudegina	1883, 66	guttata	1881, 912
Gnophodes chelys	1890, 472		1887, 429
diversa	1883, 58	mercurius	1884, 318
Gnophos dispunctata	1886, 389	tityrus	1890, 95
	1883, 321	Goniocephalus sophiæ	1889, 465
isometra	1883, 321	Goniodactylus buckleyi	1881, 238
mucidaria	1883, 321		1881, 245
obtectaria	1886, 389	concinatus	1881, 237
	1883, 321		1881, 245
pærlita	1886, 389	fuscus	1881, 238
	1883, 321	ocellatus	1881, 238
vitreata	1886, 390	Goniodiscus articulatus	1883, 389
Gobius caninus	1890, 38	granuliferus	1889, 6
jayakari	1887, 663	singularis	1881, 95
	1887, 667	Goniopleura basalis	1882, 58
lagocephalus	1884, 161	viridipennis	1882, 58
		Gonitis albitibia	1883, 20
			1885, 458

	Page		Page
<i>Gonitis albitibia</i>	1889, 506	<i>Gonyocephalus grandis</i> .	1890, 33
<i>basalis</i>	1889, 505	<i>Gordius verrucosus</i>	1885, 236
<i>brunnea</i>	1883, 21	<i>Gorgonia vermiculata</i> ..	1889, 49
<i>combinans</i>	1889, 506	<i>Gorgophis niphonica</i> ..	1888, 645
<i>commoda</i>	1889, 506	<i>Gorsachius melanolo-</i>	
<i>distincta</i>	1889, 506	<i>phus</i>	1889, 225
	1889, 571	<i>Gortyna acuminata</i>	1889, 519
<i>fractifera</i>	1884, 497	<i>edentata</i>	1889, 485
	1884, 498		1889, 571
	1889, 505	<i>emarginata</i>	1889, 485
<i>fulvida</i>	1883, 19	<i>flavago</i>	1889, 485
<i>guttanivis</i>	1883, 19	<i>nictitans</i> , var. <i>lucens</i>	1889, 484
<i>involuta</i>	1883, 163	<i>Gouldia australis</i>	1881, 490
	1884, 519		1881, 491
	1885, 458	<i>cerina</i>	1881, 489
<i>mesogona</i>	1889, 505		1881, 490
	1885, 458	<i>conversi æquatori-</i>	
<i>metaxantha</i>	1883, 21	<i>alis</i>	1883, 537
	1885, 458		1883, 567
<i>propinqua</i>	1884, 497		1885, 122
<i>pryeri</i>	1889, 506	<i>dilecta</i>	1881, 490
	1889, 571		1881, 491
<i>solitrix</i>	1888, 223	<i>fastigiata</i>	1881, 490
<i>subulifera</i>	1884, 497	<i>guadaloupensis</i>	1881, 490
<i>trilineata</i>	1883, 21		1881, 491
	1883, 30	<i>isabella</i>	1881, 490
<i>vulpina</i>	1888, 223	<i>lamellosa</i>	1881, 490
<i>xanthochroa</i>	1888, 223		1881, 491
<i>Goniurus catillus</i>	1890, 576	<i>mactracea</i>	1881, 490
<i>Gonoclostera latipennis</i>	1888, 636		1881, 491
<i>timonides</i>	1888, 636	<i>martincensis</i>	1881, 490
<i>Gonodactylus bradyi</i> ..	1884, 16	<i>minima</i>	1881, 490
	1884, 17		1881, 491
<i>trachurus</i>	1884, 10	<i>modesta</i>	1881, 490
	1884, 16		1881, 491
	1884, 17	<i>pacifica</i>	1881, 489
<i>Gonodela fuscomarginata</i>	1888, 323		1881, 490
<i>sinicaria</i>	1888, 323	<i>parva</i>	1881, 489
<i>streniataria</i>	1888, 323		1881, 490
<i>Gonodonta nutrix</i>	1884, 323		1881, 491
<i>teretimacula</i>	1884, 323	<i>pfeifferi</i>	1881, 490
<i>Gonometa cassandra</i> ..	1887, 681		1881, 491
<i>lomia</i>	1887, 681	<i>popelairii</i>	1882, 35
<i>nysa</i>	1887, 680	<i>varians</i>	1881, 490
<i>postica</i>	1885, 66	<i>Goura coronata</i>	1885, 662
	1887, 681	<i>victoriæ</i>	1885, 663
<i>Gonophlebia paradoxa</i> ..	1887, 574	<i>Govirana bipars</i>	1888, 597
<i>Gonophora derasa</i>	1888, 650	<i>Graculus africanus</i>	1881, 602
	1888, 651	<i>Grallaria albiloris</i>	1882, 33
—, var. <i>intermedia</i>	1888, 651	<i>brevicauda</i>	1882, 33
<i>derasoides</i>	1888, 651	<i>gigantea</i>	1885, 116
<i>Gonoptera libatrix</i>	1887, 252	<i>hypoleuca</i>	1885, 101
	1887, 269	<i>macularia</i>	1882, 374
	1889, 505	<i>minor</i>	1882, 33
<i>Gonostoma maderense</i> ..	1890, 458	<i>monticola</i>	1884, 302
<i>Gonyocephalus godef-</i>		<i>przewalskii</i>	1882, 33
<i>froyi</i>	1888, 90	<i>regulus</i>	1884, 302

	Page		Page
<i>Grallaria ruficapilla</i>	1884, 302	<i>Graphiphora neglecta</i> ..	1881, 352
<i>rufula</i>	1885, 101	<i>nigrosigna</i>	1881, 380
<i>squamigera</i>	1885, 101	<i>nigrum</i>	1883, 161
<i>Graministes punctatus</i>	1888, 260	<i>pacifica</i>	1889, 498
<i>Grammodes aleyona</i>	1888, 225	<i>ravida</i>	1888, 306
<i>ammonia</i>	1884, 521	<i>rubicilia</i>	1889, 497
<i>delta</i>	1885, 467	<i>subdolens</i>	1889, 497
<i>geometrica</i>	1886, 451	<i>triangulum</i>	1889, 496
<i>mygdon</i>	1888, 225	<i>valida</i>	1888, 305
<i>oculicola</i>	1888, 225	1889, 500	1889, 501
<i>stolida</i>	1881, 602	1889, 501	1889, 412
1884, 498	1884, 521	<i>Grapsus personatus</i>	1881, 69
1885, 467	1885, 467	<i>planifrons</i>	1881, 69
1886, 382	1886, 382	<i>strigilatus</i>	1881, 69
1888, 317	1888, 317	<i>variegatus</i>	1881, 69
<i>Grampus affinis</i>	1883, 467	<i>Graucalus boyeri</i>	1885, 633
<i>griseus</i>	1883, 510	<i>cæruleo-griseus</i>	1883, 55
<i>richardsoni</i>	1883, 510	1885, 633	1885, 633
<i>sowerbianus</i>	1883, 510	<i>elegans</i>	1887, 331
<i>Granatellus sallæi</i>	1883, 435	1888, 187	1888, 184
1883, 441	1883, 441	<i>holopolius</i>	1888, 196
<i>Grantia atlantica</i>	1881, 136	<i>leucopygius</i>	1885, 553
1881, 141	1881, 141	<i>magnirostris</i>	1885, 570
<i>coriacea</i>	1881, 132	1885, 633	1885, 633
<i>Graphiphora augur</i>	1889, 495	<i>melanops</i>	1883, 51
<i>brunnea</i>	1889, 497	1883, 195	1883, 200
<i>caliginea</i>	1889, 500	1883, 200	1884, 432
<i>canescens</i>	1888, 306	1885, 634	1885, 634
1889, 497	1889, 497	<i>monotonus</i>	1883, 347
<i>c-nigrum</i>	1885, 453	<i>papuensis</i>	1885, 634
1889, 496	1889, 496	<i>pectoralis</i>	1882, 306
<i>cognata</i>	1885, 453	1888, 25	1888, 258
1888, 307	1888, 307	<i>pollens</i>	1885, 258
<i>compta</i>	1888, 221	<i>pusillus</i>	1887, 331
<i>contaminata</i>	1889, 542	1888, 184	1888, 187
<i>crassa</i>	1889, 500	1888, 196	1888, 196
<i>dahlia</i>	1888, 293	<i>sclateri</i>	1888, 187
1888, 306	1888, 306	1888, 196	1888, 196
1888, 307	1888, 307	<i>unimodus</i>	1883, 51
<i>deparca</i>	1889, 497	1883, 55	1883, 55
<i>descripta</i>	1889, 497	1883, 195	1883, 195
<i>ditrapezium</i>	1889, 496	1883, 198	1883, 198
<i>exusta</i>	1889, 496	1883, 200	1883, 200
1889, 497	1889, 497	1884, 432	1884, 432
<i>fasciata</i>	1889, 412	<i>Grimothea gregaria</i>	1881, 73
<i>festiva</i>	1889, 498	<i>Grosphus limbatus</i>	1880, 123
<i>flavirena</i>	1881, 352	<i>lobidens</i>	1890, 123
1881, 380	1881, 380	<i>madagascariensis</i>	1890, 123
<i>illobata</i>	1889, 498	1890, 128	1890, 128
<i>lepida</i>	1889, 495	<i>piceus</i>	1890, 123
<i>lubentia</i>	1889, 496	<i>Grus americana</i>	1881, 644
		1882, 352	1882, 352
		1882, 353	1882, 353

	Page		Page
<i>Grus antigone</i>	1882, 352	<i>Guttera eduardi</i>	1882, 352
	1890, 408	<i>pucherani</i>	1881, 597
	1890, 409		1882, 352
	1890, 411	<i>Gygis candida</i>	1886, 333
<i>australasiana</i>	1881, 644		1886, 337
	1882, 353	<i>Gymnelia completa</i>	1883, 374
	1890, 335		1883, 376
<i>australiaca</i>	1890, 409	<i>torquatus</i>	1883, 377
<i>canadensis</i>	1882, 353	<i>whitelyi</i>	1883, 376
<i>carunculata</i>	1882, 352	<i>Gymnelis pictus</i>	1881, 20
	1882, 353		1881, 138
<i>cinerea</i>	1881, 644	<i>Gymnocorax senex</i>	1885, 645
	1882, 352	<i>Gymnodactylus antil-</i>	
	1890, 408	<i>lensis</i>	1890, 77
<i>communis</i>	1885, 841	<i>arnouxi</i>	1883, 129
	1890, 409		1883, 131
<i>excelsa</i>	1890, 409	<i>candeloti</i>	1883, 120
<i>fraterculus</i>	1883, 461		1883, 121
<i>leucauchen</i>	1887, 611	<i>caudiscutatus</i>	1881, 238
	1888, 468	<i>fedtschenkoi</i>	1890, 77
<i>leucogeranos</i>	1882, 352	<i>girardi</i>	1883, 129
	1882, 353	<i>horridus</i>	1889, 143
	1888, 657		1889, 145
<i>melitensis</i>	1890, 408	<i>marmoratus</i>	1887, 516
	1890, 409		1888, 529
	1890, 411		1888, 534
<i>monachus</i>	1885, 841	<i>multicarinatus</i>	1883, 129
<i>pentelici</i>	1890, 409	<i>pelagicus</i>	1887, 333
<i>primigenia</i>	1890, 409		1888, 90
<i>virgo</i>	1890, 331	<i>russowi</i>	1890, 77
<i>viridirostris</i>	1887, 611	<i>trachyblepharus</i> ..	1890, 77
	1888, 468	(<i>Heteronota</i>) <i>arfaki-</i>	
	1890, 147	<i>anus</i>	1883, 129
<i>Gryllacris rufovaria</i>	1888, 548	<i>Gymnopelia erythro-</i>	
<i>tessellata</i>	1888, 548	<i>thorax</i>	1886, 396
<i>variabilis</i>	1888, 548		1886, 402
<i>Gryllotalpa vulgaris</i> ..	1889, 219	<i>Gymnophaps albertisi</i> ..	1885, 661
<i>Gubaria subalbataria</i> ..	1889, 428	<i>Gymnophthalmus pleii</i> ..	1890, 79
<i>xanthonora</i>	1889, 429	<i>quadrilineatus</i>	1888, 352
<i>Gubernatrix cristatella</i> .	1883, 38	<i>Gymnopsis oligozona</i> ..	1890, 326
<i>Guira piriugua</i>	1882, 619	<i>unicolor</i>	1886, 414
	1885, 170	<i>Gymnopleurus cæru-</i>	
	1885, 173	<i>lescens</i>	1890, 482
	1885, 174	— <i>var. centralis</i> ..	1890, 482
	1885, 180	<i>Gymnura rafflesii</i>	1881, 389
	1886, 467		1881, 391
<i>Guiraca cærulea</i>	1883, 444		1881, 393
<i>cyanea</i>	1882, 16		1881, 398
	1882, 598		1881, 399
<i>cyanoides</i>	1883, 549		1881, 400
<i>parellina</i>	1883, 444		1881, 401
<i>Gulo arcticus</i>	1885, 381		1881, 405
<i>borealis</i>	1885, 381		1881, 407
<i>larvatus</i>	1885, 784		1881, 408
	1885, 805		1884, 237
<i>luscus</i>	1885, 381		1886, 67
	1885, 396	<i>Gynæcia dirce</i>	1890, 564
<i>Guttera cristata</i>	1882, 352	<i>Gynæphora selenitica</i> ..	1885, 299

	Page		Page
<i>Gynæphora xeram-</i>		<i>Hadena kosakka</i>	1889, 508
<i>pelina</i>	1885, 290	<i>littoralis</i>	1889, 510
	1885, 307	<i>lucia</i>	1889, 508
<i>Gynandrophthalma</i>		<i>megastigma</i>	1881, 356
<i>aurita</i>	1885, 753	<i>oleracea</i>	1887, 250
<i>chrysomeloides</i>	1885, 753		1887, 271
<i>cyanea</i>	1885, 753	<i>parietum</i>	1889, 491
<i>nigrocyanæa</i>	1885, 753	<i>protea</i>	1889, 506
<i>Gyananisa maia</i>	1886, 2	<i>satura</i>	1881, 357
	1886, 3		1889, 509
	1887, 51	<i>seladonia</i>	1889, 507
<i>Gyantocera affinis</i>	1885, 292	<i>semifascia</i>	1883, 161
<i>Gypaetus barbatus</i>	1889, 80		1885, 454
<i>Gypohierax angolensis</i> ..	1881, 561	<i>siderifera</i>	1881, 357
	1889, 81		1883, 161
	1889, 82	<i>stolida</i>	1889, 509
<i>Gyps fulvus</i>	1890, 407		1889, 571
<i>kolbii</i>	1882, 630	<i>tenebrosa</i>	1881, 343
<i>melitensis</i>	1890, 404		1885, 451
	1890, 411	<i>thalassina</i>	1888, 308
<i>Gyrocotyle rugosa</i>	1889, 323	<i>tokiensis</i>	1889, 508
<i>Gyrtona chalybea</i>	1883, 163	<i>unica</i>	1889, 509
			1889, 571
<i>Haastia</i>	1886, 589	(<i>Apamea</i>) <i>askoldis</i> ..	1889, 490
<i>Habropyga astrild</i>	1881, 587	<i>Hadrostomus aglaiaë</i> ..	1883, 449
	1881, 588	<i>homochrous</i>	1885, 70
<i>cinerea</i>	1881, 588		1885, 93
<i>hypomelæna</i>	1883, 31		1885, 114
<i>minor</i>	1881, 587		1885, 122
	1881, 588	<i>minor</i>	1882, 23
<i>cenochroa</i>	1888, 31	<i>Hæmateræ pyramus</i>	1890, 562
<i>subflava</i>	1888, 32	<i>Hæmatopus ater</i>	1881, 15
<i>tenerima</i>	1888, 32		1883, 429
<i>Habrostola asclepiades</i> .	1889, 534	<i>leucopus</i>	1881, 15
<i>transfixa</i>	1889, 534	<i>osculans</i>	1887, 581
<i>triplasia</i>	1889, 534		1888, 459
<i>urentis</i>	1889, 535	<i>ostralegus</i>	1881, 644
<i>Habrosyne derasa</i>	1888, 406		1890, 339
<i>fraterna</i>	1888, 406	<i>palliatus</i>	1883, 429
<i>indica</i>	1888, 407	<i>Hæmonia equiseti</i>	1885, 191
<i>Habryntis scita</i>	1881, 355	<i>japana</i>	1885, 190
<i>Hadena adjuncta</i>	1881, 357		1885, 211
	1888, 308		1885, 752
<i>albiflexura</i>	1881, 357	<i>Hæmophila melanotis</i> .	1883, 422
<i>albinota</i>	1881, 356	<i>stolzmanni</i>	1885, 122
<i>aliena</i>	1889, 487	<i>Hætera piera</i>	1890, 567
<i>atriplicis</i>	1889, 510	<i>Hagnagora buckleyi</i> ..	1885, 527
<i>auriplena</i>	1881, 618		1885, 536
	1889, 508	<i>lex</i>	1885, 527
<i>caliginosa</i>	1889, 488	<i>Haleyon albiventris</i> ..	1881, 567
<i>chenopodii</i>	1888, 308	<i>chelicutensis</i>	1881, 567
<i>constellata</i>	1881, 357		1889, 357
<i>funerea</i>	1889, 487	<i>chloris</i>	1881, 793
	1889, 488		1885, 256
<i>gemina</i>	1889, 489		1885, 504
<i>gnoma</i>	1889, 510		1889, 225
<i>indistans</i>	1885, 454	<i>concreta</i>	1881, 793
<i>jankowskii</i>	1889, 508		1885, 407

	Page		Page
<i>Haleyon concreta</i>	1887, 432	<i>Haliastur girrenera</i>	1884, 431
<i>coromanda</i>	1881, 793		1885, 617
	1885, 407		1887, 329
	1885, 548		1888, 187
	1888, 454		1888, 188
	1889, 226	<i>indus</i>	1881, 791
<i>diops</i>	1885, 568		1884, 536
<i>irroratus</i>	1881, 566	<i>intermedius</i>	1881, 791
<i>leucopygia</i>	1888, 187		1885, 253
	1888, 193		1885, 502
<i>nigrocyanea</i>	1885, 626		1885, 562
	1885, 627	<i>Halicarcinus planatus</i>	1881, 63
<i>orientalis</i>	1881, 567		1881, 70
	1882, 302	<i>Halichoerus grypus</i>	1881, 380
	1885, 223		1881, 381
<i>pilata</i>	1885, 542	<i>Halichondria aspera</i>	1881, 125
	1885, 548	<i>hyndmani</i>	1881, 119
	1887, 600		1881, 120
	1888, 462	<i>ingalli</i>	1881, 120
	1889, 226	<i>panicea</i>	1887, 526
<i>quadricolor</i>	1885, 626	<i>pattersoni</i>	1881, 120
	1885, 627		1881, 131
<i>sancta</i>	1887, 330	<i>Halicore australis</i>	1883, 50
	1888, 187	<i>Halius lucidus</i>	1881, 957
	1888, 193	<i>Haliplus elevatus</i>	1881, 826
<i>saurophaga</i>	1887, 330	<i>Halmaturus agilis</i>	1881, 992
	1888, 187	<i>bennetti</i>	1881, 979
	1888, 193		1881, 980
<i>semicærulea</i>	1881, 567		1881, 981
<i>senegaloides</i>	1881, 566		1881, 982
<i>tristrami</i>	1887, 330		1881, 984
	1888, 193		1881, 987
<i>variegatus</i>	1881, 567		1881, 992
<i>Halecium delicatulum</i>	1881, 103		1881, 993
<i>Halesidota nivea</i>	1887, 669		1887, 55
<i>Halia wavaria</i>	1887, 195	<i>billardieri</i>	1881, 981
	1887, 202		1881, 986
	1887, 226		1881, 992
	1887, 235	<i>derbianus</i>	1881, 984
	1887, 236		1881, 987
	1887, 252		1881, 992
	1887, 262	<i>luctuosus</i>	1881, 981
	1887, 268	<i>ruficollis</i>	1881, 981
<i>Haliaëtus albicilla</i>	1888, 453		1881, 992
	1889, 79	<i>ualabatus</i>	1881, 984
<i>branickii</i>	1888, 451		1881, 987
<i>leucogaster</i>	1884, 431		1881, 988
	1885, 545		1881, 992
	1888, 187		1881, 993
	1888, 188		1883, 600
	1889, 225		1883, 622
<i>leucoryphus</i>	1882, 699		1883, 623
<i>pelagicus</i>	1884, 409		1883, 625
	1888, 452		1883, 626
	1888, 453		1883, 627
<i>Halias prasinana</i>	1881, 825	<i>Halobates micans</i>	1881, 86
<i>Haliastur girrenera</i>	1883, 51	<i>Halosaurus macrochir</i>	1889, 322
	1883, 200	<i>Halpe beturia</i>	1882, 407

	Page		Page
<i>Halpe honorei</i>	1887, 464	<i>Hapalemur simus</i>	1884, 399
	1887, 467		1887, 369
<i>separata</i>	1882, 407	<i>Hapalia præcox</i>	1889, 499
<i>sikkima</i>	1882, 407	<i>Hapalocercus flaviventris</i>	1882, 605
<i>Haltica amethystina</i> ..	1889, 271	<i>fulviceps</i>	1885, 118
<i>angustata</i>	1885, 754	<i>Hapaloderma constantia</i>	1881, 566
<i>cærulescens</i>	1885, 754		1882, 306
<i>californica</i>	1885, 726		1885, 225
<i>flavicornis</i>	1885, 754	<i>narina</i>	1881, 566
<i>latericosta</i>	1885, 754		1882, 306
<i>lewisi</i>	1885, 727		1885, 224
	1885, 754	<i>vittatum</i>	1882, 306
<i>obscura</i>	1885, 726		1889, 356
	1885, 754		1889, 359
<i>picipes</i>	1885, 726	<i>Hapalomys longicauda-</i>	
	1885, 754	<i>tus</i>	1890, 534
<i>plicatula</i>	1889, 271		1890, 536
<i>viridicyanea</i>	1885, 754		1890, 537
(<i>Graptodera</i>) <i>nigri-</i>			1890, 538
<i>pennis</i>	1887, 83		1890, 539
(—) <i>transversi-</i>		<i>Hapalopteron familiare</i> .	1889, 586
<i>collis</i>	1889, 271	<i>Hapaloptila castanea</i> ..	1881, 777
<i>Halyomorpha reflexa</i> ..	1881, 271		1885, 116
<i>versicolor</i>	1881, 271	<i>Haplocerus montanus</i> ..	1887, 579
	1881, 276		1889, 59
<i>Hamadryas æquicincta</i> .	1883, 256	<i>Haplochiton zebra</i>	1881, 22
<i>assarica</i>	1883, 256	<i>Haplodactyla andaman-</i>	
<i>moorei</i>	1883, 256	<i>ensis</i>	1887, 140
<i>nais</i>	1883, 256		1887, 143
<i>nedusia</i>	1883, 256		1887, 145
<i>zoilus</i>	1883, 253		1888, 387
	1883, 254	<i>australis</i>	1887, 143
	1883, 257		1888, 385
<i>Hamanumida dædalus</i> ..	1884, 223		1888, 387
	1885, 757		1888, 389
	1885, 760	<i>molpadoides</i>	1887, 143
	1888, 61	<i>Haplosonyx trifasciatus</i> .	1883, 406
<i>meleagris</i>	1885, 76	<i>Haplotia</i>	1887, 117
	1890, 469	<i>varipennis</i>	1887, 118
<i>Haminea hydatis</i>	1890, 253		1887, 119
	1890, 297	<i>Hapsifera deviellea</i>	1885, 883
	1890, 321		1886, 465
<i>Hamodes atticicola</i>	1885, 463	<i>eburnea</i>	1881, 623
<i>aurantica</i>	1884, 520	<i>luridella</i>	1885, 883
<i>discistriga</i>	1885, 463	<i>seclusella</i>	1888, 338
<i>Hapale jacchus</i>	1887, 121	<i>Harengula zunasi</i>	1887, 595
<i>Hapalemur griseus</i>	1883, 178	<i>Hargravesia polita</i>	1885, 598
	1884, 391		1887, 316
	1884, 392	<i>Harma fumana</i>	1887, 568
	1884, 393	<i>theodota</i>	1887, 568
	1884, 394	<i>uselda</i>	1887, 568
	1884, 396	<i>Harmatelia bifidialis</i> ..	1889, 568
	1884, 399	<i>Harpactes diardi</i>	1881, 791
	1887, 369	<i>duvauceli</i>	1881, 792
<i>olivaceus</i>	1884, 391		1886, 353
<i>simus</i>	1884, 391	<i>erythrocephalus</i> ..	1888, 280
	1884, 392	<i>hodgsoni</i>	1888, 280
	1884, 394	<i>kasumba</i>	1881, 791

	Page		Page
<i>Harpactes kasumba</i>	1887, 432	<i>Helicarion ramsayi</i>	1887, 165
<i>oreskius</i>	1888, 280	<i>robustus</i>	1884, 272
<i>reinwardti</i>	1881, 836	<i>sumatrensis</i>	1881, 630
<i>Harpagus bidentatus</i> ..	1882, 407	<i>vitrinina</i>	1887, 165
	1883, 574	<i>Helice granulata</i>	1881, 69
<i>Harpalus chalcentus</i> ..	1888, 370	<i>Heliciella costellata</i>	1883, 108
<i>crates</i>	1888, 370	<i>Helicina articulata</i>	1887, 313
<i>griseus</i>	1888, 370	<i>beryllina</i>	1884, 270
<i>idiotus</i>	1889, 213	—, var. <i>flavida</i>	1887, 312
<i>kashmirensis</i>	1889, 213	<i>borneensis</i>	1889, 352
<i>rugicollis</i>	1888, 370	<i>citrina</i>	1889, 353
<i>tardus</i>	1888, 370	<i>convexa</i>	1883, 597
<i>Harpax ocellata</i>	1890, 95		1884, 277
<i>rosea</i>	1890, 318	<i>croseii</i>	1889, 352
<i>Harpiocephalus leucogaster</i>	1881, 201	<i>egregia</i>	1885, 598
<i>suillus</i>	1881, 200		1885, 609
	1881, 201	<i>fulgora</i>	1884, 271
<i>tubinaris</i>	1881, 200	—, var. <i>diminuta</i>	1887, 312
	1881, 201	—, var. <i>expansa</i>	1887, 312
<i>Haryphaliaëtus coronatus</i>	1885, 110	<i>gomeaensis</i>	1887, 311
<i>Harpysia kandyia</i>	1885, 301	<i>idaë</i>	1884, 261
<i>major</i>	1887, 323	<i>incisa</i>	1887, 313
	1887, 327	<i>interna</i>	1887, 311
	1888, 476	<i>lens</i>	1887, 316
	1888, 483	<i>mangoensis</i>	1887, 310
	1888, 484	<i>martensi</i>	1889, 352
<i>ocypete</i>	1888, 644		1889, 353
<i>taczanowskii</i>	1888, 643	<i>miniata</i>	1887, 313
<i>Hatteria punctata</i>	1886, 407	<i>modesta</i>	1884, 267
	1890, 359		1885, 598
<i>Hazis malayanus</i>	1885, 864	<i>moquiniana</i>	1885, 598
<i>Hebomoia glaucippe</i> ..	1885, 140	<i>multicolor</i>	1885, 599
	1889, 296	<i>musiva</i>	1884, 271
<i>Hecatera modesta</i>	1888, 369		1887, 312
<i>Hecyrida appendiculata</i>	1890, 492		1887, 313
<i>Hedymeles ludovicianus</i>	1883, 444	—, var. <i>rotundata</i>	1887, 312
	1885, 84	—, var. <i>subcarinata</i>	1887, 312
	1885, 117	—, var. <i>uveana</i>	1887, 312
	1885, 124	—, var. <i>vitiana</i>	1887, 312
<i>Helcion pectinatum</i>	1882, 670	<i>oceanica</i>	1887, 313
<i>pellucidum</i>	1882, 670	<i>pallida</i>	1887, 314
<i>Heleoporus albopunctatus</i>	1887, 499	<i>pohlana</i>	1887, 313
	1888, 170	<i>ponsonbyi</i>	1884, 266
<i>Heleotragus reduncus</i> ..	1890, 607		1884, 281
<i>Heliangelus micraster</i> ..	1885, 120	<i>semperi</i>	1887, 311
	1885, 123		1887, 312
<i>strophianus</i>	1885, 116	<i>solomonensis</i>	1885, 599
<i>Helianthea lutetiæ</i>	1885, 105		1885, 609
	1885, 116	<i>spinifera</i>	1885, 598
<i>Heliastes opercularis</i> ..	1887, 664	<i>subfusca</i>	1884, 277
<i>Helicarion cuvieri</i>	1884, 272	<i>sublaevigata</i>	1884, 268
<i>freycineti</i>	1884, 272	<i>tectiformis</i>	1884, 270
<i>planospira</i>	1885, 588		1887, 310
<i>plicatulus</i>	1887, 127	<i>usukanensis</i>	1889, 352
			1889, 355

	Page		Page
<i>Helicina (Idesa) velutina</i>	1883, 597	<i>Heliothis armigera</i>	1881, 360
(<i>Pachystoma</i>) <i>fasciata</i>	1883, 597		1881, 362
(—) <i>rhodostoma</i>	1883, 597		1883, 161
<i>Helicodia assarica</i>	1883, 256		1883, 162
<i>Heliconius antiocha</i>	1890, 553		1884, 323
	1890, 559		1884, 496
<i>acæde</i>	1890, 560		1884, 518
<i>bartletti</i>	1885, 523		1884, 520
<i>charithonia</i>	1884, 314		1885, 448
<i>clytia</i>	1890, 560		1886, 442
<i>doris</i>	1890, 560		1888, 309
<i>godmani</i>	1882, 397		1889, 519
	1882, 398	<i>camptosigma</i>	1889, 515
<i>gynæsia</i>	1882, 397	<i>conferta</i>	1883, 162
<i>numata</i>	1890, 560	<i>delicia</i>	1881, 368
<i>quirina</i>	1890, 560	<i>dipsacea</i>	1881, 360
<i>rhea</i>	1890, 560		1889, 520
<i>thelxiope</i>	1890, 560	<i>diversipennis</i>	1881, 329
<i>venus</i>	1882, 396	<i>furvens</i>	1889, 520
	1882, 397	<i>incarnata</i>	1881, 360
	1882, 398	<i>juncea</i>	1885, 448
<i>vulcanus</i>	1882, 396		1885, 476
	1882, 397	<i>lucilinea</i>	1881, 361
<i>Helicopsis acis</i>	1890, 572	<i>marginata</i>	1889, 520
<i>cupido</i>	1890, 572	<i>maritima</i>	1881, 360
<i>Helicopsis firmostyla</i>	1887, 170	<i>ononidas</i>	1881, 360
<i>perpolitita</i>	1887, 171	<i>peltigera</i>	1881, 361
<i>upolensis</i>	1887, 170		1881, 361
<i>Helictis moschata</i>	1886, 59		1884, 518
<i>nepalensis</i>	1886, 59		1885, 448
<i>orientalis</i>	1886, 59		1885, 757
<i>personata</i>	1886, 59		1885, 776
<i>Heliochera rubrocristata</i>	1884, 298		1886, 442
	1885, 93		1888, 309
<i>rufaxilla</i>	1882, 24	<i>perigeoides</i>	1881, 361
<i>Heliodines extraneella</i>	1881, 323	<i>rubescens</i>	1883, 161
	1881, 325		1885, 448
<i>rœsella</i>	1881, 324		1886, 442
<i>Heliodoxa jamesoni</i>	1883, 567	<i>scutosus</i>	1889, 520
	1884, 304	<i>succinea</i>	1881, 362
	1885, 121		1886, 443
<i>otero</i>	1882, 35		1889, 519
<i>Heliomaster albicrissa</i>	1883, 567	<i>Heliothrix auritus</i>	1882, 37
	1884, 282	<i>barroti</i>	1883, 567
	1885, 105		1884, 282
	1885, 122		1885, 123
<i>furcifer</i>	1882, 616	<i>purpureiceps</i>	1883, 567
<i>longirostris</i>	1882, 38	<i>Heliotrypha parzudakii</i>	1885, 105
<i>Heliothobius argenteocinereus</i>	1885, 847	<i>viola</i>	1882, 38
	1890, 449		1884, 303
<i>Heliothobus</i> , sp.	1881, 83		1885, 105
<i>dissectus</i>	1889, 486		1885, 123
<i>Helionis surinamensis</i>	1890, 432	<i>Heliura alpha</i>	1890, 495
	1890, 439	<i>apicalis</i>	1890, 495
<i>Heliothis adaueta</i>	1889, 520	<i>lelex</i>	1890, 495
<i>aduneta</i>	1881, 360	<i>Helix abrochroa</i>	1887, 174
		<i>accurata</i>	1887, 176
		<i>adanseni</i>	1884, 276

	Page		Page
<i>Helix adposita</i>	1887,	<i>Helix granaria</i>	1881,
advena	1884,	guestieriana	1882,
afra	1884,		1882,
africana	1881,	hæmastoma	1882,
akontongensis ...	1888,	hargreavesi	1885,
apia	1884,	helicioides	1884,
apicina	1884,		1885,
arenaria	1884,	hoyti	1887,
	1884,	hugonis	1881,
aspersa	1884,	huttoni	1888,
assimilis	1887,	ibaraensis	1882,
balstoni	1882,	inermis	1887,
	1882,	lactea	1884,
barkasi	1887,	lactiflora	1889,
barrakporensis ...	1882,	lancerottensis ...	1884,
bermudensis	1884,	laqueata	1887,
betsileoensis	1882,	largillierti	1887,
bicingulata	1882,		1887,
bipartita	1884,	latimarginata	1885,
bollei	1884,	lenticula	1884,
boxalli	1888,	leucolena	1887,
	1888,	lineata	1884,
calculosa	1887,	ludersi	1887,
callizona	1887,		1887,
calva	1887,	luhuana	1887,
caseus	1881,	lurida	1887,
cerealis	1885,	lyrata	1881,
circumfirmata	1884,	maarseveeni	1881,
circumsessa	1884,		1881,
clayi	1887,		1881,
coma	1884,	magnifica	1882,
	1884,	malleata	1884,
connivens	1887,	meleagris	1885,
constrictor	1889,	mercatoria	1887,
conula	1884,	merziana	1885,
cornu-giganteum ..	1882,	meta	1885,
	1882,	microconus	1887,
covani	1882,	microdonta	1884,
cressida	1884,	mindaiensis	1881,
cyclostremoides ..	1888,		1881,
	1888,		1881,
deiopeia	1885,	nodulata	1887,
despecta	1887,	nouleti	1887,
eddystonensis	1884,	novæ-hiberniæ ...	1884,
erinaceus	1885,	oldhami	1888,
essellata	1884,	otareæ	1887,
eucharis	1884,	pavida	1884,
eurydice	1884,	peliomphala	1887,
	1887,	pellucida	1881,
eustoma	1884,	perpolita	1887,
	1885,	perspicua	1885,
excrescens	1887,	pfeifferi	1887,
firmostyla	1887,		1887,
fortunata	1884,	phalerata	1884,
fragillima	1887,	pinnockii	1887,
gamelia	1885,	plicostriata	1887,
glabriuscula	1884,	pomatia	1881,
godeffroyana	1887,	princei	1887,
	168		179

	Page		Page
<i>Helix pyramidea</i>	1881,	<i>Helix</i> (<i>Corasia</i>) <i>wood-</i>	
<i>ravida</i>	1887,	<i>fordi</i>	1889, 582
<i>redfieldi</i>	1887,	(<i>Dentellaria</i>) <i>badia</i> ..	1883, 596
<i>resupinata</i>	1884,	(—) <i>dentiens</i> ..	1883, 596
<i>rufo-filosa</i>	1881,	(—) <i>josephina</i> ..	1883, 597
<i>samoensis</i>	1887,	(—) <i>nigrescens</i> ..	1883, 597
	1887,	(<i>Endodonta</i>) <i>fusco-</i>	
<i>saxatilis</i>	1881,	<i>zonata</i>	1889, 116
<i>sebacea</i>	1885,		1889, 117
<i>semirufa</i>	1887,	(—) <i>kororensis</i> ..	1889, 116
<i>serpuloides</i>	1883,		1889, 117
<i>sieboldiana</i>	1887,	(<i>Fruticicola</i>) <i>simi-</i>	
<i>similis</i>	1887,	<i>laris</i>	1884, 276
<i>smithii</i>	1881,	(<i>Geotrochus</i>) <i>ac-</i>	
	1881,	<i>mella</i>	1885, 590
<i>sororia</i>	1887,	(—) <i>cleryi</i>	1885, 592
<i>subcarinata</i>	1885,	(—) —, var. <i>me-</i>	
<i>subdædalea</i>	1887,	<i>ridionalis</i>	1885, 609
<i>subtrochiformis</i>	1887,	(—) —, var. <i>sep-</i>	
<i>succincta</i>	1888,	<i>tentrionalis</i>	1885, 609
<i>superba</i>	1882,	(—) —, var. <i>sim-</i>	
<i>swainsoni</i>	1884,	<i>boana</i>	1885, 609
<i>taviuniensis</i>	1887,	(—) <i>dampieri</i> ..	1885, 592
<i>tenella</i>	1887,		1885, 609
<i>tessellata</i>	1884,	(—) <i>eros</i>	1885, 592
<i>thorpeiana</i>	1885,	(—) <i>gærtneriana</i> ..	1884, 260
<i>transarata</i>	1887,	(—) <i>gamelia</i>	1885, 591
<i>trochiformis</i>	1887,	(—) <i>guppyi</i>	1885, 591
<i>troglydytes</i>	1881,		1885, 609
<i>tumulus</i>	1887,	(—) <i>hargreavesi</i> ..	1885, 591
<i>unisulcata</i>	1887,	(—) <i>horderi</i>	1889, 577
<i>upolensis</i>	1887,		1889, 582
<i>vitiensis</i>	1887,	(—) <i>labillardieri</i>	
	1887,	<i>erei</i>	1884, 264
	1887,		1884, 281
<i>vortex</i>	1884,	(—) <i>mendana</i> ..	1885, 591
<i>zelandiæ</i>	1884,	(—) <i>moseleyi</i> ..	1884, 263
(<i>Albersia</i>) <i>zonu-</i>			1884, 281
<i>lata</i>	1884,	(—) <i>motacilla</i> ..	1885, 591
(<i>Ampelita</i>) <i>percy-</i>	1882,	(—) <i>pileus</i>	1884, 260
<i>ana</i>	1882,	(—) <i>rufifilosa</i> ..	1881, 630
(—) <i>shavi</i>	1882,	(<i>Gevesella</i>) <i>hariola</i> ..	1888, 242
	1882,	(<i>Helicobulimus</i>)	
(<i>Amphidoxa</i>) <i>mar-</i>		<i>sarcinosa</i>	1884, 260
<i>morella</i>	1884,	(<i>Helicophanta</i>) <i>bi-</i>	
(<i>Camæna</i>) <i>hom-</i>	1885,	<i>cingulata</i>	1882, 380
<i>broni</i>	1885,		1882, 389
(—) <i>sanziana</i> ..	1884,	(<i>Hemiplecta</i>) <i>car-</i>	
(—) <i>tomentosa</i> ..	1881,	<i>tereti</i>	1884, 265
(<i>Chloritis</i>) <i>customa</i> ..	1885,		1884, 281
(—) <i>dentrecas-</i>		(—) <i>infrastrciata</i> ..	1884, 264
<i>teauxi</i>	1884,		1884, 281
	1884,	(<i>Hemitrochus</i>) <i>fili-</i>	
(<i>Corasia</i>) <i>anadyo-</i>	1885,	<i>costa</i>	1885, 214
<i>mene</i>	1885,	(<i>Hyalinia</i>) <i>exulata</i> ..	1884, 278
(—) <i>tricolor</i>	1885,		1884, 281
	1885,	(<i>Kaliella</i>) <i>barrak-</i>	
(—) <i>woodfordi</i> ..	1889,	<i>porensis</i>	1882, 380
	578		

	Page		Page
<i>Helix (Macrocyclis)</i>		<i>Helix (Videna) merzi-</i>	
<i>covani</i>	1882, 381	<i>ana</i>	1885, 593
	1882, 389	(—) <i>metcalfei</i> ..	1881, 635
(Nanina) <i>balstoni</i> .	1882, 379	(—) <i>planorbis</i> ..	1881, 635
(—) <i>cleamesi</i> ..	1882, 379	(—) <i>sancta annæ</i> .	1885, 594
	1882, 389		1885, 609
(—) <i>granaria</i> ..	1881, 628	(Xesta) <i>pfeifferi</i> ..	1884, 270
(—) <i>maarseveeni</i> .	1881, 629	(Zonites) <i>ordinaria</i> .	1881, 36
(—) <i>nitidissima</i> .	1885, 589		1881, 138
	1885, 609	<i>Hellula undalis</i>	1881, 622
(—) <i>nyassana</i> ..	1881, 278		1888, 335
	1881, 300	<i>Helminthophaga chry-</i>	
(—) <i>rubricata</i> ..	1887, 166	<i>soptera</i>	1883, 420
(—) <i>solidiuscula</i> .	1885, 589	<i>pinus</i>	1883, 440
	1885, 609	<i>Heloderma horridum</i> ..	1890, 206
(Patula) <i>coppingeri</i> .	1881, 36		1890, 218
	1881, 138		1890, 231
(—) <i>gradata</i>	1884, 271		1890, 235
(—) <i>hookeri</i>	1884, 277		1890, 237
(—) <i>magellanica</i> .	1881, 36		1890, 238
	1881, 138		1890, 239
(—) <i>stokesi</i>	1884, 275		1890, 240
	1884, 281		1890, 241
(Philina) <i>bigonia</i> .	1884, 260		1890, 242
(Planispira) <i>sculp-</i>			1890, 244
<i>turita</i>	1888, 242	<i>suspectum</i>	1882, 630
(—) <i>tortilabia</i> ..	1884, 260		1884, 475
(—) <i>zonaria</i>	1884, 260		1888, 266
(Plectopylis) <i>per-</i>			1890, 148
<i>arcta</i>	1888, 243		1890, 150
(—) <i>ponsonbyi</i> ..	1888, 243		1890, 156
(Plectotropis) <i>su-</i>			1890, 159
<i>matrana</i>	1881, 628		1890, 182
(Rhytida) <i>villan-</i>			1890, 184
<i>drei</i>	1885, 594		1890, 205
(Stephanoda) <i>quad-</i>			1890, 207
<i>rata</i>	1884, 279		1890, 209
(—) <i>selkirki</i> . . .	1884, 279		1890, 211
	1884, 281		1890, 214
(Thalassia) <i>tra-</i>			1890, 218
<i>versi</i>	1884, 274		1890, 221
	1884, 281		1890, 231
(Trachius) <i>clarus</i> ..	1888, 242		1890, 233
(—) <i>emensus</i> ..	1888, 242		1890, 234
(Trochomorpha)			1890, 237
<i>fessionia</i>	1887, 175		1890, 238
(—) <i>latimargi-</i>			1890, 239
<i>nata</i>	1884, 270		1890, 240
	1884, 271		1890, 241
	1884, 281		1890, 242
(—) <i>merzia-</i>			1890, 243
<i>noides</i>	1887, 173		1890, 244
(Trochonanina)		<i>Helogale parvula</i>	1882, 79
<i>jenynsi</i>	1881, 279		1882, 80
(—) <i>mozambi-</i>		— <i>undulata</i>	1890, 444
<i>censis</i>	1881, 279	<i>undulata</i>	1882, 79
	1881, 300		1882, 80
(—) <i>percarinata</i> .	1887, 127		

	Page		Page
<i>Helogale undulata</i>	1890,	<i>Hemigalidia olivacea</i> ..	1882,
<i>Helonyx jeffreysii</i>	1882,	<i>Hemileuca maia</i>	1886,
<i>Helophorus aquaticus</i> ..	1881,	<i>Hemiplecta humphrey-</i>	3
<i>Helops sinuatus</i>	1890,	<i>siana</i>	1888,
	637	<i>zimmayensis</i>	1888,
	638	<i>Hemipodius varius</i>	1881,
<i>Helostoma temminckii</i>	1890,	<i>Hemiprocne zonaris</i>	1883,
<i>Helotropha leucostigma</i>	1889,	<i>Hemipus obscurus</i>	1881,
<i>Hemaris affinis</i>	1888,	<i>Hemirhamphus buffonis</i>	1890,
<i>alternata</i>	1888,	<i>commersonii</i>	1887,
<i>bombylifformis</i>	1888,	<i>dussumieri</i>	1887,
<i>cynniris</i>	1888,	<i>Hemistephania rectiros-</i>	1885,
<i>cynoglossum</i>	1888,	<i>tris</i>	1885,
<i>fusiformis</i>	1888,	<i>Hemitubex benedii</i>	1888,
	1888,	<i>insignis</i>	1888,
<i>hylas</i>	1888,	<i>Hemixus canipennis</i> ..	1890,
<i>mandarina</i>	1888,	<i>castanonotus</i>	1890,
<i>marginalis</i>	1886,	<i>cinereus</i>	1890,
	1887,	<i>malaccensis</i>	1881,
<i>radians</i>	1888,		1885,
<i>saundersii</i>	1886,	<i>Henicophaps albifrons</i> ..	1885,
	1888,	<i>Henicorhina hilaris</i>	1884,
<i>sieboldi</i>	1888,		1885,
<i>simillima</i>	1888,	<i>leucophrys</i>	1883,
<i>Hemerodromus cinctus</i>	1889,		1884,
<i>Hemerophila subplagi-</i>		<i>leucosticta</i>	1885,
<i>ata</i>	1888,		1885,
<i>vidhisara</i>	1885,	<i>prosthaleuca</i>	1884,
<i>Hemiceras ania</i>	1890,	<i>Henicurus frontalis</i>	1881,
<i>leucospila</i>	1890,		1885,
<i>levana</i>	1890,	<i>leschenaultii</i>	1885,
<i>lissa</i>	1890,	<i>ruficapillus</i>	1886,
<i>losa</i>	1890,	<i>Heniochus macrolepid-</i>	1887,
<i>violascens</i>	1890,	<i>tus</i>	1887,
<i>Hemichelidon sibirica</i>	1889,	<i>Henucha delegorguei</i> ..	1888,
<i>Hemicorallium johnsoni</i>	1882,	<i>Hepatus chiliensis</i>	1881,
	1882,		1881,
	1882,	<i>Hepialus æmulus</i>	1888,
	1882,		1890,
	226	<i>excrescens</i>	1888,
<i>Hemidactylus barayi</i> ..	1883,		1888,
<i>brookii</i>	1888,	<i>hectus</i>	1888,
<i>frenatus</i>	1890,	<i>humuli</i>	1886,
<i>garnoti</i>	1883,	<i>lupulinus</i>	1887,
	1883,	<i>metellus</i>	1890,
<i>homœolepis</i>	1881,		1890,
	1861,	<i>momus</i>	1890,
<i>inornatus</i>	1887,		1890,
<i>ludekingii</i>	1883,	<i>paropus</i>	1890,
<i>marmoratus</i>	1887,	<i>pauperatus</i>	1888,
<i>meyeri</i>	1883,	<i>velleda</i>	1888,
(<i>Liurus</i>) <i>homœole-</i>		<i>Heptadonta tricondy-</i>	1889,
<i>pis</i>	1881,	<i>loides</i>	1887,
(<i>Peripia</i>) <i>bavayi</i> ..	1883,	<i>Heptanchus indicus</i>	1881,
(—) <i>cyclura</i>	1883,	<i>Herbstia ovata</i>	1881,
<i>Hemieuryalid</i>	1888,		62
<i>Hemigale hardwickii</i> ..	1881,		383
	1885,		22
	1886,		62

	Page		Page
<i>Herbula cespitalis</i>	1888,	334	
<i>meleagrisalis</i>	1883,	167	
	1886,	383	
	1886,	458	
	1888,	334	
<i>Hermæophaga adamsii</i>	1885,	754	
<i>haroldi</i>	1889,	270	
<i>nitidicollis</i>	1889,	270	
<i>nitidissima</i>	1889,	270	
<i>simoni</i>	1889,	269	
<i>subcostata</i>	1889,	269	
<i>Hermannia arrecta</i>	1890,	418	
<i>Herminia albomaculata</i>			
<i>lis</i>	1889,	563	
<i>arenosa</i>	1889,	562	
<i>barbalis</i>	1889,	561	
<i>derivalis</i>	1889,	562	
<i>dolosa</i>	1889,	563	
<i>fascialis</i>	1889,	563	
<i>fentoni</i>	1889,	564	
<i>fumosa</i>	1889,	562	
<i>grisealis</i>	1889,	561	
<i>griselda</i>	1889,	563	
<i>helva</i>	1889,	563	
<i>innocens</i>	1889,	564	
<i>ningpoalis</i>	1889,	563	
<i>orthosiana</i>	1885,	473	
	1885,	476	
<i>pryeri</i>	1889,	563	
<i>rectalis</i>	1889,	564	
<i>sicca</i>	1889,	564	
<i>stramentacealis</i> ..	1889,	562	
<i>tarsicrinalis</i>	1889,	562	
<i>tarsipennalis</i>	1889,	562	
<i>trilinealis</i>	1889,	561	
<i>velifera</i>	1885,	473	
	1885,	476	
<i>Hermonassa cecilia</i>	1889,	498	
<i>chalybeata</i>	1881,	353	
	1881,	380	
<i>consignata</i>	1881,	353	
<i>cuprina</i>	1881,	353	
<i>sinuata</i>	1881,	353	
	1881,	380	
<i>Hermotimia aspasia</i>	1885,	639	
<i>auriceps</i>	1885,	572	
<i>jobiensis</i>	1885,	638	
<i>Herodias alba</i>	1881,	599	
	1884,	434	
	1887,	589	
<i>egretta</i>	1883,	427	
<i>garzetta</i>	1881,	599	
<i>intermedia</i>	1881,	599	
	1889,	225	
<i>torra</i>	1884,	434	
<i>Herpa subhyalina</i>	1890,	382	
	1890,	383	
—, var. <i>primulina</i>	1890,	382	
<i>Herpa venosa</i>	1890,	383	
<i>Herpænia iterata</i>	1888,	96	
<i>melanarge</i>	1885,	757	
	1885,	774	
	1888,	96	
<i>tritogenia</i>	1885,	774	
<i>Herpestes adailensis</i> ..	1882,	68	
	1882,	70	
<i>albescens</i>	1882,	177	
<i>albicauda</i>	1882,	61	
	1882,	62	
	1882,	64	
	1882,	75	
	1882,	76	
<i>albicaudatus</i>	1889,	622	
	1889,	623	
<i>apiculatus</i>	1882,	74	
<i>atkinsoni</i>	1887,	634	
<i>auropunctatus</i>	1882,	75	
	1882,	178	
	1886,	56	
	1886,	58	
	1886,	59	
— <i>birmanicus</i>	1886,	58	
—, var. <i>persicus</i> ..	1887,	635	
<i>badius</i>	1882,	61	
	1882,	69	
	1882,	70	
	1882,	78	
<i>bennettii</i>	1882,	66	
<i>brachyurus</i>	1887,	634	
	1889,	223	
<i>caffer</i>	1882,	64	
	1882,	66	
	1882,	67	
	1882,	68	
	1882,	74	
	1882,	78	
	1885,	220	
<i>dorsalis</i>	1882,	64	
<i>fasciatus</i>	1882,	79	
	1882,	90	
	1882,	180	
	1887,	635	
<i>ferrugineus</i>	1887,	634	
<i>frederici</i>	1887,	634	
	1887,	635	
<i>galera</i>	1882,	60	
	1882,	61	
	1882,	63	
	1882,	64	
	1882,	67	
	1882,	72	

	Page		Page
Herpestes galera	1882, 73	Herpestes loempo	1882, 72
	1882, 78		1882, 75
	1882, 88		1882, 77
	1882, 176	maccarthiæ	1882, 63
	1882, 177		1884, 176
	1887, 632	madagascariensis ..	1882, 66
	1890, 444	malaccensis	1887, 634
— robustus	1889, 622	melanurus	1882, 69
galinieri	1882, 68		1882, 70
gambianus	1882, 86		1882, 78
	1882, 88	microcephalus	1882, 75
gothneh	1882, 89	monticolus	1887, 634
gracilis	1882, 60	mungo	1882, 90
	1882, 61		1887, 634
	1882, 62		1887, 635
	1882, 63	mutgigella	1882, 61
	1882, 64		1882, 68
	1882, 68		1882, 70
	1882, 70		1882, 177
	1882, 71	mutscheltschela ..	1882, 68
	1882, 74	nepalensis	1882, 63
	1882, 78	numidicus	1882, 64
	1882, 177	ochraceus	1882, 69
grandis	1889, 622		1882, 70
	1889, 623		1882, 78
	1889, 624	ochromelas	1882, 68
granti	1882, 61	ornatus	1882, 68
	1882, 69		1882, 177
griseus	1882, 66	paludinosus	1882, 72
	1886, 56		1882, 73
	1887, 631		1882, 176
	1887, 632		1882, 177
	1887, 634		1882, 194
ichneumon	1882, 62	parvula	1882, 79
	1882, 63		1882, 178
	1882, 64	penicillatus	1882, 83
	1882, 66	persicus	1882, 177
	1882, 67		1886, 56
	1882, 68	pharaonis	1882, 64
	1882, 69	pluto	1882, 61
	1882, 71		1882, 72
	1882, 72		1882, 75
	1882, 76	pulverulentus	1882, 64
	1882, 78		1882, 74
	1882, 85		1882, 78
	1882, 207		1882, 91
	1885, 220	punctatissimus	1882, 64
	1889, 622		1882, 74
iodoprymnus	1882, 61		1882, 78
	1882, 68	punctulatus	1882, 68
	1882, 70		1882, 69
javanicus	1887, 633	robustus	1882, 72
	1887, 634		1882, 177
	1887, 635	ruficauda	1882, 68
jerdoni	1882, 67	sanguineus	1882, 64
	1887, 634		1882, 71
lefebvrei	1882, 68		1882, 78
leucostethicus	1882, 89		1882, 177
leucurus	1882, 75	smithii	1882, 63

	Page		Page
<i>Herpestes smithii</i>	1882, 177	<i>Hesperia bibulus</i>	1884, 224
	1887, 634	<i>bixæ</i>	1887, 573
<i>torra</i>	1887, 589		1888, 97
<i>undulatus</i>	1882, 80	<i>borbonica</i>	1884, 227
	1882, 177	<i>cahira</i>	1887, 466
	1882, 178	<i>cippus</i>	1883, 530
<i>urva</i>	1882, 63	<i>cnejus</i>	1881, 605
	1882, 176		1882, 246
	1887, 559		1884, 506
<i>vera</i>	1882, 177		1885, 131
<i>vitticollis</i>	1882, 63		1886, 365
	1882, 86		1886, 426
	1882, 88	<i>comma</i>	1881, 869
	1882, 178		1881, 914
	1882, 486	<i>dara</i>	1882, 262
	1882, 489		1882, 407
	1882, 490	<i>divodasa</i>	1882, 261
	1882, 491		1885, 147
<i>widdringtoni</i>	1882, 64		1886, 433
	1882, 65	<i>eltola</i>	1882, 261
	1882, 67	<i>farii</i>	1887, 466
<i>zebra</i>	1882, 89	<i>fatih</i>	1882, 263
(<i>Ichneumia</i>) <i>albi-</i>		<i>flava</i>	1881, 869
<i>cauda</i>	1882, 64		1881, 914
	1882, 75		1887, 403
	1882, 78		1887, 430
<i>Herpetosaura arenicola</i> ..	1890, 80	<i>forestan</i>	1887, 573
<i>Herpetotheres cachin-</i>			1888, 81
<i>nans</i>	1883, 457	<i>galba</i>	1881, 613
	1885, 119		1882, 263
<i>Herpornis brunnescens</i> ..	1881, 797		1884, 512
<i>xantholeuca</i>	1888, 275		1885, 146
<i>Herpsilochmus axillaris</i>			1886, 433
<i>æquatorialis</i>	1885, 100	<i>gremius</i>	1882, 261
<i>puncticeps</i>	1882, 30		1885, 147
	1885, 100		1886, 433
<i>Herpystichus eremita</i> ..	1881, 478	<i>hippocrates</i>	1884, 223
<i>Hespagarista interlecta</i> ..	1882, 779	<i>inconspicua</i>	1888, 81
<i>tigrina</i>	1882, 778	<i>isocrates</i>	1882, 250
	1882, 782		1885, 134
<i>Hesperia actæon</i>	1881, 913		1886, 428
<i>adrastus</i>	1882, 262	<i>jucunda</i>	1881, 179
<i>ælianus</i>	1881, 606		1881, 180
	1882, 246	<i>karsana</i>	1881, 612
	1883, 368		1884, 493
	1885, 131		1884, 512
<i>agna</i>	1885, 147		1886, 378
	1886, 433	<i>keithloa</i>	1888, 97
<i>alexis</i>	1881, 869	<i>kumara</i>	1887, 466
	1881, 910	<i>leonina</i>	1881, 869
<i>alysos</i>	1887, 427		1881, 913
<i>amyntas</i>	1884, 319	<i>leucocera</i>	1882, 263
<i>anchises</i>	1884, 493		1885, 146
	1885, 757	<i>lineola</i>	1881, 869
	1885, 775		1881, 914
<i>bada</i>	1885, 147	<i>longinus</i>	1885, 135
<i>bevani</i>	1884, 512	<i>mangala</i>	1882, 261
	1885, 147		1886, 377
	1886, 433		1886, 378

	Page		Page
Hesperia maro.....	1881, 869	Hesperomys albigularis .	1882, 104
	1881, 914		1884, 448
	1882, 262		1884, 450
	1883, 154		1884, 452
mathias.....	1881, 612	angouya.....	1882, 107
	1882, 261		1884, 448
	1883, 154	apicalis.....	1882, 102
	1885, 147	arenicola.....	1884, 456
	1886, 433	aztecus.....	1884, 449
	1888, 81	bicolor.....	1882, 108
mæsooides.....	1882, 407		1882, 110
moolata.....	1887, 466		1884, 448
narooa.....	1885, 147	bimaculatus.....	1884, 449
	1887, 466		1884, 451
nostrodamus.....	1886, 378		1884, 454
ochracea.....	1881, 869		1884, 455
	1881, 913		1884, 458
	1887, 403	—, var. lepidus ..	1884, 448
	1887, 430		1884, 458
ocola.....	1884, 319	boliviensis.....	1884, 449
parrhasius.....	1886, 427	californicus.....	1884, 449
phænicis.....	1882, 262	caliginosus.....	1882, 111
plinius.....	1881, 606		1884, 456
	1882, 246	cephalotes.....	1882, 101
	1884, 506	cinereus.....	1882, 103
	1885, 133		1882, 110
	1886, 427		1884, 449
rikuchina.....	1881, 869		1884, 450
	1881, 913		1884, 458
	1887, 403	darwinii.....	1884, 449
	1887, 430	elegans.....	1884, 449
seriata.....	1887, 467		1884, 455
strabo.....	1882, 246	eliurus.....	1882, 104
	1885, 131	galapagoensis....	1882, 109
	1886, 425		1884, 448
subhyalina.....	1881, 913	gracilipes.....	1884, 449
	1887, 403		1884, 455
	1887, 429	griseoflavus.....	1884, 449
sylvanus.....	1881, 869	hispidus.....	1884, 450
	1881, 913	laticeps.....	1884, 452
	1887, 403		1884, 453
	1887, 429		1884, 458
sylvatica.....	1881, 869	—, var. nitidus....	1884, 448
	1881, 913		1884, 452
	1887, 403	latimanus.....	1882, 106
	1887, 429		1882, 108
syricatus.....	1884, 319		1884, 448
taranis.....	1881, 179		1884, 450
theophrastus.....	1883, 148		1884, 451
	1884, 484		1884, 452
	1885, 134		1884, 458
	1885, 764	leucodactylus....	1882, 100
	1886, 428		1882, 102
venata.....	1881, 913		1882, 107
westermanni.....	1887, 573		1882, 108
Hesperocharis anguitia .	1890, 557		1884, 448
nera.....	1890, 557		1884, 452
Hesperomys albigularis.	1882, 102		1884, 458

	Page		Page
<i>Hesperomys leucodactylus</i>	1887, 152	<i>Hesperomys (Calomys) coppingeri</i>	1881, 5
<i>leucogaster</i>	1884, 449	(—) <i>laticeps</i>	1882, 102
<i>leucopus</i>	1884, 449	(—) <i>lepidus</i>	1884, 454
—, var. <i>sonoriensis</i>	1882, 372	(—) <i>longicaudatus</i>	1882, 104
<i>longicaudatus</i>	1882, 99	(—) <i>spinus</i> ..	1882, 135
	1882, 104	(<i>Habrothrix</i>) <i>caliginosus</i>	1882, 110
	1884, 448		1884, 456
	1888, 134	(—) <i>olivaceus</i> ..	1882, 110
<i>longipilis</i>	1882, 109		1884, 456
	1884, 450	(—) <i>scalops</i>	1884, 455
<i>longitarsus</i>	1882, 105	(—) <i>xanthorhinus</i>	1881, 5
<i>lutescens</i>	1881, 5		1884, 457
<i>macrurus</i>	1882, 107	(<i>Oryzomys</i>) <i>couesi</i>	1882, 101
<i>megalonyx</i>	1884, 456	(—) <i>galapagensis</i>	1884, 453
<i>nasutus</i>	1884, 450	(—) <i>laticeps</i>	1884, 452
<i>obscurus</i>	1882, 111	(—) <i>longicaudatus</i>	1884, 453
	1884, 456	(—) <i>spinus</i>	1884, 453
	1888, 134	(<i>Rhipidomys</i>) <i>cinereus</i>	1882, 139
<i>olivaceus</i>	1882, 99	(—) <i>leucodactylus</i>	1882, 106
	1884, 450		1884, 451
	1884, 456		1887, 152
<i>palustris</i>	1884, 234	(—) <i>pyrrhorhinus</i>	1882, 107
	1884, 448	(—) <i>sclateri</i>	1887, 152
<i>philippii</i>	1881, 5	(—) <i>sunichrasti</i>	1882, 101
<i>pilorides</i>	1884, 450	(—) <i>taczanowskii</i>	1882, 109
<i>pyrrhorhinus</i>	1884, 448	(<i>Vesperimus</i>) <i>cinereus</i>	1884, 455
	1884, 450	(—) <i>leucopus</i> ..	1882, 101
<i>renggeri</i>	1882, 110	(—) <i>michiganensis</i>	1882, 101
<i>rufus</i>	1884, 450	<i>Hestia agamarschana</i> ..	1883, 219
<i>scalops</i>	1884, 450	<i>aza</i>	1883, 216
	1884, 456	<i>belia</i>	1883, 220
	1884, 458	<i>blanchardii</i>	1883, 216
<i>sclateri</i>	1887, 152	<i>cadelli</i>	1883, 219
<i>spinus</i>	1882, 100	<i>clara</i>	1883, 216
	1884, 448	<i>donovana</i>	1883, 218
	1884, 458	<i>druryi</i>	1883, 219
<i>squamipes</i>	1882, 102	<i>d'urvillei</i>	1883, 216
<i>sumichrasti</i>	1882, 108	<i>electra</i>	1883, 217
	1884, 448	<i>ephyre</i>	1883, 250
<i>taczanowskii</i>	1882, 108	<i>eudora</i>	1883, 221
	1882, 110	<i>hadeni</i>	1883, 219
	1884, 449	<i>hypermnestra</i>	1883, 220
	1884, 450	<i>idea</i>	1883, 216
<i>tomentosus</i>	1884, 449		1883, 219
<i>torridus</i>	1884, 449	<i>jasonia</i>	1883, 219
<i>tumidus</i>	1884, 449	<i>leuconoe</i>	1883, 216
<i>vulpinoides</i>	1882, 104	<i>linteata</i>	1883, 220
	1884, 452		
<i>vulpinus</i>	1882, 104		
<i>xanthopygus</i>	1884, 449		
	1884, 458		
<i>xanthorhinus</i>	1884, 450		
	1884, 457		
(<i>Calomys</i>) <i>albigularis</i>	1882, 103		
(—) <i>bimaculatus</i>	1882, 101		
	1884, 454		
(—) <i>coppingeri</i> ..	1881, 4		

	Page		Page
Hestia logani	1883,	Heterogenia fulgens	1888,
	1883,		1888,
lynceus	1883,	hilarata	1888,
	1883,	hilarula	1888,
	1883,	princeps	1888,
	1883,	uncula	1888,
malabarica	1883,	Heterogynis penella	1881,
reinwardti	1883,		1881,
stolli	1883,	Heterolocha phœnico-	
thoë	1883,	tæniata	1888,
Hestina assimilis	1881,	Heterometrus palmatus	1890,
	1881,	Heteronota pelagica	1883,
	1887,	Heteropan dolens	1888,
	1887,		1888,
japonica	1881,	Heteropelma amazonum	1882,
zella	1882,	igniceps	1881,
Heteractitis brevipes	1887,	veræ-pacis	1883,
	1887,	wallacei	1885,
incanus	1887,	Heterophasia simillima	1886,
Heteralocha gouldi	1887,		1888,
Heteranax mundus	1884,	Heteropoda venatoria	1888,
Heteraspis albobstriata	1887,	Heteropus lateralis	1890,
imperialis	1888,	Heteroscelus brevipes	1883,
nitidissima	1888,	incanus	1883,
vestita	1888,		1888,
Heterocampa basistriga	1888,	Heterospizias meridio-	
Heterocentrotus mam-		nalis	1885,
millatus	1881,	Hibrildes morax	1887,
	1881,	Hiccoda dosaroides	1885,
trigonarius	1881,	herbaria	1886,
	1881,	Hierococyx fugax	1887,
	1881,	strenuus	1889,
Heterocephalus glaber	1885,	Hierodula bioculata	1885,
	1885,	Himantopus brasiliensis	1882,
	1885,	leucocephalus	1885,
	1885,	nigricollis	1881,
	1885,		1881,
	1885,		1883,
	1885,		1885,
	1885,	Himatione chloris	1889,
	1885,		1889,
	1885,	montana	1889,
	1885,	parva	1889,
	1889,	stejnegeri	1889,
Heterochroa cytherea	1890,	Himatismus buprestoi-	
erotia	1890,	des	1885,
iphicla	1890,	Hingula unicoloris	1886,
messana	1890,	Hipistes hydrinus	1881,
Heterochroma leucogra-		Hipoepa raptatalis	1885,
pha	1884,	Hiposcritia narendra	1885,
Heterodactylus imbrica-		shiva	1885,
tus	1885,		1885,
lundii	1885,	Hippagus acuticostatus	1881,
Heterodon diadema	1881,	cardiiformis	1881,
Heterogenia conjuncta	1888,	verticordius	1881,
flavidorsalis	1888,	Hipparchia anthe	1882,
—, var. fuscicosta-			1883,
lis	1888,	asterope	1884,
	611		481

	Page		Page
Hipparchia asterope....	1885, 758	Hirdapa usipetes	1883, 299
parisatis	1882, 236	Hirundinea bellicosa ..	1882, 21
pimpla	1886, 357	sclateri	1882, 607
urda	1881, 906	Hirundo albiventris....	1882, 8
Hippocampus guttulatus	1887, 666	cinerea	1884, 287
Hippoglossina macrops	1881, 21	erythrogaster	1883, 420
microps	1881, 21	filifera	1883, 442
Hippoglossus vulgaris..	1881, 387	gordoni	1888, 40
Hipponyx antiquatus ..	1890, 252	gutturalis	1885, 569
grayanus	1890, 293	javanica.....	1886, 268
Hippopotamus amphibius	1890, 252	leucorrhoea.....	1887, 442
liberiensis.....	1890, 293	monteiri	1887, 600
minor.....	1887, 612	puella.....	1888, 460
palæindicus	1887, 613	ruficollis	1889, 224
Hipposiderus cervinus..	1887, 612	rustica	1884, 426
deformis	1887, 613	savignyi.....	1884, 433
diadema.....	1887, 612	semirufa	1885, 261
elongatus	1888, 478	smithi	1885, 419
larvatus.....	1888, 483	tahitica	1885, 552
speoris	1888, 484	tricuspidatus	1889, 224
tricuspisatus	1887, 638	leucorrhoea.....	1882, 596
tridens	1887, 638	monteiri	1881, 565
vulgaris	1888, 478	puella.....	1881, 565
Hippothoa fenestrata ..	1888, 483	ruficollis	1885, 277
Hippotion celerio.....	1888, 484	rustica	1881, 565
Hippotragus leucophæus	1887, 638	savignyi.....	1884, 536
niger	1887, 638	semirufa	1886, 187
Hircinia hispida	1888, 478	smithi	1886, 268
fraterna.....	1888, 483	tahitica	1888, 40
Hircinissa	1888, 484	savignyi.....	1886, 268
Hirdapa assimilata	1888, 483	semirufa	1888, 40
fraterna.....	1888, 484	smithi	1888, 40
frigida	1887, 638	tahitica	1887, 330
imitata	1887, 638	Hispa japonica.....	1888, 187
usipetes	1887, 638	mœrens	1888, 194
Hirundinea bellicosa ..	1881, 47	nigrocyanæa	1885, 286
sclateri	1881, 47	subquadrata	1885, 286
Hirundo albiventris....	1881, 8	Histeromorphus plicati-	
cinerea	1884, 287	pennis	1881, 470
erythrogaster	1883, 420	plicatus.....	1881, 473
filifera	1883, 442	Histia fraterna	1881, 478
gordoni	1888, 40	papilionaria	1881, 470
gutturalis	1885, 569	Histioea boliviana	1881, 473
javanica.....	1886, 268	Histiophorus brevirostris	
leucorrhoea.....	1887, 442	gladius	1883, 15
monteiri	1887, 600	Histraea amazonica	1883, 15
puella.....	1888, 460	Histioporus sericeus....	1890, 493
ruficollis	1889, 224	Holbrookia maculata ..	1887, 660
rustica	1884, 426	Holacanthus imperator..	1887, 660
savignyi.....	1884, 433	maculosus.....	1887, 657
semirufa	1885, 261		
smithi	1885, 419		
tahitica	1885, 552		
leucorrhoea.....	1889, 224		
monteiri	1882, 596		
puella.....	1881, 565		
ruficollis	1881, 565		
rustica	1881, 565		
savignyi.....	1884, 536		
semirufa	1886, 187		
smithi	1886, 268		
tahitica	1888, 40		
Hispa japonica.....	1888, 187		
mœrens	1888, 194		
nigrocyanæa	1885, 286		
subquadrata	1885, 286		
Histeromorphus plicati-			
pennis	1881, 470		
plicatus.....	1881, 473		
Histia fraterna	1881, 478		
papilionaria	1881, 470		
Histioea boliviana	1881, 473		
Histiophorus brevirostris			
gladius	1883, 15		
Histraea amazonica	1883, 15		
Histioporus sericeus....	1890, 493		
Holbrookia maculata ..	1887, 660		
Holacanthus imperator..	1887, 660		
maculosus.....	1887, 657		
	1887, 657		

	Page		Page
<i>Holocentrum rubrum</i> ..	1887, 659	<i>Holothuria papillata</i> ..	1887, 140
<i>Holochilus</i> (Nectomys)			1887, 145
<i>apicalis</i>	1882, 101		1888, 389
(—) <i>squamipes</i> ..	1884, 451	<i>pardalis</i>	1887, 144
<i>Holelepta</i> , sp.	1887, 151		1888, 389
<i>Holothuria albida</i>	1888, 538	<i>peregrina</i>	1888, 389
	1887, 140	<i>poli</i>	1884, 565
	1887, 144	<i>sæcularis</i>	1887, 534
	1887, 145	<i>scabra</i>	1887, 145
	1888, 389		1888, 389
<i>albiventer</i>	1887, 144	<i>spinifera</i>	1888, 389
<i>argus</i>	1887, 145	<i>squamata</i>	1882, 646
	1888, 389	<i>squamifera</i>	1887, 144
<i>atra</i>	1887, 140	<i>tubulosa</i>	1884, 565
	1888, 385	<i>vagabunda</i>	1887, 140
	1888, 389		1888, 385
<i>cadelli</i>	1887, 140		1888, 387
	1887, 144		1888, 389
	1887, 145	<i>victoriæ</i>	1887, 534
	1888, 389	(<i>Bohadschia</i>) <i>in-</i>	
<i>cæsara</i>	1888, 389	<i>mis</i>	1887, 533
<i>cuvieria</i>	1882, 643	(—) <i>whitmæi</i> ..	1887, 532
<i>edulis</i>	1888, 389		1887, 534
<i>erinaceus</i>	1887, 533	<i>Homæa clathrum</i>	1885, 462
<i>fusco-cinerea</i>	1888, 389		1886, 449
<i>imitans</i>	1888, 389		1888, 317
<i>immobilis</i>	1887, 144	<i>Homalattus auratus</i> ...	1888, 561
<i>impatiens</i>	1887, 140	<i>Homalaxis zancleus</i> ..	1885, 39
	1888, 389	<i>Homalispæ collaris</i>	1881, 264
<i>insignis</i>	1888, 389		1881, 269
<i>intestinalis</i>	1884, 367	<i>cribripennis</i>	1881, 264
	1884, 565		1881, 269
	1887, 534	<i>javeti</i>	1881, 264
<i>kapiolaniæ</i>	1887, 533	<i>Homalispæ</i> , sp.	1889, 111
	1887, 534	<i>Homalogyra densicostata</i>	1884, 129
<i>lineata</i>	1887, 140	<i>rota</i>	1884, 130
	1888, 389	<i>Homalopsis buccata</i> ..	1881, 215
<i>maculata</i>	1887, 140		1890, 35
	1888, 389	<i>doriæ</i>	1890, 32
<i>magellani</i>	1887, 534	<i>Homo sapiens</i>	1884, 533
<i>marmorata</i>	1887, 140	<i>Homoderus mellyi</i>	1890, 482
	1887, 145	<i>Homœocera azora</i>	1890, 494
	1888, 385	<i>buckleyi</i>	1883, 374
	1888, 389	<i>cressa</i>	1883, 374
<i>monacaria</i>	1887, 140	<i>lyrcea</i>	1883, 375
	1888, 385	<i>ozora</i>	1883, 374
	1888, 389		1883, 375
<i>nigra</i>	1884, 372		1883, 384
	1884, 373	<i>rodriguezii</i>	1890, 494
	1884, 374	<i>salvini</i>	1890, 494
	1884, 375	<i>Homœocerus pallens</i> ..	1890, 478
	1884, 376	<i>Homœomma stradlingi</i> .	1881, 683
	1884, 563		1881, 685
	1884, 564	<i>versicolor</i>	1881, 683
	1884, 565	<i>Homœosoma derasella</i> ..	1885, 877
	1888, 387		1885, 886
	1890, 617	<i>gratella</i>	1885, 877
<i>ondaatje</i>	1888, 389		1886, 461

	Page		Page
<i>Homœosoma lincusalis</i>	1885,	<i>Hoplopterus spinosus</i> ..	1882,
<i>Homophœta æquinocti-</i>	878		310
<i>alis</i>	1889,		49
<i>variabilis</i>	275	<i>Hoplosternus japonicus</i> ..	1888,
	1889,		373
<i>Homoptera</i> , sp.	275	<i>Hoporina croceago</i>	1889,
<i>dispila</i>	1884,	<i>sericea</i>	517
<i>exhausta</i>	323	<i>Horaga ciniata</i>	1883,
<i>fuliginosa</i>	1885,	<i>moulmeina</i>	525
<i>infligens</i>	323	<i>onyx</i>	1882,
<i>lunata</i>	460		247
<i>terrosa</i>	1884,	<i>sikkima</i>	1883,
<i>vetusta</i>	323	<i>syriax</i>	525
	1881,	<i>viola</i>	1882,
	618		248
	1884,		525
	520	<i>Hormisa calamina</i>	1889,
<i>vilis</i>	1886,	<i>cramboides</i>	560
	382		1888,
	1888,	<i>morosa</i>	317
<i>Homopus areolatus</i>	313		1889,
	1888,	<i>australasiæ</i> ..	560
	251	<i>Hormurus</i> ..	1887,
<i>femoralis</i>	1890,	<i>Horonotus deilophus</i> ..	520
	521	<i>Hotea acuta</i>	1884,
	1889,	<i>subfasciata</i>	214
	85		1890,
<i>signatus</i>	1888,	<i>Huhua cinerascens</i>	474
	251		1884,
	1889,	<i>lactea</i>	560
	85	<i>nipalensis</i>	1884,
	1890,		558
<i>Homorus unirufus</i>	521	<i>orientalis</i>	1884,
<i>Hopatrum</i> , sp.	1882,	<i>pectoralis</i>	560
<i>Hoplaretia clara</i>	612		1884,
<i>nautana</i>	1888,	<i>poensis</i>	559
	538	<i>shellyi</i>	1884,
<i>Hoplia rufipes</i>	1883,	<i>verreauxi</i>	561
<i>Hoplocephalus curtus</i> ..	383	<i>Hulodes caranea</i>	1884,
<i>elapoides</i>	1883,		560
	384	<i>inangulata</i>	1885,
<i>melanurus</i>	1888,		460
	372		1886,
	1885,	<i>Hungerfordia pelewensis</i>	1889,
	717		115
	1890,	<i>Huphina cassida</i>	1889,
	30		117
	1890,	<i>nama</i> , var. <i>anda-</i>	1885,
	88	<i>mana</i>	431
	1888,	<i>pallida</i>	1889,
	90	<i>phryne</i>	398
	1890,		1885,
	30	<i>zeuxippe</i>	137
	1890,		1886,
	31	<i>Hupodonta corticalis</i> ..	431
<i>Hoplocercus annularis</i> ..	1881,		1888,
	244	<i>Hyæna brunnea</i>	1882,
	1881,		200
<i>spinus</i>	245		1882,
	1881,		208
	244		1882,
	1881,		465
	245		1882,
<i>Hoplodactylus</i> (<i>Rhacodac-</i>	1881,		466
<i>tylus</i>) <i>leachianus</i>	244		1882,
<i>Hoplophora carinata</i> ..	1883,		492
<i>dasyopus</i>	124		520
	1890,		
	418		
<i>Hoplopterus cayanus</i> ..	1890,		
	418		
	1885,		
	119		
	1885,		
	124		
<i>speciosus</i>	1889,		
	372		

	Page		Page
<i>Hyæna brunnea</i>	1882, 581	<i>Hyblæa puera</i>	1885, 458
	1882, 582		1886, 448
	1882, 586		1888, 223
	1885, 350		1889, 518
	1885, 351	<i>saga</i>	1889, 518
	1885, 360	<i>Hybocampa milhauseri</i> .	1888, 641
<i>crcruta</i>	1881, 188	<i>Hybodus dubrisiensis</i> ..	1886, 218
	1881, 516		1886, 220
	1881, 517		1886, 222
	1881, 518		1886, 223
	1881, 519		1886, 224
	1881, 520	<i>Hyboma divisa</i>	1888, 408
	1881, 521		1889, 478
	1882, 194	<i>strigosa</i>	1888, 409
	1882, 580		1889, 478
	1882, 581	<i>Hybosoma hydropicum</i> .	1883, 75
	1882, 582		1883, 77
	1882, 583		1883, 87
	1882, 584	<i>striatum</i>	1883, 75
	1882, 585		1883, 77
	1882, 586		1883, 78
<i>odorifera</i>	1882, 145	<i>tetrastictum</i>	1883, 75
<i>striata</i>	1881, 520		1883, 78
	1882, 195	<i>Hydræcia immanis</i>	1889, 484
	1882, 198	<i>khasiana</i>	1881, 342
	1882, 207		1881, 379
	1882, 208	<i>leucostigma</i>	1889, 485
	1882, 473	<i>nictitans</i>	1889, 484
	1882, 493	<i>petasitis</i>	1881, 342
	1882, 495		1889, 484
	1882, 498	<i>Hydralector cristata</i> ..	1881, 642
	1882, 581	<i>gallinacea</i>	1881, 647
	1882, 582		1885, 560
	1882, 583	<i>Hydrelia conjugata</i>	1881, 369
	1882, 584	<i>unca</i>	1889, 522
	1882, 585	<i>Hydrias amathuria</i>	1890, 503
	1882, 586	<i>amida</i>	1890, 504
	1886, 56		1890, 520
	1890, 648	<i>ampira</i>	1890, 504
<i>Hyalina arborea</i>	1885, 26		1890, 520
	1887, 173	<i>lascoria</i>	1890, 503
<i>cellaria</i>	1887, 363		1890, 520
<i>draparnaldi</i>	1887, 363	<i>laudia</i>	1890, 503
(<i>Conulus</i>) <i>layardi</i> ..	1885, 27	<i>lecca</i>	1890, 504
<i>Hyalopsis tumida</i>	1885, 598	<i>psorica</i>	1890, 503
<i>Hyalurga caralis</i>	1885, 522	<i>Hydrilla denticulosa</i> ..	1885, 451
<i>puhites</i>	1885, 522	<i>Hydrillodes</i> , sp.	1888, 545
<i>Hyamia</i> , sp.	1888, 226	<i>erythusalis</i>	1888, 318
<i>palpitalis</i>	1888, 226	<i>gravatilis</i>	1888, 545
<i>Hyarotis adrastus</i>	1882, 262	<i>insignis</i>	1884, 500
<i>Hyas edwardsii</i>	1881, 66	<i>lentalis</i>	1889, 565
<i>Hybernia defoliaria</i>	1887, 195	<i>Hydrobia auberiana</i>	1884, 277
	1887, 202	<i>balfouri</i>	1883, 4
	1887, 234		1883, 8
	1887, 236	<i>barleei</i>	1884, 128
<i>hibernaria</i>	1885, 862	<i>compacta</i>	1884, 128
	1885, 885		1884, 149
<i>Hyblæa fortissima</i>	1889, 518	<i>subumbilicata</i>	1884, 128

	Page		Page
<i>Hydrobia ulvæ</i>	1884, 128	<i>Hydropotes inermis</i>	1882, 636
	1884, 129	<i>Hydrosaurus</i> , sp.	1881, 215
<i>ventrosa</i>	1884, 124		1881, 216
	1884, 129	<i>marmoratus</i>	1890, 214
(Belgrandia) <i>mili-</i>		<i>salvator</i>	1881, 215
<i>acea</i>	1883, 5		1881, 216
<i>Hydrobius fuscipes</i>	1881, 825	<i>Hydrous piceus</i>	1881, 825
<i>Hydrocampa aquatilis</i> ..	1885, 870	<i>Hyla albopuncta</i>	1888, 167
	1888, 579		1888, 168
<i>depunctalis</i>	1885, 869	<i>arborea</i>	1884, 422
<i>rivulalis</i>	1883, 167		1884, 424
<i>scitalis</i>	1885, 869		1887, 210
<i>simplalis</i>	1889, 421		1887, 223
<i>tenera</i>	1883, 167		1887, 499
	1884, 524		1887, 578
	1885, 869		1887, 579
<i>tortalis</i>	1888, 334		1888, 167
<i>Hydrocena brevissima</i> ..	1887, 315		1888, 169
<i>cornea</i>	1889, 354		1888, 181
<i>fischeriana</i>	1887, 315		1888, 496
<i>insularis</i>	1887, 314		1888, 497
<i>nitida</i>	1887, 314		1888, 498
<i>parvula</i>	1887, 314		1888, 500
<i>pygmæa</i>	1887, 315		1888, 501
<i>rosea</i>	1887, 309		1888, 511
<i>similis</i>	1887, 315	—, var. <i>japonica</i> ..	1887, 578
(Omphalotropis)			1887, 579
<i>glabrata</i>	1889, 354	—, var. <i>meridionalis</i>	1887, 192
(—) <i>radiata</i>	1889, 354		1887, 196
<i>Hydrochoerus capybara</i> .	1884, 252		1887, 273
<i>Hydrocichla ruficapilla</i> .	1886, 352	—, var. <i>savignyi</i> ..	1884, 422
<i>Hydrocissa albirostris</i> ..	1885, 406	<i>aurantiaca</i>	1883, 638
<i>Hydrogale maculicollis</i> .	1889, 196	<i>barytonus</i>	1887, 499
<i>Hydromys chrysogaster</i>	1887, 53	<i>bischoffii</i>	1890, 326
	1887, 61	<i>bivittata</i>	1890, 326
	1887, 62	<i>buengeri</i>	1888, 205
	1887, 63	<i>cærulea</i>	1887, 499
	1887, 64		1888, 146
	1889, 248		1888, 151
	1889, 250		1888, 160
			1888, 167
<i>Hydrophasianus africa-</i>			1888, 181
<i>nus</i>	1881, 641		1888, 498
<i>chirurgus</i>	1881, 640		1888, 501
	1881, 641		1888, 511
	1881, 642	<i>catharinæ</i>	1890, 326
	1881, 644	<i>copii</i>	1890, 325
	1881, 646	<i>cyanea</i>	1887, 149
	1887, 2	<i>dolichopsis</i>	1883, 388
<i>Hydrophilus piceus</i>	1881, 655		1887, 499
<i>Hydrophis cyanocincta</i> .	1881, 680		1887, 500
<i>robusta</i>	1881, 682	<i>ewingii</i>	1888, 167
<i>stokesi</i>	1881, 216	<i>freycineti</i>	1888, 167
	1881, 223		1888, 497
<i>temporalis</i>	1881, 681		1888, 501
<i>viperina</i>	1881, 216		1888, 511
	1881, 224	<i>fuscomaculata</i>	1884, 424
<i>Hydroporus linearis</i> ..	1881, 826	<i>glandulosa</i>	1886, 413
<i>rufifrons</i>	1881, 825		

	Page		Page		
<i>Hyla intermedia</i>	1884,	424	<i>Hylobates lar</i>	1886,	66
<i>lanciformis</i>	1883,	637	<i>leuciscus</i>	1886,	212
<i>langsдорffii</i>	1890,	325	<i>Hylodes augusti</i>	1886,	412
<i>leucomystax</i>	1889,	29	<i>brocchii</i>	1886,	412
<i>lichenata</i>	1887,	499	<i>buckleyi</i>	1886,	415
	1888,	151	<i>martinicensis</i>	1887,	500
	1888,	167		1888,	170
	1888,	169		1888,	503
	1888,	501	<i>plicifera</i>	1890,	325
<i>lutea</i>	1887,	337	<i>ramagii</i>	1890,	325
	1887,	338	<i>vertebralis</i>	1886,	413
	1888,	90		1886,	415
	1890,	326	<i>Hyloticus caliginus</i>	1888,	588
<i>macrops</i>	1886,	413	<i>dauidis</i>	1888,	589
	1888,	88	<i>pinastri</i>	1888,	588
	1888,	90	<i>Hylomanes gularis</i>	1882,	444
	1890,	30	<i>Hylomys suillus</i>	1889,	229
<i>maculata</i>	1889,	30	— <i>dorsalis</i>	1889,	229
<i>marginata</i>	1890,	326	<i>Hylophila prasinana</i> ..	1888,	606
<i>marmorata</i>	1883,	638	<i>sylpha</i>	1888,	606
<i>meridionalis</i>	1887,	499		1888,	607
	1887,	500	<i>Hylophilus aurantiifrons</i>	1883,	542
	1890,	326		1884,	313
<i>nana</i>	1890,	326	<i>minor</i>	1883,	536
<i>nasica</i>	1886,	413		1883,	542
<i>parviceps</i>	1883,	638		1884,	313
<i>peronii</i>	1888,	167		1885,	68
	1888,	498		1885,	120
	1888,	499	<i>olivaceus</i>	1882,	7
	1888,	501		1885,	68
	1888,	502		1885,	75
	1888,	511		1885,	120
<i>phrynoderma</i>	1890,	326	<i>pœcilotis</i>	1882,	595
<i>quadrilineata</i>	1889,	29	<i>Hylorana longipes</i>	1889,	27
<i>rubra</i>	1883,	638		1889,	29
<i>savignyi</i>	1884,	424	<i>Hyloterpe griseola</i>	1885,	410
<i>sexvirgata</i>	1889,	29	<i>whiteheadi</i>	1889,	226
<i>staufferi</i>	1886,	413	<i>Hylotomus pileatus</i>	1883,	425
<i>stephensi</i>	1887,	579	<i>Hylipsornis salvadorii</i> ..	1884,	416
	1890,	326		1884,	417
<i>taurina</i>	1883,	637		1888,	37
<i>thesaurensis</i>	1886,	413	<i>Hymedesmia polita</i>	1881,	121
	1888,	90		1881,	122
<i>venulosa</i>	1887,	500		1881,	131
<i>Hylæocarcinus humii</i> ..	1888,	563		1881,	140
	1888,	564	<i>zetlandica</i>	1881,	122
<i>natalis</i>	1888,	561	<i>Hymenia fascialis</i>	1883,	366
	1888,	563		1883,	371
	1888,	564		1884,	229
<i>Hylambates anchietæ</i> ..	1890,	324		1884,	325
<i>angolensis</i>	1890,	324		1884,	500
<i>Hylemera dexithea</i>	1887,	672		1884,	524
<i>doleris</i>	1887,	673		1885,	867
<i>neæra</i>	1887,	672		1886,	384
<i>puella</i>	1887,	672		1886,	457
<i>Hylixelastes</i>	1889,	34		1888,	229
<i>Hyliota flavigastra</i>	1888,	26	<i>recurvalis</i>	1888,	229
<i>orientalis</i>	1888,	26		1883,	333

	Page		Page
<i>Hymenolæmus malaco-</i>		<i>Hypena kengkalis</i>	1889, 559
<i>rhynchus</i>	1884, 389	<i>laceratalis</i>	1885, 471
<i>Hymophyla adusta</i>	1889, 273	1888, 317
<i>variabilis</i>	1889, 273	<i>longipennis</i>	1889, 416
<i>Hynobius chinensis</i>	1890, 326	1889, 417
<i>leechii</i>	1890, 326	<i>mandatalis</i>	1885, 471
<i>lichenatus</i>	1886, 413	1889, 558
<i>Hypanis acheloia</i>	1888, 64	<i>mimicalis</i>	1885, 471
<i>anvatara</i>	1885, 760	1885, 476
<i>castanea</i>	1885, 757	<i>minna</i>	1889, 559
.....	1885, 759	<i>molpusalis</i>	1885, 471
<i>cora</i>	1881, 177	<i>obacerralis</i>	1884, 499
.....	1883, 146	1884, 500
.....	1885, 760	1885, 471
<i>goetzii</i>	1888, 64	1885, 472
<i>ilithya</i>	1883, 146	1889, 416
.....	1884, 222	<i>obesalis</i>	1889, 558
.....	1884, 483	<i>obstupidalis</i>	1885, 471
.....	1885, 757	1885, 476
.....	1885, 759	<i>proboscidalis</i>	1889, 559
.....	1888, 64	<i>radicalis</i>	1889, 416
.....	1890, 473	<i>rhombalis</i>	1889, 556
<i>polinice</i>	1881, 605	<i>rivuligera</i>	1889, 557
.....	1883, 146	<i>rostralis</i>	1889, 558
.....	1885, 129	<i>rusticalis</i>	1889, 559
.....	1886, 424	<i>satsumalis</i>	1889, 557
<i>simplex</i>	1883, 146	<i>semiclusalis</i>	1888, 576
.....	1883, 175	<i>similalis</i>	1889, 558
.....	1885, 129	1889, 559
.....	1886, 424	1889, 571
<i>Hypargus monteiri</i>	1888, 30	<i>speculalis</i>	1885, 472
<i>niveiguttatus</i>	1881, 588	1885, 476
.....	1882, 303	<i>squalida</i>	1889, 556
<i>Hypena abducalis</i>	1886, 453	<i>stigiana</i>	1889, 557
.....	1888, 317	1889, 558
.....	1889, 559	<i>subcyanea</i>	1889, 559
<i>abyssinialis</i>	1884, 499	<i>subviolacea</i>	1889, 559
<i>albopunctalis</i>	1889, 557	<i>tatorhina</i>	1886, 382
.....	1889, 571	1889, 559
<i>angustalis</i>	1888, 317	<i>tripunctalis</i>	1889, 558
<i>antiqualis</i>	1886, 382	<i>vecordialis</i>	1885, 472
<i>belinda</i>	1889, 557	1885, 476
<i>columbaris</i>	1888, 317	<i>virgens</i>	1889, 559
.....	1889, 559	<i>Hypercompa bellatrix</i> ..	1882, 780
<i>conscitalis</i>	1884, 229	<i>histrion</i>	1888, 617
<i>corealis</i>	1889, 560	<i>thelwalli</i>	1882, 779
<i>curviferalis</i>	1888, 317	1882, 782
<i>echeonalis</i>	1884, 229	<i>Hyperoodon bidens</i>	1882, 723
<i>ella</i>	1889, 556	<i>bidentatus</i>	1882, 722
<i>fontis</i>	1889, 556	<i>borealis</i>	1882, 723
<i>gilla</i>	1889, 556	<i>butskopf</i>	1882, 723
<i>herbigrada</i>	1889, 416	1883, 467
<i>iconicalis</i>	1885, 471	<i>dalei</i>	1882, 723
<i>ignotalis</i>	1885, 471	<i>diodon</i>	1882, 722
<i>incurvata</i>	1889, 559	<i>latifrons</i>	1882, 395
<i>indictalis</i>	1889, 556	1882, 724
<i>jussalis</i>	1884, 499	1882, 725
<i>kengkalis</i>	1889, 558	1882, 726

	Page		Page
<i>Hyperoodon latifrons</i> ..	1884,	<i>Hyphasis inconstans</i> ..	1885,
<i>planifrons</i>	1882,	<i>Hyphydrus guineensis</i> ..	1881,
	1882,	<i>ovatus</i>	1881,
	1882,	<i>Hypina</i> , sp.	1885,
<i>rostratus</i>	1882,	<i>Hypnophila apicipennis</i>	1887,
	1882,	<i>rugicollis</i>	1887,
	1882,	<i>violaceipennis</i>	1887,
	1882,		1887,
	1882,	<i>Hypnos subnigrum</i>	1890,
	1882,		1890,
	1882,		1890,
	1882,		1890,
	1882,		1890,
	1884,		1890,
	1889,	<i>Hypocala aspersa</i>	1883,
<i>Hyperythra limbolaria</i> .	1885,	<i>efflorescens</i>	1885,
	1888,	<i>plumicornis</i>	1883,
<i>lutea</i>	1888,		1888,
<i>luteata</i>	1888,	<i>subsatura</i>	1883,
<i>penicillaria</i>	1888,	<i>Hypocalpe fasciata</i>	1883,
<i>phantasma</i>	1881,	<i>Hypocheira io</i>	1882,
	1883,		1886,
	1884,		1888,
	1885,		1889,
	1886,		1890,
<i>swinhoei</i>	1881,	<i>Hypochroma crenaria</i> ..	1885,
	1881,	<i>dispensata</i>	1884,
	1883,		1885,
	1884,		1886,
	1886,	<i>perfectaria</i>	1885,
	1886,	<i>pseudo-terpnaria</i> ..	1884,
<i>Hyphænia flavofemora-</i>	1887,	<i>Hypocnemis cantator</i> ..	1882,
<i>tus</i>	1887,	<i>myiotherina</i>	1882,
<i>Hyphantica æthiopica</i> ..	1881,	<i>nævioides</i>	1883,
<i>cardinalis</i>	1888,		1885,
<i>hæmatocephalus</i> ..	1888,	<i>pœcilonota</i>	1882,
<i>Hyphantornis abyssinica</i>	1888,	<i>theresæ</i>	1882,
<i>aureoflavus</i>	1881,	<i>Hypocolius ampelinus</i> ..	1880,
	1889,	<i>Hypogramma nuchalis</i> .	1881,
<i>cabanisi</i>	1881,		1885,
<i>crocata</i>	1888,	<i>Hypolais icterina</i>	1884,
<i>dimidiata</i>	1888,	<i>pallida</i>	1888,
<i>galbula</i>	1881,	<i>Hypolampsis fragilis</i> ..	1889,
<i>guerini</i>	1888,	<i>Hypolimnas albula</i>	1883,
<i>habessinica</i>	1888,	<i>alcippoides</i>	1884,
<i>luteola</i>	1888,	<i>alcemene</i>	1888,
<i>nigriceps</i>	1881,		1888,
<i>nigrifrons</i>	1881,	<i>alimena</i>	1886,
<i>ocularius</i>	1885,		1886,
	1888,	<i>anomala</i>	1883,
<i>velatus</i>	1881,	<i>antigone</i>	1888,
<i>vitellinus</i>	1888,		1888,
<i>Hyphanturgus melano-</i>		<i>avia</i>	1885,
<i>xanthus</i>	1881,		1886,
<i>nigricollis</i>	1881,	<i>bartelotti</i>	1890,
<i>reichenowi</i>	1885,	<i>bolina</i>	1881,
<i>Hyphasis beavani</i>	1885,		1884,
<i>inconstans</i>	1885,		1885,
	1885,		1886,

	Page		Page
<i>Hypolimnas bolina</i>	1886, 425	<i>Hyponomeuta assamensis</i>	1888, 338
	1888, 543	<i>euonymellus</i>	1887, 242
<i>dinarcha</i>	1890, 468	<i>malinellus</i>	1885, 883
	1890, 469	<i>millepunctatellus</i> . .	1888, 338
<i>dorippus</i>	1881, 604	<i>padi</i>	1888, 338
<i>dubia</i>	1890, 469	<i>Hypopachus oxyrrhi-</i>	
<i>forbesii</i>	1883, 366	<i>nus</i>	1886, 412
	1883, 367	<i>Hypopsolus</i>	1882, 648
	1883, 371	<i>Hypopyra capensis</i> . . .	1888, 98
<i>inaria</i>	1888, 61	<i>dulcina</i>	1889, 546
<i>listeri</i>	1888, 542	<i>extricans</i>	1888, 315
<i>mima</i>	1890, 469	<i>pallida</i>	1883, 26
<i>misippus</i>	1881, 604	<i>vespertilio</i>	1883, 26
	1884, 222		1885, 463
	1884, 481		1889, 545
	1884, 482		1889, 546
	1884, 505	<i>Hypositta corallirostris</i>	1881, 438
	1885, 129	<i>Hyospila bolinoides</i> . .	1885, 461
	1886, 359	<i>Hypotænidia celebensis</i>	1885, 560
	1886, 425	<i>philippensis</i>	1885, 560
	1888, 60	<i>striata</i>	1885, 273
	1888, 61	<i>Hypothymis azurea</i> . . .	1881, 794
<i>montrouzieri</i>	1888, 543		1885, 261
<i>mosleyi</i>	1888, 543		1885, 408
<i>naresii</i>	1888, 543	<i>occipitalis</i>	1881, 794
<i>nerina</i>	1888, 542		1885, 260
<i>otaheitæ</i>	1888, 543		1885, 408
<i>pallescens</i>	1888, 543		1885, 506
	1888, 544		1889, 224
<i>polymena</i>	1883, 366	<i>puella</i>	1885, 553
	1883, 367	<i>Hypotia allalis</i>	1886, 462
<i>proserpina</i>	1887, 522		1886, 465
<i>pulchra</i>	1888, 543	<i>rubella</i>	1884, 523
<i>salmacis</i>	1888, 61		1884, 529
	1890, 469	<i>vafera</i>	1884, 523
<i>stanleyi</i>	1890, 467		1884, 529
<i>velleda</i>	1883, 367	<i>vulgaris</i>	1881, 621
<i>Hypolycæna cachara</i> . .	1883, 527		1884, 523
	1883, 535	<i>Hypotriorchis aurantius</i>	1883, 457
<i>cæculus</i>	1885, 766	<i>femoralis</i>	1883, 41
<i>chandrana</i>	1882, 249		1883, 457
	1882, 263	<i>rufigularis</i>	1882, 47
	1883, 527		1882, 374
<i>faunus</i>	1890, 473		1883, 457
<i>grotei</i>	1883, 527		1883, 574
	1883, 535	<i>Hypoxanthus æquatori-</i>	
<i>kina</i>	1883, 527	<i>alis</i>	1884, 307
<i>milionia</i>	1882, 249	<i>brevirostris</i>	1882, 43
<i>nasaka</i>	1882, 249		1884, 307
	1883, 527	<i>rivoli</i>	1884, 307
<i>nilgirica</i>	1883, 527	— <i>brevirostris</i>	1884, 307
	1883, 535		1885, 107
<i>othona</i>	1883, 527		1885, 123
<i>phillipus</i>	1888, 69	<i>Hypsa diana</i>	1888, 572
<i>umbrosa</i>	1885, 757	<i>orbicularis</i>	1883, 156
	1885, 766	<i>semifusca</i>	1888, 572
	1885, 776	<i>sericea</i>	1885, 292
<i>virgo</i>	1887, 446	<i>woodfordi</i>	1888, 221
(<i>Tatura</i>) <i>pachalica</i>	1888, 69		1888, 231

	Page		Page
<i>Hypsipetes holtii</i>	1890, 342	<i>Ianthina communis</i>	1890, 271
<i>maclellandi</i>	1890, 342	<i>exigua</i>	1885, 27
<i>malaccensis</i>	1881, 797		1890, 251
	1885, 412		1890, 272
<i>squamiceps</i>	1889, 586	<i>fragilis</i>	1890, 271
<i>tickelli</i>	1887, 436	<i>globosa</i>	1890, 251
<i>Hypsiprymnus</i> , sp.	1881, 982		1890, 271
	1881, 992		1890, 318
<i>gaimardi</i>	1881, 984		1890, 319
	1881, 990	<i>pallida</i>	1890, 251
	1881, 992		1890, 272
<i>murinus</i>	1881, 992	<i>prolongata</i>	1890, 271
<i>Hypsirrhina bennetti</i> ..	1881, 226		1890, 319
<i>bocourti</i>	1890, 32	<i>rotundata</i>	1885, 28
<i>hageni</i>	1890, 32	<i>umbilicata</i>	1890, 251
<i>maculata</i>	1881, 226		1890, 272
<i>maculosa</i>	1881, 226	<i>Ianthocinclæ mitrata</i> ..	1886, 351
<i>plumbea</i>	1890, 35		1886, 352
<i>sieboldii</i>	1890, 32	<i>Ianthocenas albigularis</i> ..	1885, 271
<i>Hypsirhynchus hepaticus</i>	1889, 330	<i>griseigularis</i>	1885, 250
	1889, 332		1885, 271
<i>Hypsomadius insignis</i> ..	1888, 650	<i>Iassus lucidus</i>	1881, 87
<i>Hyracodontotherium</i>		<i>Ibex alpium sibiricarum</i>	1886, 316
<i>filholi</i>	1889, 67	<i>Ibis æthiopica</i>	1881, 600
	1889, 68	<i>caffrensis</i>	1881, 600
	1889, 69	<i>hagedash</i>	1881, 600
<i>primævum</i>	1889, 67		1885, 230
	1889, 68	<i>nippon</i>	1887, 611
<i>Hyrax brucei</i>	1885, 221		1888, 468
<i>irrorata</i>	1885, 221	— <i>sinensis</i>	1887, 611
<i>Hyreus lingens</i>	1885, 757		1888, 468
	1885, 764	<i>rubra</i>	1881, 644
	1888, 69		1885, 427
<i>Hyria bilineata</i>	1883, 170	<i>Ibycter americanus</i>	1885, 119
	1886, 455	<i>chimango</i>	1881, 10
<i>grataria</i>	1885, 858	<i>Icambosida dorsalis</i>	1888, 394
<i>volutaria</i>	1885, 858	<i>Ichneumia abu-wudan</i> ..	1882, 75
	1885, 886	<i>albescens</i>	1882, 75
<i>Hystrix cristata</i>	1882, 277		1882, 77
	1882, 280		1882, 83
	1884, 237	<i>nigricauda</i>	1882, 75
<i>fasciculata</i>	1889, 236		1882, 77
<i>javanicus</i>	1882, 274	<i>nigricaudatus</i>	1882, 68
	1882, 278	<i>Ichneumon ægypti</i>	1882, 64
	1882, 279	<i>bondar</i>	1885, 783
<i>leucura</i>	1886, 57	<i>cawi</i>	1882, 68
<i>pumila</i>	1889, 223	<i>galera</i>	1882, 72
<i>Hysudra selira</i>	1882, 250	<i>griseus</i>	1886, 56
			1887, 631
<i>Ianthellinæ</i>	1886, 589		1887, 632
<i>Ianthia cyanura</i>	1887, 582		1887, 633
<i>Ianthina africana</i>	1890, 271		1887, 634
<i>bicolor</i>	1890, 271	<i>major</i>	1882, 72
<i>bifida</i>	1890, 272	<i>mungo</i>	1887, 633
<i>cæruleata</i>	1890, 271		1887, 634
<i>communis</i>	1885, 28	<i>pharaon</i>	1882, 64
	1890, 251	<i>prehensilis</i>	1885, 783
		<i>ratlamuchi</i>	1882, 68

	Page		Page
<i>Ichneumon tænionotus</i> .	1882, 90	<i>Idæa negataria</i>	1883, 170
	1882, 91		1886, 455
<i>Ichthyosaurus inter-</i>		<i>ornata</i>	1886, 390
<i>medius</i>	1886, 407	<i>pallida</i>	1888, 322
<i>Ichthyura cupreata</i>	1886, 387	<i>patularia</i>	1885, 857
<i>restitura</i>	1885, 301		1886, 455
	1886, 439	<i>remotata</i>	1884, 526
<i>Icteria virens</i>	1883, 441		1885, 857
<i>viridis</i>	1883, 441		1886, 455
<i>Icteropsis crocata</i>	1888, 35	<i>walkeri</i>	1883, 170
<i>Icterus auratus</i>	1883, 434		1885, 857
	1883, 445		1886, 455
<i>cucullatus</i>	1883, 445	<i>Idalus citrina</i>	1890, 495
<i>giraudi</i>	1883, 445		1890, 520
<i>grace-annæ</i>	1883, 422	<i>larissa</i>	1890, 496
	1885, 117		1890, 520
	1885, 122	<i>lavinia</i>	1890, 496
	1885, 671		1890, 520
<i>hauxwelli</i>	1885, 671	<i>lemba</i>	1890, 496
<i>laudabilis</i>	1889, 395	<i>Idas argenteus</i>	1882, 683
<i>mesomelas</i>	1883, 422		1883, 392
	1883, 445		1883, 394
	1883, 552	<i>lamellosa</i>	1882, 683
	1885, 123	<i>Idea abigar</i>	1883, 243
<i>pustulatus</i>	1883, 422	<i>agelia</i>	1883, 216
<i>Ictides albifrons</i>	1882, 168	<i>aza</i>	1883, 216
<i>Ictidonyx zorilla</i>	1888, 7	<i>blanchardii</i>	1883, 216
<i>Ictinia plumbea</i>	1883, 457	<i>daos</i>	1883, 221
	1883, 574	<i>d'urvillei</i>	1883, 216
<i>Idæa absconditaria</i>	1883, 170	<i>diardi</i>	1883, 221
	1883, 857	<i>gaura</i>	1883, 221
	1886, 455		1883, 222
<i>actuarial</i>	1884, 527	<i>hypermnestra</i>	
	1885, 857	(<i>jasonia</i> , var.) ..	1883, 220
<i>addictaria</i>	1885, 857	<i>idea</i>	1883, 216
	1886, 455	<i>leuconoe</i>	1883, 216
<i>adeptaria</i>	1885, 857	<i>lyncea</i>	1883, 218
<i>aversata</i>	1883, 172	<i>manuja</i>	1883, 236
<i>chotaria</i>	1885, 858	<i>plexippus</i>	1883, 234
	1885, 886	<i>tondana</i>	1883, 216
	1886, 455	<i>Ideopsis anapis</i>	1883, 207
<i>deliciosaria</i>	1886, 390		1883, 222
<i>difamataria</i>	1885, 857	<i>chloris</i>	1883, 207
<i>distracta</i>	1884, 526		1883, 222
<i>godmani</i>	1883, 217	<i>daos</i>	1883, 221
<i>grandicularia</i>	1885, 858	<i>gaura</i>	1883, 214
	1885, 886		1883, 221
<i>humeraria</i>	1885, 857	<i>glaphyra</i>	1883, 222
<i>idearia</i>	1885, 857	<i>hewitsoni</i>	1883, 222
	1885, 886	<i>inuncta</i>	1883, 222
<i>inducta</i>	1883, 170	<i>phæstis</i>	1883, 222
<i>inductata</i>	1884, 527	<i>vitrea</i>	1883, 208
<i>invalida</i>	1883, 170		1883, 222
	1884, 527	<i>Idiomorphus hewitsoni</i> .	1890, 472
<i>jacta</i>	1884, 526	<i>nanodes</i>	1890, 472
	1884, 529	<i>Idiops colletti</i>	1889, 35
<i>ligataria</i>	1885, 857		1889, 37
<i>mutanda</i>	1888, 322		1889, 38

	Page		Page
Idiops colletti	1889, 46	Illibris, sp.	1888, 595
crassus	1889, 38	sinensis	1888, 595
syriacus	1889, 38	trista	1888, 595
Idmais faustina	1886, 373	Illipula ornata	1883, 380
fulvia	1885, 143	Ilodrilus coccineus	1888, 494
miriam	1884, 488	Ilurgia defamatalis	1885, 872
philamene	1885, 768		1886, 459
Idmonea milneana	1881, 56	Ilyarachna, sp.	1885, 916
serpens	1881, 58	Ilybius ater	1881, 825
transversa	1881, 56	uliginosus	1881, 825
Idoleum diabolicum	1885, 236	Ilyrgis ecephurealis	1889, 566
Idotea annulata	1881, 64	Inachoides microrhynchus	1881, 63
argentea	1881, 77		1881, 65
Iguana tuberculata	1886, 164	Inachus mitis	1881, 66
	1888, 100	Indicator emini	1888, 18
	1889, 465		1888, 43
	1890, 174	major	1888, 43
	1890, 176		1889, 356
	1890, 189	variegatus	1881, 593
	1890, 211		1887, 123
	1890, 218	Ingura recurrens	1883, 157
	1890, 219	subapicalis	1883, 157
	1890, 220	Inguridia abrostolina	1889, 535
	1890, 222	Inia geoffrensis	1883, 483
	1890, 233	Ino chinensis	1888, 595
	1890, 234	Inopsis catoxantha	1885, 524
Ilattia apicalis	1889, 493	Iodis, sp.	1884, 324
calamistrata	1881, 348	checomata	1888, 227
cephusalis	1881, 617		1888, 577
	1883, 159	indeclararia	1884, 324
	1884, 516	minutata	1888, 577
	1885, 451	quantula	1885, 855
	1886, 443		1885, 885
	1888, 303	vivilacea	1885, 855
	1889, 492	Iodopleura isabellæ	1882, 24
cervina	1881, 348	Iœra crithea	1890, 469
	1881, 380	Iolanthe acanthotus	1886, 104
monilis	1881, 348	Iolaus belli	1885, 766
	1881, 380	cippus	1883, 530
stellata	1889, 493	diaus	1887, 459
Ilerda androcles	1882, 248	faunus	1887, 572
	1883, 526	glaucus	1885, 757
coruscans	1882, 248		1885, 766
	1886, 369	icetas	1882, 251
hewitsoni	1882, 402	ister	1887, 458
langii	1883, 526		1887, 460
moorei	1882, 402	pseudolonginus	1881, 852
	1883, 526	Iole holti	1890, 342
oda	1882, 249	olivacea	1881, 797
saphir	1882, 402	striaticeps	1889, 226
	1882, 407	tickelli	1887, 436
sena	1882, 249	Iora scapularis	1881, 796
	1886, 369		1885, 412
tamu	1882, 248	Iotreron melanocephala	1885, 556
	1886, 368	Ipagrus nubicus	1881, 593
Iliades polymnestor	1885, 144	Iphitus, sp.	1884, 149
Illiberis sinensis	1888, 595	tuberatus	1883, 114

	Page		Page
<i>Iphitus tuberculatus</i>	1883, 115	<i>Isamia midamus</i>	1883, 324
<i>Ipimorpha retusa</i>	1889, 516	<i>rafflesi</i>	1883, 314
<i>Ipoborus stictoptilus</i> ..	1882, 26		1883, 315
<i>Ipoctonus hartlaubi</i>	1881, 593	<i>rothneyi</i>	1883, 309
<i>Iraota timoleon</i>	1882, 249	<i>simillima</i>	1883, 310
<i>Irena crinigera</i>	1881, 795	<i>singapura</i>	1883, 208
	1885, 409		1883, 211
<i>cyanea</i>	1881, 795		1883, 315
	1885, 409	<i>sinhala</i>	1883, 309
<i>tweedalii</i>	1889, 226	<i>sinica</i>	1883, 311
<i>Iridina elongata</i>	1881, 296	<i>sophia</i>	1883, 208
<i>nilotica</i>	1881, 296		1883, 211
<i>Iridornis analis</i>	1882, 12		1883, 315
<i>dubusia</i>	1885, 80	<i>splendens</i>	1883, 209
<i>porphyrocephala</i> ..	1885, 116		1883, 210
<i>Irrisor cabanisi</i>	1882, 306		1883, 211
<i>cyanomelas</i>	1881, 570		1883, 212
	1889, 358		1883, 311
<i>erythrorhynchus</i> ..	1881, 570		1883, 323
	1882, 302	<i>superba</i>	1883, 255
<i>minor</i>	1889, 358		1883, 311
<i>senegalensis</i>	1881, 570		1883, 312
<i>Isamia aegyptus</i>	1883, 208	<i>Isanthrene craboni-</i>	
	1883, 209	<i>formis</i>	1883, 373
	1883, 210	<i>eusebia</i>	1883, 373
	1883, 316	<i>thyestes</i>	1883, 374
<i>alopia</i>	1883, 312		1883, 384
	1883, 313	<i>tolosa</i>	1883, 374
	1883, 324	<i>Isapis agyrtus</i>	1890, 571
<i>brahma</i>	1883, 314	<i>Ischnosoma bacilloides</i> .	1886, 99
<i>chloe</i>	1883, 208	<i>bacillus</i>	1886, 98
	1883, 209		1886, 99
	1883, 211	<i>bispinosum</i>	1886, 98
	1883, 212		1886, 99
	1883, 314	<i>quadrispinosum</i> ..	1886, 98
	1883, 315		1886, 99
	1883, 316	<i>Ischnura senegalensis</i> ..	1886, 329
	1883, 317	<i>Ischyodus orthorhinus</i> .	1886, 528
	1883, 323		1886, 531
<i>dameli</i>	1883, 316	<i>Ischyryus grammicus</i> . . .	1883, 75
<i>dejeani</i>	1883, 314		1883, 86
<i>fabricii</i>	1883, 315	<i>peruvianus</i>	1883, 75
<i>grotei</i>	1883, 313		1883, 85
<i>irawada</i>	1883, 311	4-punctatus	1883, 86
	1883, 312	<i>Ismene alexis</i>	1884, 512
<i>lowei</i>	1883, 208		1886, 434
	1883, 210	<i>anchises</i>	1884, 493
	1883, 316		1885, 775
<i>margarita</i>	1883, 208	<i>aquilina</i>	1881, 869
	1883, 209		1881, 910
	1883, 210		1887, 399
	1883, 211		1887, 403
	1883, 212		1887, 427
	1883, 313	<i>benjamini</i>	1881, 869
	1883, 314		1881, 910
<i>marginata</i>	1883, 323		1887, 403
<i>marseuli</i>	1883, 313		1887, 427
<i>midamus</i>	1883, 312	—, var. <i>japonica</i> ..	1881, 910

	Page		Page
<i>Ismene benjamini</i> , var.		<i>Ispidina picta</i>	1881, 568
<i>japonica</i>	1887, 427		1888, 41
<i>chromus</i>	1884, 512	<i>Ithomeis satellites</i>	1890, 572
<i>harisa</i>	1881, 910	<i>Ithomia dorilla</i>	1890, 558
<i>jankowskii</i>	1881, 910	<i>epidero</i>	1890, 558
	1887, 427	<i>galata</i>	1890, 559
<i>libeon</i>	1890, 473	<i>neso</i>	1890, 558
<i>oedipodea</i>	1882, 261	<i>nise</i>	1890, 558
<i>septentrionalis</i>	1881, 869	<i>sylvella</i>	1890, 559
	1881, 910	<i>sylvo</i>	1890, 559
<i>striata</i>	1881, 910	<i>Iulus terrestris</i>	1887, 254
<i>Isocardia cor</i>	1881, 710	<i>Ivalia fulvipennis</i>	1887, 101
	1884, 145	<i>metallica</i>	1887, 100
<i>crassa</i>	1881, 710		1887, 119
<i>fraterna</i>	1881, 710	<i>viridipennis</i>	1887, 100
<i>lunulata</i>	1881, 710		1887, 119
<i>rustica</i>	1881, 710	<i>Ixalus asper</i>	1886, 412
<i>Isodema adelma</i>	1881, 892		1886, 415
<i>Isodictya mirabilis</i>	1881, 127		1886, 416
	1881, 128	<i>fuscus</i>	1888, 205
<i>Isometroides vescus</i>	1890, 127	<i>japonicus</i>	1886, 414
<i>Isometrus americanus</i> ..	1890, 120	<i>leucorhinus</i>	1888, 173
	1890, 121	<i>opisthorhodus</i>	1888, 205
<i>androcottoides</i>	1890, 119	<i>saxicola</i>	1888, 205
	1890, 120	<i>schmardanus</i>	1888, 503
	1890, 121	<i>silvaticus</i>	1888, 205
<i>assamensis</i>	1890, 121	<i>vittatus</i>	1890, 324
<i>filum</i>	1890, 119	<i>Ixias agnivena</i>	1883, 153
<i>insignis</i>	1890, 120		1885, 141
<i>maculatus</i>	1890, 119	<i>colaba</i>	1885, 142
	1890, 121		1885, 148
	1890, 127	<i>cumballa</i>	1885, 141
	1890, 140		1885, 148
<i>melanophysa</i>	1890, 121	<i>depalpura</i>	1883, 153
<i>messor</i>	1890, 119		1883, 175
<i>mucronatus</i>	1890, 119		1885, 141
<i>tricarinatus</i>	1890, 119		1886, 432
<i>vescus</i>	1890, 120	<i>dharmasalæ</i>	1882, 254
<i>Isopteryx enixalis</i>	1885, 869		1883, 153
<i>signiferalis</i>	1888, 230		1885, 142
<i>Isoteinon flavatum</i>	1887, 463		1885, 143
	1887, 467		1886, 374
<i>flexilis</i>	1885, 147	<i>jhoda</i>	1885, 142
	1885, 148		1885, 148
<i>lamprospilus</i>	1881, 912	<i>kausala</i>	1882, 254
	1887, 403		1883, 153
	1887, 428		1885, 143
<i>masuriensis</i>	1882, 262		1886, 432
<i>modesta</i>	1883, 534	<i>marianne</i>	1882, 254
<i>nilgiriana</i>	1883, 533		1883, 153
	1883, 534		1885, 140
	1885, 147		1885, 141
	1886, 433	<i>maulmainensis</i>	1885, 142
<i>sativa</i>	1887, 463	<i>meridionalis</i>	1885, 140
<i>vindhiana</i>	1883, 533		1885, 141
<i>vittatus</i>	1883, 534		1885, 148
<i>Ispida bengalensis</i>	1887, 600		1886, 432
	1888, 463	<i>moulmeinensis</i>	1886, 374

	Page		Page
<i>Ixias nola</i>	1889, 399	<i>Josioides sibyllæ</i>	1885, 523
<i>pygmæa</i>	1882, 254		1885, 526
	1882, 263	<i>Josiomorpha striata</i>	1885, 528
	1886, 374	<i>Juliamyia felicianæ</i>	1883, 568
<i>pyrene</i>	1883, 153		1884, 306
	1885, 142		1885, 70
<i>watti</i>	1882, 254	<i>Julis lunaris</i>	1889, 240
<i>Ixidia cyaniventris</i>	1888, 272	<i>Julodis clouei</i>	1881, 470
<i>squamata</i>	1885, 412	<i>finchii</i>	1885, 63
<i>Ixos brunneus</i>	1881, 796		1885, 64
<i>Ixus goiavier</i>	1885, 262		1889, 219
<i>Iyngipicus aurantii-</i>		<i>Jungipicus, see Iyngipicus.</i>	
<i>ventris</i>	1881, 792	<i>Junonia ænone</i>	1881, 604
<i>auritus</i>	1885, 254		1882, 239
	1885, 405		1885, 539
<i>dorriesi</i>	1887, 609	<i>albincta</i>	1888, 62
	1888, 466		1888, 63
<i>fuscoalbidus</i>	1885, 405	<i>alnana</i>	1881, 604
<i>grandis</i>	1885, 503		1881, 867
<i>ramsayi</i>	1885, 248		1881, 896
	1885, 250		1882, 239
	1885, 254		1884, 505
<i>seebohmi</i>	1887, 609		1885, 128
	1888, 467		1886, 361
<i>temminckii</i>	1885, 546		1886, 424
		<i>amestris</i>	1888, 63
<i>Jacamerops grandis</i>	1882, 44	<i>asterie</i>	1881, 604
<i>Jamides bochus</i>	1885, 131		1881, 867
	1886, 426		1881, 896
	1887, 456		1882, 239
<i>Jana gracilis</i>	1888, 83		1884, 505
<i>sciron</i>	1887, 676		1885, 128
<i>strigina</i>	1888, 83		1886, 424
<i>Janira abyssicola</i>	1886, 105	<i>boöpis</i>	1888, 62
<i>tristani</i>	1886, 105		1888, 63
<i>Japalura polygonata</i> ..	1887, 146	<i>cænia</i>	1884, 316
	1887, 150	<i>cebrene</i>	1884, 482
<i>swinhonis</i>	1887, 146		1888, 62
<i>Jarasana lativitta</i>	1884, 517	<i>chorimene</i>	1888, 64
<i>Jartheza cassimella</i>	1886, 461		1890, 467
	1886, 465	<i>clelia</i>	1884, 222
<i>chrysographella</i> ..	1883, 173		1884, 482
	1885, 879		1885, 539
	1886, 394		1888, 62
	1886, 461		1890, 467
	1888, 337	<i>cloantha</i>	1888, 63
<i>obstitella</i>	1885, 880	<i>crebrene</i>	1884, 482
	1885, 886		1885, 757
<i>xylinella</i>	1886, 461		1885, 759
<i>Jerdonia borneensis</i>	1889, 345	<i>cuma</i>	1888, 63
	1889, 355	<i>ethyra</i>	1887, 570
<i>trochlea</i>	1889, 346	<i>gelami</i>	1888, 64
<i>Jodis detracta</i>	1886, 390	<i>here</i>	1884, 482
<i>Jæropsis marionis</i>	1886, 105		1888, 62
<i>Josia auriflua</i>	1885, 528		1888, 63
<i>glycera</i>	1885, 527	<i>hierta</i>	1884, 505
<i>ligula</i>	1885, 527		1885, 128
<i>oribia</i>	1885, 528		1886, 424

	Page		Page
<i>Junonia infracta</i>	1888, 56	<i>Kellia ferruginosa</i>	1881, 703
	1888, 63	<i>macandrewi</i>	1881, 693
<i>lavinia</i>	1890, 563	<i>magellanica</i>	1881, 41
<i>lemonias</i>	1881, 604		1881, 138
	1881, 866	<i>orbicularis</i>	1881, 704
	1881, 895	<i>pumila</i>	1881, 699
	1882, 239	<i>rubra</i>	1881, 699
	1884, 505	<i>suborbicularis</i>	1881, 41
	1885, 128		1881, 698
	1886, 424		1881, 700
<i>miconura</i>	1888, 64	<i>transversa</i>	1881, 703
<i>ocyale</i>	1888, 62	<i>Kelliella abyssicola</i>	1881, 710
<i>orithyia</i>	1881, 604	<i>Kemas henryanus</i>	1890, 93
	1881, 867	<i>hylocerius</i>	1886, 318
	1881, 896	<i>Kenopia striata</i>	1881, 797
	1882, 239		1885, 413
	1884, 482	<i>Kerala punctilineata</i> ..	1881, 330
	1884, 505	<i>Kerivoula hardwickii</i> ..	1887, 327
	1885, 128		1888, 484
	1886, 424		1889, 223
	1888, 62	<i>Ketupa ceylonensis</i>	1889, 165
<i>pelarga</i>	1888, 64	<i>javanensis</i>	1881, 791
<i>sophia</i>	1887, 570	<i>ketupa</i>	1881, 791
	1888, 63	<i>Kinibalua megalops</i>	1889, 391
<i>swinhoei</i>	1886, 361	<i>Kittacincla stricklandii</i> .	1885, 415
	1888, 62	<i>Kogia macleayi</i>	1883, 467
	1888, 63		
<i>terea</i>	1887, 567	<i>Labanda pamphosalis</i> ..	1885, 474
	1888, 64		1886, 453
<i>wallacei</i>	1888, 62	<i>Labidiaster luetkeni</i> ..	1881, 95
<i>westermanni</i>	1888, 62	<i>Labidura nigricornis</i> ..	1888, 546
<i>Jyngipicus, see</i> <i>lyngipicus</i> .		<i>Labiopora antarctica</i> ..	1881, 105
			1881, 106
<i>Kallima hugeli</i>	1882, 239		1881, 107
<i>rumia</i>	1887, 570	<i>moseleyi</i>	1881, 106
	1890, 467		1881, 139
<i>wardi</i>	1885, 129	<i>Lacedo melanops</i>	1881, 793
<i>Kangurus fasciatus</i>	1886, 544	<i>Lacera capella</i>	1885, 469
<i>Karadina andamana</i> ..	1883, 316	<i>procellosa</i>	1889, 547
<i>Karadira andamanensis</i>	1883, 209	<i>Lacerta agilis</i>	1881, 742
	1883, 211		1884, 420
	1883, 254		1884, 421
	1883, 281		1884, 570
<i>Karana decorata</i>	1885, 447		1884, 573
	1888, 407		1887, 196
<i>similis</i>	1888, 407		1887, 202
<i>Katha aprica</i>	1888, 599		1887, 257
<i>nigrifrons</i>	1890, 388		1887, 268
<i>semifusca</i>	1890, 388	<i>aspersa</i>	1881, 744
	1890, 401	<i>boskianus</i>	1881, 744
<i>terminalis</i>	1890, 388		1881, 745
<i>Kellia abyssicola</i>	1881, 710		1881, 747
<i>atlantica</i>	1890, 313	<i>brandti</i>	1881, 743
	1890, 317	<i>danfordi</i>	1881, 741
<i>bullata</i>	1881, 41		1881, 743
<i>crassiuscula</i>	1890, 313	<i>delalandi</i>	1881, 743
	1890, 317	<i>deserti</i>	1881, 744
<i>cycladia</i>	1881, 704		1881, 746

	Page		Page
<i>Lacerta dumerilii</i>	1881, 744	<i>Lacerta schreiberi</i>	1881, 747
<i>galloti</i>	1881, 740		1884, 418
	1881, 743		1884, 419
<i>judaica</i>	1881, 741		1884, 420
	1881, 742	<i>scutellata</i>	1881, 744
<i>laevis</i>	1881, 741	<i>simonyi</i>	1890, 354
	1881, 742		1890, 402
	1881, 743	<i>stirpium</i>	1881, 742
<i>muralis</i>	1881, 740		1881, 743
	1881, 741	<i>strigata</i>	1881, 742
	1881, 743	<i>taeniolata</i>	1881, 743
	1886, 164	<i>taurica</i>	1881, 743
	1887, 196	<i>tessellata</i>	1881, 743
	1887, 201	<i>velox</i>	1881, 747
	1887, 203	<i>viridis</i>	1881, 742
	1887, 207		1881, 743
	1887, 209		1884, 418
	1887, 219		1884, 419
	1887, 221		1884, 420
	1887, 240		1886, 164
	1887, 241		1887, 195
	1887, 243		1887, 196
	1887, 245		1887, 199
	1887, 247		1887, 200
	1887, 249		1887, 201
	1887, 251		1887, 202
	1887, 253		1887, 203
	1887, 255		1887, 206
	1887, 257		1887, 208
	1887, 258		1887, 209
	1887, 269		1887, 218
	1887, 270		1887, 222
	1887, 271		1887, 223
	1887, 272		1887, 240
	1887, 273		1887, 241
	1888, 501		1887, 243
	1889, 465		1887, 245
	1890, 201		1887, 247
—, var. <i>fusca</i>	1881, 740		1887, 249
	1881, 741		1887, 255
—, var. <i>neapolitana</i>	1881, 741		1887, 257
—, var. <i>tiliguerta</i>	1887, 270		1887, 268
<i>ocellata</i>	1881, 743		1887, 269
	1884, 418		1887, 271
	1884, 419		1887, 272
	1884, 420		1887, 273
— <i>pater</i>	1884, 419		1889, 465
<i>olivieri</i>	1881, 744		1889, 471
<i>oxycephala</i>	1881, 740		1889, 612
	1881, 743		1890, 197
<i>pater</i>	1884, 419		1890, 201
	1884, 420		1890, 208
<i>perspicillata</i>	1881, 743		1890, 217
<i>punctata</i>	1881, 743		1890, 222
<i>sanguinolenta</i>	1881, 672		1890, 225
	1881, 674	— <i>typus</i>	1884, 419
<i>savignyi</i>	1881, 744	—, var. <i>gadovii</i>	1884, 421
<i>schreiberi</i>	1881, 743	<i>vivipara</i>	1881, 740

	Page		Page
<i>Lacerta vivipara</i>	1881,	<i>Laertias pammon</i>	1886,
	1889,	<i>Lafoea dumosa</i>	1881,
<i>Lachana ladakensis</i>	1888,	<i>Lafresnaya gayi</i>	1884,
<i>Lachesis helenæ</i>	1890,	<i>Lagamnum decagonale</i> .	1888,
	1890,		1888,
	1890,	<i>depressum</i>	1888,
<i>meridionalis</i>	1881,		1888,
	1881,		1888,
<i>mutus</i>	1881,	<i>Lagarus aberrans</i>	1888,
	1883,	<i>nimbatus</i>	1888,
<i>Lachnocnema d'urbani</i> .	1888,	<i>sulcitaris</i>	1888,
<i>Lachnosterna, sp.</i>	1888,	<i>Lagenocetus latifrons</i> ..	1882,
<i>diomphalia</i>	1888,		1883,
<i>morosa</i>	1888,		1884,
<i>parallela</i>	1888,	<i>Lagenorhynchus acutus</i>	1883,
<i>Lacida rotundata</i>	1885,		1883,
<i>Lacides ficus</i>	1885,		1883,
	1886,		1883,
	1888,		1883,
<i>Lactica bifasciata</i>	1889,	<i>albirostris</i>	1883,
<i>bogotana</i>	1889,		1883,
<i>citrina</i>	1889,		1883,
<i>dichroa</i>	1889,	<i>asia</i>	1883,
<i>scutellaris</i>	1889,		1883,
<i>Lactina agilis</i>	1889,		1883,
<i>Lacuna arctica</i>	1883,	<i>breviceps</i>	1883,
<i>cassior</i>	1883,		1883,
<i>divaricata</i>	1883,	<i>clanculus</i>	1883,
	1883,		1883,
<i>fabricii</i>	1883,		1883,
<i>frigida</i>	1883,		1883,
<i>fusca</i>	1883,		1883,
<i>glacialis</i>	1883,	<i>cruciger</i>	1883,
<i>labiosa</i>	1883,	<i>electra</i>	1883,
<i>margaritifer</i>	1883,		1883,
<i>neritoidea</i>	1883,		1883,
<i>pallidula</i>	1883,		1883,
	1885,	<i>eschrictii</i>	1883,
<i>pertusa</i>	1883,		1883,
<i>pumilio</i>	1890,	<i>fusiformis</i>	1883,
	1890,	<i>leucopleurus</i>	1883,
	1890,		1883,
<i>puteolus</i>	1883,	<i>obliquidens</i>	1883,
<i>reticulata</i>	1885,		1883,
	1885,	<i>perspicillatus</i>	1883,
<i>solidula</i>	1883,		1883,
<i>tenella</i>	1883,	<i>thicolea</i>	1883,
<i>vestita</i>	1883,	(<i>Electra</i>) <i>asia</i>	1883,
<i>Lælia cœnosa</i>	1888,	<i>Lagocheilus dido</i>	1889,
<i>gigantea</i>	1888,		1889,
<i>pallida</i>	1885,	<i>hispidus</i>	1887,
<i>sinensis</i>	1888,	<i>keppeli</i>	1889,
<i>Læmodonta conica</i>	1887,		1889,
<i>Læocochlis granosa</i>	1885,	<i>mundyanus</i>	1889,
	1885,		1889,
<i>promeraniæ</i>	1885,	<i>Lagomys auritis</i>	1881,
<i>Laertias pammon</i>	1882,	<i>macrotis</i>	1881,
	1885,	<i>pusillus</i>	1881,
	145		625

	Page		Page
Lagonosticta melanogastrea	1888, 31	Lagothrix humboldti	1890, 98
minima	1881, 588	Lagria obscura	1890, 645
cœnochroa	1888, 31	Lagyra myciterna	1888, 577
polionota	1888, 31	picaria	1889, 295
rara	1881, 588	talaca	1888, 577
senegala	1888, 31	Laimodonta anaaensis	1887, 291
Lagopotetrix dicksonii	1886, 236	bronni	1887, 291
lagopoides	1886, 234	conica	1887, 291
Lagoptera dotata	1885, 464	layardi	1887, 290
elegans	1888, 316		1887, 291
	1889, 548	Lalage atro-virens	1883, 55
honesta	1883, 366	aurea	1885, 635
	1883, 370	culminata	1885, 570
magica	1884, 520		1881, 794
	1885, 464		1885, 409
	1888, 224	dominica	1887, 432
miniacea	1888, 224	leucopygialis	1885, 258
multicolor	1889, 548		1885, 259
Lagopus albus	1886, 224		1885, 554
	1886, 225	melanothorax	1886, 353
	1886, 227		1886, 354
	1886, 228	moesta	1883, 51
	1886, 229		1883, 55
	1886, 231		1883, 195
	1886, 233		1883, 200
	1886, 234	pacifica	1884, 432
	1886, 235	sykesi	1881, 451
	1886, 236	terat	1886, 354
	1886, 237		1881, 794
	1886, 239		1885, 409
	1886, 240		1885, 418
	1886, 419		1889, 224
mutus	1886, 233	timoriensis	1885, 506
	1886, 236	tricolor	1883, 55
	1886, 237	Lamellaria antarctica	1881, 33
	1886, 238	patagonica	1881, 32
	1886, 238		1881, 138
scoticus	1882, 112	perforata	1887, 188
	1884, 45	perspicua	1881, 32
	1886, 236		1885, 45
	1886, 238	prætenuis	1881, 33
	1889, 325	producta	1881, 32
tetrici-albus	1886, 236	tentaculata	1885, 45
tetrici-scoticus	1886, 236	tenuis	1885, 45
Lagorchestes albipilis	1886, 544		1885, 63
conspicillatus	1886, 546	Lamia adelpha	1888, 379
fasciatus	1886, 544	imperialis	1890, 488
	1886, 545	textor	1888, 379
	1886, 546	Lamiomorus gottschei	1888, 379
	1886, 547	Lamna cornubica	1887, 32
leporoides	1886, 544		1887, 36
	1886, 546		1887, 38
	1886, 547	glauca	1887, 39
Lagostomus trichodactylus	1882, 596	spallanzanii	1889, 243
Lagostropus fasciatus	1886, 544	Lamoria planalis	1885, 876
	1886, 547	Lampides, sp.	1881, 865
			1881, 882

	Page		Page
Lampides ælianus	1881, 606	Languria coarctata	1887, 361
	1882, 246	dimidiata	1887, 361
	1883, 366	gracilis	1887, 362
	1883, 368	melanosterna	1887, 362
	1885, 131	mozardi	1887, 360
alexis	1885, 131	nyassæ	1887, 362
contracta	1881, 606	refulgens	1887, 361
	1884, 506	Languriomorpha lewisi	1887, 361
cyclopterus	1888, 68	Laniarius affinis	1881, 580
hellotia	1881, 849	atrococcineus	1887, 396
	1881, 853		1887, 397
kandarpa	1884, 506	atrocroceus	1887, 396
Lampornis iridescens	1883, 566		1887, 397
	1885, 122	atroflavus	1887, 122
prevosti	1883, 451		1887, 124
violicauda	1883, 566	boulboul	1882, 302
Lamprococcyx basalis	1888, 191	cubla	1881, 580
meyerii	1885, 625		1882, 302
Lamprocolius chalybeus	1882, 303	hypopyrrhus	1884, 54
melanogaster	1881, 583	lagdeni	1884, 54
splendidus	1888, 37	orientalis	1881, 580
sycobius	1881, 583	poliocephalus	1882, 303
	1889, 368		1884, 54
Lamprocorax grandis	1887, 331	quadricolor	1882, 303
	1888, 187	salinæ	1881, 580
	1888, 198	sublacteus	1881, 580
minor	1888, 198		1887, 124
Lamprophis aurora	1887, 488	sulfureipectus	1881, 580
fiski	1887, 340		1888, 25
	1887, 398		1889, 362
Lampropsar dives	1883, 446	sulfureipectus	1881, 580
warszewiczi	1885, 86		1882, 303
	1885, 114	Lanistes affinis	1881, 290
Lampropygia colum-			1881, 300
biana	1885, 105	ellipticus	1881, 290
wilsoni	1883, 567	nyassanus	1881, 290
	1884, 304	ovum	1881, 290
Lamprosphaerus gigas	1881, 439	purpureus	1881, 277
subcostatus	1881, 439		1881, 290
Lamprosoma amethysti-		solida	1881, 290
num	1882, 50	Lanius bentet	1881, 795
canaliculatum	1882, 50		1885, 257
cuneatum	1882, 50		1885, 505
cupreatum	1885, 198	bucephalus	1887, 582
	1885, 753		1890, 344
grande	1882, 50	caudatus	1881, 579
nigro-cæruleum	1885, 753		1885, 225
Lamprosticta bella	1889, 504		1889, 362
venusta	1889, 504	cephalomelas	1881, 795
	1889, 571		1885, 257
Lamprotes albocristatus	1882, 24	collaris	1885, 225
Lamprotornis melano-		collurio	1881, 579
gaster	1881, 583	excubitor	1882, 722
Lamprotreron formosa	1885, 269		1888, 291
	1885, 556	fallax	1881, 168
Langanum depressum	1889, 7	gubernator	1888, 25
Languria bicolor	1887, 361	humeralis	1885, 225
cambodiæ	1887, 362	isabellinus	1881, 958

	Page		Page
<i>Lanius luzoniensis</i>	1889, 225	<i>Larus dominiicanus</i>	1881, 17
<i>major</i>	1881, 968		1882, 527
	1882, 722		1882, 528
<i>minor</i>	1888, 657		1882, 529
	1888, 662	<i>eburneus</i>	1886, 137
<i>nasutus</i>	1885, 257		1888, 292
<i>olivaceus</i>	1881, 581	<i>franklini</i>	1882, 524
<i>raddei</i>	1888, 291	<i>fuliginosus</i>	1882, 526
<i>schach</i>	1885, 505		1882, 529
<i>sphenocercus</i>	1887, 605	<i>furcatus</i>	1882, 523
	1888, 464	<i>gelastes</i>	1880, 316
<i>uncinatus</i>	1881, 168	<i>glaucodes</i>	1881, 16
	1881, 954		1882, 526
<i>vittatus</i>	1888, 291		1882, 528
<i>Lanthanotus borneensis</i>	1882, 632	<i>glaucus</i>	1882, 653
	1890, 157	<i>hartlaubii</i>	1882, 528
	1890, 233	<i>heermanni</i>	1882, 527
	1890, 239		1882, 539
	1890, 240	<i>hemprichi</i>	1882, 527
	1890, 241	<i>leucophthalmos</i> ..	1881, 959
<i>Laphria atrifacies</i>	1888, 555	<i>maculipennis</i>	1882, 525
<i>gloriosa</i>	1883, 346		1882, 526
<i>nigrocærulea</i>	1888, 555		1882, 628
<i>Laphris emarginata</i>	1888, 351		1882, 628
<i>Laphygma caradrinoides</i>	1884, 495	<i>marinus</i>	1881, 174
	1886, 380		1882, 527
<i>exigua</i>	1884, 516	<i>maximus</i>	1885, 843
	1885, 450	<i>melanocephalus</i> ..	1887, 2
	1886, 443		1889, 316
	1888, 304	<i>modestus</i>	1882, 526
	1889, 493		1882, 529
<i>infecta</i>	1883, 158	<i>novæ-hollandiæ</i> ..	1882, 528
	1885, 450	<i>pacificus</i>	1882, 529
<i>squalida</i>	1888, 221	<i>phæcephalus</i>	1882, 526
<i>Larentia bosora</i>	1888, 228		1882, 528
	1888, 231	<i>philadelphia</i>	1884, 150
<i>conturbata</i>	1888, 327	<i>ridibundus</i>	1882, 526
<i>fissiferata</i>	1881, 617		1887, 592
<i>Laria l-nigrum</i>	1888, 622	<i>rossi</i>	1886, 82
<i>Larinopoda lycænoides</i> .	1890, 473	<i>sabinii</i>	1882, 524
<i>Larus affinis</i>	1881, 174		1886, 82
<i>atricilla</i>	1882, 527	<i>scopulinus</i>	1882, 528
	1884, 150	<i>scoresbii</i>	1882, 528
<i>belcheri</i>	1882, 526		1882, 529
	1882, 527	<i>serranus</i>	1882, 525
	1882, 528		1882, 528
<i>bulleri</i>	1882, 528		1886, 404
<i>cachimans</i>	1887, 592	<i>Larvívora sibilans</i>	1888, 455
	1888, 458	<i>Lasæa adansoniana</i>	1890, 253
<i>canus</i>	1889, 178		1890, 304
<i>cirrhocephalus</i>	1881, 16	<i>pumila</i>	1881, 699
	1882, 525		1882, 685
	1882, 526		1884, 144
	1882, 528	<i>rubra</i>	1881, 699
<i>crassirostris</i>	1882, 526	<i>Lasala meris</i>	1890, 574
	1882, 528	<i>Lasiocampa fasciatella</i> ..	1888, 627
	1887, 581	<i>ilicifolia</i>	1885, 65
	1887, 593	<i>monteiroi</i>	1887, 677

	Page		Page
<i>Lasiocampa otus</i>	1890,	<i>Leda fragilis</i>	1881, 950
<i>pini</i>	1887, 51		1882, 684
	1887, 196		1884, 143
	1887, 200	<i>frigida</i>	1881, 951
	1887, 211		1882, 684
	1887, 212		1883, 391
	1887, 231		1883, 392
<i>pruni</i>	1888, 627	<i>insculpta</i> , var. <i>laevis</i>	1884, 144
<i>quercifolia</i>	1881, 654	<i>intermedia</i>	1881, 951
	1881, 821	<i>jeffreysi</i>	1881, 951
	1881, 825		1882, 684
	1886, 3		1884, 144
	1887, 51	<i>latior</i>	1881, 951
<i>quercus</i>	1881, 822	<i>lucida</i>	1881, 951
	1887, 195		1882, 684
	1887, 197		1883, 392
	1887, 208		1883, 393
	1887, 211	<i>lugubris</i>	1881, 39
	1887, 212	<i>messanensis</i>	1881, 951
<i>remota</i>	1888, 628		1884, 143
<i>rubi</i>	1887, 197	<i>micrometrica</i>	1881, 951
	1887, 208		1884, 144
	1887, 211	<i>minima</i>	1884, 144
	1887, 212	<i>minuta</i>	1881, 950
<i>rudis</i>	1887, 574		1884, 143
<i>strigula</i>	1886, 438	<i>pella</i>	1881, 950
	1888, 297	<i>pernula</i>	1881, 950
<i>vittata</i>	1885, 305	<i>pusilla</i>	1881, 951
<i>Lasiommata bremeri</i> ..	1881, 868	<i>pusio</i>	1881, 951
	1881, 906		1882, 684
<i>epimenides</i>	1887, 403		1884, 143
	1887, 426	<i>pustulosa</i>	1881, 951
<i>marginalis</i>	1881, 907	<i>quadrangularis</i>	1881, 951
	1887, 426	<i>sericea</i>	1881, 951
<i>Latia neritoides</i>	1884, 274	<i>striolata</i>	1881, 951
<i>Latilus fronticinctus</i>	1887, 550		1882, 684
<i>Latrodectus geometricus</i>	1882, 763		1884, 143
<i>Laurion remota</i>	1888, 612	<i>subæquilatera</i>	1882, 684
<i>Leadbeatara otero</i>	1882, 35		1883, 391
<i>Lebeda buddha</i>	1885, 306		1884, 144
	1886, 440	<i>tenuis</i>	1881, 951
<i>hebes</i>	1888, 628		1882, 684
<i>Lebia caligata</i>	1888, 382		1883, 391
	1889, 218	<i>unca</i>	1882, 684
<i>callitrema</i>	1889, 219	<i>Legatus albicollis</i>	1882, 20
<i>chrysomyia</i>	1888, 382		1883, 556
<i>cœlestis</i>	1888, 381	<i>Leggada booduga</i>	1881, 553
<i>duplex</i>	1888, 382	<i>buduga</i>	1881, 547
<i>fusca</i>	1888, 382		1881, 552
<i>lafosseï</i> , var. <i>cœlestis</i>	1888, 381		1881, 553
<i>prattiana</i>	1889, 218		1881, 554
<i>xanthophæa</i>	1889, 219		1881, 555
<i>xanthophana</i>	1888, 382		1881, 556
	1889, 218		1881, 557
<i>Lechenopteryx fulvia</i> ..	1886, 411	<i>jerdoni</i>	1881, 555
<i>Leda arctica</i>	1884, 143		1881, 557
<i>expansa</i>	1881, 951	<i>lepida</i>	1881, 553
	1882, 684	<i>minutoides</i>	1881, 556

	Page		Page
Leggada platythrix	1881, 550	Lema præclara	1887, 66
	1881, 553	puncticollis	1885, 752
	1881, 554	rufo-ornata	1887, 68
	1881, 555	sagittifera	1889, 266
	1881, 556	simoni	1889, 265
spinulosa	1881, 557	Lemonias aristus	1890, 574
Lehera	1883, 528	cerealis	1890, 574
eryx	1883, 529	nepioides	1890, 574
Leiocephalus aculeatus	1881, 243	pseudocuspis	1890, 574
carinatus	1881, 244	Lemur albifrons	1883, 44
herminieri	1881, 243	catta	1884, 398
iridescens	1881, 243		1884, 399
trachycephalus	1881, 244		1887, 369
Leiopus leptodactylus	1886, 116		1887, 370
Leiosaurus marmoratus	1889, 144		1887, 371
multipunctatus	1889, 144		1887, 372
scapulatus	1889, 144	lencomystax	1885, 672
Leiosoma simile	1890, 417	macaco	1885, 672
Leiostraca jeffreysiana	1884, 366		1887, 372
	1884, 372	mayottensis	1884, 397
Leiothrix mitrata	1888, 274	Lenodora vittata	1885, 305
Leistes superciliaris	1882, 602	Lentipes	1884, 170
Leiurus quinque-striatus	1890, 126	concolor	1884, 171
tunetanus	1890, 126	seminudus	1884, 171
Lema adamsi	1885, 194		1884, 172
	1885, 723	Leocyma albonitens	1889, 522
buckleyi	1889, 265	atrata	1889, 522
calceata	1889, 265	dianæ	1888, 222
ceylonensis	1887, 65	nervosa	1889, 522
	1887, 66	nigrilinea	1889, 522
	1887, 67		1889, 571
concinripennis	1885, 752	tibialis	1888, 222
coromandeliana	1887, 67	Leopardus horsfieldii	1887, 628
coronata	1885, 752	reevesii	1887, 628
crassicollis	1887, 66	Lepeta cæca	1882, 672
cyanipennis	1887, 66	Lepetella tubicola	1882, 673
10-punctata	1885, 753		1884, 148
delicatula	1885, 753	Lepidocephalichthys has-	
difficilis	1887, 67	seltii	1890, 39
dilecta	1885, 194	Lepidodactylus crepuscu-	
	1885, 752	laris	1883, 121
diversa	1885, 752		1883, 122
dorsalis	1889, 266		1883, 131
downesii	1885, 752	cyclurus	1883, 121
dubia	1889, 265		1883, 123
ducalis	1889, 265		1883, 131
equestris	1889, 265	guppyi	1884, 210
flavipes	1885, 752		1887, 333
fortunei	1885, 752		1887, 334
fulvicornis	1887, 66		1888, 90
honorata	1885, 752	lugubris	1883, 120
javana	1887, 67		1883, 121
lewisi	1885, 752		1883, 131
melanopa	1888, 351	neocaledonicus	1883, 121
nupta	1889, 265		1883, 122
orbigny	1889, 266	sauvagii	1883, 122
patruelis	1889, 264		1883, 131
		woodfordi	1887, 334

	Page		Page
<i>Lepidodactylus woodfordi</i>	1887, 338	<i>Lepreus carinatus</i>	1890, 129
	1888, 90		1890, 141
<i>Lepidopleurus alveolus</i>	1882, 668	<i>fischeri</i>	1890, 131
<i>arcticus</i>	1882, 668		1890, 132
<i>Lepidosiren paradoxa</i> ..	1887, 501	—, var. <i>nigrimanus</i>	1890, 141
	1889, 150		1890, 117
<i>Lepidosternon polystegum</i>	1885, 327		1890, 130
	1885, 328	<i>lunulifer</i>	1890, 130
<i>rostratum</i>	1890, 79	<i>nigrimanus</i>	1890, 131
<i>Lepidotus minor</i>	1890, 346		1890, 132
	1890, 348	<i>occidentalis</i>	1890, 117
<i>Lepidurus angasii</i>	1886, 83		1890, 118
	1886, 88		1890, 132
<i>compressus</i>	1886, 83		1890, 141
<i>kirki</i>	1886, 83	<i>pilosus</i>	1890, 127
<i>viridis</i>	1886, 83		1890, 130
	1886, 87	<i>planimanus</i>	1890, 130
	1886, 88	<i>Leprotus fulvus</i>	1885, 204
	1886, 88	<i>lewisii</i>	1885, 204
	1886, 84		1885, 753
	1886, 87	<i>pulverulentus</i>	1885, 203
	1886, 88		1885, 211
	1886, 88		1885, 752
<i>Lepista limbata</i>	1888, 98		1885, 753
<i>pandula</i>	1888, 98	<i>Leptagoniates steindachneri</i>	1887, 282
<i>Lepocestes porphyromelas</i>	1887, 443		1887, 283
	1888, 279	<i>Leptarthra dorhni</i>	1883, 406
<i>pyrrhotis</i>	1888, 279	<i>Leptasthenura ægithaloides</i>	1882, 611
<i>Leporinus striatus</i>	1887, 280		1883, 424
<i>Leposoma buckleyi</i>	1881, 233		1886, 398
	1881, 245	<i>andicola</i>	1881, 487
<i>carinicaudatum</i>	1881, 233		1885, 94
	1881, 234		1885, 115
<i>dispar</i>	1881, 234		1885, 426
<i>scincoides</i>	1881, 234	<i>fuliginiceps</i>	1882, 611
<i>Lepralia affinis</i>	1881, 52	<i>pileata</i>	1881, 487
<i>appressa</i> , var. <i>vinosa</i>	1881, 51		1885, 426
	1881, 139	<i>Leptaulax</i> , sp.	1888, 538
<i>bispinosa</i>	1881, 50		1888, 540
<i>galeata</i>	1881, 48	<i>timoriensis</i>	1884, 214
<i>labiosa</i>	1881, 49		1888, 540
<i>landsborovii</i>	1881, 52	<i>Leptemis sabina</i>	1886, 325
<i>lata</i>	1881, 51	<i>Leptina grata</i>	1889, 535
<i>marsupium</i>	1881, 48	<i>Leptobrachium feæ</i>	1890, 326
	1881, 49	<i>hasseltii</i>	1890, 37
<i>monoceros</i>	1881, 50	<i>Leptodactylus albilabris</i>	1888, 170
	1881, 56	<i>diptyx</i>	1886, 413
<i>pertusa</i>	1881, 51	<i>discodactylus</i>	1883, 637
<i>reticulata</i>	1881, 52		1886, 413
—, var. <i>inæqualis</i> ..	1881, 53	<i>gracilis</i>	1886, 413
<i>spinifera</i>	1881, 49	<i>pentadactylus</i>	1887, 154
<i>trispinosa</i>	1881, 53		1887, 493
	1881, 54		1887, 494
<i>violacea</i>	1881, 706		1887, 499
(<i>Mucronella</i>) <i>coccinea</i>	1881, 51		1888, 170
(—) <i>violacea</i>	1881, 51		1888, 182

	Page		Page
Leptodactylus pro-		Leptopoma signatum ..	1889, 336
gnathus	1890, 325	subconicum	1881, 634
rhodomystax	1883, 637		1889, 337
	1886, 413	tenebricosum	1889, 334
rubidus	1883, 637	undatum	1889, 337
Leptodira rufescens ..	1887, 488	vitreum	1884, 261
Leptodon cayennensis..	1883, 457		1885, 596
	1885, 119		1887, 319
Leptognathia australis.	1886, 118	wallacei	1889, 337
longiremis	1886, 118	whiteheadi	1889, 337
Leptognathus lævis....	1890, 33	woodfordi	1889, 581
Leptograpsus gayi	1881, 69		1889, 582
variegatus	1881, 63	Leptopteryx leucorhyn-	
	1881, 69	chus	1885, 257
Leptomya cochlearis ..	1882, 576		1885, 505
gravida	1882, 576	Leptoptila albifrons....	1883, 435
psittacus	1882, 576		1883, 459
spectabilis	1882, 576		1885, 117
	1882, 577	fulviventris	1883, 435
Lepton clarkiae	1890, 313		1883, 459
lacerum	1881, 695	megalura	1882, 626
	1882, 684	pallida	1883, 536
nitidum	1881, 694		1883, 575
squamosum	1881, 694		1885, 111
sulcatulum	1881, 694		1885, 117
Leptonychotes weddelli	1885, 489		1885, 121
Leptonyx monachus ..	1885, 490	rufaxilla	1883, 575
weddelii	1885, 489	verreauxi	1883, 575
Leptopogon auritus	1882, 19		1884, 311
erythrops	1885, 89		1885, 111
godmani	1887, 48		1885, 117
oustaleti	1887, 48	Leptoptilus argala	1883, 640
pœcilotis	1885, 68		1883, 641
	1885, 89		1883, 652
	1887, 48		1884, 551
superciliaris	1882, 19	javanicus	1883, 640
	1885, 68	Leptopus mitchelli	1886, 403
	1885, 89	Leptosia amurensis	1881, 855
	1887, 48	morsei	1881, 849
— transandinus ...	1883, 537		1881, 855
	1883, 553	quinaria	1881, 371
	1885, 122		1886, 445
tristis	1882, 606	Leptosoma aolaensis ..	1888, 573
Leptopoma barbatum ..	1881, 634	leuconœ	1888, 83
	1889, 339	sexmaculatum	1888, 573
bicolor	1889, 336	Leptosquilla schmeltzii	1884, 10
bourguignati	1889, 337		1884, 16
duplicatum	1881, 634	Leptothyra rubrilineata	1890, 294
	1889, 337	Leptura atra	1888, 378
immaculatum	1885, 596	cineta	1888, 378
jacquinoti	1885, 596	sucedanea	1888, 378
lowi	1881, 634	(Pidonia) gibbi-	
	1889, 336	collis	1888, 378
massena	1881, 634	(Stenura) arcuata..	1888, 378
	1889, 337	Lepus aquaticus	1890, 76
melanostoma	1884, 261	bidulphi	1881, 208
mouhoti	1888, 536	brasiliensis	1882, 101
	1888, 537		1890, 76
sericatum	1889, 336	californicus	1890, 76
	1889, 337	callotis	1890, 74

	Page		Page
<i>Lepus callotis</i>	1890, 76	<i>Lethe europa</i>	1887, 449
<i>cuniculus</i>	1881, 624		1887, 450
	1881, 625	<i>gulnihal</i>	1887, 450
	1881, 626		1887, 467
	1882, 558	<i>hyrania</i>	1882, 235
	1888, 434	<i>lanaris</i>	1881, 868
	1890, 76		1881, 907
<i>gabbi</i>	1890, 76	<i>latiaris</i>	1887, 450
<i>graysoni</i>	1890, 76	<i>lunaris</i>	1882, 405
<i>palustris</i>	1890, 76	<i>margaritæ</i>	1882, 405
<i>ruficaudatus</i>	1886, 57		1882, 407
<i>sylvaticus</i>	1890, 74	<i>minerva</i>	1887, 450
	1890, 75	<i>neelgherriensis</i>	1885, 127
	1890, 76		1886, 424
<i>tibetanus</i>	1881, 207	<i>nicetas</i>	1882, 235
	1881, 208		1887, 445
<i>timidus</i>	1881, 624		1887, 448
	1881, 625		1887, 449
	1881, 626	<i>nicetella</i>	1887, 448
	1888, 434		1887, 449
<i>trowbridgei</i>	1890, 76		1887, 467
<i>veræ-crucis</i>	1890, 74	<i>rohria</i>	1882, 235
	1890, 75	<i>satyrina</i>	1881, 868
<i>Lepyrodes geometralis</i> ..	1881, 622		1881, 907
	1885, 875	<i>scanda</i>	1887, 450
	1886, 460	<i>schrenki</i>	1881, 868
<i>Lesbia amaryllis</i>	1884, 305		1881, 908
	1885, 68	<i>sicelis</i>	1881, 848
	1885, 103		1881, 868
<i>gouldi gracilis</i>	1884, 305		1881, 908
	1885, 123		1887, 403
<i>gracilis</i>	1881, 831		1887, 426
	1881, 832	<i>sidonis</i>	1882, 235
	1882, 36	<i>sihala</i>	1887, 450
<i>Lestes viridula</i>	1889, 303	<i>syrcis</i>	1881, 868
<i>wallacei</i>	1889, 298		1881, 907
	1889, 302	<i>tamuna</i>	1887, 449
<i>Lestris</i> , sp.	1882, 654		1887, 467
<i>antarectica</i>	1881, 17	<i>tristigmata</i>	1887, 444
<i>Lethe bhairava</i>	1887, 450		1887, 445
	1887, 451	<i>whitelyi</i>	1881, 868
<i>brisanda</i>	1887, 451		1881, 908
	1887, 467		1887, 427
<i>consanguis</i>	1881, 908	<i>Lethrinus longirostris</i> ..	1887, 658
	1887, 427	<i>mahsena</i>	1887, 658
<i>diana</i>	1881, 848	<i>ramak</i>	1887, 658
	1881, 868	<i>Leucandra caminus</i>	1881, 135
	1881, 908	<i>cyathus</i>	1881, 137
	1887, 403	<i>Leucania abdominalis</i> ..	1881, 338
	1887, 426		1889, 483
<i>dinarbas</i>	1887, 451	<i>adusta</i>	1881, 335
<i>dynsate</i>	1887, 450	<i>albicosta</i>	1881, 338
<i>dyrta</i>	1882, 235		1881, 379
	1886, 357	<i>albistigma</i>	1881, 337
<i>epimenides</i>	1881, 868		1881, 379
	1881, 907	<i>album</i>	1881, 338
	1881, 908	<i>antica</i>	1884, 322
—, var. <i>epamiuondas</i>	1881, 868	<i>aureola</i>	1881, 363
	1881, 907		1886, 441

	Page		Page
Leucania bifasciata	1888, 410	Leucania loreyi	1888, 301
bistrigata	1881, 334		1889, 482
	1881, 335	modesta	1881, 335
	1881, 380		1881, 379
	1888, 292	nainica	1881, 337
	1888, 301		1881, 380
bivitta	1886, 442	nigrilinea	1889, 482
bivittata	1881, 365		1889, 571
	1883, 158	penicillata	1881, 335
	1885, 449		1883, 157
byssina	1886, 442		1888, 292
	1886, 465		1888, 301
canaraica	1881, 339	percisa	1883, 158
caricis	1889, 482		1888, 410
collecta	1886, 379	polemusa	1885, 447
compta	1881, 336		1885, 476
	1881, 379	prominens	1881, 339
confertissima	1881, 362	radiata	1889, 483
conigera	1889, 483	rufistrigosa	1881, 337
consimilis	1881, 336		1883, 158
	1881, 380		1889, 482
decissima	1881, 335	salebrosa	1889, 482
	1881, 336	singularis	1889, 482
	1881, 340	subsignata	1881, 336
	1885, 447		1885, 447
	1889, 482	turca	1889, 481
dharma	1881, 337	uniformis	1881, 339
	1881, 338	unipuncta	1888, 301
	1881, 380	zeæ	1889, 483
extranea	1884, 495	Leucinodes auxialis	1886, 458
	1885, 447		1886, 465
	1886, 379	discisigna	1883, 29
	1886, 441	exemptalis	1888, 335
	1888, 301	orbonalis	1884, 524
	1889, 482		1885, 868
flavostigma	1889, 482	Leucippus chionogaster	1882, 39
—, var. inornata	1889, 482		1882, 616
	1889, 571	Leuciscus rutilus	1889, 50
griseofasciata	1881, 339	Leucocerca javanica	1881, 794
	1888, 410		1885, 408
howra	1881, 337	nigritorquis	1885, 260
	1881, 380	perlata	1881, 794
impura	1881, 335	Leucoma auripes	1888, 622
	1889, 483	brevicornis	1888, 621
inanis	1889, 481	subflava, var. pi-	
inferens	1883, 158	erita	1888, 623
	1885, 447	subvitrea	1888, 621
	1886, 441	Leuconæa cratægi	1886, 80
	1888, 221	cratægoides	1886, 80
innocens	1889, 483	Leuconerpes candidus	1882, 618
irrorata	1888, 409	Leucopeza semperi	1889, 395
l-album	1888, 292	Leucophasia morsei	1887, 408
	1888, 301	sinapis	1881, 878
lanceata	1881, 340		1887, 401
lineatipes	1881, 335		1887, 408
loreyi	1881, 617	—, var. amurensis	1881, 864
	1884, 516		1881, 878
	1885, 447		1887, 408

	Page		Page
<i>Leucophasia sinensis</i> ..	1881, 878	<i>Lima dunkeri</i>	1888, 208
	1887, 408	<i>elliptica</i>	1881, 950
<i>svlvicola</i>	1888, 70	<i>excavata</i>	1881, 950
<i>vibilia</i>	1881, 878		1882, 683
	1887, 408		1883, 30
<i>Leucophlebia bicolor</i> ..	1886, 435		1884, 143
<i>Leucopleurus arcticus</i> ..	1883, 467		1888, 207
	1883, 490	<i>gigantea</i>	1884, 143
<i>Leucopternis albicollis</i> .	1885, 116	<i>goliath</i>	1883, 30
<i>occidentalis</i>	1885, 119		1883, 32
	1885, 121		1888, 207
<i>palliata</i>	1886, 137	<i>hians</i>	1881, 950
<i>Leucorhamphus peronii</i> .	1883, 497	—, var. <i>tenera</i>	1884, 143
	1883, 512	<i>japonica</i>	1888, 208
<i>Leucosarcia picata</i>	1886, 195	<i>laminifera</i>	1888, 208
<i>Leucosia fugax</i>	1884, 13	<i>lata</i>	1888, 208
<i>Leucospizias leucosomus</i>	1885, 617	<i>loscombi</i>	1884, 143
<i>Leucotina dianæ</i>	1890, 298	<i>sarsii</i>	1881, 950
<i>minuta</i>	1890, 253		1884, 143
	1890, 298		1890, 307
	1890, 316	<i>smithi</i>	1888, 207
<i>nipponensis</i>	1890, 298		1888, 213
<i>Liasis amethystinus</i>	1883, 387	<i>subauriculata</i>	1882, 683
<i>Libellula depressa</i>	1881, 655		1883, 392
	1881, 825	<i>subovata</i>	1881, 950
<i>Libythea</i> , sp.	1881, 891		1882, 683
<i>carinenta</i>	1890, 569		1883, 392
<i>celtis</i>	1881, 891		1884, 143
<i>lepita</i>	1881, 849	<i>tahitensis</i>	1888, 208
	1881, 866	<i>torresiana</i>	1888, 208
	1881, 891	<i>zealandica</i>	1888, 207
	1885, 130	(<i>Limatula</i>) <i>sarsii</i> ..	1890, 307
	1886, 361	<i>Limacina antarctica</i>	1890, 254
	1886, 363	<i>bulimoides</i>	1890, 254
	1887, 402	<i>inflata</i>	1890, 254
	1887, 417	<i>Limacodes castaneus</i> ..	1888, 609
<i>myrrha</i>	1881, 891	<i>conjuncta</i>	1888, 611
	1882, 243	<i>hilaris</i>	1888, 610
	1885, 130	<i>Limantria dispar</i> , var.	
	1886, 363	<i>japonica</i>	1888, 630
<i>Libythina cuvierii</i>	1890, 561	<i>Limatula crassa</i>	1890, 307
<i>Lichenopora grignonensis</i>		<i>Limax canariensis</i>	1884, 276
<i>hispidula</i>	1881, 57		1884, 278
	1881, 139	<i>capensis</i>	1884, 276
<i>hispidula</i>	1881, 58	<i>flavus</i>	1884, 272
<i>Lichenops perspicillatus</i>	1882, 604	<i>gagates</i>	1884, 276
	1883, 423		1884, 278
<i>Lichia glauca</i>	1889, 50		1884, 279
<i>vadigo</i>	1889, 50		1884, 281
<i>Licillus splendidus</i>	1885, 928	<i>Limnea sarsii</i>	1890, 253
<i>Ligdia adustata</i>	1888, 325		1890, 307
<i>coctata</i>	1888, 325	<i>Limenitis amphylssa</i> ..	1881, 866
<i>Ligula donaciformis</i>	1881, 927		1881, 893
<i>profundissima</i>	1881, 926	<i>arboretorum</i>	1881, 895
<i>substriata</i>	1881, 698		1887, 420
<i>Lima concentrica</i>	1888, 207	<i>cassiope</i>	1881, 893
	1888, 213	<i>dichroa</i>	1882, 240
<i>confusa</i>	1888, 208		1886, 360

	Page		Page
<i>Limenitis disippus</i>	1886,	<i>Limnaetus lanceolatus</i> ..	1885,
	1886,	<i>Limnas</i> , sp.	1884,
	1890,	<i>alcippoides</i>	1883,
<i>helmanni</i>	1881,		1883,
	1881,		1884,
	1887,		1885,
	1887,		1886,
<i>homeyeri</i>	1881,		1886,
	1881,		1888,
	1887,	<i>alcippus</i>	1883,
<i>kæmpferi</i>	1881,		1884,
	1887,		1884,
<i>latifasciata</i>	1881,		1884,
	1881,		1884,
<i>nycteis</i>	1881,		1884,
	1881,		1884,
<i>opalina</i>	1882,		1885,
	1886,		1888,
<i>populi</i>	1881,		1890,
	1881,	<i>bataviana</i>	1883,
	1885,	<i>bowringi</i>	1883,
	1889,	<i>chrysippus</i>	1882,
	1890,		1883,
<i>procris</i>	1881,		1883,
<i>sibylla</i>	1881,		1883,
	1881,		1884,
	1881,		1884,
	1881,		1884,
	1881,		1884,
	1885,		1884,
	1887,		1884,
	1887,		1884,
	1887,		1884,
	1888,		1885,
	1889,		1885,
<i>sinensium</i>	1881,		1886,
	1881,		1886,
<i>sydyi</i>	1881,		1886,
	1881,		1888,
<i>tatei</i>	1886,		1888,
	1886,	<i>cratippus</i>	1883,
<i>tremulæ</i>	1881,		1883,
<i>trivena</i> ...	1882,	<i>dorippus</i>	1883,
<i>Limicola platyrhyncha</i> .	1887,		1884,
	1889,		1884,
<i>Limnadia antillarum</i> ..	1886,		1884,
<i>sordida</i>	1886,		1884,
<i>stanleyana</i>	1886,		1884,
<i>Limnæa electa</i>	1882,		1884,
	1882,		1885,
<i>hovarum</i>	1882,		1885,
<i>natalensis</i>	1881,		1885,
	1881,		1885,
<i>physopsis</i>	1889,		1886,
<i>pyrifera</i>	1884,	<i>ferruginea genutia</i> .	1883,
<i>stagnalis</i>	1889,	<i>ferrugineus chry-</i>	1883,
	1889,	<i>sippus</i>	237
<i>Limnaetus caligatus</i>	1887,	— <i>plexippus</i>	1883,
	1887,		234

	Page		Page
<i>Limnas ferrugineus</i>		<i>Limulus polyphemus</i> ..	1885, 3
<i>vincetoxici</i>	1883, 236	<i>Lina ignitincta</i>	1888, 351
<i>inaria</i>	1884, 482	<i>Linaria inornata</i>	1881, 486
<i>klugii</i>	1885, 757	<i>minor</i>	1887, 194
	1885, 758	<i>Linckia diplax</i>	1887, 523
	1886, 356	<i>laevigata</i>	1887, 139
	1888, 57		1887, 140
	1888, 61		1888, 384
<i>mutabilis midamis</i> ..	1883, 312		1888, 388
— <i>nemertes</i>	1883, 302	<i>pacifica</i>	1887, 139
<i>petilia</i>	1883, 239		1887, 140
(<i>Thalassica</i>) <i>idea</i> ..	1883, 216		1888, 388
(—) <i>limniace</i>	1883, 231	<i>Lingula prismatica</i>	1881, 927
<i>Limneus bulloides</i>	1881, 843	<i>Linnetis macleayana</i> ..	1886, 83
<i>flumineus</i>	1881, 843	<i>Linodesmus caecus</i>	1883, 80
<i>parchappii</i>	1881, 843	<i>Linophryne lucifer</i>	1886, 138
<i>Limnocarcinus inter-</i>			1886, 143
<i>medius</i>	1888, 563	<i>Linota</i> , sp.....	1882, 654
	1888, 564	<i>Lintorata menadensis</i> ...	1883, 214
<i>Limnocorax mosam-</i>			1883, 229
<i>bicus</i>	1881, 601	<i>Linura fischeri</i>	1889, 367
<i>niger</i>	1881, 601	<i>Linyphia obscura</i>	1881, 259
<i>Limnodrilus</i> , sp.	1889, 381	<i>zebrina</i>	1881, 259
<i>Limnodynastes dorsalis</i> ..	1888, 170	<i>Liocassis micropogon</i> ..	1890, 39
<i>fletcheri</i>	1890, 325	<i>moeschii</i>	1890, 39
<i>olivaceus</i>	1886, 413	<i>pocilopterus</i>	1890, 39
<i>tasmaniensis</i>	1888, 170	<i>stenomus</i>	1890, 39
	1888, 182	<i>Liocephalus bolivianus</i> .	1890, 78
<i>Limnophyes</i>	1889, 34		1890, 82
<i>Limnornis curvirostris</i> ..	1889, 34		1890, 86
<i>Limnotrochus kirki</i>	1881, 277	<i>Liocheles australasiae</i> ..	1888, 556
	1881, 286	<i>Liodira gravenhorstii</i> ..	1881, 18
	1881, 300	<i>Liolaemus nigro-</i>	
<i>thomsoni</i>	1881, 277	<i>maculatus</i>	1881, 18
	1881, 280	<i>Lirolepis belli</i>	1890, 158
	1881, 300		1890, 165
<i>Limnidromus indicus</i> ..	1887, 603		1890, 174
	1888, 278	<i>Liomera pubescens</i>	1884, 10
	1888, 464	<i>Liophis pœcilogyrus</i> ..	1886, 418
<i>Limopsis aurita</i>	1881, 951	<i>Lioptilus abyssinicus</i> ..	1884, 231
	1884, 144	<i>galinieri</i>	1884, 232
<i>cristata</i>	1881, 952	<i>nigricapillus</i>	1884, 231
	1882, 684	<i>olivascens</i>	1884, 231
	1883, 392		1884, 232
	1884, 144	<i>Liosaccus porphyreus</i> ..	1887, 596
<i>minuta</i>	1881, 952	<i>Liostomia eburnea</i>	1884, 345
	1883, 392	<i>Liothrix argentauris</i> ..	1890, 343
	1884, 144		1890, 344
<i>Limosa baueri</i>	1887, 588	<i>calipyga</i>	1890, 344
<i>brevipes</i>	1887, 588	<i>lutea</i>	1890, 343
<i>fedoa</i>	1885, 119	<i>Liotia admirabilis</i>	1890, 252
	1885, 124		1890, 295
<i>hudsonica</i>	1883, 42		1890, 316
<i>lapponica baueri</i> ..	1888, 457	<i>arenula</i>	1890, 252
<i>melanura</i>	1881, 644		1890, 294
	1887, 588	<i>asteriscus</i>	1890, 295
<i>Limosina ferruginea</i> :...	1882, 375	<i>speciosa</i>	1890, 295
	1882, 388		

	Page		Page
<i>Liparis chrysoorhea</i>	1886,	<i>Lithosia affineola</i>	1888,
<i>dispar</i>	1885,	<i>alborosea</i>	1890,
<i>monacha</i>	1881,	<i>anomala</i>	1890,
	1885,		1890,
<i>vitellina</i>	1885,	<i>aprica</i>	1888,
	1886,	<i>coreana</i>	1888,
<i>xanthorrhæa</i>	1886,		1888,
	1888,	<i>cribrata</i>	1888,
<i>Lipaugus simplex</i>	1882,	<i>debilis</i>	1888,
<i>Liprus hirtus</i>	1885,	<i>deplana</i>	1888,
	1885,	<i>gigantea</i>	1888,
<i>minutus</i>	1885,	<i>griseola</i>	1888,
	1885,	<i>helveola</i>	1888,
	1885,	<i>immaculata</i>	1888,
<i>punctatostriatus</i> ..	1885,	<i>japonica</i>	1888,
	1885,		1888,
<i>suturalis</i>	1885,	<i>lævis</i>	1888,
	1885,	<i>muscerda</i>	1888,
<i>Liptena sanguinea</i>	1888,	<i>pallescens</i>	1888,
<i>undularis</i>	1888,	<i>quadra</i>	1881,
<i>Lironeca lata</i>	1881,	<i>striata</i>	1888,
<i>novæ-zealandiæ</i> ..	1881,	<i>unita</i>	1888,
	1881,	—, var. <i>arideola</i> ..	1888,
	1881,	<i>vetusta</i>	1888,
<i>Lissocarcinus orbicu-</i>	1884,	<i>Littorina arctica</i>	1883,
<i>laris</i>	1884,	<i>exigua</i>	1890,
	1889,	<i>grandis</i>	1883,
<i>Lissotis maculipennis</i> ..	1889,	<i>granicostata</i>	1887,
<i>Listronyx nigriceps</i>	1881,		1887,
<i>testaceus</i>	1881,		1888,
<i>Lithidion depressum</i> ..	1881,	<i>granularis</i>	1890,
<i>desciscens</i>	1881,	<i>groenlandica</i>	1883,
<i>marmorosum</i>	1881,	<i>helenæ</i>	1890,
	1881,		1890,
<i>niveum</i>	1881,		1890,
<i>souleyetianum</i>	1881,	<i>insularis</i>	1888,
<i>sulcatum</i>	1881,	<i>limata</i>	1883,
<i>Lithobius forficatus</i>	1887,	<i>litorea</i>	1883,
<i>Lithodes antarcticus</i> ..	1881,	<i>mandschurica</i>	1883,
	1881,	<i>miliaris</i>	1890,
<i>granulosus</i>	1881,		1890,
<i>maia</i>	1884,		1890,
<i>verrucosus</i>	1881,	<i>moluccana</i>	1887,
<i>Lithodomus biexcavatus</i> .	1890,	<i>nodosa</i>	1890,
	1890,	<i>obtusata</i>	1883,
<i>lithophagus</i>	1890,	<i>picta</i>	1887,
<i>Lithoglyphus neriti-</i>	1890,		1887,
<i>noides</i>	1881,	<i>rudis</i>	1883,
	1881,	<i>squalida</i>	1883,
<i>rufofilosus</i>	1881,	<i>striata</i>	1890,
	1881,	<i>Liurus ornatus</i>	1881,
	1881,	<i>Lobipes hyperboreus</i> ..	1887,
<i>zonatus</i>	1881,	<i>Lobivanellus inornatus</i> .	1888,
<i>Lithophane saga</i>	1889,	<i>miles</i>	1883,
<i>Lithopsyche antiqua</i> ..	1889,		1883,
	1889,		1884,
<i>Lithosia adaucta</i>	1888,		433
<i>ægrota</i>	1888,		
<i>affineola</i>	1888,		

	Page		Page
Lobopelta diminuta	1888, 551	Lophopteryx cuculla ..	1888, 640
Lochmaea tropica	1889, 287	ladi-lai	1888, 640
Lochmias obscurata	1885, 94	pryeri	1888, 641
Loctris rubra	1884, 461	Lophorina superba	1885, 616
Locustella fasciolata ..	1888, 455	Lophospiza griseiceps..	1885, 544
	1889, 620	Lophotes arnoglossus ..	1882, 750
pleskei	1890, 620	cappellei	1890, 245
Loddigesia mirabilis ..	1881, 827	capedianus	1890, 245
	1881, 828		1890, 246
	1881, 833	cristatus	1890, 245
	1882, 35	fiski	1890, 244
	1885, 431		1890, 246
Loddigiornis mirabilis..	1881, 828	Lophotriccus spicifer ..	1883, 553
Logocheirus araneifor-		squamicristatus ..	1883, 553
mis	1887, 490		1884, 296
Loligo brasiliensis	1881, 25		1885, 89
gahi	1881, 24	Lophotus nodipennis ..	1881, 82
	1881, 25	Lophoxanthus bellus ..	1881, 68
patagonica	1881, 24	Lophura hyas	1886, 434
	1881, 25	nana	1884, 494
	1881, 138	sangaica	1888, 583
Longitarsus adamsi....	1885, 754	Lophuromys flavo-punc-	
amicula	1885, 754	tatus	1888, 14
apicalis	1885, 728	sikapusi	1888, 13
atricilla	1885, 729		1888, 14
bimaculata	1885, 754		1888, 16
hæmorrhoidalis ..	1885, 728	Loricaria filamentosa ..	1887, 277
	1885, 754	lanceolata	1887, 277
inconspicua	1885, 754	magdalenæ	1887, 278
lewisi	1885, 754	Loriculus bonapartei ..	1885, 250
longicornis	1887, 87		1885, 252
lycopi	1885, 729		1885, 253
	1885, 754	exilis	1885, 544
nitida	1885, 727	galgulus	1881, 791
	1885, 754		1885, 404
orientalis	1885, 728	hartlaubi	1885, 252
	1885, 754		1885, 253
parvula	1885, 729	stigmatus	1885, 543
	1885, 754	Loripes divaricatus	1881, 700
pusillus	1885, 729	fragilis	1881, 700
quadraticollis	1885, 729	lacteus	1881, 700
	1885, 754		1882, 685
verbasci	1885, 727	leno	1882, 685
Lontara	1883, 261	pertenuis	1881, 41
wallacei	1883, 254		1881, 138
	1883, 262	Loris gracilis	1884, 398
Lophoaëtus occipitalis .	1881, 562		1884, 399
Lophoceros fasciatus ..	1888, 41	Lorius cardinalis	1888, 249
melanoleucus	1881, 591	chlorocercus	1888, 187
Lophocosma atriplaga..	1888, 641		1888, 190
Lophognathus maculi-		domicella	1885, 564
labris	1883, 386	erythrothorax	1885, 621
Lophophorus chumba-		flavo-palliatus	1885, 564
nus	1883, 465	hypœnochrous	1881, 996
impeyanus	1883, 465	lory	1885, 621
	1886, 193	Lottia unicolor	1882, 671
Lophoptera costata	1883, 163	Lovenia elongata	1888, 384
Lophopteryx camelina..	1888, 640		1888, 388

	Page		Page
<i>Loxechinus albus</i>	1881, 413	<i>Lumbricus agricola</i>	1886, 672
<i>Loxia curvirostra</i>	1887, 194	<i>annulatus</i>	1885, 812
— <i>albiventris</i>	1887, 607	<i>campestris</i>	1889, 377
	1888, 466		1885, 812
<i>Loxigilla noctis</i>	1889, 326		1889, 377
	1889, 395		1889, 378
— <i>sclateri</i>	1889, 395	<i>eiseni</i>	1890, 64
<i>Loxioides bailleui</i>	1888, 218	<i>kerguelarum</i>	1886, 301
<i>Loxochila mutans</i>	1881, 615	<i>levis</i>	1885, 812
<i>smaragdus</i>	1881, 615		1889, 377
<i>Loxophlebia eumelis</i>	1883, 376		1889, 378
<i>petosiris</i>	1883, 376	<i>tongaensis</i>	1886, 301
<i>Loxopholis rugiceps</i>	1881, 234	<i>uliginosus</i>	1885, 812
<i>Loxops coccinea</i>	1889, 446		1889, 377
<i>flammea</i>	1889, 445		1889, 378
<i>Loxura atymnus</i>	1882, 251	<i>Lumpenus lampetiformis</i>	1884, 445
<i>Lucia delagorguei</i>	1884, 224		1884, 446
<i>dilama</i>	1883, 522	<i>Lunatia nana</i>	1885, 34
<i>Lucina bipartita</i>	1881, 713	<i>Luperodes alboplagiatus</i>	1887, 110
<i>borealis</i>	1881, 701		1887, 111
	1881, 714	<i>australis</i>	1882, 56
	1882, 685	<i>basalis</i>	1887, 110
	1884, 144	<i>discrepans</i>	1885, 755
<i>commutata</i>	1881, 701	<i>flavicornis</i>	1887, 110
<i>fibula</i>	1890, 314	<i>inornatus</i>	1889, 289
<i>fragilis</i>	1881, 700	<i>marginatus</i>	1882, 56
<i>gibbosula</i>	1881, 718	<i>multimaculatus</i>	1887, 111
<i>imbricatula</i>	1890, 313	<i>nigripennis</i>	1888, 350
<i>inconspicua</i>	1890, 253	<i>pallidulus</i>	1885, 755
	1890, 304	<i>pectoralis</i>	1887, 110
	1890, 315		1887, 111
<i>leucoma</i>	1881, 700	<i>4-guttatus</i>	1885, 755
<i>munda</i>	1890, 314	<i>quadripustulatus</i>	1887, 109
<i>occidentalis</i>	1890, 314		1887, 110
<i>pecten</i>	1890, 314	<i>ruficollis</i>	1887, 111
	1890, 321	<i>Luperus impressicollis</i>	1885, 755
<i>sinuosa</i>	1881, 702	<i>marginatus</i>	1889, 289
<i>spinifera</i>	1881, 701	<i>moorii</i>	1885, 755
	1884, 144	<i>nigromarginatus</i>	1887, 112
(<i>Codakia</i>) <i>compacta</i>	1890, 253	<i>Lurocalis rufiventris</i>	1884, 306
(—) <i>imbricatula</i>	1890, 304		1885, 123
	1890, 321	<i>Lutianus argentimacula-</i> <i>tus</i>	1888, 260
<i>Lucinopsis corrugata</i>	1881, 718	<i>Lutra</i> , sp.	1889, 223
<i>undata</i>	1881, 718	<i>angustifrons</i>	1889, 195
	1882, 685	<i>aterrima</i>	1889, 199
<i>Luffarella</i>	1886, 588	<i>aurobrunnea</i>	1889, 192
<i>Lühdorfia puziloi</i>	1881, 864		1889, 193
	1881, 874		1889, 194
	1887, 401		1889, 195
	1887, 406	<i>barang</i>	1889, 191
<i>Luidia</i> , sp.	1888, 384		1889, 192
<i>forficifer</i>	1888, 389		1889, 193
<i>hardwickii</i>	1888, 384		1889, 194
	1888, 388		1889, 195
<i>maculata</i>	1888, 384		1889, 200
	1888, 388		1890, 4
	1888, 389	<i>bathygnathus</i>	1890, 4

	Page		Page
<i>Lutra brachydactyla</i> ..	1889, 198	<i>Lutra monticola</i>	1889, 192
<i>brasiliensis</i>	1889, 197		1889, 195
	1889, 198	<i>nair</i>	1881, 203
	1889, 200		1889, 192
	1890, 4		1889, 195
<i>californica</i>	1889, 198	<i>nepalensis</i>	1889, 192
<i>canadensis</i>	1889, 197	<i>nudipes</i>	1889, 195
	1889, 199	<i>palæindica</i>	1889, 193
	1889, 200		1890, 4
<i>capensis</i>	1889, 191	<i>paraguensis</i>	1889, 197
	1889, 196	<i>paranensis</i>	1889, 191
	1889, 200		1889, 198
<i>chilensis</i>	1889, 198		1889, 199
<i>chinensis</i>	1889, 192		1889, 200
	1889, 195		1890, 4
<i>cinerea</i>	1889, 193	<i>perspicillata</i>	1889, 195
	1889, 195	<i>peruviensis</i>	1889, 198
	1889, 200	<i>platensis</i>	1889, 197
	1890, 4		1889, 199
	1890, 5		1889, 200
<i>dubia</i>	1890, 3	<i>poensis</i>	1889, 196
<i>elliotti</i>	1889, 192	<i>roensis</i>	1889, 195
	1889, 195	<i>sendbachii</i>	1885, 384
	1890, 4	<i>simung</i>	1889, 192
	1890, 5		1889, 195
<i>enhydris</i>	1889, 199	<i>solitaria</i>	1889, 199
<i>enudris</i>	1889, 197	<i>stelleri</i>	1885, 387
<i>felina</i>	1881, 3	<i>sumatrana</i>	1889, 191
	1889, 191		1889, 192
	1889, 197		1889, 193
	1889, 198		1889, 194
	1890, 4		1889, 195
<i>franconica</i>	1890, 3		1889, 200
	1890, 4		1890, 4
<i>grayi</i>	1889, 196	<i>swinhoei</i>	1889, 195
<i>hessica</i>	1890, 4	<i>tarayensis</i>	1889, 195
	1890, 5	<i>valetoni</i>	1890, 3
<i>indica</i>	1889, 192		1890, 4
	1889, 195	<i>vulgaris</i>	1881, 203
<i>indigitata</i>	1889, 195		1885, 353
<i>insularis</i>	1889, 199		1889, 192
<i>inunguis</i>	1889, 196		1889, 193
<i>lalandii</i>	1889, 196		1889, 194
<i>latifrons</i>	1889, 199		1889, 195
<i>lenoiri</i>	1889, 196		1889, 197
<i>leptonyx</i>	1888, 564		1889, 200
	1889, 192		1890, 4
	1889, 193	(Enhydra) ma-	
	1889, 195	<i>rina</i>	1885, 387
<i>lupina</i>	1889, 197	(Potamotherium)	
<i>lutris</i>	1885, 387	<i>valetoni</i>	1890, 3
<i>macrodus</i>	1889, 192	<i>Lutraria cottardii</i>	1881, 925
	1889, 194	<i>elliptica</i>	1881, 924
	1889, 195		1881, 925
<i>maculicollis</i>	1889, 191	—, var. <i>alterutra</i> ..	1881, 925
	1889, 196	<i>gracilis</i>	1881, 925
	1889, 200	<i>oblonga</i>	1881, 925
<i>marina</i>	1885, 387		1882, 685

	Page		Page
Lutraria rugosa	1881,	Lycæna arionides	1881,
	1882,		1881,
Lutremys europæa	1887,	asoka	1882,
Lutronectes whiteleyi	1889,	asopus	1884,
Lux vespertina	1881,		1885,
Lybas dorsalis	1883,		1885,
	1883,		1888,
Lybythea labdaca	1890,	astrarche	1881,
Lycæna, sp.	1881,		1881,
	1881,	bætica	1881,
acamas	1881,		1881,
	1884,		1887,
acis	1881,		1887,
ægon	1881,	baton	1881,
	1881,		1881,
	1881,	biton	1881,
	1881,		1881,
	1887,	boisduvalii	1882,
	1887,	cassius	1884,
ægonides	1881,	chandala	1881,
alexis	1886,		1882,
alope	1881,	chinensis	1881,
	1881,	cleobis	1881,
	1881,		1881,
	1887,		1887,
alsus	1881,		1887,
amanda	1881,	cnejus	1881,
	1881,		1881,
ardates	1882,	cœlestina	1882,
	1885,		1886,
	1886,	conguensis	1885,
argia	1881,	contracta	1881,
	1881,	corydon	1881,
	1881,		1886,
	1881,		1887,
	1887,		1888,
	1887,	cyaneacula	1881,
argiades	1881,	cyllarus	1881,
	1881,		1881,
	1881,		1881,
	1887,		1881,
	1887,	delegorguei	1884,
argiolus	1881,	didda	1882,
	1881,	diluta	1881,
	1882,		1886,
	1887,	dipora	1882,
	1887,		1886,
argonides	1887,	ellisi	1882,
argus	1881,	eros	1881,
	1881,		1881,
	1881,	eumedon	1881,
	1881,		1881,
	1887,	euphemus	1881,
	1887,		1881,
	1887,		1881,
ariana	1882,		1887,
arion	1881,		1887,
	1881,	ferrea	1881,
	1881,		1887,
	1881,		1887,

	Page		Page
<i>Lycæna ferrea</i>	1887, 414	<i>Lycæna maha</i>	1886, 426
<i>filicaudis</i>	1887, 415	<i>metallica</i>	1882, 247
<i>fischeri</i>	1881, 865	<i>micrargus</i>	1881, 889
	1881, 888		1887, 416
	1887, 401	<i>minima</i>	1881, 866
	1887, 415		1881, 890
<i>fugitiva</i>	1881, 606	<i>monops</i>	1890, 576
<i>gaika</i>	1884, 484	<i>moriqua</i>	1888, 68
	1885, 539	<i>nara</i>	1881, 606
<i>hanno</i>	1884, 316		1882, 245
<i>hellotia</i>	1881, 848		1884, 506
	1881, 887		1885, 134
	1881, 888		1886, 366
	1887, 415		1886, 427
<i>hippocrates</i>	1884, 223	<i>nazira</i>	1882, 246
<i>iburiensis</i>	1881, 849	<i>omphisa</i>	1882, 247
	1881, 852	<i>optilete</i>	1881, 888
	1887, 416	<i>orion</i>	1881, 865
<i>icarus</i>	1881, 865		1881, 889
	1881, 889	<i>osiris</i>	1888, 68
	1883, 47	<i>otus</i>	1881, 888
<i>indica</i>	1882, 245	<i>pandia</i>	1882, 246
	1883, 149	<i>parva</i>	1884, 484
	1885, 132	<i>patala</i>	1883, 148
	1886, 427		1883, 368
<i>iolas</i>	1882, 548		1886, 426
	1882, 633	<i>persica</i>	1881, 606
<i>japonica</i>	1881, 847	<i>pheretes</i>	1882, 402
	1881, 851	—, var. <i>asiatica</i> ..	1882, 402
	1881, 888	<i>plinius</i>	1883, 525
	1887, 415	<i>polysperchon</i>	1881, 888
	1887, 416	<i>praxiteles</i>	1881, 887
<i>kandarpa</i>	1882, 246		1881, 888
	1884, 506		1887, 415
	1886, 367	<i>princeps</i>	1884, 224
<i>karsandra</i>	1883, 149	<i>pryeri</i>	1881, 849
<i>kazamoto</i>	1881, 891		1881, 866
	1887, 417		1881, 890
<i>knysna</i>	1884, 224		1887, 402
	1888, 69		1887, 417
<i>kollari</i>	1882, 244	<i>pseudægon</i>	1881, 849
	1886, 367		1881, 851
<i>ladonides</i>	1881, 849		1887, 416
	1881, 853	<i>pulcher</i>	1884, 224
	1881, 890		1884, 483
	1887, 416		1885, 763
<i>levetti</i>	1887, 416		1888, 68
<i>lingens</i>	1884, 224	<i>putli</i>	1882, 245
<i>lycaumas</i>	1881, 852		1884, 507
<i>lycormas</i>	1881, 849		1886, 368
	1881, 866		1886, 427
	1881, 890	<i>pygmæa</i>	1882, 245
	1887, 402		1883, 149
	1887, 417		1884, 507
<i>lysimon</i>	1881, 865		1885, 132
	1881, 888		1886, 427
	1885, 539	<i>pylaon</i>	1881, 889
<i>maha</i>	1881, 888	<i>rubricosa</i>	1885, 293
	1882, 245	<i>scylla</i>	1881, 890

	Page		Page
<i>Lycaena scylla</i>	1887, 417	<i>Lycodon subcinctus</i>	1890, 34
<i>semiargus</i>	1881, 866	<i>Lycoperdina</i> , sp.	1887, 642
	1881, 890		1887, 643
<i>sutleja</i>	1882, 246	<i>castaneipennis</i>	1887, 642
<i>sybaris</i>	1885, 763		1887, 643
<i>theophrastus</i>	1883, 525	<i>dux</i>	1887, 642
	1884, 484		1887, 643
	1885, 764	<i>mandarinea</i>	1887, 643
<i>trochilus</i>	1884, 484	<i>Lycopus albus</i>	1882, 116
	1886, 368	<i>Lycorea halia</i>	1883, 213
<i>ubaldus</i>	1886, 366		1890, 558
<i>zena</i>	1882, 245	<i>Lygæus longiusculus</i> ..	1888, 553
	1884, 483	<i>subrufescens</i>	1888, 553
	1884, 507	<i>Lygodactylus capensis</i> ..	1890, 80
	1885, 134	<i>fischeri</i>	1890, 77
	1885, 763		1890, 80
	1886, 365		1890, 85
	1886, 428	<i>gutturalis</i>	1888, 50
<i>zephyrus</i>	1881, 606	<i>Lygosaurus pellopleurus</i>	1887, 147
	1881, 607	<i>Lygosoma albofascio-</i>	
<i>Lycaenesthes docilis</i>	1887, 571	<i>latum</i>	1887, 336
<i>larydas</i>	1887, 571		1888, 88
	1890, 473		1888, 90
<i>ligures</i>	1887, 571	<i>anolis</i>	1888, 90
<i>princeps</i>	1884, 224	<i>anomalopus</i>	1890, 79
	1888, 69		1890, 84
<i>Lycaon pictus</i>	1888, 7		1890, 86
<i>Lycauges albata</i>	1885, 862	<i>concinatum</i>	1887, 335
	1885, 885		1888, 90
<i>demissus</i>	1886, 456		1890, 30
	1888, 322	<i>cyanogaster</i>	1887, 333
<i>relictata</i>	1888, 322		1888, 88
<i>Lyces angulosa</i>	1885, 525		1888, 90
<i>fornax</i>	1885, 525		1890, 30
	1885, 536	<i>cyanurum</i>	1887, 333
<i>Lychas maculatus</i>	1890, 119		1888, 88
<i>Lychnophæa africana</i> ..	1882, 50		1888, 90
<i>laticollis</i>	1882, 50	<i>devisii</i>	1890, 79
<i>Lyclene nubifascia</i>	1890, 389	<i>doriae</i>	1890, 79
<i>simplifascia</i>	1890, 389	<i>fea</i>	1890, 79
	1890, 401	<i>fischeri</i>	1890, 79
<i>Lycocerus caliginosus</i> ..	1889, 110	<i>forbesii</i>	1890, 79
	1889, 111	<i>kakhienense</i>	1890, 79
<i>decipiens</i>	1889, 109	<i>lateralis</i>	1890, 79
<i>lateritius</i>	1889, 109	<i>malayanum</i>	1890, 79
<i>militaris</i>	1889, 110	<i>melanostictum</i>	1890, 79
	1889, 111	<i>muelleri</i>	1890, 79
<i>serricornis</i>	1889, 109	<i>nativitatis</i>	1887, 516
	1889, 110		1888, 529
	1889, 111		1888, 534
<i>Lycocorax morotensis</i> ..	1885, 573		1888, 536
<i>obiensis</i>	1885, 573		1890, 79
<i>Lycodes kieneri</i>	1882, 536	<i>nigrum</i>	1887, 333
	1882, 537		1888, 88
<i>latitans</i>	1881, 20		1888, 90
<i>Lycodon aulicus</i>	1881, 216	<i>olivaceum</i>	1890, 33
	1890, 32	<i>pellopleurum</i>	1887, 147
<i>effrenis</i>	1890, 34		1887, 150

	Page		Page
<i>Lygosoma smaragdinum</i>	1883, 386	<i>Lyonsia formosa</i>	1884, 146
	1887, 333	<i>norvegica</i>	1881, 930
	1888, 90	<i>Lyonsiella abyssicola</i> ..	1881, 931
<i>solomonis</i>	1887, 334	<i>Lypesthes ater</i>	1885, 752
	1888, 90		1885, 753
<i>temminckii</i>	1890, 33	<i>pulverulentus</i>	1885, 753
<i>woodfordi</i>	1887, 335	<i>Lysianassa magellanica</i> .	1881, 62
	1888, 90	<i>Lysiosquilla maculata</i> ..	1882, 538
<i>zebratum</i>	1890, 79	<i>Lyssidia goldiei</i>	1882, 781
<i>Lygropis sirioxantha</i> ..	1888, 229		1883, 366
<i>Lymantria albofascia</i> ..	1888, 629		1883, 370
	1888, 655	<i>macleayii</i>	1882, 782
<i>aurora</i>	1888, 629	<i>mutata</i>	1888, 577
—, var. <i>fusca</i>	1888, 629	<i>Lytechinus variegatus</i> ..	1881, 413
	1888, 655	<i>Lytoloma crassi-</i>	
<i>carnecolor</i>	1888, 399	<i>costatum</i>	1889, 63
<i>concolor</i>	1888, 399		1889, 66
<i>detersa</i>	1883, 156	<i>planimentum</i>	1889, 66
	1885, 300		
	1886, 438	<i>Mabuia ænea</i>	1881, 236
<i>dispar</i>	1888, 630		1881, 237
<i>fuliginosa</i>	1883, 17	<i>cepedii</i>	1881, 236
	1885, 300		1881, 237
<i>fumida</i>	1888, 630	<i>chinensis</i>	1881, 216
<i>grandis</i>	1889, 406	<i>elegans</i>	1890, 79
	1889, 407	<i>multifasciata</i>	1890, 33
<i>incerta</i>	1885, 300	<i>peringueyi</i>	1890, 79
	1886, 438	<i>quadricarinata</i>	1890, 79
<i>japonica</i>	1888, 630	<i>rugifera</i>	1890, 33
<i>marginata</i>	1888, 399	<i>unimarginata</i>	1881, 237
<i>monacha</i>	1888, 631	<i>wahlbergii</i>	1890, 79
<i>nigra</i>	1888, 399	<i>Macacus cyclopis</i>	1886, 207
<i>obfuscata</i>	1886, 386	<i>cynomolgus</i>	1886, 66
<i>obsoleta</i>	1885, 300		1889, 223
	1886, 438	<i>erythræus</i>	1887, 625
<i>pusilla</i>	1883, 17	<i>irus</i>	1887, 624
	1888, 399	<i>obscurus</i>	1887, 622
<i>superans</i>	1888, 298	<i>rhesus</i>	1883, 581
<i>umbrosa</i>	1888, 630		1887, 120
<i>viola</i>	1889, 406		1887, 625
<i>Lymnæus truncatulus</i> ..	1882, 634	<i>sinicus</i>	1886, 207
<i>Lymnas inaria</i>	1890, 571		1886, 208
<i>isabellæ</i>	1890, 571		1886, 341
	1890, 577	<i>tcheliensis</i>	1886, 417
<i>jesse</i>	1890, 571	(<i>Theropithecus</i>)	
<i>melander</i>	1890, 571	<i>gelada</i>	1887, 622
<i>thyatira</i>	1890, 571	<i>Macaria acidaliata</i>	1884, 324
<i>zoega</i>	1890, 571	<i>æquiferaria</i>	1884, 324
<i>Lymnodynastes tasman-</i>		<i>arenaria</i>	1886, 456
<i>iensis</i>	1888, 503	<i>boaria</i>	1885, 861
<i>Lyncornis macropterus</i> .	1885, 549		1885, 886
<i>temmincki</i>	1888, 278	<i>bolina</i>	1885, 861
<i>Lyonsia arenosa</i>	1881, 930	<i>eleonora</i>	1885, 860
<i>argentea</i>	1881, 930		1886, 455
	1881, 952	<i>enotata</i>	1884, 324
<i>formosa</i>	1881, 930	<i>falsaria</i>	1885, 861
	1881, 952		1885, 862
	1882, 686	<i>granitalis</i>	1885, 861

	Page		Page
<i>Macaria granitalis</i>	1886,	456	
<i>hebesata</i>	1886,	456	
<i>indotata</i>	1885,	861	
<i>infrictaria</i>	1885,	862	
<i>lithnia</i>	1885,	861	
<i>metagonaria</i>	1886,	456	
<i>myandaria</i>	1885,	860	
<i>peremptaria</i>	1881,	616	
<i>pervolgata</i>	1885,	861	
<i>strenuataria</i>	1883,	172	
<i>sufflata</i>	1885,	861	
<i>vasudeva</i>	1888,	323	
<i>zebrina</i>	1886,	390	
	1885,	860	
	1885,	861	
	1886,	456	
<i>Machæroplax hidalgoi</i>	1883,	97	
<i>Machæropterus delici-</i>			
<i>osus</i>	1885,	116	
<i>striolatus</i>	1882,	23	
<i>Machærorhynchus albi-</i>			
<i>frons</i>	1885,	633	
<i>nigripectus</i>	1885,	633	
<i>Machetes pugnax</i>	1881,	642	
	1881,	644	
	1882,	116	
<i>Machetornis rixosa</i>	1882,	604	
<i>Machimia tentoriferella</i>	1881,	312	
<i>Machirhamphus alcinus</i>	1882,	688	
	1884,	536	
<i>Machlolophus elegans</i>	1885,	264	
<i>Macrocameræ</i>	1886,	582	
<i>Macrochlamys conseptæ</i>	1888,	241	
<i>Macrocneme alesa</i>	1890,	493	
<i>esmeralda</i>	1890,	494	
<i>Macrocorax fusc-</i>			
<i>capillus</i>	1887,	332	
<i>woodfordi</i>	1887,	332	
	1888,	185	
	1888,	186	
	1888,	187	
	1888,	198	
	1888,	249	
<i>Macrocyclus carnatica</i>	1883,	4	
<i>Macroglossa, sp.</i>	1888,	220	
<i>affinis</i>	1888,	582	
<i>belis</i>	1885,	287	
	1886,	434	
	1886,	435	
<i>bombylans</i>	1888,	582	
<i>bombyliformis</i>	1889,	87	
<i>croatica</i>	1890,	95	
<i>fuciformis</i>	1887,	52	
<i>fulvicaudata</i>	1888,	571	
<i>gyrans</i>	1885,	287	
<i>Macroglossa gyrans</i>	1886,	434	
	1886,	435	
<i>nycteris</i>	1886,	378	
<i>pyrrhosticta</i>	1888,	582	
<i>saga</i>	1888,	582	
<i>saundersii</i>	1888,	294	
<i>sieboldi</i>	1888,	582	
<i>stellatarum</i>	1884,	514	
	1886,	378	
	1888,	582	
<i>Macroglossus australis</i>	1888,	476	
	1888,	483	
	1888,	484	
<i>minimus, var. aus-</i>			
<i>tralis</i>	1888,	476	
<i>Macroma congoensis</i>	1890,	484	
<i>sulcicollis</i>	1890,	484	
<i>Macromia cingulata</i>	1886,	328	
<i>moorei</i>	1886,	328	
	1886,	329	
<i>Macrones micracanthus</i>	1890,	38	
<i>nemurus</i>	1890,	38	
<i>nigriceps</i>	1890,	38	
<i>planiceps</i>	1890,	39	
<i>Macronus kettlewelli</i>	1885,	262	
<i>ptilosus</i>	1881,	797	
	1888,	275	
<i>Macronyx croceus</i>	1881,	573	
	1881,	574	
	1882,	336	
	1888,	28	
<i>striolatus</i>	1881,	573	
	1881,	574	
<i>tenellus</i>	1881,	574	
<i>Macroploea callithoë</i>	1883,	305	
<i>elisa</i>	1883,	289	
<i>phænareta</i>	1883,	291	
<i>phœbus</i>	1883,	289	
<i>semicirculus</i>	1883,	291	
<i>Macropteryx comatus</i>	1885,	256	
	1885,	408	
	1888,	278	
<i>longipennis</i>	1888,	278	
<i>mystacea</i>	1885,	569	
	1888,	187	
	1888,	194	
	1887,	330	
<i>wallacei</i>	1885,	548	
<i>Macropus bennetti</i>	1881,	982	
<i>brachyurus</i>	1886,	546	
<i>erubescens</i>	1883,	131	
	1885,	322	
<i>giganteus</i>	1881,	981	
<i>major</i>	1881,	979	
	1881,	980	
	1881,	981	
	1881,	982	
	1881,	983	

	Page		Page
Macropus major	1881, 984	Macrorhinus leoninus ..	1881, 160
	1881, 986		1881, 162
	1881, 987		1885, 492
	1881, 991	proboscideus	1881, 160
	1881, 992		1881, 162
	1881, 993	Macroscelides brachy-	
	1881, 994	rhynchus	1890, 445
	1879, 434	fuscus	1890, 445
	1889, 436	revoili	1890, 446
	1879, 437	rufescens	1890, 446
	1889, 438	Macrosila casuarinæ	1883, 370
	1889, 440	inexacta	1888, 588
melanops	1883, 607	Macrothrix spinosa	1886, 83
	1883, 623	Macrotoma heros	1886, 267
	1883, 626	Mactra alba	1881, 926
	1883, 627	boysii	1881, 927
parryi	1881, 979	castanea	1881, 923
	1881, 991	corallina	1881, 923
penicillatus	1881, 983	cornea	1881, 923
	1881, 991	crassatella	1881, 923
rufus	1881, 982	edulis	1881, 39
	1881, 983		1889, 323
	1881, 984	elliptica	1881, 923
	1881, 985	intermedia	1881, 923
	1881, 986	lateralis	1881, 924
	1881, 991	lutraria	1881, 924
	1881, 993	piperata	1881, 925
	1881, 994	rugosa	1881, 924
	1881, 995	solida	1881, 923
(Lagorchestes)			1882, 685
fasciatus	1886, 544	stultorum	1881, 923
Macropygia, sp.	1883, 51		1881, 924
	1883, 195	subtruncata	1881, 923
	1883, 200	triangula	1881, 924
	1884, 433	triangularis	1881, 712
	1887, 443	truncata	1881, 923
albicapilla	1885, 558	vulgaris	1881, 923
batchianensis	1885, 576	(Mulinia) levicardo	1881, 39
emiliana	1885, 272		1881, 138
eurycerca	1885, 272	Madopa flavomacula ..	1889, 555
keiensis	1884, 433	salicalis	1889, 555
macassariensis	1885, 558	Madracis asperula	1882, 219
nigrorostris	1885, 662		1882, 220
rufo-castanea	1887, 332	Mæchotypa fuliginosa ..	1888, 380
	1888, 187	Mago intenta	1882, 439
	1888, 200		1882, 441
tenuirostris	1885, 250		1882, 442
	1885, 271	Magulaba moestalis	1884, 499
	1889, 225		1888, 317
tusalia	1887, 443	Mahasena hockingii	1888, 397
Macrorhinus angusti-		Mahintha	1883, 280
rostris	1881, 160	subdita	1883, 209
	1881, 161		1883, 211
falklandicus	1881, 162		1883, 254
kerquelenensis	1881, 162		1883, 281
lecninus	1881, 145	Majaqueus æquinoc- tia- lis	1881, 12
	1881, 150		1883, 431
	1881, 151		

	Page		Page
<i>Malacomys ferrugineus</i>	1888, 130	<i>Mamestra brassicæ</i>	1888, 302
<i>longipes</i>	1888, 11		1889, 486
<i>Malaconotus icterus</i>	1888, 16	<i>chalybeata</i>	1888, 302
<i>sublacteus</i>	1881, 581	<i>culta</i>	1881, 347
<i>Malacopteron ferru-</i>	1881, 580	<i>cuneata</i>	1889, 486
<i>ginosum</i>	1885, 413		1889, 571
<i>majus</i>	1881, 798	<i>dolorosa</i>	1883, 159
<i>Malacoptila castanea</i>	1881, 777		1885, 451
<i>fulvicularis</i>	1885, 68		1886, 443
	1885, 108		1888, 302
<i>fusca</i>	1882, 44	<i>dubitans</i>	1884, 495
<i>panamensis</i>	1883, 572	<i>nigerrima</i>	1888, 302
	1885, 68	<i>opposita</i>	1884, 495
<i>poliopsis</i>	1883, 572	<i>persicariæ</i>	1887, 248
<i>rufa</i>	1881, 778		1887, 271
	1882, 44		1889, 487
<i>Malacorhinus undecim-</i>		—, var. <i>unicolor</i>	1889, 487
<i>punctatus</i>	1889, 286	<i>serratilinea</i>	1881, 347
<i>Malacosoma encausti-</i>		<i>stoliczkæ</i>	1881, 347
<i>cum</i>	1889, 292		1888, 302
<i>flavomarginatum</i>	1882, 58	<i>Manatus americanus</i>	1881, 456
<i>lusitanicum</i>	1882, 57	<i>australis</i>	1881, 456
<i>olivaceum</i>	1889, 292		1889, 160
<i>politum</i>	1882, 57	<i>Mancipium ajaka</i>	1886, 375
<i>quadrimaculatum</i>	1882, 57	<i>canidia</i>	1882, 256
	1882, 58		1886, 375
<i>Malletia angulata</i>	1888, 206	<i>nepalense</i>	1882, 256
	1888, 213	<i>Mangalisa albata</i>	1883, 215
<i>cuneata</i>	1881, 952		1883, 249
	1882, 684	<i>Mangusta javanica</i>	1882, 178
	1884, 144	<i>levaillantii</i>	1882, 83
<i>magellanica</i>	1881, 39	<i>urinatrix</i>	1882, 72
	1881, 138	(<i>Galictis</i>) <i>striata</i>	1882, 186
<i>minuta</i>	1882, 684	<i>Mania typica</i>	1887, 240
<i>obtusa</i>	1881, 952		1887, 241
	1882, 684		1887, 242
	1884, 144		1887, 260
<i>Malleus regula</i>	1890, 317		1887, 269
	1890, 322	<i>Manis</i> , sp.	1889, 223
<i>Mallodon arabicus</i>	1881, 470	<i>javanica</i>	1886, 72
	1881, 478	<i>temminckii</i>	1890, 450
<i>Malurus alboscapulatus</i>	1885, 633	<i>tricuspis</i>	1888, 16
<i>cyaneus</i>	1881, 788	<i>tridentata</i>	1882, 299
<i>cyanochlamys</i>	1881, 788	<i>Manobia apicicornis</i>	1887, 89
<i>Mamestra</i> , sp.	1881, 83		1887, 90
<i>adjuncta</i>	1889, 486	<i>lewisi</i>	1885, 741
<i>adjusta</i>	1881, 346		1885, 755
<i>advena</i>	1889, 486	<i>Mantella baroni</i>	1890, 324
<i>aliena</i>	1889, 487	<i>ebenaui</i>	1886, 412
<i>biguttata</i>	1889, 491	<i>Mantis membranacea</i>	1885, 236
<i>brassicæ</i>	1881, 347	<i>Mantura fulvipes</i>	1885, 720
	1881, 357		1885, 754
	1883, 159	<i>japonica</i>	1885, 720
	1887, 242		1885, 754
	1887, 244	<i>obustata</i>	1885, 720
	1887, 248	<i>rustica</i>	1885, 754
	1887, 262	<i>Manucodia atra</i>	1882, 333
			1882, 347

	Page		Page
Manucodia atra	1882, 348	Margarops montanus	
	1882, 349	rufus	1889, 327
	1882, 350	Margarornis brunnescens	1882, 27
chalybea	1885, 646		1883, 563
chalybeata	1881, 450		1884, 300
	1882, 347		1885, 68
	1882, 349		1885, 93
	1882, 350	guttata	1885, 116
	1885, 646	perlata	1884, 300
gouldi	1882, 349		1885, 98
jobiensis	1882, 347	squamigera	1882, 27
	1882, 349		1884, 300
	1882, 350	Marginella angasi	1890, 267
	1885, 646	capensis	1890, 319
viridis	1882, 347	dunkeri	1890, 309
Marasmia aurea	1888, 230		1890, 319
erilitalis	1888, 230	granum	1890, 249
Mareca albogularis	1882, 453	lavalliana	1890, 267
capensis	1884, 174	semen	1890, 266
chiloensis	1881, 13	zonata	1890, 309
	1883, 42		1890, 319
gibberifrons	1882, 453	(Volvaria) atomus	1890, 250
penelope	1888, 460		1890, 267
sibilatrix	1881, 13		1890, 316
Maretia alta	1888, 388	(—) cinerea	1890, 250
planulata	1889, 7		1890, 266
Margarita albula	1883, 97	(—) consanguinea	1890, 250
arctica	1883, 96		1890, 266
bella	1883, 97		1890, 316
costulata	1883, 89	(—) zonata	1890, 309
euspira	1883, 98	Marimatha lactea	1884, 522
maculata	1883, 97		1884, 529
margaritifera	1886, 319	pura	1885, 456
minima	1883, 95		1885, 476
minutissima	1883, 89	straminea	1889, 570
pusilla	1883, 91	Mariposa phœnicotis	1881, 588
regalis	1883, 98	Marmorina amphidecta	1889, 570
sordida	1883, 96	obscurata	1889, 570
striata	1883, 96	Marpesia peleus	1890, 565
	1883, 97	Marsenia complanata	1885, 45
undulata	1883, 97	producta	1885, 45
Margarodes conchylalis	1885, 871	Martanda sangaica	1881, 903
vertumnalis	1885, 871	Martes domestica	1885, 353
Margaronia atlitalis	1888, 579	foina	1881, 202
brizoalis	1885, 871		1881, 203
celsalis	1885, 871	philippensis	1885, 781
glauculalis	1888, 229		1885, 800
jairusalis	1884, 325		1885, 801
maliferalis	1885, 871	Maruca aquatilis	1885, 870
oceanitis	1888, 229		1888, 579
phryneusalis	1885, 871	Masalia irrorata	1881, 364
pomonalis	1885, 871	radiata	1881, 364
transvisalis	1884, 501	tosta	1888, 411
	1888, 334	Masius chrysopterus	1885, 93
vertumnalis	1885, 871	coronulatus	1885, 93
Margarops densirestris	1889, 395		1885, 116
montanus	1889, 326	Mastacembelus armatus	1890, 38
	1889, 395	erythrotœnia	1890, 38

	Page		Page
<i>Mastacembelus maculatus</i>	1890, 38	<i>Megalodacne imperatrix</i> , 1883,	78
<i>unicolor</i>	1890, 38	1883,	87
<i>Mastigocera cyanea</i>	1883, 380	<i>Megaloglossus woermanni</i>	1887, 324
<i>Mastodon latidens</i>	1885, 777	<i>Megalognatha bipunctata</i>	1883, 402
	1885, 778	1883,	406
<i>pandionis</i>	1885, 779	<i>cavicollis</i>	1883, 402
<i>perimensis</i>	1885, 777	<i>cruciata</i>	1883, 401
	1885, 779	1883,	406
<i>Matella caduca</i>	1885, 470	<i>unifasciata</i>	1883, 402
	1885, 476	1883,	406
<i>participalis</i>	1885, 470	<i>Megalomastoma ano-</i>	
<i>Mathilda quadricarinata</i>	1884, 364	<i>stoma</i>	1889, 352
	1884, 372	<i>antillarum</i>	1884, 277
<i>Maynea patagonica</i>	1881, 20	<i>doriæ</i>	1889, 352
	1881, 138	<i>lowei</i>	1889, 352
<i>Mecaspis setulicollis</i> ..	1890, 486	<i>sectilabrum</i>	1881, 632
<i>subvestita</i>	1890, 486	<i>Megalophonus fischeri</i> ..	1888, 23
<i>Mechanitis lysimnia</i> ..	1883, 213	<i>Megalophrys longipes</i> ..	1885, 850
	1890, 599	1886,	413
<i>polymnia</i>	1890, 559	<i>nasuta</i>	1881, 216
<i>Mecistocephalus castaneiceps</i>	1888, 558	1890,	37
<i>Mecistura trivirgata</i> ..	1887, 596	<i>Megaloprepria puella</i> ..	1885, 659
	1888, 464	<i>Megalura norica</i>	1890, 565
<i>Mecocerculus calopterus</i>	1883, 553	<i>Megalurus amboinensis</i> .	1883, 589
	1884, 295	<i>Megapodius brenchleyi</i> .	1887, 332
<i>pœcilocercus</i>	1884, 295	1888,	187
	1885, 87	1888,	201
<i>stictopterus</i>	1882, 18	1888,	249
	1884, 295	<i>cumingi</i>	1881, 800
<i>tæniopterus</i>	1882, 18	1889,	226
<i>Mecyna deprivalis</i>	1884, 501	<i>duperreyi</i>	1885, 663
<i>polygonalis</i>	1885, 541	<i>forsteni</i>	1882, 710
<i>rusticalis</i>	1886, 384	<i>freycineti</i>	1882, 710
<i>Megabias flammulata</i> ..	1888, 27	1885,	576
<i>Megacephalon maleo</i> ..	1885, 559	1885,	663
<i>Megaderma frons</i>	1888, 8	<i>geelvinkianus</i>	1883, 57
<i>Megaderus stigma</i>	1887, 490	<i>gilberti</i>	1885, 559
<i>Megalæma franklini</i> ...	1882, 94	<i>tenimberensis</i>	1883, 52
<i>leucotis</i>	1885, 223	1883,	57
	1889, 357	1883,	200
<i>ooti</i>	1887, 442	1884,	433
<i>ramsayi</i>	1887, 442	<i>tumulus</i>	1883, 57
<i>versicolor</i>	1888, 280	<i>Megaptera boops</i>	1886, 245
<i>virens</i>	1882, 94	<i>longimana</i>	1883, 467
<i>Megalapteryx hectori</i> ..	1885, 541	<i>Megarhynchus chryso-</i>	
<i>Megalestes major</i>	1886, 329	<i>gaster</i>	1883, 557
<i>Megalixalus madagascariensis</i>	1888, 173	<i>pitangua</i>	1883, 448
	1888, 503	— <i>chryso-gaster</i>	1883, 557
<i>Megalobatrachus maximus</i>	1884, 251	1885,	91
<i>Megalodacne furcata</i> ..	1883, 75	1885,	122
	1883, 79	<i>Megascelis amabilis</i>	1889, 266
<i>grandis</i>	1883, 79	<i>herbacea</i>	1889, 266
<i>imperatrix</i>	1883, 75	<i>suturalis</i>	1889, 266
		<i>vittata</i>	1889, 266
		<i>Megascolex affinis</i>	1890, 54
		<i>armata</i>	1890, 60
		<i>cæruleus</i>	1887, 159

	Page		Page
<i>Megascolex cæruleus</i> ..	1890,	<i>Melampsalta oldfieldi</i> ..	1883,
	53	<i>oxleyi</i>	1882,
	1890,	<i>sericeivitta</i>	1882,
	56	<i>themiscura</i>	1882,
	1890,	<i>varians</i>	1882,
<i>diffringens</i>	1890,	<i>warburtoni</i>	1882,
<i>indicus</i>	1886,		134
	298	<i>Melampus adamsianus</i> ..	1887,
	1890,	<i>albus</i>	288
(<i>Perichaeta</i>). <i>antarctica</i>	1889,	<i>anaensis</i>	1887,
	380	<i>angustus</i>	291
<i>Megascolides australis</i> ..	1890,	<i>avenaceus</i>	288
<i>Megasema cinnamomea</i> ..	1881,	—, var. <i>vavaoensis</i> ..	288
	352	<i>cinereus</i>	288
	1881,	<i>conicus</i>	287
<i>triangulum</i>	352	<i>consanguineus</i>	287
	1889,	<i>costatus</i>	290
<i>Megasoma intensa</i>	1887,	<i>crebristriatus</i>	289
<i>polydora</i>	679	<i>fasciatus</i>	1885,
	1887,		600
	686		1887,
<i>splendens</i>	1887,		285
	680		1887,
	1887,		518
<i>venustum</i>	387		1888,
	1888,	<i>fricki</i>	286
	298		1887,
<i>vesta</i>	1887,	<i>granifer</i>	288
	679	<i>granum</i>	286
	1887,	<i>gundlachi</i>	1884,
<i>Megaspira ruschenbergiana</i>	1881,	<i>incisus</i>	277
	840	<i>layardi</i>	1887,
<i>Megerlia truncata</i>	1881,	<i>lucidus</i>	290
	949	<i>luteus</i>	1887,
—, var. <i>monstruosa</i> ..	1884,		284
	142		1887,
<i>Megisba gunga</i>	1882,	<i>melanostoma</i>	290
	682	<i>montrouzieri</i>	1887,
	1885,	<i>nucleus</i>	296
	133	<i>ornatus</i>	1887,
	1885,	<i>paludosus</i>	287
<i>Megischyrus bartletti</i> ..	148	<i>parvulus</i>	1887,
	75		285
	1883,	<i>pellucidus</i>	1887,
	85	<i>pseudocommodus</i> ..	287
	1883,	<i>rusticus</i>	1887,
<i>bellicosus</i>	87	<i>sculptus</i>	286
<i>bogotæ</i>	1883,	<i>semiplicatus</i>	1887,
<i>elongatus</i>	85	<i>semisulcatus</i>	286
	1883,		1887,
	85	<i>striatus</i>	287
<i>Meiglyptes grammithorax</i>	1887,	<i>strictus</i>	1887,
	443	<i>tongaensis</i>	286
<i>tristis</i>	1881,	<i>variabilis</i>	1887,
	792		288
	1885,	<i>Melanaema venata</i>	1888,
	405		601
	1887,	<i>Melanargia galathea</i> ..	1888,
	443		120
<i>tukki</i>	1881,		1889,
	792	<i>halimede</i>	868
	1885,		1881,
	406		903
	1888,		1887,
	279		402
<i>Meioceras nitidum</i>	1890,		
<i>Meladomus bulimoides</i> ..	291		
	1881,		
<i>olivaceus</i>	290		
<i>Melampsalta eyrei</i>	1881,		
	290		
	1882,		
<i>forresti</i>	130		
	1882,		
	134		
<i>landsboroughi</i>	1882,		
	134		
	1882,		
<i>leichardti</i>	131		
	1882,		
	134		
	1882,		
<i>mackinlayi</i>	132		
	1882,		
	134		
	1882,		
	130		
	1882,		
	134		

	Page		Page
Melanargia halimede ..	1887, 425	Melania liricincta.....	1888, 53
—, var. meridionalis	1881, 868	malayana	1881, 632
	1881, 903	mauiensis	1884, 275
Melanarius ater	1882, 302	nassa	1881, 277
Melanatria johnsoni....	1882, 383		1881, 559
	1882, 389	newcombii.....	1884, 275
Melanchroia cephise ..	1884, 322	nigritina	1887, 566
Melanerpes cruentatus..	1882, 43	nitida.....	1884, 367
hirundinaceus	1882, 43	ordinaria	1884, 270
pucherani	1883, 571		1884, 281
	1885, 107	pagoda	1883, 6
	1885, 123		1883, 7
Melanetta velvetina....	1887, 591		1883, 8
Melania, sp.	1884, 262	parva.....	1881, 293
	1885, 601	polymorpha	1881, 291
	1885, 609	provisoria	1881, 632
	1888, 245	queenslandica	1885, 602
acicula	1884, 362	ruta	1884, 356
ærea	1884, 262	salamonis	1885, 600
amarula.....	1883, 6	sanctæ annæ.....	1885, 602
	1883, 8		1885, 609
	1885, 600	scabra	1883, 5
apiensis.....	1884, 269		1883, 6
	1884, 270		1883, 7
	1884, 281		1883, 8
arthurii	1884, 267		1885, 600
balleata.....	1883, 7	scalaris	1884, 355
balonnensis	1884, 272	scillæ	1884, 361
bockii	1881, 632	scipio.....	1884, 269
bœana	1881, 632	sclateri	1883, 7
boninensis	1885, 602		1883, 8
brevis.....	1881, 293	semigranosa	1881, 632
campanillæ	1884, 357	sobria.....	1884, 261
christobalensis	1884, 262	subgradata	1885, 601
crassilabrum	1885, 603		1885, 609
cybele	1885, 600	sumatrensis	1881, 632
damonis.....	1885, 601	tanganyicensis	1881, 291
datura	1881, 632		1881, 292
	1883, 6		1881, 300
	1883, 7	tuberculata	1881, 277
distorta	1884, 367		1881, 291
fastigiella	1885, 601		1883, 2
	1885, 609		1883, 5
ferruginea.....	1881, 294		1883, 7
figurata	1884, 269		1883, 8
fœnaria	1887, 566		1888, 52
frethii	1887, 566	turbans	1884, 269
fulgurans	1885, 600		1884, 270
guineensis.....	1887, 566		1884, 281
guppyi	1885, 603	ugiensis.....	1885, 602
	1885, 609		1885, 609
histrionica.....	1883, 7	verrucosa	1885, 601
horei	1881, 292	zanguëbarica	1881, 294
	1881, 300	(Melanella) nassa..	1881, 292
inhonesta	1884, 271		1881, 300
lævigata	1881, 632	(Sermyla) admira-	
lancea	1884, 272	bilis	1881, 291
lirata	1881, 632		1881, 300
liricincta	1888, 52	Melanippe flavistrigata .	1888, 329

	Page		Page
Melanippe fluctuata....	1888,	329	
hastata	1885,	66	
restitutata.....	1886,	393	
	1888,	325	
Melanitis aswa	1887,	453	
bela	1882,	235	
	1887,	453	
bethami.....	1887,	451	
	1887,	453	
determinata	1888,	58	
duryodana.....	1887,	452	
	1887,	453	
helena	1888,	58	
ismene	1881,	603	
	1882,	235	
	1884,	481	
	1884,	504	
	1885,	126	
	1886,	422	
	1887,	453	
leda	1881,	868	
	1881,	903	
	1884,	504	
	1885,	126	
	1886,	422	
	1887,	402	
	1887,	425	
	1887,	453	
	1888,	58	
	1890,	472	
solandra.....	1888,	58	
suyudana	1887,	453	
tambra	1887,	453	
zitenius	1887,	453	
Melanocetus johnsonii..	1886,	143	
Melanochlora sultanea..	1888,	277	
Melanocichla bicolor ..	1888,	268	
lugubris.....	1888,	274	
peninsularis	1888,	274	
Melanolophus ater	1885,	231	
	1885,	234	
	1885,	235	
septemcostatus....	1885,	231	
Melanoptila glabrirostris	1883,	434	
	1883,	439	
Melanopyrrhus anais ..	1885,	644	
orientalis	1885,	645	
Melanostigma gelati- nosum	1881,	21	
	1881,	138	
Melanthia albicillata ..	1887,	265	
gratulata	1886,	393	
restitutata	1886,	393	
Melasoma ænea	1885,	754	
divisi.....	1887,	83	
japonica.....	1885,	754	
octodecimpunctata	1888,	346	
18-punctata	1888,	346	
Melasoma populi	1885,	754	
20-punctata	1885,	754	
	1888,	346	
	1888,	347	
Meleagrina margaritifera	1886,	176	
Meleagris ocellata	1883,	434	
	1883,	436	
	1883,	461	
Meles gulo.....	1885,	381	
vulgaris.....	1885,	340	
Melicleptria scutosa ..	1881,	361	
speciosa	1881,	361	
Melidectes torquatus ..	1885,	641	
Melidora macrorrhina ..	1885,	628	
Melierax canorus	1882,	305	
niger	1882,	305	
	1888,	46	
poliopterus	1882,	305	
polyzonus	1888,	45	
Melilestes mega- rhynchus	1885,	641	
novæ guineæ	1885,	641	
Melinda formosa	1883,	207	
	1883,	214	
	1883,	229	
Melipotés gymnops	1885,	641	
Melirrophetes leuco- stephes	1885,	641	
Melissoblaptés depres- sellus.....	1885,	876	
	1885,	886	
Melitæa ætheria	1881,	899	
amphilochus	1881,	900	
arcesia	1881,	867	
	1881,	899	
artemis	1885,	65	
athalia	1881,	867	
	1881,	899	
	1887,	402	
	1887,	422	
—, var. dubia	1887,	422	
—, var. orientalis..	1887,	422	
aurelia	1881,	867	
	1881,	899	
aurinia	1881,	867	
	1881,	898	
	1887,	402	
	1887,	422	
balbita	1882,	243	
britomartis, var. plo- tina	1881,	899	
cashmirensis	1882,	242	
cinxia.....	1881,	654	
	1886,	2	
defontainesii.....	1881,	898	
dictynna	1881,	898	
	1887,	402	
	1887,	422	

	Page		Page
<i>Melitæa didyma</i>	1881, 867	<i>Melittophagus pusillus</i> .	1889, 358
	1881, 898	<i>Mella dymnusalis</i>	1881, 623
	1886, 362	<i>yerburii</i>	1884, 502
<i>didymoides</i>	1881, 898	<i>zinckenella</i>	1881, 623
<i>dubia</i>	1881, 899		1884, 502
<i>durga</i>	1882, 243		1884, 529
	1886, 364	<i>Mellivora indica</i>	1886, 56
<i>intermedia</i>	1881, 898	<i>Melocichla mentalis</i>	1881, 572
<i>latonigena</i>	1881, 898		1888, 22
<i>maculata</i>	1881, 900	<i>Melolontha glacialis</i> ..	1881, 82
<i>maturna</i>	1881, 654	<i>testacea</i>	1881, 82
	1881, 867	<i>vulgaris</i>	1887, 256
	1881, 898		1887, 272
	1887, 51	<i>Melonycteris melanops</i> .	1887, 324
	1887, 52		1887, 325
<i>niphona</i>	1881, 847		1887, 327
	1881, 899		1888, 484
	1887, 422	<i>Melopelia leucoptera</i> ..	1883, 428
<i>orientalis</i>	1881, 899		1883, 435
<i>parthenie</i>	1887, 402		1883, 459
	1887, 422	<i>meloda</i>	1886, 402
—, var. <i>orientalis</i> ..	1887, 422	<i>Melospiza lincolni</i>	1883, 444
<i>persea</i>	1886, 362	<i>Melursus labiatus</i>	1885, 391
<i>phœbe</i>	1881, 867	<i>Melyris parvula</i>	1885, 231
	1881, 899	<i>Membranipora curviro-</i>	
	1887, 402	<i>tris</i>	1881, 46
	1887, 422	<i>lacroixi</i>	1881, 46
—, var. <i>ætherea</i> ..	1887, 422	<i>Menæthius monoceros</i> ..	1884, 10
—, var. <i>sibirica</i>	1887, 422	<i>Menama buxtonii</i>	1883, 209
<i>plotina</i>	1881, 867		1883, 265
	1881, 899	<i>camaralzeman</i>	1883, 254
<i>protomeia</i>	1881, 898		1883, 264
<i>robertsii</i>	1881, 605	<i>cupreipennis</i>	1883, 264
	1886, 362	<i>lorzæ</i>	1883, 265
<i>scotosia</i>	1881, 847		1883, 323
	1881, 899	<i>modesta</i>	1883, 264
	1887, 422		1883, 265
<i>sibirica</i>	1881, 898	<i>mouhotii</i>	1883, 265
	1881, 899		1883, 323
<i>trivia</i>	1881, 867	<i>tavoyana</i>	1883, 208
	1881, 899		1883, 209
	1886, 362		1883, 210
<i>Melitograis gilolensis</i> ..	1885, 572		1883, 211
<i>Melittia anthredonifor-</i>			1883, 212
<i>mis</i>	1888, 590		1883, 265
<i>bombylifformis</i>	1888, 590		1883, 323
<i>chalciformis</i>	1888, 590	<i>Merelaides aristolochiæ</i>	1882, 259
<i>eurytion</i>	1888, 590	<i>diphilus</i>	1885, 145
<i>indica</i>	1888, 392		1886, 433
	1888, 590	<i>hector</i>	1885, 145
<i>kulluana</i>	1888, 392	<i>Menesta rubescens</i>	1881, 319
<i>nepcha</i>	1888, 392		1881, 325
<i>Melittophagus boehmi</i> ..	1882, 634	<i>tortriciformella</i>	1881, 319
<i>bullockoides</i>	1882, 302	<i>Menius costatus</i>	1882, 54
<i>cyanostictus</i>	1881, 569	<i>viridiæneus</i>	1882, 54
	1889, 358	<i>Mennis ficaria</i>	1885, 531
<i>pusillus</i>	1881, 569		1885, 536
	1882, 302	<i>ficulnea</i>	1885, 530

	Page		Page
Mennis ficulnea	1885, 536	Meriones shawi	1884, 93
fidentia	1885, 530		1884, 94
	1885, 536		1884, 95
hagno.....	1885, 530		1884, 98
halia	1885, 531		1884, 99
	1885, 536		1884, 100
herona	1885, 530		1884, 101
	1885, 536		1884, 102
Menobranchnus lateralis	1881, 8		1884, 103
	1881, 18		1884, 104
Menophra subplagiata..	1888, 320		1884, 105
Menura superba	1882, 268		1884, 107
Mephitis macrura	1882, 371		1884, 108
Meranda inconspicua ..	1889, 570		1884, 109
tristalis	1889, 570	Merista oberthüri.....	1883, 404
Mergulus alle	1882, 653		1883, 406
	1887, 46	rufipennis	1883, 406
Mergus albellus	1888, 460	variabilis	1883, 406
australis	1881, 1	Meristes olivaceus	1881, 581
brasiliensis	1881, 1	Meristobelus forcipatus	1887, 362
merganser.....	1888, 460	Merops ægyptius	1881, 568
serrator	1888, 460		1881, 569
Meriones crassus	1884, 99	apiaster	1881, 568
erythrurus.....	1884, 88		1890, 589
	1884, 89	bicolor	1881, 793
	1884, 90		1885, 406
	1884, 91	cyanophrys	1881, 957
	1884, 92	cyanostictus	1889, 358
	1884, 93	dresseri	1882, 302
	1884, 94		1882, 303
	1884, 95		1882, 634
	1884, 96	hirundineus	1881, 569
	1884, 97	minutus.....	1881, 569
	1884, 98	nubicus	1881, 569
	1884, 99	ornatus	1885, 503
longifrons	1884, 88		1885, 546
	1884, 89		1885, 566
	1884, 90	philippinus	1883, 1
	1884, 91		1885, 503
	1884, 92	pusillus	1881, 569
	1884, 93		1889, 358
	1884, 94	sumatranus	1881, 793
	1884, 95	superciliosus.....	1881, 568
	1884, 96	Merula bicolor	1890, 668
	1884, 97	celænops	1889, 586
	1884, 98	chiguanco	1886, 396
	1884, 99	chrysolaus.....	1888, 518
	1884, 102	erythropleura	1888, 517
	1884, 103	flavipes	1887, 557
	1884, 104	javanensis.....	1888, 518
	1884, 106	layardi	1890, 666
	1884, 107		1890, 667
	1884, 108	leucops	1887, 557
	1884, 109	nigriceps	1887, 557
opimus	1884, 89	poliocephala	1890, 668
shawi.....	1884, 89	pritzbueri	1890, 668
	1884, 91	reevii.....	1887, 557
	1884, 92	ruficeps	1890, 666

	Page		Page		
<i>Merula ruficeps</i>	1890,	668	<i>Mesosemia bella</i>	1890,	569
<i>subalaris</i>	1887,	557	<i>macaris</i>	1890,	570
<i>tempesti</i>	1890,	666	<i>melpia</i>	1890,	570
	1890,	668	<i>metope</i>	1890,	570
<i>vanicorensis</i>	1890,	667	<i>nesti</i>	1890,	569
<i>vanuensis</i>	1890,	666	<i>philemon</i>	1890,	570
	1890,	667	<i>Mesotrosta abyssa</i>	1888,	222
<i>vitiensis</i>	1888,	518	<i>stigmatula</i>	1889,	493
	1890,	667	<i>Mespila globulus</i>	1881,	434
	1890,	668		1881,	435
<i>Mesalia brevisalis</i>	1884,	131	<i>whitmaei</i>	1881,	433
	1884,	132	<i>Messaras erymanthis</i> ..	1881,	605
<i>plicata</i>	1884,	132	<i>Messata castanoptera</i> ..	1885,	304
<i>striata</i>	1884,	132	<i>translata</i>	1885,	304
<i>sulcata</i>	1884,	132		1885,	307
<i>suturalis</i>	1884,	131	<i>Mestapra eurianassa</i> ..	1883,	285
<i>Mesene clarissa</i>	1890,	573	<i>fraudulenta</i>	1883,	254
	1890,	577		1883,	285
<i>epaphus</i>	1890,	573	<i>paykullei</i>	1883,	285
<i>phareus</i>	1890,	573	<i>torvina</i>	1883,	285
<i>simplex</i>	1890,	573	<i>Mestleta abrupta</i>	1885,	469
<i>trucidata</i>	1890,	573	<i>baccalæ</i>	1886,	452
<i>Mesia argentauris</i>	1886,	351		1886,	465
	1886,	352	<i>lutefascialis</i>	1889,	555
	1888,	276	<i>Meta splendida</i>	1882,	765
<i>laurinæ</i>	1886,	351		1882,	768
	1886,	352	<i>Metabelus</i>	1887,	361
<i>Mesites unicolor</i>	1881,	644	<i>Metacharis lucius</i>	1890,	574
<i>Mesodesma exiguum</i> ..	1881,	698	<i>Metachrostis contingens</i>	1888,	412
<i>Mesodon daviesi</i>	1890,	351	<i>Metagastes bieti</i>	1888,	587
	1890,	353	<i>Metalia sternalis</i>	1887,	140
<i>macropterus</i>	1890,	353		1888,	384
<i>Mesodonta limbata</i>	1883,	404		1888,	388
<i>transverso-fasciata</i>	1883,	403	<i>Metallura cupreicauda</i> ..	1881,	488
	1883,	406	<i>opaca</i>	1881,	484
<i>Mesogona contracta</i>	1889,	519		1881,	488
<i>dilatata</i>	1889,	495	<i>primolina</i>	1885,	103
<i>divergens</i>	1889,	519	<i>smaragdnicollis</i> ..	1881,	833
<i>exigua</i>	1889,	516		1882,	37
<i>quadrilinea</i>	1889,	519	<i>tyrianthina</i>	1884,	305
	1889,	571	— <i>quitensis</i>	1884,	305
<i>Mesoplectra lilacina</i>	1889,	566		1885,	104
<i>Mesoplodon layardi</i>	1885,	440	<i>Metaporis caphusa</i>	1882,	256
	1885,	441	<i>phryxe</i>	1882,	256
<i>Mesoprion annularis</i> ..	1887,	655	<i>Metasia candidulalis</i> ..	1885,	880
<i>bohar</i>	1887,	655		1885,	886
<i>chirtah</i>	1887,	655	<i>Metaxycera amazona</i> ..	1881,	269
<i>ehrenbergii</i>	1887,	655	<i>quadriguttata</i>	1881,	268
<i>fulviflamma</i>	1887,	655		1881,	269
<i>garretti</i>	1888,	260	<i>Methille cuneata</i>	1881,	86
<i>lineolatus</i>	1887,	655		1881,	87
<i>quinquelineatus</i> ..	1887,	655	<i>Methorasa latreillei</i>	1881,	374
<i>rangus</i>	1887,	655	<i>thwaitesii</i>	1889,	528
<i>Mesosa hirsuta</i>	1888,	379	<i>Metopiana peposaca</i>	1882,	625
<i>japonica</i>	1888,	379	<i>Metopidius africanus</i> ..	1881,	601
<i>myops</i>	1888,	379		1881,	639
<i>Mesosemia antærice</i> ..	1890,	569		1881,	640
	1890,	577		1881,	641

	Page		Page
Metopidius africanus ..	1881, 642	Micrencaustes plagiatu8 .	1883, 75
	1881, 646		1883, 76
albinucha	1881, 642	sinuatus	1883, 76
	1881, 643	torquatus	1883, 75
	1881, 644		1883, 76
	1881, 645		1883, 87
	1881, 646	Microcameræ	1886, 581
indicus	1881, 642	Microcarbo melano-	
	1881, 644	leucus	1885, 665
	1881, 646	Microcereulus margi-	
Metopodontus savagei ..	1890, 482	natus	1882, 6
Metrioidea rufipennis ..	1887, 114		1885, 120
	1887, 119	tæniatus	1883, 537
Metriopelia aymara....	1886, 396		1883, 539
	1886, 402		1885, 120
melanoptera	1884, 311	Microchæta minuta....	1886, 671
	1885, 111		1886, 672
	1886, 402	rappii.....	1884, 478
Miagrammopes brevi-			1886, 298
cauda	1882, 437		1886, 306
	1882, 441		1886, 671
longicauda	1882, 436		1890, 52
	1882, 437		1890, 67
	1882, 441	Microciona tuberosa....	1881, 121
traillii	1882, 435		1881, 122
	1882, 441		1881, 131
Miana denticulosa	1885, 451	Microcystis excrescens .	1887, 170
falsa	1889, 491	firmostyla	1887, 170
inornata	1888, 303	kioaensis	1887, 169
	1889, 492		1887, 170
segregata	1889, 491	nodulata	1887, 169
subfasciata	1889, 491		1887, 170
vulnerata	1889, 491	perpolita	1887, 171
Micardia argentata	1889, 535	sororia	1887, 170
pulchra	1889, 535	stearnseana	1887, 171
Micra, sp.	1884, 323	unisulcata	1887, 169
balux	1884, 519	upolensis	1887, 170
	1884, 529	Microdonta bicolora ..	1888, 638
chalybea	1884, 518	Microcæa flavovirescens	1885, 632
	1884, 529	hemixantha	1883, 51
derogata	1884, 518		1883, 55
furia	1884, 519		1883, 195
	1884, 529		1883, 200
hemirhoda	1889, 521		1884, 432
innocens	1888, 222	Microgiton alea	1890, 499
roseana	1881, 370	larissa	1890, 499
Micrablepharus maximi-		latona	1890, 499
liani	1890, 79	Microglossa alecto	1883, 346
Micracantha, sp.	1888, 541	aterrima	1883, 346
abdominalis	1888, 541		1885, 618
Micrastur guerilla	1883, 574	Microhierax chinensis..	1890, 345
	1884, 310	fringillarius	1881, 790
	1884, 311	latifrons	1881, 790
	1885, 123		1885, 404
melanoleucus	1883, 457	melanoleucus	1890, 345
mirandollei	1882, 47	Microhyla, sp.	1888, 172
pelzelni	1884, 311	achatina	1890, 32
Micrencaustes lituratus .	1883, 76		1890, 37

	Page		Page
<i>Microhyla fissipes</i>	1886, 412	<i>Migoplastis hampsoni</i> ..	1889, 432
	1887, 150	<i>Miletus drumila</i>	1883, 521
<i>inornata</i>	1890, 37	<i>hamada</i>	1881, 865
	1890, 325		1881, 882
<i>Microleon longipalpis</i> ..	1888, 610		1887, 401
<i>Micromerus lineatus</i>	1886, 325		1887, 409
	1886, 328	<i>Milinaea egina</i>	1890, 559
	1886, 329	<i>mnasias</i>	1890, 559
<i>obscurus</i>	1886, 328	<i>Milionia butleri</i>	1882, 781
	1886, 329		1882, 782
<i>Micromonacha lanceo-</i>			1889, 423
<i>lata</i>	1881, 776	<i>drucei</i>	1889, 297
	1881, 777	<i>güntheri</i>	1882, 781
<i>Micronia aculeata</i>	1885, 860		1889, 296
<i>caudata</i>	1885, 860	<i>luculenta</i>	1889, 423
<i>hermæa</i>	1888, 227		1889, 432
	1888, 231	<i>snelleni</i>	1889, 296
<i>hyemalis</i>	1888, 228		1889, 297
<i>Micronisus niger</i>	1882, 305	<i>zonea</i>	1889, 296
<i>Micropalama himan-</i>		<i>Miltochrista aberrans</i> ..	1888, 603
<i>topus</i>	1885, 119	<i>artaxida</i>	1888, 604
	1885, 124	<i>bivittata</i>	1888, 603
<i>Microphalera grisea</i>	1888, 642	<i>butleri</i>	1888, 603
<i>Microphrys platysoma</i> ..	1881, 67		1888, 655
<i>Microphysa contracta</i> ..	1881, 361	<i>calamina</i>	1888, 603
<i>sictica</i>	1889, 479	<i>inscripta</i>	1888, 602
<i>Micropisa ovata</i>	1881, 62	<i>mactans</i>	1888, 601
<i>Micropternus badius</i> ..	1881, 792	<i>miniata</i>	1888, 602
<i>brachyurus</i>	1888, 279		1888, 603
<i>Micropterus cinereus</i> ..	1881, 13	<i>pallida</i>	1888, 603
<i>Micropus chalocephalus</i>	1881, 797	<i>pulchra</i>	1888, 601
<i>elegans</i>	1885, 529		1888, 602
	1885, 536	<i>rhodophila</i>	1888, 602
<i>longalis</i>	1885, 529		1888, 603
<i>melanocephalus</i> ..	1881, 797	<i>rosaria</i>	1888, 602
	1885, 412	<i>striata</i>	1888, 602
	1889, 226	<i>torrens</i>	1888, 603
<i>melanoleucus</i>	1886, 502	<i>Milvago carunculatus</i> ..	1885, 116
<i>Microsca striatalis</i>	1885, 875	<i>chimachima</i>	1889, 79
<i>Microscelis amaurotis</i> ..	1887, 596	<i>chimango</i>	1881, 10
	1887, 603		1882, 612
	1888, 464		1882, 623
<i>Microsemyra pallida</i> ..	1883, 155	<i>megalopterus</i>	1886, 399
	1886, 437	<i>Milvulus tyrannus</i>	1882, 608
<i>Microsicydium gymnau-</i>		<i>Milvus ætolius</i>	1888, 46
<i>chen</i>	1884, 163	<i>korshun</i>	1888, 46
<i>Microtarsus olivaceus</i> ..	1881, 796	<i>melanotis</i>	1887, 597
<i>Microtus amphibius</i>	1889, 249		1888, 461
<i>Micteristes (Theodosia)</i>		<i>migrans</i>	1888, 46
<i>telifer</i>	1889, 286	<i>Mimærastria mandschu-</i>	
<i>Mictis cruciata</i>	1890, 478	<i>riana</i>	1888, 609
<i>metallica</i>	1890, 478	<i>Mimastra capitata</i>	1887, 104
<i>Midas rufimanus</i>	1887, 121	<i>cyanura</i>	1888, 351
<i>Migas paradoxus</i>	1890, 620	<i>robusta</i>	1887, 104
	1890, 624	<i>Mimela chinensis</i>	1888, 375
	1890, 629	<i>fusania</i>	1888, 375
<i>Migoplastis ceylonica</i> ..	1889, 402	<i>gaschkevitschi</i>	1888, 375
<i>hampsoni</i>	1889, 402	<i>luteipennis</i>	1888, 375

	Page		Page
<i>Mimela simplex</i>	1888,	<i>Mirafra cheniana</i>	1882,
<i>splendens</i>	1888,	<i>sabota</i>	1888,
<i>Mimeta bouroensi</i>	1883,	<i>torrida</i>	1882,
<i>decipiens</i>	1883,	<i>Miresa albipuncta</i>	1886,
	1883,	<i>amisena</i>	1890,
	1883,	<i>conjuncta</i>	1888,
	1884,	<i>crispa</i>	1889,
<i>striata</i>	1885,		1889,
<i>Mimeusemia persimilis</i> .	1888,	<i>hilda</i>	1887,
<i>Mimocichla ardesiaca</i> ..	1889,	<i>inornata</i>	1888,
— <i>albiventris</i>	1889,	<i>propexa</i>	1889,
	1889,	<i>quadrinotata</i>	1888,
<i>plumbea</i>	1889,	<i>suffusa</i>	1888,
<i>rubripes</i>	1889,	<i>Miselia cinerea</i>	1889,
<i>schistacea</i>	1889,	<i>compta</i>	1889,
<i>Mimus calandria</i>	1882,	<i>extensa</i>	1889,
	1883,	<i>funesta</i>	1889,
<i>gilvus</i>	1883,		1889,
<i>gracilis</i>	1883,	<i>oxyacanthæ</i>	1889,
<i>longicaudatus</i>	1883,	<i>Mithras hemon</i>	1890,
	1885,	<i>Mithrodia bradleyi</i>	1882,
<i>thenca</i>	1881,	<i>clavigera</i>	1882,
<i>triurus</i>	1882,	<i>victoriæ</i>	1882,
<i>Minea castaneiceps</i>	1887,		1882,
<i>soror</i>	1887,	<i>Mitra albocincta</i>	1890,
<i>Miniopterus australis</i> ..	1884,	<i>barbadensis</i>	1890,
	1888,	<i>brionæ</i>	1888,
	1888,		1888,
<i>blepotis</i>	1884,	<i>corrugata</i>	1888,
<i>schreibersii</i>	1884,	<i>exquisita</i>	1888,
	1886,		1888,
	1888,	<i>gambiana</i>	1890,
	1888,	<i>melvilli</i>	1882,
	1888,		1882,
	1888,	<i>millepunctata</i>	1888,
—, var. <i>blepotis</i> ..	1884,		1888,
—, var. <i>pusillus</i> ..	1888,	<i>simplex</i>	1890,
<i>tristis</i>	1884,	<i>striatula</i>	1890,
	1884,	<i>virgata</i>	1887,
<i>Mino dumonti</i>	1885,	<i>vulpecula</i>	1888,
<i>krefftii</i>	1887,	(<i>Cancilla</i>) <i>turtoni</i> .	1890,
	1888,		1890,
	1888,		1890,
<i>Minolia biangulata</i>	1888,	(<i>Pusia</i>) <i>sanctæ-</i>	
<i>chinensis</i>	1888,	<i>helenæ</i>	1890,
	1888,		1890,
<i>Mionectes assimilis</i>	1883,		1890,
<i>oleagineus</i>	1882,	(<i>Thala</i>) <i>pleuroto-</i>	
	1883,	<i>moides</i>	1890,
	1885,		1890,
<i>olivaceus</i>	1885,		1890,
<i>striaticollis</i>	1882,	(<i>Turricula</i>) <i>innota-</i>	
	1884,	<i>bilis</i>	1890,
	1885,		1890,
	1885,	<i>Mitrolaria dillwyni</i>	1890,
<i>Mirafra apiata</i>	1888,	<i>Mitua tomentosa</i>	1882,
<i>bucolica</i>	1888,	<i>tuberosa</i>	1882,
	1888,		1882,

	Page		Page
Mixornis bicolor	1885, 413	Molops piliferus	1889, 213
borneensis	1885, 419	Molossus obscurus	1888, 129
cagayanensis	1889, 227	Molothrus æneus	1883, 445
gularis	1885, 413	bonariensis	1882, 601
woodi	1885, 419	purpurascens	1885, 86
Mniocera cincta	1889, 227	rufo-axillaris	1885, 114
cinerascens	1889, 295	Molva vulgaris	1882, 601
Mniotilta varia	1889, 295	Moma champa	1881, 387
Modiana scitivittalis	1883, 440	confusa	1888, 299
Modiolaria discors	1881, 623	niveola	1889, 480
marmorata	1881, 950	orion	1889, 571
nigra	1885, 59	tapyx	1889, 480
subclavata	1890, 314	Momotus brasiliensis	1882, 43
Modulus floridanus	1884, 143	lessoni	1885, 68
modulus	1881, 950	martii	1882, 444
Moduza procris	1890, 284	mexicanus	1882, 446
Moggridgei abrahami	1890, 252	microstephanus	1883, 453
dyeri	1890, 284	subrufescens	1883, 571
Mohnia mohni	1881, 604	yucatanensis	1883, 453
Moina lemnae	1889, 35	Monacanthus melano-	
macleayii	1889, 41	proctes	1889, 242
Moiria stygia	1889, 42	monoceros	1889, 246
dyeri	1889, 46	peccator	1889, 242
Molge boscae	1887, 40	setifer	1889, 266
cristata	1889, 34	Monacha nigra	1887, 667
crocata	1889, 35	Monachalcyon monachus	1885, 118
marmorata	1889, 42	princeps	1885, 547
meridionalis	1883, 391	Monachella mulleriana	1885, 547
montana	1886, 83	saxicolina	1885, 632
palmata	1886, 83	Monachus albiventer	1882, 547
pyrrhogastra	1887, 140	mediterraneus	1884, 251
strauchii	1887, 143	monarcha	1885, 490
vittata	1887, 145	bernsteini	1883, 54
waltlii	1888, 388	brodiei	1888, 195
Mölleria costulata	1890, 32	castaneiventris	1887, 331
lævigata	1888, 504	castus	1888, 186
Moloch horridus	1890, 32	chalybeocephalus	1888, 194
Molops depilatus	1890, 32	erythrocticta	1888, 195
crocata	1890, 32	inornatus	1883, 51
marmorata	1890, 32	inornatus	1883, 53
meridionalis	1890, 326	inornatus	1883, 200
montana	1890, 32	inornatus	1884, 432
palmata	1888, 504	inornatus	1883, 58
pyrrhogastra	1887, 150	inornatus	1885, 569
strauchii	1890, 32	inornatus	1888, 185
vittata	1885, 834	inornatus	1888, 195
waltlii	1890, 591	inornatus	1882, 706
Mölleria costulata	1886, 525	inornatus	1883, 347
lævigata	1888, 504		
Mölleria costulata	1883, 89		
lævigata	1884, 148		
lævigata	1883, 89		
lævigata	1883, 91		
lævigata	1884, 148		
Moloch horridus	1886, 164		
Molops depilatus	1889, 214		

	Page		Page
<i>Monarcha inornatus</i>	1885, 569	<i>Monohammus mixtus</i> ..	1888, 540
<i>leucotis</i>	1883, 54	<i>nativitatis</i>	1888, 539
<i>morotensis</i>	1883, 54	<i>ruspator</i>	1888, 540
<i>mundus</i>	1883, 51	<i>ruspator</i>	1890, 488
.	1883, 54	<i>Monolepta cyanea</i>	1885, 748
.	1883, 194	<i>dichroa</i>	1885, 755
.	1883, 200	1885, 749
.	1884, 432	—, var. <i>apicipennis</i>	1885, 749
<i>nigrimentum</i>	1883, 54	<i>nigrolineata</i>	1885, 755
<i>nitidus</i>	1883, 51	<i>flaviventris</i>	1885, 748
.	1883, 58	1885, 755
.	1883, 194	<i>fulvicollis</i>	1885, 749
.	1883, 200	1885, 755
.	1884, 432	<i>nigrobilineata</i>	1885, 755
<i>richardsi</i>	1883, 347	<i>Monopeltis magnipartita</i>	1890, 79
<i>rufo-castanea</i>	1888, 186	<i>Monoplatus fulvus</i>	1889, 277
.	1888, 194	<i>obliteratus</i>	1889, 277
.	1888, 195	<i>Monoplocus dorsalis</i> ..	1881, 228
<i>rufonotata</i>	1888, 187	<i>Monopterus javanensis</i> .	1890, 40
<i>ugiensis</i>	1883, 347	<i>Monotyga alaba-</i>	
<i>verticalis</i>	1883, 347	<i>mensis</i>	1890, 299
(Piezorhynchus)		<i>casta</i>	1890, 298
<i>browni</i>	1882, 711	<i>eximium</i>	1890, 299
<i>Monasa peruana</i>	1882, 44	<i>fulvum</i>	1890, 299
<i>Monedula daurica</i>	1887, 605	<i>striatum</i>	1890, 299
.	1888, 465	<i>Montacuta bidentata</i> ..	1881, 697
<i>Moniligaster barwelli</i> ..	1886, 670	1881, 698
<i>deshayesii</i>	1886, 670	<i>cuneata</i>	1881, 697
<i>grandis</i>	1886, 671	<i>cylindrica</i>	1881, 698
.	1886, 672	<i>donacina</i>	1881, 697
<i>papillata</i>	1886, 672	<i>elevata</i>	1881, 698
<i>robusta</i>	1886, 671	<i>elliptica</i>	1881, 698
.	1886, 672	<i>ferruginosa</i>	1881, 696
.	1886, 672	1881, 697
.	1886, 672	1882, 684
.	1886, 672	<i>ovata</i>	1881, 698
.	1886, 672	1881, 724
.	1886, 672	1882, 685
.	1886, 672	<i>pellucida</i>	1881, 697
.	1886, 672	1881, 724
.	1886, 671	<i>substriata</i>	1881, 697
.	1886, 672	1881, 698
.	1886, 672	<i>subtriangularis</i>	1890, 313
.	1886, 672	1890, 317
.	1886, 671	<i>truncata</i>	1881, 698
<i>uniquus</i>	1886, 671	<i>vöringi</i>	1881, 697
<i>Monitor bengalensis</i>	1888, 90	<i>Monticola saxatilis</i>	1881, 575
<i>gouldii</i>	1886, 164	<i>solitaria</i>	1887, 582
.	1888, 99	1887, 602
.	1888, 106	1888, 463
.	1889, 607	1889, 224
.	1889, 612	<i>Morio orientalis</i>	1888, 538
<i>Monoceros calcar</i>	1881, 31	<i>Mormidea brunnea</i>	1890, 475
<i>Monoculus finmarchicus</i>	1886, 261		
<i>Monocystis lumbrici</i> ..	1888, 355		
<i>porrecta</i>	1888, 356		
<i>Monodon monoceros</i> ..	1883, 504		
.	1885, 439		
<i>Monodonta ægyptiaca</i> ..	1883, 101		
<i>articulata</i>	1883, 100		
<i>draparnaudi</i>	1883, 100		
<i>fragaroides</i>	1883, 100		
<i>limbata</i>	1883, 108		
<i>olivieri</i>	1883, 100		
<i>punctulata</i>	1883, 100		
<i>sitis</i>	1883, 100		
<i>tinei</i>	1883, 108		

	Page		Page
Mormo muscivirens	1889, 541	Munia molucca	1883, 51
Mormula rissolina	1890, 276		1883, 195
Morphaga barbarata	1885, 883		1883, 200
Morpho achilles	1890, 566		1884, 433
menelaus	1890, 566		1885, 555
Mortanda sangaica	1887, 425	Munida gregaria	1881, 63
Morunga elephantina	1885, 492		1881, 73
Morvillia undata	1883, 391	subrugosa	1881, 73
Morylus fulvipennis	1887, 99	Munna maculata	1886, 98
Mosara lateralis	1885, 461	pallida	1886, 98
Moschus moschiferus	1881, 209	Munnopsis australis	1885, 916
Motacilla alba	1881, 167		1885, 917
flava	1881, 573		1885, 924
	1888, 27	gracilis	1885, 916
	1889, 224	latifrons	1885, 916
leucopsis	1887, 603		1885, 917
	1888, 464	typica	1885, 916
longicauda	1882, 306		1885, 917
	1885, 228	Muræna tessellata	1889, 242
longipes	1882, 569	tile	1890, 40
	1882, 570	undulata	1887, 666
lugubris	1889, 394	Murænesox cinereus	1889, 242
melanope	1887, 441	Murex adversus	1885, 58
	1887, 532	costellifer	1885, 49
	1889, 394	despectus	1890, 258
ocularis	1887, 603	diadema	1890, 259
	1888, 464	gravesii	1890, 264
vidua	1881, 573	magellanicus	1881, 31
	1882, 302	metaxa	1885, 61
viridis	1885, 264	patruelis	1890, 259
Mouretia costata	1890, 300	scaber	1885, 57
Moussonia fuscata	1887, 304	senegalensis	1888, 565
Muelleria lecanosa	1887, 144	superbus	1888, 565
mauritiana	1887, 140		1888, 570
miliaris	1887, 140	tubercularis	1885, 59
	1887, 144	(Chicoreus) adustus	1890, 250
Mugil axillaris	1887, 664		1890, 258
carinatus	1888, 264	(Ocinebra) alboan-	
ceylonensis	1887, 664	gulatus	1890, 250
dobula	1887, 615		1890, 259
grandis	1887, 615		1890, 315
klunzingeri	1888, 264	(—) patruelis	1890, 250
peronii	1887, 615		1890, 259
scheli	1887, 664		1890, 316
Mulleripicus fulvus	1885, 546	(—) purpuroides	1890, 308
pulverulentus	1889, 226	(—) sanctæ-	
Mulloides flavolineatus	1887, 658	helenæ	1890, 250
zeylonicus	1887, 658		1890, 258
Mulsantia mirabilis	1881, 828		1890, 316
Mungos gambianus	1882, 88	Mus, sp.	1882, 266
	1882, 182		1888, 13
zebra	1882, 182		1889, 223
Munia acuticauda	1887, 2	æquicaudalis	1881, 533
atricapilla	1881, 798	albidiventris	1881, 547
	1889, 226		1881, 548
jagori	1885, 250		1881, 553
	1885, 268		1881, 555
leucogastra	1881, 799	alexandrinus	1881, 204

	Page		Page
Mus alexandrinus.....	1881, 205	Mus blanfordi	1881, 534
	1881, 531		1881, 541
	1881, 533		1881, 542
	1881, 535		1881, 543
	1881, 536		1881, 544
	1881, 537		1881, 550
	1881, 538		1881, 552
	1881, 539		1881, 557
	1881, 542		1886, 63
	1881, 543		1890, 525
	1881, 544		1890, 536
	1881, 545		1890, 537
	1881, 557	bowersi	1886, 62
	1882, 100		1890, 524
	1882, 106		1890, 536
	1886, 57		1890, 537
—, var. nitidus....	1881, 526		1890, 539
	1881, 536	browni	1888, 484
	1881, 540	brunneus	1881, 532
—, var. rufescens..	1881, 540	buduga	1881, 547
	1881, 543		1881, 548
alleni	1888, 13		1890, 536
alticola	1889, 234		1890, 537
	1889, 235	caudatior	1881, 537
andamanensis	1881, 528	celebensis	1887, 514
	1890, 539	cervicolor	1881, 532
arboreus	1881, 533		1881, 547
arianus	1881, 532		1881, 548
	1881, 548		1881, 554
	1881, 549		1881, 555
	1881, 550		1881, 557
	1890, 528		1886, 65
	1890, 536		1890, 529
	1890, 537		1890, 531
	1890, 539		1890, 536
asiaticus	1881, 533		1890, 537
bactrianus.....	1881, 532		1890, 539
	1881, 544	ceylonus	1881, 534
	1881, 545	cinnamomeus	1881, 537
	1881, 546		1890, 524
	1890, 527		1890, 539
	1890, 528	concolor.....	1889, 235
	1890, 536		1890, 526
	1890, 537		1890, 536
	1890, 539		1890, 537
badius	1886, 65		1890, 539
bandicota	1881, 528	confucianus	1886, 63
	1881, 529	coucha	1882, 266
	1881, 530		1888, 13
beavani	1881, 553	coxinga	1881, 537
	1881, 554		1881, 540
	1890, 532		1882, 588
berdmorei	1886, 62		1889, 234
	1890, 525	crassipes	1881, 533
	1890, 536	cunicularis	1881, 548
	1890, 537		1886, 65
	1890, 539		1890, 522
blanfordi	1881, 531		1890, 539

	Page		Page
<i>Mus darjeelingensis</i>	1881, 544	<i>Mus gerbillinus</i>	1881, 546
<i>deccanensis</i>	1881, 526		1890, 539
<i>decumanoides</i>	1881, 532	<i>germaini</i>	1886, 62
	1881, 533	<i>giganteus</i>	1881, 528
<i>decumanus</i>	1881, 527	<i>gleadowi</i>	1885, 808
	1881, 529		1885, 819
	1881, 531		1890, 531
	1881, 532		1890, 536
	1881, 536	<i>gliroides</i>	1890, 537
	1881, 540		1886, 78
	1882, 100		1890, 532
	1884, 100	<i>gueinzii</i>	1888, 12
	1884, 101	<i>hardwickei</i>	1881, 524
	1888, 534	<i>hellwaldi</i>	1889, 234
	1889, 234	<i>homourus</i>	1881, 544
	1890, 523	<i>horeites</i>	1881, 533
	1890, 536	<i>humei</i>	1886, 63
	1890, 537		1886, 64
<i>delicatulus</i>	1888, 481		1890, 529
<i>dubius</i>	1881, 526		1890, 530
	1881, 544	<i>huttoni</i>	1881, 524
<i>dumicolus</i>	1881, 556	<i>imperator</i>	1888, 479
	1881, 557		1888, 480
<i>edwardsi</i>	1882, 587		1888, 481
	1882, 588		1888, 483
	1889, 234		1888, 484
<i>ephippium</i>	1889, 235	<i>indicus</i>	1888, 534
	1890, 526		1881, 524
<i>erythroleucus</i>	1888, 13		1881, 528
<i>erythronotus</i>	1881, 205		1881, 533
	1881, 548		1881, 535
	1881, 550	<i>infralineatus</i>	1881, 534
	1890, 539		1881, 536
<i>erythrotis</i>	1886, 64		1881, 537
	1890, 529		1890, 539
	1890, 533	<i>infraluteus</i>	1888, 534
	1890, 536		1889, 232
	1890, 537	<i>javanus</i>	1888, 534
	1890, 539	<i>jerdoni</i>	1881, 530
<i>everetti</i>	1887, 514		1881, 531
	1888, 534		1881, 537
<i>exulans</i>	1881, 540		1881, 539
<i>flavescens</i>	1881, 533		1881, 541
<i>fulvescens</i>	1881, 531		1882, 587
	1881, 537		1882, 588
	1881, 538		1889, 233
	1881, 539		1889, 234
	1881, 540		1890, 525
	1881, 557		1890, 536
	1890, 524		1890, 537
	1890, 536		1890, 539
	1890, 537	<i>kaiseri</i>	1888, 4
	1890, 539		1888, 12
<i>fulvidiventris</i>	1881, 553		1888, 16
	1881, 555	<i>kakhyensis</i>	1890, 527
	1890, 532		1890, 539
	1890, 539	<i>kandianus</i>	1881, 534
<i>fuscipes</i>	1889, 249	<i>kok</i>	1881, 526

	Page		Page
<i>Mus kok</i>	1881, 527	<i>Mus mystacalis</i>	1882, 107
<i>lanuginosus</i>	1881, 550	<i>nativitatis</i>	1888, 517
<i>lepidus</i>	1881, 554	<i>nemoralis</i>	1888, 533
<i>lepturus</i>	1881, 553	<i>nemorivagus</i>	1881, 534
<i>longicaudatus</i>	1881, 554	<i>nepalensis</i>	1890, 538
<i>longitarsus</i>	1881, 555	<i>nigricauda</i>	1881, 529
<i>macleari</i>	1889, 234	<i>nitidulus</i>	1881, 530
<i>macrolepis</i>	1881, 556	<i>nilagiricus</i>	1881, 544
<i>macropus</i>	1882, 104	<i>nitidulus</i>	1882, 266
<i>malabaricus</i>	1882, 104	<i>nitidulus</i>	1882, 267
<i>manei</i>	1887, 513	<i>nitidulus</i>	1881, 557
<i>maritimus</i>	1887, 514	<i>nitidulus</i>	1881, 532
<i>mettada</i>	1888, 517	<i>nitidulus</i>	1881, 540
<i>mettada</i>	1888, 532	<i>nitidulus</i>	1881, 550
<i>mettada</i>	1888, 533	<i>nitidulus</i>	1881, 557
<i>mettada</i>	1888, 534	<i>nitidulus</i>	1890, 529
<i>mettada</i>	1888, 13	<i>nitidulus</i>	1890, 536
<i>mettada</i>	1881, 529	<i>nitidulus</i>	1890, 537
<i>mettada</i>	1881, 530	<i>nitidulus</i>	1881, 533
<i>mettada</i>	1881, 528	<i>nitidulus</i>	1890, 536
<i>mettada</i>	1881, 544	<i>nitidulus</i>	1890, 537
<i>mettada</i>	1881, 545	<i>nitidulus</i>	1881, 504
<i>mettada</i>	1887, 55	<i>nitidulus</i>	1881, 531
<i>mettada</i>	1881, 532	<i>nitidulus</i>	1881, 539
<i>mettada</i>	1881, 544	<i>nitidulus</i>	1882, 588
<i>mettada</i>	1881, 550	<i>nitidulus</i>	1889, 234
<i>mettada</i>	1881, 551	<i>nitidulus</i>	1889, 235
<i>mettada</i>	1881, 552	<i>nitidulus</i>	1890, 525
<i>mettada</i>	1881, 554	<i>nitidulus</i>	1881, 537
<i>mettada</i>	1885, 810	<i>nitidulus</i>	1881, 539
<i>mettada</i>	1888, 135	<i>nitidulus</i>	1881, 556
<i>mettada</i>	1890, 530	<i>nitidulus</i>	1890, 528
<i>mettada</i>	1890, 531	<i>nitidulus</i>	1890, 539
<i>mettada</i>	1890, 536	<i>nitidulus</i>	1886, 78
<i>mettada</i>	1890, 537	<i>nitidulus</i>	1890, 539
<i>mettada</i>	1887, 514	<i>nitidulus</i>	1881, 528
<i>mettada</i>	1888, 13	<i>nitidulus</i>	1881, 552
<i>mettada</i>	1881, 552	<i>nitidulus</i>	1881, 553
<i>mettada</i>	1888, 13	<i>nitidulus</i>	1890, 536
<i>mettada</i>	1881, 552	<i>nitidulus</i>	1890, 537
<i>mettada</i>	1888, 237	<i>nitidulus</i>	1881, 526
<i>mettada</i>	1881, 526	<i>nitidulus</i>	1881, 556
<i>mettada</i>	1887, 514	<i>nitidulus</i>	1881, 557
<i>mettada</i>	1889, 234	<i>nitidulus</i>	1888, 481
<i>mettada</i>	1888, 13	<i>nitidulus</i>	1888, 482
<i>mettada</i>	1881, 536	<i>nitidulus</i>	1888, 483
<i>mettada</i>	1881, 544	<i>nitidulus</i>	1888, 484
<i>mettada</i>	1881, 545	<i>nitidulus</i>	1881, 526
<i>mettada</i>	1881, 546	<i>nitidulus</i>	1881, 533
<i>mettada</i>	1882, 101	<i>nitidulus</i>	1881, 544
<i>mettada</i>	1884, 100	<i>nitidulus</i>	1881, 545
<i>mettada</i>	1884, 104	<i>nitidulus</i>	1881, 533
<i>mettada</i>	1888, 446	<i>nitidulus</i>	1881, 533
<i>mettada</i>	1888, 447	<i>nitidulus</i>	1881, 536
<i>mettada</i>	1889, 248	<i>nitidulus</i>	1882, 100
<i>mettada</i>	1890, 527	<i>nitidulus</i>	1888, 481
<i>mettada</i>	1889, 235	<i>nitidulus</i>	1889, 233
<i>mettada</i>	1881, 557	<i>nitidulus</i>	1890, 448
<i>mettada</i>	1881, 557	<i>nitidulus</i>	1890, 448

	Page		Page
<i>Mus rattus</i>	1890, 523	<i>Mus sladeni</i>	1890, 524
	1890, 524		1890, 538
— <i>alexandrinus</i> ..	1890, 535	<i>spinulosus</i>	1890, 531
	1890, 523	<i>strophiatius</i>	1881, 547
— <i>nitidus</i>	1890, 524		1881, 548
	1890, 524	<i>sublimis</i>	1881, 545
	1890, 536		1890, 528
— <i>rufescens</i>	1890, 537		1890, 536
	1886, 57		1890, 537
	1886, 62	<i>sylvaticus</i>	1890, 539
	1886, 71		1881, 205
	1890, 523		1881, 548
	1890, 524		1881, 549
	1890, 525		1881, 550
	1890, 526		1882, 104
	1890, 536	<i>tamaricinus</i>	1890, 528
	1890, 537	<i>tarayensis</i>	1884, 88
	1890, 538	<i>terræ reginæ</i>	1881, 526
	1890, 539	<i>terræ reginæ</i>	1888, 482
<i>rex</i>	1888, 480	<i>terricolor</i>	1881, 553
	1888, 481		1881, 554
	1888, 483		1881, 555
	1888, 484		1890, 532
	1888, 534		1890, 539
<i>robustulus</i>	1881, 534	<i>tetragonurus</i>	1881, 534
	1886, 62	<i>theobaldi</i>	1881, 546
	1886, 71	<i>trivirgatus</i>	1888, 481
	1890, 525	<i>tytleri</i>	1881, 544
	1890, 528		1881, 545
<i>robustus</i>	1881, 205	<i>univittatus</i>	1887, 121
	1881, 535		1888, 12
<i>rubricosa</i>	1890, 524		1888, 16
	1890, 539	<i>urbanus</i>	1881, 532
<i>rufescens</i>	1881, 204		1881, 536
	1881, 205		1881, 544
	1881, 532		1881, 545
	1881, 533		1881, 546
	1881, 534		1881, 550
	1881, 535		1890, 526
	1890, 536		1890, 527
	1890, 537		1890, 528
<i>rufinus</i>	1888, 12		1890, 530
	1888, 16		1890, 536
<i>sabanus</i>	1889, 233	<i>viculorum</i>	1890, 537
	1889, 234		1890, 539
<i>saccharivorus</i>	1882, 712	<i>wagneri</i>	1890, 528
<i>salamonis</i>	1888, 481		1890, 536
	1888, 483		1890, 537
<i>setifer</i>	1881, 528		1890, 539
	1881, 530	<i>xanthurus</i>	1887, 514
	1890, 523	<i>yunnanensis</i>	1890, 524
<i>setulosus</i>	1881, 552		1890, 538
<i>silaceus</i>	1882, 266	<i>zenik</i>	1882, 92
	1888, 13	(<i>Calomys</i>) <i>flavescens</i>	1882, 104
		(<i>Habrothrix</i>) <i>oliva-</i>	
		<i>ceus</i>	1882, 110

	Page		Page
Mus (Isomys) abyssini-		Muscicapa atricapilla ..	1882, 707
cus	1888, 12	caerulescens	1882, 302
	1890, 448		1884, 555
(—) barbarus ..	1888, 11		1889, 360
	1888, 16	cinerascens	1884, 555
(—) dorsalis	1890, 448	cinereo-alba	1882, 707
(—) pumilio....	1882, 266	collaris	1882, 707
(Leggada) buduga .	1881, 540	fuscula	1884, 230
	1881, 547	griseisticta.....	1882, 591
	1881, 553		1882, 706
	1890, 529		1882, 707
	1890, 531		1885, 632
	1890, 536		1889, 224
	1890, 537	grisola	1881, 577
	1890, 539		1882, 591
(—) minutoides .	1882, 266		1882, 707
	1888, 13		1888, 26
	1888, 16	gularis	1890, 341
(—) platythrix ..	1881, 553	hylocharis.....	1890, 342
	1890, 531	infulata	1888, 26
	1890, 536	johnstoni	1884, 555
	1890, 537		1885, 222
(Lemniscomys) bar-			1885, 225
barus, var. mas-		latirostris	1882, 707
saicus.....	1888, 11	minima	1884, 230
(Neotoma) gigan-			1885, 225
teus	1881, 529	minuta	1884, 230
(—) providens ..	1881, 526	parva.....	1882, 707
(Nesokia) bandi-			1890, 361
cota	1881, 524		1890, 616
	1881, 528	sibirica	1882, 706
	1881, 529		1882, 707
	1881, 533	usseri	1882, 591
(—) barclayanus .	1881, 526	Muscicapula hype-	
	1881, 528	rythra	1888, 270
(—) bengalensis .	1881, 524	maculata	1887, 436
	1881, 526		1888, 270
(—) blythianus..	1881, 526	superciliaris	1888, 270
	1881, 527	westernmanni.....	1888, 270
(—) elliotanus ..	1881, 529	Muscigralla brevicauda .	1885, 117
	1881, 530		1885, 122
(—) giganteus ..	1881, 529	Muscipeta affinis	1888, 270
(—) hardwickii .	1881, 524	incanescens	1883, 554
	1881, 526	smithii	1881, 788
(—) huttoni	1881, 524	Muscisaxicola albifrons .	1886, 396
	1881, 526		1886, 397
(—) nemori-		alpina.....	1885, 87
vagus.....	1881, 524		1885, 115
	1881, 529	fluviatilis	1882, 18
	1881, 535	maculirostris.....	1884, 295
(—) providens ..	1881, 527	mentalis.....	1881, 8
(Rattus) niviventer.	1881, 540	rufivertex	1886, 398
(Vandeleuria) du-		Muscivora castelnaudi..	1885, 121
meticola	1881, 556	mexicana	1883, 448
(—) oleraceus ..	1881, 556	occidentalis	1883, 557
Musca domestica	1887, 256		1885, 121
vomitorea	1887, 256	Musophaga rossæ.....	1888, 43
Muscicapa aquatica	1882, 591	Mustela afra	1882, 72

	Page		Page
<i>Mustela agilis</i>	1881,	<i>Mya truncata</i>	1881,
<i>albinucha</i>	1885,		945
<i>alpina</i>	1881,		946
<i>altaica</i>	1881,		1882,
<i>americana</i>	1885,		687
<i>erminea</i>	1881,		1884,
	1881,	<i>uddevallensis</i>	1881,
<i>felina</i>	1889,	<i>Myana atromacula</i>	1884,
<i>flavigula</i>	1885,		523
	1886,	<i>sopora</i>	1884,
<i>foina</i>	1881,		529
	1885,	<i>Mycalesis</i> , sp.	1882,
<i>frenata</i>	1881,	<i>asochis</i>	1887,
<i>galera</i>	1882,	<i>caffra</i>	1888,
<i>glauca</i>	1887,	<i>desolata</i>	1884,
<i>gulo</i>	1885,	<i>doleta</i>	1884,
<i>jelskii</i>	1881,	<i>eusirus</i>	1888,
	1881,	<i>gotama</i>	1881,
<i>lutra</i>	1885,		868
	1889,		1881,
<i>lutris</i>	1885,		903
<i>macroura</i>	1881,		1887,
	1881,	<i>injusta</i>	1888,
	1881,	<i>martius</i>	1887,
	1881,	<i>miriam</i>	1887,
	1881,	<i>perdiccas</i>	1881,
	1881,		868
	1881,		1881,
<i>martes</i>	1885,		903
<i>pennanti</i>	1885,		1887,
	1886,	<i>perspicua</i>	1888,
<i>stolzmanni</i>	1881,	<i>ræsaces</i>	1884,
<i>striata</i>	1882,	<i>safitza</i>	1888,
<i>temon</i>	1881,		1890,
<i>zibellina</i>	1885,	<i>sangaica</i>	1881,
(<i>Lutra</i>) <i>canadensis</i> ..	1889,		1887,
(—) <i>chilensis</i> ..	1889,	<i>visala</i>	1882,
(—) <i>paraguensis</i> ..	1889,	<i>vulgaris</i>	1884,
<i>Mustelus antarcticus</i> ..	1888,		1890,
<i>manazo</i>	1889,	<i>Mycerobas melanoxan-</i>	473
<i>Mustilia columbaris</i> ...	1886,	<i>thus</i>	1885,
	1886,	<i>Mycetina amabilis</i>	1887,
<i>Mutela exotica</i>	1881,		642
<i>Mutina furcifera</i>	1881,	<i>ancoriger</i>	1887,
	1881,		642
	1881,	<i>laticollis</i>	1887,
<i>Mya arctica</i>	1881,		644
<i>bidentata</i>	1881,		1887,
<i>binghami</i>	1881,		653
<i>convexa</i>	1881,	<i>Mycteria americana</i> ...	1883,
<i>ferruginosa</i>	1881,		640
<i>membranacea</i>	1881,		1886,
	1881,	<i>Mydaus</i> , sp.	1889,
	1881,	<i>Mydrodoxa semperi</i> ...	1885,
<i>nitida</i>	1881,		519
<i>norvegica</i>	1881,		1885,
	1881,	<i>splendens</i>	1885,
	1881,	<i>Myelois bractiatella</i> ...	1888,
<i>oblonga</i>	1881,		332
<i>prætenuis</i>	1881,	<i>carnea</i>	1888,
<i>pubescens</i>	1881,	<i>convergens</i>	1888,
<i>rostrata</i>	1881,	<i>urbicella</i>	1888,
<i>suborbicularis</i>	1881,	<i>Mygale bistriata</i>	1881,
	1881,	<i>cæmentaria</i>	1885,
	700		4
			1885,
			5
			1885,
			6

	Page		Page
<i>Mygale fasciata</i>	1885,	246	
	1886,	4	
<i>javanensis</i>	1885,	4	
<i>versicolor</i>	1881,	683	
(<i>Cteniza</i>) <i>cæmen-</i>			
<i>taria</i>	1885,	3	
<i>Mygimia extranea</i>	1881,	649	
<i>prodigiosa</i>	1881,	650	
<i>vindex</i>	1881,	650	
<i>Myiadestes dominicanus</i>	1889,	326	
<i>ralloides</i>	1885,	17	
	1885,	117	
<i>sanctæ-luciæ</i>	1889,	395	
<i>Myiagra ferrocyanæa</i> ..	1888,	195	
	1888,	196	
<i>fulviventris</i>	1883,	51	
	1883,	54	
	1883,	57	
	1883,	195	
	1883,	200	
	1884,	432	
<i>pallida</i>	1888,	196	
<i>rufigula</i>	1883,	55	
<i>Myiarchus cephalotes</i> ..	1882,	22	
	1885,	93	
<i>lawrencii</i>	1883,	448	
<i>nigriceps</i>	1882,	22	
	1883,	559	
	1884,	297	
<i>phæocephalus</i>	1883,	559	
	1885,	93	
	1885,	122	
<i>tyrannulus</i>	1882,	22	
	1882,	608	
	1889,	326	
	1889,	395	
<i>Myiobius barbatus</i>	1882,	21	
	1885,	118	
<i>bellus</i>	1887,	50	
<i>cinnamomeus</i>	1882,	21	
	1885,	91	
<i>crypterythrus</i>	1883,	558	
	1884,	297	
	1885,	68	
	1885,	92	
	1885,	122	
<i>cryptoxanthus</i>	1885,	68	
	1885,	92	
<i>erythrusus</i>	1882,	21	
	1883,	557	
	1885,	121	
<i>flavicans</i>	1884,	297	
<i>nævius</i>	1882,	21	
	1882,	607	
	1883,	558	
<i>ornatus</i>	1883,	557	
<i>phœnicomitra</i>	1885,	91	
<i>phœnicurus</i>	1883,	557	
<i>Myiobius phœnicurus</i> ..	1885,	91	
	1885,	117	
<i>pulcher</i>	1887,	50	
<i>stellatus</i>	1883,	557	
	1884,	282	
	1884,	297	
	1885,	117	
	1885,	121	
<i>subochraceus</i>	1887,	50	
<i>superciliosus</i>	1882,	21	
<i>villosus</i>	1882,	21	
	1885,	91	
	1885,	116	
	1885,	118	
<i>Myioborus melanocephalus</i>	1882,	7	
<i>verticalis</i>	1882,	7	
<i>Myiodioctes canadensis</i>	1882,	6	
	1885,	74	
<i>mitratus</i>	1883,	441	
<i>Myiodynastes atrifrons</i>	1883,	556	
	1885,	122	
<i>audax</i>	1885,	70	
	1885,	91	
	1885,	114	
<i>bairdi</i>	1883,	556	
	1885,	70	
<i>chrysocephalus</i>	1882,	21	
	1884,	296	
— <i>minor</i>	1885,	91	
<i>luteiventris</i>	1882,	21	
	1883,	448	
<i>solitarius</i>	1882,	20	
	1882,	607	
<i>Myiolestes helianthea</i> ..	1885,	552	
<i>obscurus</i>	1881,	795	
	1885,	410	
<i>Myiopatis incanescens</i> ..	1883,	554	
<i>tumbezana</i>	1883,	537	
	1883,	554	
<i>Myiophoneus, sp.</i>	1887,	436	
<i>eugenii</i>	1887,	436	
<i>temmincki</i>	1887,	436	
<i>Myiopsitta orbignesia</i> ..	1886,	399	
<i>Myiotheretes erythropygus</i>	1885,	87	
	1885,	117	
<i>rufiventris</i>	1882,	603	
<i>striaticollis</i>	1882,	18	
	1885,	86	
<i>Myiozetetes cayennensis</i>	1883,	537	
	1883,	556	
	1885,	68	
<i>columbianus</i>	1885,	118	
<i>granadensis</i>	1882,	20	
	1883,	556	
<i>similis</i>	1885,	68	

	Page		Page
<i>Myiozetetes similis</i>	1885,	<i>Myristicivora luctuosa</i> ..	1882,
<i>texensis</i>	1883,		1885,
	1883,	<i>melanura</i>	1882,
	1885,	<i>spilorrhoea</i>	1882,
<i>Mylabris kersteni</i>	1885,		1885,
<i>Myliobatis aquila</i>	1890,	<i>Myrmeciza atrothorax</i> ..	1882,
	1890,	<i>exsul</i>	1883,
	1890,		1885,
<i>Mylodon</i> (<i>Grypotherium</i>)		<i>hemimelæna</i>	1882,
<i>darwinii</i>	1886,	<i>maynana</i>	1882,
	1886,	<i>Myrmecobius fasciatus</i> .	1887,
<i>Mylothris asphodelus</i> ..	1887,		1887,
<i>chloris</i>	1887,		1889,
	1888,	<i>Myrmecocela ochraceella</i>	1886,
<i>clarissa</i>	1888,	<i>Myrmecophaga aculeata</i>	1885,
<i>hemitheia</i>	1884,	<i>jubata</i>	1882,
<i>iphigenia</i>	1890,		1882,
	1890,		1882,
<i>narcissus</i>	1888,		1882,
<i>poppæa</i>	1888,		1882,
	1890,		1882,
<i>trimenia</i>	1888,		1882,
<i>Myonia concinna</i>	1890,		1882,
<i>japonica</i>	1890,		1886,
<i>Myopotamus coypu</i>	1881,	<i>Myrmeleon formicarius</i> .	1881,
<i>Myopterus daubentoni</i> ..	1886,	<i>Myrmia micrura</i>	1883,
<i>Myoscalops albifrons</i> ..	1890,		1883,
<i>argenteo-cinereus</i> ..	1890,		1884,
	1890,		1885,
<i>Myosorex johnstoni</i>	1887,	<i>Myrmotherula atrogu-</i>	
	1887,	<i>laris</i>	1882,
<i>morio</i>	1887,	<i>axillaris</i>	1882,
	1887,	<i>cinereiventris</i>	1882,
	1887,	<i>gutturalis</i>	1882,
<i>varius</i>	1887,	<i>hæmatonota</i>	1882,
	1887,	<i>menetriesi</i>	1882,
	1887,		1883,
	1887,		1884,
	1890,		1885,
<i>Myra fugax</i>	1884,		1885,
<i>subgranulata</i>	1884,	<i>pygmæa</i>	1882,
<i>Myrina acte</i>	1887,	<i>schisticolor</i>	1883,
<i>myliona</i>	1882,	<i>surinamensis</i>	1882,
<i>nomenia</i>	1884,		1883,
<i>silenus</i>	1888,	<i>Myrtis fanny</i>	1882,
<i>syrinx</i>	1883,		1883,
<i>Myripristis murdjan</i>	1887,		1884,
<i>Myristicivora bicolor</i> ..	1881,	<i>Myscelia canthara</i>	1890,
	1882,	<i>Mystacornis crossleyi</i> ..	1881,
	1883,	<i>Mythimna conigera</i>	1889,
	1883,	<i>deparca</i>	1889,
	1883,	<i>divergens</i>	1889,
	1883,		1889,
	1884,	<i>grandis</i>	1889,
	1884,	<i>limbata</i>	1889,
	1885,	<i>placida</i>	1889,
	1885,		1889,
	1885,	<i>rufipennis</i>	1889,
	1885,		481

	Page		Page
<i>Mythimna turca</i>	1889, 481	<i>Nacaduba aluta</i>	1888, 544
<i>Mytilus</i> , sp.	1881, 44	<i>ardates</i>	1882, 246
<i>adriaticus</i>	1881, 950		1885, 132
<i>barbatus</i>	1881, 950		1886, 427
<i>chilensis</i>	1881, 44	<i>Nacamsa meldolæ</i>	1883, 209
<i>chorus</i>	1881, 43		1883, 211
	1881, 44	<i>simillima</i>	1883, 209
<i>compressus</i>	1890, 314		1883, 211
<i>edulis</i>	1881, 950		1883, 255
	1888, 488		1883, 310
	1890, 248	<i>Nacca fulminea</i>	1885, 36
	1890, 314	<i>marmorata</i>	1885, 36
<i>exustus</i>	1890, 253	<i>Nadagara grisea</i>	1883, 172
	1890, 304		1886, 390
<i>fischerianus</i>	1881, 43		1886, 457
	1881, 44	<i>Nadisepa jarbas</i>	1882, 249
<i>incurvatus</i>	1882, 683	<i>Nænia contaminata</i> ...	1889, 542
<i>magellanicus</i>	1881, 44	<i>inca</i>	1882, 520
	1890, 248	<i>muscosa</i>	1889, 490
	1890, 314	<i>Naia bungarus</i>	1890, 36
<i>meridionalis</i>	1890, 314	<i>haje</i>	1887, 127
<i>phaseolinus</i>	1881, 950		1887, 488
	1882, 683	<i>sputatrix</i>	1890, 35
<i>plicatus</i>	1881, 946	<i>tripudians</i>	1881, 216
<i>rugosus</i>	1881, 946		1881, 223
<i>ungulata</i>	1881, 950		1890, 35
<i>Myxilla rubiginosa</i>	1881, 120	<i>Nais aurigena</i>	1889, 51
<i>Myxine australis</i>	1881, 22	<i>Nandinia binotata</i>	1885, 786
<i>Myzanthæ ignipectus</i> ..	1883, 580		1885, 791
<i>inornatum</i>	1883, 580		1886, 209
<i>pygmæa</i>	1889, 225	<i>Nanina assavaensis</i>	1887, 169
<i>Myzomela adolphinæ</i> ..	1885, 640	<i>calculosa</i>	1887, 172
<i>annabellæ</i>	1883, 51	<i>calva</i>	1887, 166
	1883, 56	<i>casca</i>	1887, 166
	1883, 200	<i>citrina</i>	1884, 259
	1884, 432	<i>firmostyla</i>	1887, 170
<i>chermesina</i>	1881, 451	<i>fragillima</i>	1887, 167
<i>eques</i>	1885, 640	<i>godeffroyana</i>	1887, 168
<i>erythrocephala</i>	1883, 56	<i>hoyti</i>	1887, 168
	1885, 640	<i>kioaensis</i>	1887, 169
<i>nigrita</i>	1885, 640	<i>lurida</i>	1887, 167
<i>obscura</i>	1885, 640	<i>microconus</i>	1887, 172
<i>pulcherrima</i>	1883, 347	<i>nouleti</i>	1887, 166
<i>pusilla</i>	1883, 116		1887, 168
<i>rosenbergi</i>	1885, 640	—, var. <i>polita</i>	1887, 168
<i>sharpei</i>	1888, 186	<i>otareæ</i>	1887, 168
	1888, 197	<i>perpolita</i>	1884, 271
<i>wakaloensis</i>	1883, 116	<i>pfeifferi</i>	1887, 167
	1883, 589	<i>volita</i>	1887, 168
	1884, 429	<i>ramsayi</i>	1887, 165
<i>Myzostoma cysticolum</i> .	1885, 444	<i>samoensis</i>	1887, 171
<i>deformatum</i>	1885, 444	<i>scorpio</i>	1887, 315
<i>inflator</i>	1885, 443	<i>similis</i>	1887, 167
<i>murrayi</i>	1885, 443	<i>taviuniensis</i>	1887, 169
<i>pentacrinus</i>	1885, 444	<i>tenella</i>	1887, 168
<i>tenuispinum</i>	1885, 443	<i>tongana</i>	1884, 271
<i>willemoesii</i>	1885, 443		

	Page		Page
Nanina tumulus	1887,	Nasiterna finschi	1888,
upolensis	1887,		186
vitiensis	1887,	pusio	1888,
vitrinina	1887,	pygmæa	1885,
	1887,	Nassa ambigua	1890,
(Ariophanta) fove-	1887,	cinctella	1890,
ata	1881,		263
(Gastrodonta) en-	628	incrassata	1890,
sifera	1887,	sanctæ-helenæ	1890,
(Hemiplecta) densa.	1881,		263
(—) schumacher-	628	tæniolata	1881,
iana	1881,		30
(Microcystis) accu-	628	(Tritia) coppingeri .	1881,
rata	1887,		30
(—) excrescens ..	1887,		138
(—) perpolita ..	1887,	Nasua fusca	1885,
(Rhysota) brookei .	1881,	leucorhynchus	1885,
(Xesta) consul	1881,	nasica	1885,
(—) fragillima ..	1887,		353
(—) malaccana ..	1881,		353
Nannoglanis fasciatus ..	1887,		129
	1887,	rufa	1890,
	1887,		73
	283	Nasuma ismare	1883,
Naunophryne variegata .	1881,		214
Naunophrys ceylonensis.	1887,		233
ceylonica	1888,	Natada basalis	1885,
Nanotragus melanotis ..	1881,		303
oreotragus	1881,	elsa	1887,
scoparius	1881,	julia	1887,
tragulus	1881,	undina	1887,
	1890,	velutina	1885,
	654	Natalus stramineus	1882,
Napalia præcox	1889,	Natica affinis	1883,
Naprepa varians	1885,		391
	1886,		35
	440	alba	1885,
Naranga ænescens	1881,	alderi	1885,
diffusa	1881,		30
Narapa adamata	1889,		270
breta	1889,	angulata	1885,
Nardoa pelagica	1881,		62
	1881,	beverlii	1885,
(Ascandra) echi-	141	bulbosa	1885,
noides	1881,	castanea	1885,
Narmada consimilis	1883,	catena	1885,
coreoides	1883,	clausa	1885,
	1883,	compacta	1885,
	211		33
	1883,		62
	212	crosseana	1885,
	1883,	dillwynii	1885,
	255		37
	1883,		251
	318		270
	1883,	filosa	1885,
lankana	1883,	flammula	1885,
	209	flammulata	1885,
	1883,	fusca	1885,
	211	glaucina	1885,
montana	1883,	globosa	1885,
Naseus brevirostris	1889,		62
Nasica longirostris	1882,	gouldii	1885,
	1882,	greenlandica	1883,
	613		393
Nasiterna aolæ	1888,		29
	1888,		
	189		
bruijni	1885,		
finschi	1883,		

	Page		Page
<i>Natica groenlandica</i>	1885, 30	<i>Natica sagraiana</i>	1885, 36
<i>guillemini</i>	1885, 30	<i>sanctæ-helenæ</i>	1890, 251
<i>hebræa</i>	1885, 31		1890, 270
	1885, 37		1890, 315
	1885, 38	<i>septentrionalis</i>	1885, 35
<i>imbricata</i>	1885, 36	<i>sordida</i>	1885, 29
<i>immaculata</i>	1885, 34	<i>sphæroides</i>	1885, 35
<i>intricata</i>	1885, 31	<i>stercus muscarum</i>	1885, 37
	1885, 37	<i>subplicata</i>	1885, 32
<i>intricatoides</i>	1885, 37		1885, 62
<i>islandica</i>	1885, 30	<i>suturalis</i>	1885, 29
<i>josephinia</i>	1885, 34	<i>tæniata</i>	1890, 270
	1885, 35		1890, 315
<i>lactea</i>	1885, 29	<i>textilis</i>	1885, 37
<i>lævida</i>	1885, 29	<i>triseriata</i>	1885, 32
<i>livida</i>	1885, 29	<i>turtoni</i>	1890, 251
<i>loveni</i>	1890, 271		1890, 269
<i>macilenta</i>	1885, 30		1890, 270
	1885, 32		1890, 315
<i>marmorata</i>	1885, 31	<i>uberina</i>	1890, 271
	1885, 36	<i>valenciennesi</i>	1885, 31
<i>millepunctata</i>	1885, 29	<i>vittata</i>	1885, 37
	1885, 38	(Polinices) <i>por-</i>	
<i>monilifera</i>	1885, 29	<i>cellana</i>	1890, 251
<i>montacuti</i>	1883, 392		1890, 271
	1883, 393	<i>Naucrates ductor</i>	1889, 240
	1884, 122	<i>Nausincæ eurcalis</i>	1889, 420
	1885, 31		1889, 432
	1885, 32	<i>neptalis</i>	1885, 870
	1885, 33	<i>neptis</i>	1889, 421
<i>montagui</i>	1885, 31	<i>Navicella bougainvillei</i>	1884, 270
<i>multipunctata</i>	1885, 37	<i>freycineti</i>	1884, 270
<i>nana</i>	1885, 34	<i>macrocephala</i>	1884, 270
<i>nitida</i>	1885, 31	<i>suborbicularis</i>	1885, 608
	1890, 271	<i>Naxia calefaciens</i>	1883, 26
<i>notabilis</i>	1885, 31	<i>coreana</i>	1889, 560
	1885, 32		1889, 571
	1885, 62	<i>duplexa</i>	1883, 26
<i>obtusa</i>	1885, 33		1883, 30
	1885, 62	<i>robillardi</i>	1882, 339
<i>occlusa</i>	1885, 35		1882, 341
<i>operculata</i>	1885, 34	(Polynoides) <i>petersii</i>	1882, 341
	1885, 62	(—) <i>robillardi</i>	1882, 339
<i>pallida</i>	1885, 29		1882, 342
	1885, 30	<i>Naxioides hirta</i>	1882, 341
<i>plumbæa</i>	1885, 27	<i>Neera abbreviata</i>	1881, 943
<i>porcellana</i>	1890, 271	<i>acutalis</i>	1881, 938
<i>prietoi</i>	1885, 36	<i>angularis</i>	1881, 943
<i>proxima</i>	1885, 37		1881, 952
	1890, 270	<i>ardiniana</i>	1881, 938
—, var. <i>avellana</i>	1885, 37		1881, 939
—, var. <i>fusca</i>	1885, 37	<i>bicarinata</i>	1881, 939
<i>pulchella</i>	1885, 30		1881, 952
<i>pusilla</i>	1885, 29	<i>chinensis</i>	1881, 939
	1885, 30	<i>circinata</i>	1881, 942
<i>rizzæ</i>	1885, 30		1881, 952
	1885, 32		1882, 686
<i>rusa</i>	1885, 35		1884, 146

	Page		Page
<i>Neæra coarctata</i>	1881, 941	<i>Neæra striata</i>	1882, 687
<i>cochlearis</i>	1882, 576		1884, 146
<i>contracta</i>	1881, 941	<i>subtorta</i>	1881, 937
	1881, 952		1882, 686
	1882, 686		1883, 391
	1884, 146		1884, 146
<i>costellata</i>	1881, 944	<i>sulcifera</i>	1881, 937
	1882, 687		1881, 952
<i>curta</i>	1881, 938	<i>teres</i>	1881, 939
	1881, 943		1881, 952
	1881, 952	<i>truncata</i>	1881, 936
	1882, 687		1881, 937
	1884, 146		1881, 952
<i>cuspidata</i>	1881, 938	<i>vitrea</i>	1881, 943
	1884, 146	<i>Neasellus kerguelenensis</i> ..	1886, 101
—, var. <i>crossa</i>	1882, 686	<i>Nebria himalayica</i>	1889, 212
<i>depressa</i>	1881, 940	<i>Nebroda albimaculata</i> ..	1883, 228
	1881, 952	<i>echeria</i>	1883, 214
	1882, 686		1883, 228
	1884, 146	<i>Necrosia maculicollis</i> ..	1883, 630
<i>elegans</i>	1881, 938	<i>Nectaria agelia</i>	1883, 216
<i>exigua</i>	1881, 940	<i>aza</i>	1883, 216
<i>glacialis</i>	1881, 938	<i>blanchardii</i>	1883, 216
<i>gracilis</i>	1881, 938	<i>clara</i>	1883, 216
	1881, 952	<i>d'urvillei</i>	1883, 216
	1884, 146	<i>godmani</i>	1883, 216
<i>imbricata</i>	1881, 942	<i>idea</i>	1883, 214
<i>inflata</i>	1881, 942		1883, 216
	1881, 952	<i>jasonia</i>	1883, 219
<i>jugosa</i>	1881, 940	<i>leuconoe</i>	1883, 216
<i>koreni</i>	1881, 940	<i>malabarica</i>	1883, 216
<i>lamellifera</i>	1884, 146	<i>Nectarinia</i> , sp.	1883, 51
<i>lamellosa</i>	1881, 940		1883, 198
	1881, 941	<i>acik</i>	1888, 38
	1882, 686	<i>azic</i>	1888, 38
	1884, 146	<i>balfouri</i>	1881, 954
<i>limatula</i>	1884, 146	<i>collaris</i>	1881, 571
<i>multicostata</i>	1881, 944		1889, 366
	1882, 687	<i>cuprea</i>	1888, 38
<i>notabilis</i>	1881, 941	<i>cyanoccephala</i>	1888, 38
<i>obesa</i>	1881, 937	<i>erythroceria</i>	1888, 38
	1881, 938	<i>famosa</i>	1882, 417
	1882, 686		1882, 420
—, var. <i>glacialis</i> ..	1882, 686		1884, 556
<i>pellucida</i>	1881, 938		1885, 227
<i>princeps</i>	1888, 610	<i>fuliginosa</i>	1887, 125
<i>rostrata</i>	1881, 938	<i>gutturalis</i>	1881, 570
	1884, 146	<i>jardinei</i>	1881, 570
<i>ruginosa</i>	1881, 942	<i>johnstoni</i>	1885, 222
	1881, 952		1885, 227
	1882, 686	<i>kalkkreuthi</i>	1881, 571
	1884, 146		1889, 366
<i>semistrigosa</i>	1881, 941	<i>kilimensis</i>	1884, 555
	1881, 952		1884, 556
	1882, 686		1885, 222
	1884, 146		1885, 227
<i>striata</i>	1881, 944		1889, 365
	1881, 952	<i>longuemarii</i>	1889, 366

	Page		Page
Nectarinia melanogastra	1889, 356	Nemoria reuens	1885, 854
	1889, 364		1886, 454
metallica	1881, 957	parvulata	1885, 854
pulchella	1888, 38	pruinosa	1881, 616
reichenowi	1884, 556		1883, 169
	1885, 227		1884, 526
	1889, 365	Nemoricola indica	1887, 581
splendida	1883, 63	Nemosia guira	1882, 15
	1883, 64	guirina	1883, 547
	1883, 66	ornata	1884, 290
	1883, 69	Neobrotica dimidiati-	
tacazze	1884, 555	cornis	1889, 285
	1884, 556		1889, 286
temmincki	1887, 503	inconstans	1889, 285
Nectarophila grayi	1885, 554	pallescens	1889, 285
hasselti	1881, 796	variabilis	1889, 286
	1885, 410	(Diabrotica) ober-	
juliae	1885, 266	thuri	1889, 286
Nectomys apicalis	1882, 102	Neocænyra duplex	1885, 757
Nelo chrysomela	1885, 533		1885, 758
discalis	1885, 532	Neocentor goliath	1885, 566
fustina	1885, 533	menebiki	1885, 625
	1885, 534	Neocharis fulvicollis	1881, 448
	1885, 536	Neochlamys strigicollis	1882, 51
paterna	1885, 533	Neochrolea cavifrons	1887, 117
	1885, 536		1887, 119
philodamea	1885, 534	Neodrilus monocystis	1889, 377
	1885, 536		1889, 380
refulgens	1885, 534	Neolanguria	1887, 361
splendens	1885, 533	Neomeris phocænoides	1883, 506
	1885, 536	Neomixus striatigula	1881, 195
tolosa	1885, 532		1881, 196
tomisa	1885, 532	Neope callipterus	1881, 848
	1885, 536		1881, 869
axisama	1885, 532		1881, 908
	1885, 536		1887, 403
veliterna	1885, 533		1887, 427
	1885, 536	fentoni	1881, 848
xenopithia	1885, 532		1881, 853
Nematus ribesii	1887, 206		1881, 907
	1887, 228		1887, 426
Nemeobius lucina	1881, 654	gaschkevitschii	1881, 848
Nemeophila macromera	1888, 615		1881, 868
—, var. leucomera	1888, 615		1881, 908
metalleana	1888, 616		1887, 403
plantaginis	1888, 615		1887, 427
Nemophas forbesii	1884, 213	muirheadi	1881, 869
	1884, 218		1881, 909
	1884, 219	niphonica	1881, 908
grayii	1884, 218		1887, 427
Nemorhædus cinereus	1890, 94	segonacia	1881, 909
goral	1881, 450	Neophren monachus	1885, 223
henryanus	1890, 94	percnopterus	1881, 172
swinhoii	1890, 94		1888, 657
Nemoria carnifrons	1883, 169	pileatus	1885, 223
	1886, 454	Neophrynichthys latus	1881, 20
frequens	1881, 616		1881, 138
	1884, 526	Neopithecops elorea	1887, 572

	Page		Page
<i>Neopsittacus muschen- brœcki</i>	1885, 623	<i>Neptis agatha</i>	1887, 570 1888, 65
<i>Neopus malayensis</i>	1887, 433 1888, 268		1890, 467
<i>Neorhynchus nasesus</i>	1883, 537 1883, 550 1885, 122	<i>alomptra</i>	1881, 895
	1885, 122	<i>alwina</i>	1881, 866 1881, 895 1887, 402 1887, 420
<i>Neorina hilda</i>	1882, 405		1887, 420
<i>Neotanaïs</i>	1886, 117	<i>amba</i>	1882, 241
<i>americanus</i>	1886, 118	<i>amboides</i>	1882, 241
<i>Neothauma tanganyi- cense</i>	1881, 293	<i>ananta</i>	1882, 241
<i>Neotoma floridana</i>	1888, 444	<i>astola</i>	1882, 240 1883, 145 1883, 146
<i>Neotragus, sp.</i>	1885, 932		1885, 129
<i>kirki</i>	1885, 932 1886, 505	<i>cerne</i>	1883, 256
	1885, 932	<i>duryodana</i>	1886, 360
<i>Nepa cinerea</i>	1881, 655	<i>eurymene</i>	1883, 145 1883, 146 1883, 175 1886, 425
<i>Nepanthia suffarcinata</i>	1888, 389		1881, 866
<i>Nephele hespera</i>	1885, 287 1886, 435 1888, 293	<i>eurynome</i>	1881, 895 1883, 145 1881, 847 1881, 848 1881, 866 1881, 895 1887, 402 1887, 420
	1888, 293		1888, 92
<i>Nephelodes datanidia</i>	1889, 484	<i>excellens</i>	1881, 847 1881, 848 1881, 866 1881, 895 1887, 402 1887, 420
<i>Nepheronia arabica</i>	1884, 492 1885, 757 1885, 775		1888, 256 1881, 848 1881, 894 1883, 256 1881, 866 1881, 894 1887, 402 1887, 419 1887, 419 1881, 848 1881, 849 1881, 894 1882, 241 1886, 360 1888, 65 1890, 467 1884, 223 1888, 92 1890, 467 1882, 241 1886, 360 1888, 65 1888, 146 1890, 467 1883, 146 1890, 467 1881, 866 1881, 894
<i>argia</i>	1887, 567 1888, 96	<i>goochii</i>	1888, 92
<i>gæa</i>	1885, 139 1886, 431	<i>heliadora</i>	1883, 256
<i>hippia</i>	1881, 612 1885, 139	<i>intermedia</i>	1881, 894
<i>pingasa</i>	1881, 612		1883, 256
<i>poppea</i>	1888, 96	<i>latifasciata</i>	1883, 256
<i>valeria</i>	1881, 612	<i>lucilla</i>	1881, 866 1881, 894 1887, 402 1887, 419
<i>Nephila hespera</i>	1886, 379 1888, 560 1888, 561	—, <i>var. ludmilla</i>	1887, 419 1881, 848
<i>nigritarsis</i>	1888, 560 1888, 561	<i>ludmilla</i>	1881, 849 1881, 894 1882, 241 1886, 360 1888, 65 1890, 467 1884, 223 1888, 92 1890, 467 1882, 241 1886, 360 1888, 65 1890, 467 1883, 146 1890, 467 1881, 866 1881, 894
<i>Nephopteryx, sp.</i>	1888, 231		1882, 241 1886, 360 1888, 65 1890, 467 1884, 223 1888, 92 1890, 467 1882, 241 1886, 360 1888, 65 1890, 467 1883, 146 1890, 467 1881, 866 1881, 894
<i>creperalis</i>	1885, 877 1885, 886 1885, 877 1885, 877 1885, 886 1886, 460	<i>mahendra</i>	1882, 241 1886, 360 1888, 65 1890, 467 1884, 223 1888, 92 1890, 467 1882, 241 1886, 360 1888, 65 1890, 467 1883, 146 1890, 467 1881, 866 1881, 894
<i>laxalis</i>	1885, 877	<i>marpessa</i>	1888, 65 1890, 467 1884, 223 1888, 92 1890, 467 1882, 241 1886, 360 1888, 65 1890, 467 1883, 146 1890, 467 1881, 866 1881, 894
<i>lentalis</i>	1885, 877 1885, 886	<i>melicerta</i>	1884, 223 1888, 92 1890, 467 1882, 241 1886, 360 1888, 65 1890, 467 1883, 146 1890, 467 1881, 866 1881, 894
<i>suffuscalis</i>	1886, 460		1882, 241 1886, 360 1888, 65 1890, 467 1884, 223 1888, 92 1890, 467 1882, 241 1886, 360 1888, 65 1890, 467 1883, 146 1890, 467 1881, 866 1881, 894
<i>Nephrella elongata</i>	1887, 72	<i>nandina</i>	1882, 241 1886, 360 1888, 65 1890, 467 1884, 223 1888, 92 1890, 467 1882, 241 1886, 360 1888, 65 1890, 467 1883, 146 1890, 467 1881, 866 1881, 894
<i>Nepita anila</i>	1885, 293 1888, 296 1888, 296 1885, 293 1881, 866 1881, 894 1883, 145 1883, 146 1887, 402 1887, 419 1887, 419 1887, 419 1884, 223	<i>nemetes</i>	1888, 65 1890, 467 1883, 146 1890, 467 1883, 146 1890, 467 1881, 866 1881, 894
<i>conferta</i>	1888, 296	<i>nicobarica</i>	1883, 146
<i>semifascia</i>	1885, 293	<i>nysiades</i>	1890, 467
<i>Neptis aceris</i>	1881, 866 1881, 894 1883, 145 1883, 146 1887, 402 1887, 419 1887, 419 1887, 419 1887, 419 1884, 223	<i>philyra</i>	1881, 866 1881, 894
—, <i>var. intermedia</i>	1887, 419		1881, 866 1881, 894
<i>agatha</i>	1884, 223		1881, 866 1881, 894

	Page		Page
<i>Neptis philyroides</i>	1881, 866	<i>Neritina cornea</i>	1884, 267
	1881, 894		1885, 588
<i>pryeri</i>	1881, 866		1885, 603
	1881, 895		1885, 604
	1887, 402		1885, 609
	1887, 420	<i>cumingiana</i>	1885, 608
<i>raddei</i>	1881, 866	<i>cuprina</i>	1885, 588
	1881, 894	<i>cuvieriana</i>	1885, 605
<i>saclava</i>	1888, 65	<i>depressa</i>	1881, 635
<i>sangaica</i>	1881, 866	<i>dubia</i>	1885, 588
	1881, 895		1885, 605
<i>speyeri</i>	1881, 866	<i>fulgetrum</i>	1882, 387
	1881, 894		1882, 389
<i>swinhoei</i>	1883, 145	<i>gagates</i>	1882, 387
	1883, 175		1882, 388
<i>thisbe</i>	1881, 866	<i>interrupta</i>	1885, 606
	1881, 894	<i>macgillivrayi</i>	1885, 588
<i>varmona</i>	1883, 146		1885, 606
<i>yerburii</i>	1886, 360	<i>macrocephala</i>	1885, 607
(<i>Phædyma</i>) <i>shep-</i>		<i>magnifica</i>	1885, 608
<i>herdi</i>	1883, 256	<i>olivacea</i>	1885, 588
<i>Neptunus sanguinolentus</i>	1884, 10		1885, 606
<i>sieboldi</i>	1882, 339	<i>oweniana</i>	1887, 566
<i>Nereis pelagica</i>	1887, 3	<i>penicillata</i>	1885, 607
<i>Nerice bidentata</i>	1888, 638	<i>petiti</i>	1885, 588
<i>bipartita</i>	1888, 638		1885, 605
<i>davidi</i>	1888, 638	<i>piperina</i>	1881, 635
<i>Nerissus griseo-scutel-</i>		<i>porcata</i>	1884, 270
<i>latus</i>	1883, 406		1885, 588
<i>Nerita affinis</i>	1885, 35		1885, 606
<i>ascensionis</i>	1890, 321	<i>prichardi</i>	1884, 270
<i>canrena</i>	1885, 31	<i>pulchra</i>	1885, 607
<i>cariosa</i>	1884, 275	<i>pulligera</i>	1885, 588
<i>fulminea</i>	1885, 36		1885, 605
<i>littoralis</i>	1883, 112	<i>retifera</i>	1882, 388
<i>marmorata</i>	1885, 603	<i>rubida</i>	1884, 270
<i>mauritii</i>	1884, 275	<i>sandalina</i>	1884, 270
<i>maxima</i>	1887, 517	<i>sanguinea</i>	1885, 606
	1887, 518	<i>sanguisuga</i>	1885, 588
<i>oleagina</i>	1885, 603		1885, 607
<i>oweniana</i>	1887, 566		1885, 608
<i>plicata</i>	1887, 518	<i>scarabæus</i>	1885, 608
<i>reticulatus</i>	1883, 113	<i>schmideliana</i>	1889, 327
<i>stercus muscarum</i>	1885, 37	<i>siderea</i>	1884, 270
<i>viridis</i>	1885, 38	<i>smithii</i>	1884, 275
<i>vittata</i>	1885, 37	<i>solium</i>	1885, 606
<i>Neritina adumbrata</i>	1885, 588	<i>souleyetana</i>	1885, 606
	1885, 605	<i>souverbiana</i>	1884, 272
<i>asperulata</i>	1885, 588		1884, 274
	1885, 606	<i>squarrosa</i>	1885, 588
<i>bicolor</i>	1885, 606	<i>subgranosa</i>	1885, 607
<i>brevispina</i>	1884, 262	<i>subpunctata</i>	1885, 606
	1885, 588	<i>subsulcata</i>	1885, 588
	1885, 607		1885, 604
<i>californica</i>	1885, 605		1885, 605
<i>cariosa</i>	1884, 275	<i>turtoni</i>	1885, 588
<i>christovalensis</i>	1885, 588		1885, 607
<i>cornea</i>	1884, 262	<i>variegata</i>	1884, 262

	Page		Page
Neritina variegata	1884, 270	Neuria dissecta	1889, 486
	1885, 588	incisa	1881, 344
	1885, 606		1883, 158
viridis	1885, 38	retina	1885, 450
wallisianum	1884, 262		1886, 443
(Clithon) aculeata	1881, 635		1889, 510
Nerops auratus	1881, 241	separata	1881, 343
Nesioticus flavopictus	1890, 641	simillima	1881, 344
	1890, 646	simulata	1881, 343
Nesis nigropunctatus	1883, 361		1881, 380
	1883, 364	Neurobasis chinensis	1886, 328
	1883, 365	Neusterophis atratus	1888, 51
Nesitis attenuata	1883, 80	Neusticurus bicarinatus	1881, 229
Nesocentor milo	1888, 187	ecpleopus	1881, 228
	1888, 191		1881, 229
Nesokia bandicota	1886, 56	Neverita josephina	1885, 34
	1888, 480	Newnhamia fenestrata	1886, 92
	1890, 523	gueliemi	1886, 84
barclayanus	1890, 538	(Notodromas) fenestrata	1886, 84
bengalensis	1881, 525	Nezara orbiculata	1890, 476
	1881, 528	Nica canthara	1890, 563
	1881, 540	Nicania banksii	1881, 712
	1890, 523	crenata	1881, 711
	1890, 538	Nicator gularis	1881, 581
blythianus	1881, 527		1882, 303
brachyura	1890, 522	Nidorellia armata	1884, 63
elliottanus	1881, 530		1884, 79
	1890, 538	michelini	1884, 79
griffithii	1881, 524		1884, 81
	1881, 526	Nigrita arnaudi	1888, 29
hardwickei	1881, 524	Nilasera amantes	1886, 429
	1881, 526	apella	1886, 429
	1881, 527		1886, 465
	1886, 56	centaurus	1883, 531
	1890, 522	nakula	1883, 531
huttoni	1881, 524	opalina	1883, 531
	1881, 526		1883, 535
	1890, 522	pirithous	1883, 531
hydrophila	1881, 529	pseudocentaurus	1883, 531
	1881, 530	subfasciata	1883, 532
indica	1881, 526		1883, 535
nemorivaga	1890, 523	wimberleyi	1887, 462
	1890, 538		1887, 467
providens	1881, 527	Niltava grandis	1886, 351
scullyi	1890, 522		1887, 436
	1890, 523		1888, 272
	1890, 538	leucoprocta	1888, 272
Nesonycteris woodfordi	1887, 324	Ninox borneensis	1881, 791
	1887, 325	forbesi	1883, 51
	1887, 327		1883, 52
	1888, 476		1883, 200
	1888, 483		1884, 431
Nestor notabilis	1881, 626		1888, 527
Nettapus auratus	1881, 661	granti	1888, 183
pulchellus	1883, 52		1888, 187
	1883, 200		1888, 188
	1884, 434		1888, 527
Neurergus crocatus	1890, 32		

	Page		Page
Ninox hantu.....	1883, 52	Noctua aenea.....	1889, 521
	1888, 527	affinis.....	1889, 515
hypogramma	1888, 527	alciphron	1885, 292
jacquinoti	1888, 527	algæ	1889, 479
japonicus	1885, 546	algira.....	1889, 546
	1887, 598	aliena.....	1889, 487
	1888, 461	alni	1889, 477
natalis	1888, 525	amethystina.....	1889, 534
	1888, 526	anceps	1889, 489
	1888, 527	armigera	1883, 161
punctulata.....	1885, 546		1885, 448
	1888, 184		1886, 442
	1888, 527		1888, 309
scutulata	1881, 791		1889, 519
	1889, 226	asteris	1889, 538
squamipila	1882, 700	atriplicis	1889, 510
	1888, 527	augur.....	1889, 495
superciliaris	1888, 527	auricula.....	1889, 484
variegatus.....	1888, 527	aurifera.....	1889, 531
Nioda fusiformis	1885, 297	baja	1889, 495
	1886, 438	basilinea	1889, 489
Nipara	1883, 257	bigramma	1889, 500
distincta	1883, 258	bimaculosa.....	1889, 508
eschscholtzii.....	1883, 258	brassicæ.....	1889, 486
helcita	1883, 208	brunnea.....	1889, 497
	1883, 209	candidula	1889, 525
	1883, 210	caprimulgus.....	1885, 462
	1883, 211	cerago	1889, 517
	1883, 254	chrysitis	1889, 530
	1883, 258	chrysographa	1889, 484
indistincta.....	1883, 258	chryson	1889, 530
intermedia.....	1883, 258	circumflexa	1889, 532
perryi	1883, 258	c-nigrum	1889, 496
Niphanda fusca	1881, 865	compta	1889, 517
	1881, 883	concha	1889, 531
	1887, 401	congener	1889, 513
	1887, 410	conigera	1881, 333
plinioides	1883, 524		1889, 483
	1883, 535	conspicua	1889, 520
tessellata	1881, 883	coronata	1888, 224
Niphona sordida	1890, 492	corticea	1888, 305
Niphonissa arida	1888, 320	corusca	1889, 515
Nisaga modesta	1885, 305	croceago	1889, 516
simplex	1885, 305	dahlii	1889, 497
Nisoniades dasahara ..	1882, 263	deplana.....	1888, 600
montanus	1881, 870	depressa	1888, 600
	1881, 916	descripta	1889, 497
	1887, 403	dilatata.....	1889, 495
	1887, 430	dilucida	1889, 541
rusticanus	1881, 916	dioscoriæ.....	1889, 544
	1887, 430	dipsacea	1889, 520
tages	1881, 870	ditrapezium.....	1889, 496
	1881, 916	domiduca	1889, 514
Nisus badius.....	1881, 563	dotata	1885, 464
minullus	1882, 305	egregia	1889, 507
niger	1882, 305	electa.....	1889, 550
	1888, 46	emarginata	1885, 301
striatus	1883, 41		1886, 439

	Page		Page
<i>Noctua emarginata</i>	1889, 529	<i>Noctua orichalcea</i>	1889, 530
<i>erythrostigma</i>	1889, 484	<i>orion</i>	1889, 479
<i>exigua</i>	1885, 450	<i>ornithopus</i>	1889, 537
	1886, 443	<i>perflua</i>	1889, 540
	1888, 304	<i>persicariae</i>	1889, 487
	1889, 493	<i>perspicillaris</i>	1889, 494
<i>exoleta</i>	1889, 539	<i>peltigera</i>	1885, 448
<i>favillacea</i>	1889, 478		1885, 776
<i>festucae</i>	1889, 531		1886, 442
<i>fibrosa</i>	1889, 485		1888, 309
<i>ficus</i>	1885, 292	<i>pinastri</i>	1889, 488
	1886, 437	<i>piniperda</i>	1889, 510
	1888, 295	<i>plebeja</i>	1889, 508
<i>flammea</i>	1889, 510	<i>pecta</i>	1889, 494
<i>flavago</i>	1889, 485	<i>polygramma</i>	1889, 526
	1889, 517	<i>porphyrea</i>	1889, 509
<i>floccida</i>	1889, 483	<i>posthuma</i>	1889, 551
<i>formosa</i>	1889, 536	<i>praiceps</i>	1889, 498
<i>fragilis</i>	1886, 451	<i>praecox</i>	1889, 498
<i>frugalis</i>	1884, 499	<i>prasina</i>	1889, 507
	1885, 468	<i>protea</i>	1889, 506
<i>fucosa</i>	1889, 499	<i>psi</i>	1889, 474
<i>fulvago</i>	1889, 516		1889, 475
<i>fuscula</i>	1889, 526	<i>pteridia</i>	1889, 536
<i>gemina</i>	1889, 489	<i>purpureofasciata</i>	1889, 536
<i>glyphica</i>	1889, 554	<i>putris</i>	1889, 486
<i>gothica</i>	1889, 511	<i>pyralina</i>	1889, 515
—, var. <i>singularis</i>	1889, 496	<i>pyramidea</i>	1889, 539
<i>gracilis</i>	1889, 512	<i>pyramidina</i>	1889, 540
	1889, 516	<i>ravida</i>	1889, 500
<i>hymenea</i>	1889, 551	<i>remissa</i>	1889, 489
<i>ilibata</i>	1888, 224	<i>retusa</i>	1889, 516
<i>impura</i>	1889, 483	<i>rhizolitha</i>	1889, 537
<i>iners</i>	1889, 513	<i>ricini</i>	1885, 295
<i>instabilis</i>	1889, 512	<i>rubicunda</i>	1888, 602
<i>leucostigma</i>	1889, 485	<i>rubiginea</i>	1889, 517
<i>libatrix</i>	1889, 505	<i>rumicis</i>	1889, 477
<i>lignosa</i>	1889, 486	<i>rutilago</i>	1889, 520
<i>ligustri</i>	1889, 476	<i>saga</i>	1889, 518
<i>limosa</i>	1889, 544	<i>satura</i>	1889, 509
<i>livida</i>	1889, 540	<i>scolopacina</i>	1889, 487
<i>logopus</i>	1889, 536	<i>scotophila</i>	1889, 540
<i>loreyi</i>	1881, 617	<i>scutosa</i>	1889, 520
<i>lucipara</i>	1889, 504	<i>segetis</i>	1889, 499
<i>marginata</i>	1889, 520	<i>segetum</i>	1885, 453
<i>mercatoria</i>	1885, 464		1888, 305
<i>munda</i>	1889, 512		1889, 499
<i>nebulosa</i>	1889, 508	<i>sepii</i>	1889, 493
<i>ni</i>	1888, 311	<i>sigma</i>	1889, 496
	1889, 533	<i>signata</i>	1885, 458
<i>nictitans</i>	1889, 484		1889, 531
<i>num-atrum</i>	1889, 511	<i>silago</i>	1889, 517
<i>nupta</i>	1889, 549	<i>spadicea</i>	1889, 514
<i>obscura</i>	1889, 500	<i>sparganii</i>	1889, 484
<i>oculta</i>	1889, 508	<i>spiralis</i>	1889, 545
<i>ochracea</i>	1889, 485	<i>stabilis</i>	1889, 513
<i>orichalcea</i>	1886, 448	<i>stolida</i>	1884, 498
	1888, 312		1885, 467

	Page		Page
Noctua stolida	1886, 382	Nodostoma flavo-pustu-	
	1888, 317	latum	1885, 753
strigosa	1889, 478	fulvipes	1885, 753
stupens	1889, 494	hirticolle	1885, 753
stuposa	1885, 467	impressipenne	1887, 77
	1889, 546	jansoni	1887, 75
submissa	1889, 489	japonicum	1885, 205
suffusa	1883, 160		1885, 752
	1889, 499		1885, 753
sulphurea	1889, 528	leechi	1888, 344
suspecta	1889, 513		1888, 345
tarda	1889, 495	lefevrei	1887, 78
	1889, 571		1887, 79
tigerina	1889, 517	lewisi	1887, 77
trabeata	1889, 528		1887, 78
trapezina	1889, 515	longicorne	1887, 79
triangularis	1889, 546		1887, 80
triangulum	1889, 496	modestum	1885, 206
tridens	1889, 475		1885, 753
triplasia	1889, 534		1888, 345
tristigma	1889, 496	obliteratum	1887, 80
turca	1889, 481	pallidulum	1885, 753
ulula	1881, 619	rutilicollis	1885, 205
	1885, 462		1885, 211
umbrago	1889, 520		1885, 753
umbria	1889, 520	rufotestaceum	1885, 753
umbrosa	1889, 495	tibiale	1887, 75
unca	1889, 522	triangulare	1887, 78
unxia	1889, 518	tuberosum	1887, 78
vaccinii	1889, 514		1887, 79
—, var. mixta	1889, 514		1887, 119
vespertilio	1885, 463	varicolor	1885, 751
	1889, 545		1885, 752
vindelicia	1889, 484		1885, 753
Noda unicastata	1881, 440	Nola albulalis	1888, 608
viridiænea	1887, 75	candida	1888, 607
Nodaria amurensis	1889, 566	centonalis	1888, 607
externalis	1885, 474	chlamilutalis	1888, 607
	1886, 453	confusalis	1888, 608
Nodina chalcosoma	1885, 753	costimaculata	1888, 608
subdilata	1887, 74	fumosa	1888, 608
Nodostoma æneipenne ..	1885, 752	gigas	1888, 608
	1885, 753		1888, 609
atripes	1885, 753	leodura	1888, 609
balyi	1885, 206	mandschuriana	1888, 609
	1885, 752	mandschurica	1888, 608
	1885, 753	microphasma	1888, 607
bipunctatum	1887, 76	minutalis	1888, 607
	1887, 77		1888, 655
bituberculatum	1887, 76	strigulosa	1888, 608
clypeatum	1887, 79	triangulalis	1888, 608
consimile	1885, 752		1888, 655
	1885, 753	Nomada marshamella ..	1887, 222
	1887, 78		1887, 224
davidi	1885, 206		1887, 225
fairmairei	1887, 77		1887, 231
	1887, 80		1887, 232
flavo-pustulatum ..	1885, 752		1887, 273

	Page		Page
<i>Nomophila noctuella</i> ..	1888,	<i>Nothrus doderleini</i>	1890,
<i>Nomotus plutonus</i>	1887,	<i>horridus</i>	1890,
<i>Nonagria innocens</i>	1889,	<i>scaliger</i>	1890,
<i>sparganii</i>	1889,	<i>spiniger</i>	1890,
<i>turpis</i>	1889,	<i>sylvestris</i>	1890,
<i>Nonema flavescens</i>	1888,	<i>theleproctus</i>	1890,
<i>Nonnula brunnea</i>	1882,	<i>Nothura boraquira</i>	1883,
<i>cineracea</i>	1881,	<i>cinerascens</i>	1883,
<i>frontalis</i>	1881,	<i>maculosa</i>	1882,
<i>rubecula</i>	1881,	<i>Notioptera dolosa</i>	1889,
<i>Noorda blitealis</i>	1884,	<i>properta</i>	1889,
	1885,		1889,
<i>Norasuma javanica</i>	1887,	<i>Notodonta dictæa</i>	1881,
<i>kolga</i>	1887,	<i>gigantea</i>	1890,
<i>Norraca longipennis</i>	1881,	<i>lineata</i>	1888,
<i>Northia cybele</i>	1888,	<i>meticulodina</i>	1888,
	1888,	<i>monetaria</i>	1888,
<i>dirce</i>	1888,	<i>trepida</i>	1888,
	1888,	<i>ziczac</i>	1881,
<i>psychina</i>	1888,		1886,
<i>sinensis</i>	1888,		1888,
	1888,	(Lophocosma) <i>atri-</i>	120
<i>tenuis</i>	1888,	<i>phaga</i>	1888,
	1888,	<i>Notodromas fuscatus</i> ..	1886,
<i>Nosophora chironalis</i> ..	1889,		1886,
<i>lymphatalis</i>	1889,		1886,
	1889,	<i>monachus</i>	1886,
<i>Notarcha, sp.</i>	1888,	<i>Notonecta glauca</i>	1881,
<i>Notaspis æqualis</i>	1890,	<i>Notopterus chitala</i>	1890,
	1890,	<i>Notornis mantelli</i>	1882,
	1890,		1882,
<i>bipilis</i>	1890,		1882,
<i>burrowsii</i>	1890,		1882,
	1890,		1882,
	1890,		1882,
	1890,		1882,
	1890,		1882,
<i>glabra</i>	1890,	<i>Notoscolex camdenensis</i>	1887,
	1890,	<i>Notothenia cornucola</i> ..	1881,
<i>longilamellata</i>	1890,	<i>longipes</i>	1881,
<i>oblonga</i>	1890,	<i>macrocephala</i>	1881,
<i>splendens</i>	1890,	<i>tessellata</i>	1881,
<i>Notauges fischeri</i>	1889,	<i>Nototrema fissipes</i>	1888,
<i>superbus</i>	1881,		1890,
<i>Noterus sparsus</i>	1881,	<i>marsupiatum</i>	1888,
<i>Notheme eumeus</i>	1890,		1888,
<i>Nothocercus bonapartei</i> .	1885,		1888,
<i>julius</i>	1885,		1888,
<i>Nothocrax urumutum</i> ..	1882,	<i>oviferum</i>	1888,
	1886,	<i>Nucifraga caryocatactes</i>	1887,
	1886,		1888,
<i>Nothoprocta curvirostris</i>	1882,	<i>Nucula ægeensis</i>	1881,
	1884,		1882,
	1885,		1884,
<i>doeringi</i>	1883,	<i>cancellata</i>	1881,
<i>perdicaria</i>	1881,	<i>corbuloides</i>	1881,
<i>Nothrus anauniensis</i> ..	1890,		1882,
	1890,		1883,

	Page		Page
<i>Nucula corbuloides</i>	1884,	144	
<i>decipiens</i>	1882,	684	
<i>delphinodonta</i>	1881,	951	
<i>nucleus</i>	1881,	951	
<i>pisum</i>	1881,	39	
<i>radiata</i>	1881,	951	
<i>reticulata</i>	1881,	951	
<i>striatissima</i>	1881,	951	
<i>sulcata</i>	1881,	951	
	1884,	144	
<i>tenuis</i>	1881,	951	
<i>tumidula</i>	1881,	951	
	1882,	684	
	1883,	392	
	1883,	393	
	1884,	144	
<i>Nuculana jeffreysi</i>	1890,	322	
<i>Nudaria dudgeoni</i>	1890,	388	
	1890,	401	
<i>margaritacea</i>	1890,	388	
<i>mundana</i>	1888,	605	
<i>muscula</i>	1888,	605	
<i>nubilosa</i>	1888,	604	
<i>senex</i>	1888,	605	
<i>Numenes disparilis</i>	1888,	629	
<i>interiorata</i>	1888,	615	
<i>Numenius arquatus</i>	1881,	642	
	1881,	644	
	1887,	588	
<i>borealis</i>	1883,	429	
<i>cyanopus</i>	1887,	588	
	1888,	459	
<i>hudsonicus</i>	1881,	16	
	1883,	429	
<i>lineatus</i>	1889,	225	
<i>longirostris</i>	1885,	887	
<i>phæopus</i>	1881,	644	
	1881,	800	
	1885,	417	
	1885,	560	
	1886,	336	
	1890,	332	
—, <i>variegatus</i>	1888,	458	
<i>tahitiensis</i>	1887,	588	
<i>uropygialis</i>	1881,	800	
	1885,	417	
	1885,	560	
	1885,	576	
<i>variegatus</i>	1883,	52	
	1883,	200	
	1884,	433	
	1885,	576	
	1888,	187	
	1888,	201	
	1889,	225	
<i>Numida cristata</i>	1890,	86	
	1890,	87	
<i>edouardi</i>	1890,	87	
<i>Numida elliotti</i>	1881,	597	
	1890,	86	
<i>granti</i>	1890,	86	
<i>meleagris</i>	1882,	352	
<i>mitrata</i>	1882,	352	
<i>ptilorhyncha</i>	1882,	352	
	1888,	48	
<i>pucherani</i>	1881,	597	
	1885,	609	
	1889,	371	
	1890,	86	
	1890,	87	
<i>verreauxi</i>	1890,	87	
<i>vulturina</i>	1884,	477	
	1889,	371	
<i>Nupserha homeyeri</i>	1890,	492	
<i>Nutria felina</i>	1889,	198	
	1889,	200	
<i>Nychitona sylvicola</i>	1888,	70	
<i>Nyctalemon najabula</i>	1883,	169	
<i>Nyctea scandiaca</i>	1882,	654	
<i>Nyctemera acraïna</i>	1882,	780	
<i>aluensis</i>	1888,	573	
<i>apicalis</i>	1882,	780	
<i>chromis</i>	1882,	780	
	1882,	782	
<i>extendens</i>	1888,	573	
<i>horites</i>	1888,	573	
<i>lacticinia</i>	1881,	614	
<i>lactilinea</i>	1885,	292	
<i>leuconœ</i>	1888,	83	
<i>Nyctiardea nævia</i>	1883,	428	
<i>violacea</i>	1889,	326	
	1889,	395	
<i>Nyctibius jamaicensis</i>	1883,	569	
	1885,	894	
<i>pectoralis</i>	1885,	116	
<i>Nycticebus tardigradus</i>	1884,	399	
	1886,	73	
<i>Nycticorax caledonicus</i>	1884,	434	
	1885,	665	
	1887,	333	
	1888,	186	
	1888,	203	
	1888,	204	
<i>crassirostris</i>	1889,	586	
<i>gardeni</i>	1882,	624	
	1883,	428	
<i>griseus</i>	1884,	2	
<i>mandibularis</i>	1888,	186	
	1888,	203	
	1888,	204	
<i>manillensis</i>	1888,	186	
	1888,	203	
	1888,	204	
<i>obscurus</i>	1881,	12	
<i>violaceus</i>	1885,	119	
	1885,	124	

	Page		Page
<i>Nyctidromus albicollis</i> .	1882, 40	<i>Nytobætes variolosa</i> ..	1887, 490
	1883, 451		
	1883, 569	<i>Obeliscus dolabratus</i> ..	1890, 251
	1884, 306		1890, 275
	1886, 149	<i>sanctæ-helenæ</i>	1890, 251
<i>Nyctinomus albidus</i>	1884, 50		1890, 275
	1884, 51		1890, 316
<i>australis</i>	1884, 50	<i>sufarcinatus</i>	1884, 363
	1884, 51	<i>tinctus</i>	1884, 363
<i>brasiliensis</i>	1884, 49	(<i>Syrnola</i>) <i>pumilio</i> .	1890, 251
	1888, 444		1890, 275
<i>cestoni</i>	1886, 94		1890, 315
<i>gracilis</i>	1888, 129	<i>Oberea marginella</i>	1888, 380
<i>norfolcensis</i>	1884, 49	<i>vittata</i>	1888, 380
<i>petersi</i>	1884, 49	<i>Oceanites grallaria</i>	1881, 11
<i>plicatus</i>	1884, 51	<i>leucogastra</i>	1881, 11
	1884, 532	<i>oceanica</i>	1881, 11
<i>pumilus</i>	1890, 446		1881, 736
<i>Nyctiornis amicta</i>	1881, 793	<i>Ochetodon mexicanus</i> ..	1882, 101
	1885, 407		1882, 372
	1887, 442		1888, 447
<i>Nyctipao albocincta</i>	1888, 315	<i>Ochetorhynchus rufi-</i>	
<i>caliginea</i>	1888, 575	<i>caudus</i>	1886, 398
<i>crepuscularis</i>	1885, 462	<i>Ochrælea ceylonica</i>	1887, 114
	1889, 544	<i>Ochria flavago</i>	1889, 485
<i>ephesphoris</i>	1889, 544	<i>fortis</i>	1889, 485
<i>glaucoptis</i>	1883, 26	<i>ochracea</i>	1889, 485
<i>lætitia</i>	1889, 544	<i>Ochropleura c-nigrum</i> ..	1888, 307
<i>prunosa</i>	1883, 26	<i>cognata</i>	1888, 307
<i>variegata</i>	1888, 575	<i>consanguinea</i>	1881, 353
<i>Nyctipithecus trivir-</i>		<i>costalis</i>	1889, 412
<i>gatus</i>	1881, 259	<i>denticulata</i>	1888, 307
	1882, 3	<i>flammatra</i>	1888, 307
<i>vociferans</i>	1890, 98	<i>ignota</i>	1889, 411
<i>Nyctixalus margaritifer</i>	1886, 412	<i>magellanica</i>	1881, 83
<i>Nytobates bifasciatus</i> ..	1890, 639	<i>musiva</i>	1889, 494
<i>confusus</i>	1890, 637	<i>plecta</i>	1889, 494
<i>Nymphalis antam-</i>		<i>plumbata</i>	1889, 496
<i>boulou</i>	1885, 762	<i>renalis</i>	1881, 353
<i>nais</i>	1883, 256	<i>stentzi</i>	1889, 494
<i>Nymphicus cornutus</i> ..	1882, 408	<i>stupenda</i>	1889, 494
	1882, 409	<i>triangularis</i>	1885, 453
	1882, 421		1886, 380
<i>uvæensis</i>	1882, 408		1888, 307
	1882, 409		1889, 494
	1882, 421	<i>Ochthodiæta fumigata</i> ..	1884, 294
<i>Nymphophidium macu-</i>			1885, 87
<i>latum</i>	1881, 220	<i>Ochthoëca cinnamomei-</i>	
	1881, 221	<i>ventris</i>	1885, 87
<i>subannulatum</i>	1881, 215	<i>citrinifrons</i>	1883, 71
	1881, 219		1885, 116
	1881, 220	<i>fumicolor</i>	1884, 295
	1881, 221		1885, 87
<i>Nymphula interpunc-</i>		<i>gratiosa</i>	1884, 295
<i>talis</i>	1883, 168	<i>jelskii</i>	1883, 71
	1884, 525	<i>lessoni</i>	1882, 18
<i>Nyroca leucophthalma</i> .	1889, 325		1884, 295
<i>Nyssia albipuncta</i>	1886, 439		1885, 87

	Page		Page
<i>Ochthoeca leucometopa</i>	1881, 487	<i>Odontostoma sicula</i>	1884, 347
<i>leucophrys</i>	1882, 603	<i>Odontota</i> , sp.	1881, 268
<i>murina</i>	1881, 214	<i>annulipes</i>	1881, 268
<i>rufomarginata</i>	1885, 87	<i>apicipennis</i>	1881, 268
<i>salvini</i>	1885, 116	<i>Odonturus dentalis</i>	1890, 122
<i>stictoptera</i>	1885, 122	<i>Odostomia acicula</i>	1884, 362
<i>thoracica</i>	1882, 18	—, var. <i>ventricosa</i>	1884, 363
<i>Ocnera setosa</i>	1881, 470	<i>acuta</i>	1884, 347
<i>Ocneria furva</i>	1888, 631	<i>acuticostata</i>	1884, 359
<i>terebynthi</i>	1888, 655	<i>albella</i>	1884, 372
<i>Ocnus javanicus</i>	1888, 631	<i>attenuata</i>	1884, 348
<i>typicus</i>	1888, 389	<i>clathrata</i>	1884, 360
<i>vicarius</i>	1883, 59	<i>clavula</i>	1884, 372
<i>Octodon cumingii</i>	1883, 62	<i>compactilus</i>	1884, 355
<i>degus</i>	1884, 237	<i>compressa</i>	1884, 345
<i>Ocydromus australis</i>	1881, 6	<i>concinna</i>	1884, 362
<i>earli</i>	1882, 694	<i>conoidea</i>	1884, 361
<i>sylvestris</i>	1882, 694	<i>conspicua</i>	1884, 372
<i>Odonestis albomaculata</i>	1888, 628	<i>costaria</i>	1884, 350
—, var. <i>askoldensis</i>	1888, 628	<i>crassa</i>	1884, 348
<i>excellens</i>	1888, 627	<i>decussata</i>	1884, 350
—, var. <i>unicolor</i>	1888, 627	<i>delicata</i>	1884, 364
<i>læta</i>	1888, 628	<i>densicostata</i>	1884, 350
<i>potatoria</i>	1881, 654	<i>diaphana</i>	1884, 372
<i>superans</i>	1886, 123	<i>edwardi</i>	1884, 352
<i>Odontaspis americanus</i>	1887, 195	<i>electa</i>	1883, 392
<i>Odontodes aleuca</i>	1887, 197	<i>emaciata</i>	1883, 394
<i>Odontomus subannulatus</i>	1887, 208	<i>erjaveciana</i>	1884, 345
<i>latus</i>	1887, 211	<i>excavata</i>	1884, 353
<i>superans</i>	1887, 212	<i>eximia</i>	1884, 349
<i>Odontaspis americanus</i>	1887, 225	<i>flexuosa</i>	1884, 352
<i>Odontodes aleuca</i>	1887, 270	<i>fulgidula</i>	1884, 355
<i>Odontomus subannulatus</i>	1888, 628	<i>fulvo-cincta</i>	1884, 372
<i>latus</i>	1888, 627	<i>fulvus</i>	1884, 359
<i>Odontaspis americanus</i>	1889, 243	<i>glaphyra</i>	1890, 251
<i>Odontodes aleuca</i>	1883, 164	<i>humboldti</i>	1890, 278
<i>Odontomus subannulatus</i>	1881, 215	<i>indistincta</i>	1890, 316
<i>latus</i>	1881, 219	<i>insculpta</i>	1884, 352
<i>Odontonectes erythrogaster</i>	1881, 220	<i>interstincta</i>	1884, 354
<i>Odontophorus erythro-</i>	1881, 221	<i>jeffreysi</i>	1884, 355
<i>erythro-</i>	1890, 32		
<i>gaster</i>	1887, 656		
<i>Odontophorus erythro-</i>	1883, 576		
<i>erythro-</i>	1884, 282		
<i>lineolatus</i>	1885, 121		
<i>Odontopus costatus</i>	1883, 460		
<i>obsoletus</i>	1883, 460		
<i>Odontopos costatus</i>	1890, 639		
<i>obsoletus</i>	1890, 639		
<i>Odontorhynchus branickii</i>	1885, 72		
<i>cinereus</i>	1885, 73		
<i>Odontostoma plicatum</i>	1884, 349		

	Page		Page
Odostomia lactea	1884,	Odostomia (Pyrgulina)	
	1884,	nanodea	1884, 354
	1884,	(Syrnola) minuta	1884, 349
macella	1884,	Odynerus confluentus	1888, 552
magnifica	1884,	polyphemus	1888, 551
minuta	1884,	Ceeclostera amoria	1890, 505
monterosatoi	1884,	micropus	1890, 505
moullinsiana	1884,	Cedemasia alcimede	1890, 510
nagli	1884,	Cedemia americana	1887, 591
neglecta	1884,	deglandi	1887, 591
nisoidea	1884,		1887, 592
nitens	1884,	fusca	1887, 592
	1884,	nigra	1882, 134
novegradensis	1884,	stejnegeri	1887, 592
pallida	1884,	velvetina	1887, 591
paucistriata	1884,	Cedionemus affinis	1888, 49
	1884,	bistriatus	1890, 331
penchinati	1884,	capensis	1889, 371
pistilliformis	1884,	grallarius	1890, 337
pistillus	1884,	inornatus	1888, 48
plicata	1884,	magnirostris	1889, 225
prælonga	1884,	senegalensis	1888, 48
	1884,	vermiculatus	1881, 598
pusilla	1884,	Cedionychis dipus	1889, 276
rissoides	1883,	graphica	1889, 276
	1884,	hondurensis	1889, 276
rufa	1884,	humeralis	1889, 276
scalaris	1884,	japonicus	1885, 754
	1884,	proxima	1889, 276
	1884,	vibex	1885, 754
scillæ	1884,	Cedipoda aurifera	1881, 85
	1884,	chloris	1881, 85
semicostata	1884,	flava	1881, 86
	1884,	ochraceipennis	1881, 85
sigmoidea	1884,	Cedura africana	1890, 77
	1884,	Cena capensis	1881, 597
sinuosa	1884,		1881, 953
	1884,		1881, 956
sismondæ	1884,	Ceneis jutta	1881, 868
spiralis	1884,		1881, 906
striatula	1884,	mongolica	1881, 868
suboblonga	1884,		1881, 906
suturalis	1884,	pumila	1882, 404
sylvestris	1884,	sculda	1881, 868
tenuis	1884,		1881, 906
	1884,	tarpeia	1881, 906
terebellum	1884,	urda	1881, 868
tricincta	1884,		1881, 906
turriculata	1884,	Cenomachus doryasa	1890, 576
turrita	1884,	Cenops pernigra	1882, 47
unidentata	1884,	Ceona dolosa	1888, 628
unifasciata	1884,	segregata	1888, 628
	1884,	spectabilis	1888, 628
ventricosa	1884,	Ceonistis dives	1888, 599
vitrea	1884,	nigricosta	1888, 598
	1884,		1888, 634
(Eulimella) super-		quadra	1888, 598
flua	1884,		1888, 599
	362		

	Page		Page
<i>Cestrelata defilippiana</i> ..	1881,	<i>Omiza pachiararia</i>	1889,
	1883,	<i>Omototus albo-</i>	425
<i>hypoleuca</i>	1889,	<i>maculatus</i>	1889,
<i>neglecta</i>	1883,	<i>bituberculatus</i>	1889,
	1883,	<i>carinatus</i>	1889,
<i>Ogmorhinus leptonyx</i> ..	1881,		278
<i>Ogulnius obtectus</i>	1882,	<i>fuscatus</i>	1889,
	1882,		278
	441	<i>Omphalotropis banka-</i>	
<i>Oidemia americana</i>	1887,	<i>ensis</i>	1889,
	1888,	<i>bifilaris</i>	1887,
<i>fusca</i>	1887,	<i>bulimoides</i>	1885,
<i>velvetina</i>	1887,	<i>bythinæformis</i>	1887,
<i>Oides affinis</i>	1883,	<i>carinata</i>	1889,
	1883,	<i>circumlineata</i>	1887,
<i>apicalis</i>	1883,	<i>costulata</i>	1887,
	1883,	<i>fragilata</i>	1885,
<i>biplagiata</i>	1883,	<i>glabrata</i>	1889,
	1883,	<i>huahinensis</i>	1887,
<i>clarkii</i>	1883,	<i>ingens</i>	1887,
	1883,	<i>layardiana</i>	1887,
10-punctata	1883,	<i>longula</i>	1887,
dorso-signatum	1883,	<i>moussoni</i>	1887,
12-maculata	1883,	<i>nebulosa</i>	1885,
<i>fryi</i>	1883,		609
<i>japonicum</i>	1885,	<i>ovata</i>	1887,
<i>limbata</i>	1883,	<i>paladilhi</i>	1889,
<i>seminigrum</i>	1883,	<i>parva</i>	1887,
<i>Olene fusiformis</i>	1885,	<i>parvula</i>	1887,
	1885,	<i>perforata</i>	1887,
	1886,		309
<i>mendosa</i>	1885,	<i>radiata</i>	1889,
<i>olearia</i>	1885,	<i>rosea</i>	1887,
	1885,	<i>subsoluta</i>	1887,
<i>Olenecampus hofmanni</i> .	1890,	<i>variabilis</i>	1884,
<i>Oligocercus rufescens</i> ..	1888,	<i>vitiensis</i>	1887,
<i>Oligopleurus esocinus</i> ..	1890,	<i>zebriolata</i>	1887,
<i>vectensis</i>	1890,		309
	1890,	<i>Oncostoma cinereigulare</i> .	1883,
	1890,	<i>Oniscia cancellata</i>	1888,
<i>Oligostigma curvifera</i> ..	1881,	<i>macandrewi</i>	1888,
<i>incommoda</i>	1881,		570
	1884,	<i>ponderosa</i>	1888,
<i>vagalís</i>	1888,	<i>Oniticellus phanæoides</i> .	1888,
<i>Oligotoma michaeli</i>	1883,	<i>Onthophagus fodiens</i> ..	1888,
	1883,	<i>johnstoni</i>	1885,
<i>saundersii</i>	1883,		232
	1883,	<i>lenzii</i>	1888,
	1883,	<i>marsugas</i>	1885,
	1883,	<i>noctis</i>	1885,
<i>Oligura microura</i>	1888,	<i>rugulosus</i>	1888,
<i>Olios tridentifer</i>	1882,	<i>solivagus</i>	1888,
<i>Olivia otaviana</i>	1883,	<i>Onus reinhardtí</i>	1889,
<i>Olybama japonica</i>	1889,	<i>Onychodactylus japoni-</i>	
<i>Omalaxis supranitida</i> ..	1885,	<i>cus</i>	1886,
<i>Omaseus fortis</i>	1888,	<i>Onychoprion anæs-</i>	
<i>melanarius</i>	1887,	<i>thetus</i>	1883,
<i>rotundangulus</i>	1888,		52
<i>Omiza miliaria</i>	1889,		200
	425		1884,
			434

	Page		Page
<i>Onychoteuthis banksii</i> ..	1881, 26	<i>Ophiodes lunaris</i>	1883, 165
<i>fusiformis</i>	1881, 26	<i>separans</i>	1883, 165
<i>ingens</i>	1881, 25		1884, 521
	1881, 26		1885, 464
	1881, 138	<i>trapezium</i>	1886, 450
<i>Oodes</i> (Simous) <i>borne-</i>		<i>triphænoïdes</i>	1883, 22
<i>ensis</i>	1889, 384		1885, 464
<i>Oomorphus concolor</i> ..	1885, 197		1886, 450
<i>japanus</i>	1885, 197	<i>tumidilinea</i>	1884, 521
	1885, 753		1885, 464
<i>Opatrum</i> , sp.	1884, 216	<i>vesta</i>	1883, 165
<i>costiferum</i>	1881, 470	<i>Ophioglypha amphitrites</i>	1888, 283
	1881, 476		1888, 284
	1881, 478	<i>kinbergi</i>	1889, 7
<i>micans</i>	1884, 216	<i>Ophiolepis annulosa</i> ..	1887, 140
<i>Opeas subula</i>	1887, 186		1888, 388
<i>Opheides erithonius</i> ...	1885, 145	<i>asperula</i>	1881, 98
	1886, 432	<i>cincta</i>	1888, 388
<i>Ophiactis asperula</i>	1881, 98	<i>nodosa</i>	1888, 388
<i>magellicana</i>	1881, 98	<i>Ophiolophus novariæ</i> ..	1888, 388
<i>savignii</i>	1883, 388	<i>Ophiomastix annulosa</i> ..	1887, 140
	1889, 7		1888, 388
<i>Ophiarachna incrassata</i> .	1887, 140	<i>Ophiomaza cacaotica</i> ..	1888, 384
	1888, 388		1888, 388
<i>Ophicardelus layardi</i> ..	1887, 290	<i>Ophiopeza assimilis</i>	1888, 282
<i>paludosus</i>	1887, 297		1888, 284
<i>Ophichthys cancrivorus</i> .	1889, 242	<i>conjungens</i>	1888, 282
<i>cirrhochilus</i>	1889, 242		1888, 283
<i>dicellurus</i>	1881, 22		1889, 7
<i>Ophideres apta</i>	1884, 323	<i>Ophiophagus bungarus</i> .	1887, 639
<i>fullonica</i>	1888, 224	<i>elaps</i>	1881, 216
	1889, 544	<i>Ophiophragmus affinis</i> ..	1888, 388
<i>hypermnestra</i>	1881, 619	<i>difficilis</i>	1888, 388
<i>materna</i>	1884, 229	<i>Ophiopinax stellatus</i> ..	1888, 386
	1884, 498	<i>Ophioplocus imbricatus</i> .	1888, 388
	1888, 84	<i>Ophioscolex coppingeri</i> .	1881, 98
<i>tyrannus</i>	1889, 544		1881, 140
<i>Ophiocampsis pellicula</i> .	1888, 388	<i>Ophiothela holdsworthi</i> .	1888, 388
<i>Ophicardelus australis</i> .	1884, 272	<i>Ophiothrix andersoni</i> ..	1888, 388
<i>Ophiocephalus gachua</i> .	1890, 38	<i>aspidota</i>	1889, 7
<i>lucius</i>	1890, 38	<i>comata</i>	1888, 388
<i>marulius</i>	1890, 38	<i>galatææ</i>	1888, 388
<i>striatus</i>	1890, 38	<i>hirsuta</i>	1888, 388
<i>Ophiocnemis marmorata</i>	1888, 388	<i>longipeda</i>	1888, 384
<i>Ophiocnida sexradia</i> ..	1888, 388		1888, 388
<i>Ophiocoma æthiops</i> ...	1887, 140	<i>martensi</i>	1888, 388
	1887, 523	<i>merguiensis</i>	1888, 388
	1888, 388	<i>nereidina</i>	1888, 384
<i>brevipes</i>	1888, 388		1888, 388
<i>erinaceus</i>	1888, 384	<i>punctolimbata</i>	1888, 388
<i>scolopendrina</i>	1887, 140	<i>variabilis</i>	1888, 388
	1887, 523	<i>variegata</i>	1888, 388
	1888, 388	<i>Ophisaurus gracilis</i>	1888, 352
<i>Ophiodes cuprea</i>	1883, 164	<i>Ophisma attaccicola</i>	1885, 463
	1883, 165	<i>lætabilis</i>	1885, 466
<i>fervida</i>	1883, 164		1888, 224
<i>hottentota</i>	1883, 165	<i>maturata</i>	1885, 466
<i>lunaris</i>	1883, 164		

	Page		Page
Ophites subcinctus	1881,	Opisthoporus euryom-	
	1881,	phalus	1889, 341
	1881,	latistrigus	1889, 341
Ophiusa achatina	1883,	pertusus	1889, 341
acuta	1883,	pterocycloides	1889, 341
	1883,		1889, 355
albivitta	1884,	rostellatus	1889, 341
	1885,	Opisthostoma decres-	
	1886,	pignyi	1889, 350
	1886,	grandi-spinosum ..	1889, 349
algira	1889,		1889, 350
—, var. curvata ..	1889,	Oplomus elongatus	1890, 475
	1889,	Oporina castaneo-	
anfractuosa	1884,	fasciata	1889, 517
angularis	1888,	croceago	1889, 516
arctotænia	1883,	Opsiphanes berecynthus	1890, 566
	1886,	inveræ	1890, 566
	1888,	quiteria	1890, 566
	1889,	Oræsia, sp.	1884, 228
arcuata	1885,	alliciens	1884, 228
	1889,		1889, 529
conficiens	1885,	emarginata	1885, 301
crameri	1885,		1886, 439
dulcis	1889,		1889, 529
elegans	1888,	vagabunda	1884, 519
	1889,		1884, 529
falcata	1883,	Oranasma	1883, 258
	1889,	lugens	1883, 208
joviana	1885,		1883, 254
	1886,		1883, 259
	1889,	smithii	1883, 259
limosa	1889,	Orchesticus ater	1881, 213
mirabilis	1889,	Orchilus pileatus	1882, 18
myops	1888,	Oreas canna	1881, 749
narrans	1884,		1890, 658
olympia	1885,	Oreaster aculeatus	1884, 62
	1888,		1884, 78
rubicans	1885,	affinis	1884, 61
	1886,		1884, 64
	1887,		1884, 87
stuposa	1885,	alveolatus	1884, 59
triangulata	1889,		1884, 61
	1889,		1884, 64
tumidilinea	1885,		1884, 73
Ophryoessa superciliosa.	1887,		1884, 80
Ophthalmis lincea	1888,	armatus	1884, 59
Opigera arenosa	1889,		1884, 61
cecilia	1889,		1884, 64
Opisthocomus cristatus .	1881,		1884, 79
	1889,		1884, 80
	1889,	australis	1884, 61
	1890,		1884, 64
	1890,		1884, 65
Opisthognathus musca-		carinatus	1884, 62
tensis	1887,		1884, 87
	1887,	chinensis	1884, 62
Opisthoporus biciliatus .	1889,		1884, 64
birostris	1889,		1884, 64
euryomphalus	1881,		1884, 68

	Page		Page
<i>Oreaster chinensis</i>	1884, 69	<i>Oreaster nodosus</i>	1884, 63
	1884, 70		1884, 64
<i>clavatus</i>	1884, 62		1884, 70
	1884, 77		1884, 73
<i>clouei</i>	1884, 62	<i>nodulosus</i>	1884, 59
<i>decipiens</i>	1884, 64		1884, 60
	1884, 69		1884, 62
<i>dorsatus</i>	1884, 62		1884, 64
	1884, 64		1884, 66
	1884, 77	<i>obtusangulus</i>	1884, 62
	1884, 87	<i>obtusatus</i>	1884, 63
<i>forcipulosus</i>	1884, 62	<i>occidentalis</i>	1884, 60
	1884, 64		1884, 61
	1884, 65		1884, 62
<i>franklini</i>	1884, 62		1884, 64
<i>gigas</i>	1884, 62		1884, 76
	1884, 78	<i>orientalis</i>	1884, 62
<i>gracilis</i>	1884, 62		1884, 65
	1884, 65		1884, 84
	1884, 80		1884, 85
	1884, 82		1884, 86
	1884, 83	<i>productus</i>	1884, 64
<i>granulosus</i>	1884, 62		1884, 74
	1884, 64		1884, 87
	1884, 67	<i>regulus</i>	1884, 62
	1884, 80	<i>reinhardti</i>	1884, 62
<i>grayi</i>	1884, 64		1884, 64
	1884, 83		1884, 74
<i>hedemanni</i>	1884, 62		1888, 388
	1884, 64	<i>reticulatus</i>	1884, 62
	1884, 71		1884, 64
<i>hiulcus</i>	1884, 62		1884, 75
	1884, 64		1884, 78
	1884, 71		1884, 84
<i>lapidarius</i>	1884, 62		1884, 87
	1884, 79	<i>sebæ</i>	1884, 62
<i>lincki</i>	1884, 59	<i>superbus</i>	1884, 62
	1884, 62		1884, 65
	1884, 64		1884, 81
	1884, 70		1888, 384
	1884, 71		1888, 388
	1884, 73	<i>thurstoni</i>	1888, 384
	1884, 87		1888, 385
	1888, 384		1888, 388
	1888, 388	<i>troscheli</i>	1884, 64
<i>luetkeni</i>	1884, 64		1884, 85
	1884, 75	<i>tuberculatus</i>	1884, 62
<i>mammillatus</i>	1884, 62	<i>tuberosus</i>	1884, 78
	1884, 64	<i>turritus</i>	1884, 62
	1884, 67	<i>valvulatus</i>	1884, 62
	1889, 6		1884, 64
<i>mammosus</i>	1884, 62		1884, 67
<i>michelini</i>	1884, 62	<i>verrucosus</i>	1884, 62
<i>muelleri</i>	1884, 64	<i>westermanni</i>	1884, 62
	1884, 86		1884, 65
<i>muricatus</i>	1884, 62		1884, 81
<i>nodosus</i>	1884, 59		1888, 388
	1884, 62	<i>Oreocharis arfaki</i>	1885, 639

	Page		Page
<i>Oreochromis hunteri</i> ..	1889,	<i>Oriolus broderipi</i>	1885,
<i>Oreocincla varia</i>	1887,	<i>celebensis</i>	1885,
	1888,	<i>chinensis</i>	1885,
<i>Oreomanes fraseri</i>	1885,		1885,
<i>Oreophilus ruficollis</i> ..	1886,		1885,
<i>Oreopsittacus arfaki</i>	1885,		1885,
<i>Oreothraupis arremonops</i>	1885,		1889,
<i>Oreotragus saltator</i>	1890,	<i>consanguineus</i>	1887,
<i>Oreotrochilus chim-</i>		<i>decipiens</i>	1884,
<i>borazo</i>	1885,	<i>diffusus</i>	1888,
	1885,	<i>frontalis</i>	1885,
	1885,		1885,
<i>leucopleurus</i>	1882,	<i>galbula</i>	1881,
	1886,	<i>larvatus</i>	1881,
<i>pichincha</i>	1885,	<i>notatus</i>	1881,
	1885,		1882,
<i>Oresia tentans</i>	1889,		1885,
<i>Oreta calceolaria</i>	1888,	<i>palawanensis</i>	1889,
<i>calida</i>	1888,	<i>rolleti</i>	1881,
<i>obtusa</i>	1888,	<i>suluensis</i>	1885,
<i>pulchripes</i>	1888,		1885,
<i>turpis</i>	1888,	<i>xanthonotus</i>	1881,
<i>Orygia, sp.</i>	1881,		1887,
<i>antiqua</i>	1881,		1889,
	1887,	<i>Ornithion imberbe</i>	1882,
	1887,	<i>sclateri</i>	1884,
	1887,		1885,
	1887,		1885,
	1887,	<i>Ornithoptera cervilliana</i>	1888,
	1887,		1888,
	1887,	<i>criton</i>	1885,
	1887,	<i>darsius</i>	1885,
	1887,		1885,
	1887,	<i>d'urvilliana</i>	1882,
<i>approximans</i>	1888,		1888,
<i>gonostigma</i>	1881,	<i>priamus</i>	1887,
	1888,		1888,
<i>pudibunda</i>	1881,	<i>reginæ</i>	1888,
	1887,		1888,
<i>punctatella</i>	1888,		1888,
<i>simplex</i>	1888,	<i>riedeli</i>	1885,
<i>thyellina</i>	1888,	<i>tithonus</i>	1887,
	1888,	<i>victoriæ</i>	1887,
	1888,		1888,
<i>Oria sanguinea</i>	1881,		1888,
<i>Oribata alata</i>	1890,		1888,
<i>avenifera</i>	1890,		1888,
<i>cuspidata</i>	1890,		1888,
<i>globula</i>	1890,	<i>Ornithorhynchus hystrix</i>	1885,
<i>lapidaria</i>	1890,	<i>paradoxus</i>	1882,
<i>longipes</i>	1890,		1882,
<i>lucasi</i>	1890,		1885,
<i>quadricornuta</i>	1890,		1885,
<i>Orinoma damaris</i>	1882,		1887,
<i>Oriolus auratus</i>	1881,	<i>Ornithoscatoïdes</i>	1884,
<i>brachyrhynchus</i> ..	1881,	<i>ceylonica</i>	1884,
	1889,		1884,
	368		202

	Page		Page
<i>Ornithoscatoïdes ceylonica</i>	1884, 203	<i>Orthosia rectivitta</i>	1881, 353
	1884, 205	<i>suspecta</i>	1889, 513
<i>decipiens</i>	1884, 199	<i>Orthotomus borneoensis</i>	1885, 419
	1884, 200	<i>cineraceus</i>	1881, 798
	1884, 205		1885, 415
<i>nigra</i>	1884, 202		1885, 419
	1884, 205	<i>erythropterus</i>	1888, 22
<i>tuberosa</i>	1884, 200	<i>ruficeps</i>	1881, 798
	1884, 205		1889, 226
<i>Oroscoptes montanus</i> ..	1885, 900	<i>Ortygis lepurana</i>	1881, 598
<i>Orpheides erithonius</i> ..	1882, 258	<i>Ortygocichla rubiginosa</i>	1881, 452
<i>Ortalida erythroptera</i> ..	1885, 119	<i>Ortygometra nigra</i>	1881, 601
<i>guttata</i>	1882, 48	<i>Ortygospiza atricollis</i> ..	1888, 22
	1882, 62	<i>Ortyx nigrogularis</i>	1883, 435
<i>maccalli</i>	1883, 460		1883, 461
<i>Ortalis albiventris</i>	1882, 351	<i>Orudiza protheclaria</i> ..	1885, 864
<i>garrula</i>	1882, 351	<i>Orycteropus capensis</i> ..	1883, 463
<i>motmot</i>	1882, 351	<i>Oryctes boas</i>	1885, 231
<i>vetula</i>	1883, 460		1890, 482
<i>Orthetrum albistyla</i>	1889, 298	<i>rhinoceros</i>	1884, 214
<i>cærulescens</i>	1886, 327	<i>Orynx approximans</i>	1887, 126
<i>camarense</i>	1889, 297	<i>Oryx beatrix</i>	1881, 819
	1889, 298		1890, 411
<i>carnaticum</i>	1886, 327	<i>beisa</i>	1881, 626
<i>hyalinum</i>	1886, 326		1884, 48
	1886, 329		1885, 931
<i>neglectum</i>	1886, 327	<i>gazella</i>	1881, 755
<i>ramburi</i>	1886, 327	<i>xanthomelas</i>	1881, 586
<i>triangulare</i>	1886, 327	<i>Oryzoborus funereus</i>	1885, 117
	1886, 328	<i>occidentalis</i>	1885, 117
<i>Orthogonia crispina</i>	1889, 541	<i>torridus</i>	1882, 16
<i>sera</i>	1889, 541	<i>Osmerus eperlanus</i>	1883, 135
<i>Orthogonys cyanicterus</i> ..	1881, 213		1886, 292
<i>Orthomegas cinnamomeus</i>	1887, 490		1886, 293
<i>Orthonyx ochrocephala</i> ..	1882, 544		1886, 295
	1882, 545	<i>mordax</i>	1886, 507
<i>spinicauda</i>	1882, 544	<i>Osmotreron aromatica</i> ..	1885, 268
<i>Orthorhamphus magnirostris</i>	1883, 52	<i>axillaris</i>	1885, 250
	1883, 195		1885, 268
	1883, 200	<i>fulvicollis</i>	1887, 433
	1884, 433	<i>griseicauda</i>	1885, 556
	1885, 664	<i>olax</i>	1885, 416
	1888, 201	<i>vernans</i>	1885, 238
<i>Orthorhynchus exilis</i> ..	1889, 326		1885, 409
<i>Orthorrhinus lætus</i>	1884, 217		1885, 416
<i>Orthosia erubescens</i>	1881, 618	<i>Osphranter erubescens</i> ..	1889, 434
<i>externa</i>	1883, 161		1889, 435
	1888, 303		1889, 439
<i>fausta</i>	1889, 513		1889, 440
	1889, 571	<i>Osphromenus leerii</i>	1890, 38
<i>gracilis</i>	1889, 512	<i>olfax</i>	1890, 38
<i>infrequens</i>	1884, 517	<i>trichopterus</i>	1890, 38
	1884, 529	<i>Ossifraga gigantea</i>	1881, 11
<i>lizetta</i>	1889, 514		1883, 431
<i>munda</i>	1889, 512	<i>Osteochilus waandersii</i> ..	1890, 39
<i>Proc. Zool. Soc. Index, 1881-90.</i>		<i>Osteodesma inflatum</i> ..	1881, 930
		<i>Ostinops alfredi</i>	1885, 85

	Page		Page
<i>Ostinops alfredi</i>	1885, 121	<i>Otidiphaps cervicalis</i> ..	1883, 33
<i>atrocastaneus</i>	1884, 294	<i>insularis</i>	1883, 34
	1885, 121	<i>nobilis</i>	1883, 34
<i>Ostodes bocageanus</i>	1887, 305		1883, 34
	1887, 306		1885, 662
<i>diatretus</i>	1887, 305	<i>Otiorhynchus bisulcatus</i> ..	1887, 128
<i>liberatus</i>	1887, 305	<i>Otis dybowskii</i>	1888, 456
<i>strictus</i>	1887, 306	<i>fluctuosa</i>	1881, 842
<i>strigatus</i>	1887, 306	<i>maculipennis</i>	1889, 371
<i>Ostracion cornutus</i>	1887, 667	<i>melanogaster</i>	1888, 48
<i>cubicus</i>	1887, 596	<i>tarda</i>	1882, 456
	1887, 667		1890, 337
<i>cyanurus</i>	1887, 667	<i>Otocorys bilopha</i>	1889, 26
<i>gibbosus</i>	1887, 667	<i>Otolithus crassus</i>	1889, 204
<i>immaculatus</i>	1887, 596		1889, 206
<i>Ostrea, sp.</i>	1890, 253	<i>Otomela lucionensis</i>	1887, 605
	1890, 307		1888, 464
<i>cochlea</i>	1881, 949	<i>Otonycteris hemprichi</i> ..	1881, 199
	1882, 213	<i>Otopoma albicans</i>	1881, 251
<i>columbiensis</i>	1890, 249	<i>auriculare</i>	1881, 253
<i>cornu-copiae</i>	1890, 322	<i>balfouri</i>	1881, 253
<i>crisagalli</i>	1890, 249		1881, 257
	1890, 253	<i>clathratulum</i>	1881, 254
	1890, 305	—, var. <i>minor</i>	1881, 255
	1890, 307	—, var. <i>socotrana</i> ..	1881, 254
<i>cucullata</i>	1890, 317		1881, 257
	1890, 322	<i>complanatum</i>	1881, 254
<i>folium</i>	1890, 307		1881, 257
<i>forsskalii</i>	1890, 322	<i>conicum</i>	1881, 255
<i>virginica</i>	1882, 120		1881, 257
<i>Otaria albicollis</i>	1884, 194	<i>guillani</i>	1881, 252
<i>australis</i>	1884, 194		1881, 253
<i>cinerea</i>	1884, 188	<i>hinduorum</i>	1881, 252
	1884, 189	<i>modestum</i>	1881, 251
	1884, 190	<i>naticoides</i>	1881, 252
	1884, 191		1881, 257
	1884, 192	<i>turbinatum</i>	1881, 255
	1884, 193		1881, 258
	1884, 194	<i>Otostomus fulguratus</i> ..	1887, 180
	1884, 195	(Placostylus) <i>elo-</i>	
<i>forsteri</i>	1884, 196	<i>batus</i>	1887, 181
<i>gillespii</i>	1881, 453	(—) <i>seemanni</i> ..	1887, 182
	1882, 722	<i>Otroeda occidentis</i>	1887, 574
<i>hookeri</i>	1887, 138	<i>varunæa</i>	1882, 780
	1887, 139	<i>vespertina</i>	1882, 780
<i>jubata</i>	1881, 4	<i>Otus brachyotus</i>	1887, 581
	1885, 499	<i>myron</i>	1888, 120
	1887, 139	<i>Ovis blanfordi</i>	1881, 409
<i>pusilla</i>	1884, 194		1887, 639
	1884, 475	<i>brookei</i>	1886, 206
<i>ursina</i>	1884, 195	<i>californianus</i>	1885, 683
<i>Othora ænea</i>	1884, 520		1885, 684
	1884, 529	<i>canadensis</i>	1885, 679
<i>Othreis ancilla</i>	1885, 463		1885, 681
<i>cajeta</i>	1885, 463		1885, 682
<i>fullonica</i>	1885, 463		1885, 683
	1886, 450		1885, 684
	1889, 544		

	Page		Page
<i>Ovis cervina</i>	1885, 682	<i>Oxypheura polydorus</i> ..	1890, 479
	1885, 683	<i>Oxystele romettensis</i> ..	1883, 93
	1885, 684	<i>Oxytenus laverna</i>	1890, 502
<i>cycloceros</i>	1881, 409		1890, 520
<i>cylindricornis</i>	1887, 553	<i>Oxythyrea helenæ</i>	1881, 470
<i>gmellini</i>	1884, 595	<i>Oxyurus spinicauda</i>	1881, 9
	1884, 596	<i>Ozarba itwarra</i>	1885, 452
<i>hodgsoni</i>	1885, 851		1885, 476
	1886, 205	<i>mallarba</i>	1885, 452
	1886, 206		1885, 476
<i>karelini</i>	1884, 326	<i>punctigera</i>	1885, 452
	1884, 327		1889, 528
	1884, 329	<i>Pachenome detersa</i>	1883, 156
<i>montana</i>	1885, 677	<i>Pachnobia alpina</i>	1881, 84
	1885, 682	<i>coppingeri</i>	1881, 84
	1885, 683	<i>Pachnoda impressa</i>	1890, 484
	1885, 684	<i>inscripta</i>	1890, 483
— <i>dalli</i>	1885, 678	<i>marginata</i>	1884, 406
	1885, 684	—, var. <i>aurata</i>	1884, 406
<i>musimon</i> , var. <i>occi-</i>		<i>marginella</i>	1890, 483
<i>dentalis</i>	1884, 595	<i>picturata</i>	1890, 483
—, var. <i>orientalis</i> ..	1884, 595	<i>Pachnodus adonensis</i> ..	1881, 802
<i>nahoor</i>	1887, 485	<i>fragilis</i>	1881, 802
<i>nivicola</i>	1885, 675	<i>heliciformis</i>	1881, 802
	1885, 676	<i>Pachybrachys donitzi</i> ..	1885, 203
	1885, 679		1885, 753
	1885, 680	<i>erudita</i>	1885, 203
<i>ophion</i>	1884, 594		1885, 53
	1884, 595	<i>reticulatus</i>	1889, 266
	1884, 596	<i>Pachycalamus brevis</i> ..	1881, 461
<i>poli</i>	1881, 198		1881, 462
	1881, 209	<i>Pachycare flavogrisea</i> ..	1885, 638
	1884, 326	<i>Pachycephala</i> , sp.....	1883, 51
	1884, 327	<i>arctitorquis</i>	1883, 51
	1884, 328		1883, 55
	1884, 329		1883, 195
<i>pygargus</i>	1885, 683		1883, 200
<i>tragelaphus</i>	1886, 320		1884, 428
	1890, 362		1884, 429
<i>vignei</i>	1881, 209		1884, 432
	1885, 851		1884, 578
	1886, 205	<i>astrolabi</i>	1888, 187
	1886, 206		1888, 196
<i>Ovulum vidleri</i>	1881, 638	<i>fulvotincta</i>	1885, 505
	1881, 639	<i>fusco-flava</i>	1883, 195
<i>Oxira ochracea</i>	1888, 293		1883, 198
	1888, 306		1883, 200
	1888, 309		1883, 589
<i>Oxycalamus longiceps</i> ..	1881, 215		1884, 432
	1881, 218	<i>griseola</i>	1885, 410
<i>Oxycerca everetti</i>	1889, 225	<i>kibirensis</i>	1884, 428
<i>Oxygyrus keraudrenii</i> ..	1890, 300		1884, 429
<i>Oxylabes cinereiceps</i> ..	1881, 197		1884, 432
<i>madagascariensis</i> ..	1881, 197	<i>leucogastra</i>	1883, 56
<i>Oxyodes clytia</i>	1888, 224	<i>mentalis</i>	1885, 571
<i>Oxypheura bufo</i>	1888, 553	<i>obiensis</i>	1885, 571
<i>calypso</i>	1888, 553	<i>olivacea</i>	1881, 839
<i>polita</i>	1888, 553		

	Page		Page
<i>Pachycephala riedelii</i> ..	1884, 428	<i>Pachyrhamphus versi-</i>	
	1884, 432	<i>color</i>	1882, 23
	1884, 578		1884, 298
<i>rufinucha</i>	1885, 638		1885, 93
<i>schlegeli</i>	1885, 638	<i>Pachyrhynchus gosseleti</i>	1889, 66
<i>soror</i>	1885, 637	<i>Pachystola decussata</i> ..	1890, 491
<i>Pachycephalopsis hatta-</i>		<i>mimica</i>	1890, 490
<i>mensis</i>	1885, 638	<i>Pachytoma gibbosa</i>	1883, 403
<i>Pachychalina spinosis-</i>			1883, 406
<i>sima</i>	1887, 524	<i>gigantea</i>	1883, 403
	1887, 525	<i>gigas</i>	1883, 403
	1887, 526	<i>Pachyuromys auricularis</i>	1882, 265
<i>variabilis</i>	1887, 503	<i>duprasi</i>	1882, 265
	1887, 504		1884, 101
<i>Pachycoccyx validus</i> ..	1888, 42		1884, 104
<i>Pachydactylus fasciatus</i> .	1890, 78		1884, 108
<i>laevigatus</i>	1890, 78		1885, 334
<i>Pachydema puncticeps</i> .	1881, 470	<i>Pademna apicalis</i>	1883, 308
	1881, 471	<i>augusta</i>	1883, 306
<i>Pachydia vexillaria</i>	1885, 854	<i>burmeisteri</i>	1883, 309
<i>Pachydissus holoseri-</i>		<i>crassa</i>	1883, 307
<i>ceus</i>	1884, 217		1883, 308
<i>Pachydrilus verrucosus</i> .	1888, 489		1883, 309
<i>Pachygastria niris</i>	1884, 228	<i>dharma</i>	1883, 306
	1884, 229		1883, 324
<i>reducta</i>	1884, 228	<i>erichsoni</i>	1883, 307
<i>Pachylanguria borrei</i> ..	1887, 361		1883, 308
<i>Pachylia ficus</i>	1884, 321	<i>granti</i>	1883, 306
<i>Pachylomerus natalensis</i>	1889, 34	<i>illustris</i>	1883, 307
	1889, 35	<i>imperialis</i>	1883, 307
	1889, 46	<i>indigofera</i>	1883, 306
<i>Pachymetopon grande</i> .	1886, 540		1883, 324
<i>squamosum</i>	1886, 540	<i>klugi</i>	1883, 255
<i>Pachynoa pectinicor-</i>			1883, 305
<i>nalis</i>	1885, 875		1883, 306
<i>Pachypasa bilinea</i>	1887, 680		1883, 307
<i>massilia</i>	1887, 680		1883, 324
<i>phocea</i>	1887, 680	<i>kollari</i>	1883, 209
<i>subfascia</i>	1887, 680		1883, 211
<i>Pachyprora capensis</i> ..	1889, 360		1883, 212
<i>mixta</i>	1889, 356		1883, 309
	1889, 359		1883, 323
<i>molitor</i>	1882, 302		1885, 126
	1889, 359	<i>maclellandii</i>	1883, 308
	1889, 360		1883, 324
<i>senegalensis</i>	1888, 26	<i>masoni</i>	1883, 209
<i>Pachyrhamphus, sp.</i>	1882, 23		1883, 211
<i>albogriseus</i>	1882, 23		1883, 309
	1882, 24	<i>minorata</i>	1883, 307
	1884, 559	<i>pembertoni</i>	1883, 308
	1885, 93		1883, 324
<i>cinereus</i>	1885, 121	<i>regalis</i>	1883, 307
<i>major</i>	1883, 449	<i>sinhala</i>	1883, 209
<i>niger</i>	1882, 23		1883, 211
<i>spodiurus</i>	1883, 559		1883, 309
	1885, 70		1885, 126
	1885, 93	<i>uniformis</i>	1883, 308
	1885, 121	<i>Padraona dara</i>	1882, 262

	Page		Page
<i>Padraona mæsa</i>	1886,	<i>Palpopleura sexmacu-</i>	
	433	<i>lata</i>	1886, 325
<i>Pæderus</i> , sp.....	1888,	<i>Paludamus madagascari-</i>	
	538	<i>ensis</i>	1882, 384
<i>Pædisca decolorana</i>	1883,	<i>Paludicola bibronii</i> ...	1888, 170
	1884,	<i>bischoffi</i>	1890, 325
	528	<i>bufonium</i>	1887, 576
<i>Pagellus affinis</i>	1887,	<i>falcipes</i>	1886, 413
	1889,	<i>fischeri</i>	1890, 325
<i>erythrinus</i>	1887,		1890, 327
	659		1890, 328
<i>Pagophila eburnea</i>	1882,	<i>gracilis</i>	1886, 413
	653	<i>olfersii</i>	1886, 413
<i>Pagria costatipennis</i> ..	1887,	<i>Paludina benzi</i>	1884, 119
	1887,	<i>capillata</i>	1881, 293
	119	<i>hamiltoni</i>	1881, 632
<i>Pagrus ruber</i>	1887,	<i>ingallsiana</i>	1881, 632
	1889,	<i>olivacea</i>	1881, 290
	245	<i>robertsoni</i>	1881, 294
<i>spinifer</i>	1889,	<i>rubens</i>	1884, 129
	245	<i>sumatrensis</i>	1881, 632
<i>Paguma bondar</i>	1885,	<i>unicolor</i>	1888, 52
<i>crossii</i>	1885,		1888, 53
<i>grayi</i>	1885,	<i>Paludomus africanus</i> ..	1881, 294
	1885,	<i>ferrugineus</i>	1881, 294
	781		1881, 300
	1885,	<i>ornatissima</i>	1888, 245
	787	<i>Palumbus arquatrix</i>	1885, 230
	1885,	<i>Panphila bevani</i>	1884, 512
	803	<i>borbonica</i>	1884, 227
<i>laniger</i>	1885,	<i>bucephalus</i>	1884, 319
	807		1884, 320
<i>larvata</i>	1885,	<i>camertes</i>	1881, 914
	805	<i>confucius</i>	1881, 869
<i>leucomystax</i>	1885,		1881, 913
	805	<i>dara</i>	1881, 914
<i>stigmatica</i>	1882,	<i>ethlius</i>	1884, 319
	163	<i>flava</i>	1887, 430
<i>trivirgata</i>	1885,	<i>florinda</i>	1881, 914
	790		1887, 429
<i>Pagurus comptus</i>	1881,	<i>fortunei</i>	1881, 869
<i>forceps</i>	1881,		1881, 912
	72	<i>guttata</i>	1881, 869
<i>Paida obtrita</i>	1888,		1881, 912
	1888,	<i>hala</i>	1884, 319
<i>obtusata</i>	604		1884, 320
<i>Palæolampas crassa</i> ...	1884,	<i>herculea</i>	1881, 913
	42		1887, 429
<i>Palæolybas cychramoides</i>	1883,	<i>jansonis</i>	1881, 847
	1883,		1881, 869
<i>humeralis</i>	87		1881, 913
	87	<i>karsana</i>	1881, 612
<i>Palæonympha opalina</i> ..	1881,		1884, 512
	1881,		
	904		
<i>Palæphatus salticiformis</i>	1883,		
	1883,		
	362		
	1883,		
	364		
	1883,		
	365		
<i>Palaina patula</i>	1889,		
	114		
<i>Palamedea cornuta</i> ...	1890,		
	589		
<i>Palimpsestis albidisca</i> ..	1888,		
	1881,		
<i>alternata</i>	331		
	1881,		
	379		
<i>cuprina</i>	1881,		
	1881,		
	379		
<i>ocularis</i>	1881,		
	331		
<i>orbicularis</i>	1888,		
	407		
<i>renalis</i>	1888,		
	407		
<i>Palindia juncida</i>	1884,		
	323		
<i>Palinurus longimanus</i> ..	1882,		
	1882,		
	538		
	1882,		
	539		
—, var. <i>mauritanus</i>	1882,		
	540		
	1882,		
	543		
<i>penicillatus</i>	1887,		
	1887,		
	468		
	1887,		
	469		
<i>vulgaris</i>	1882,		
	1882,		
	540		
	1882,		
	541		
	1889,		
	394		
<i>Palla varanes</i>	1888,		
	60		

	Page		Page
Pamphila lamprospilus .	1881, 869	Pauchala	1882, 251
	1881, 912	birmana.....	1883, 531
leonina	1887, 429	dodonea	1882, 252
maesa.....	1881, 914		1886, 364
	1882, 262		1886, 365
	1886, 433	ganesa	1882, 252
marchalii	1890, 577	paraganesa	1883, 530
maro	1881, 914	rama	1882, 252
mathias.....	1881, 612		1886, 364
	1881, 869	Pandalus danæ.....	1881, 75
	1881, 912	franciscorum.....	1881, 75
	1883, 154	gurneyi	1881, 75
	1884, 512	leptorhynchus	1881, 75
	1887, 403	paucidens	1881, 63
	1887, 428		1881, 74
mencia	1881, 869		1881, 75
	1881, 911		1881, 139
oceia	1881, 869	pubescentulus	1881, 74
	1881, 912	Pandesma anysa	1883, 23
ochracea	1887, 430		1883, 24
ocola	1884, 319		1883, 165
pellucida	1881, 849		1885, 459
	1881, 869	benenotata	1888, 313
	1881, 912	devia	1884, 520
	1887, 403		1884, 529
	1887, 429	fugitiva.....	1884, 519
phylæus	1884, 319	jubra	1889, 413
ravola	1884, 320		1889, 432
rikuchina	1887, 430	quenavadi.....	1883, 23
sagara	1882, 262		1884, 498
	1886, 434		1885, 459
sinensis	1881, 869		1886, 381
	1881, 911		1886, 448
subhyalina	1887, 429		1888, 313
sunias	1881, 914		1889, 413
sylvatica	1881, 849		1889, 414
	1887, 429	similata.....	1883, 24
varia	1881, 849		1884, 520
	1881, 869	virens	1889, 480
	1881, 912	Pandion haliaetus	1888, 459
	1887, 403		1889, 225
	1887, 428	leucocephalus	1883, 51
venata	1881, 849		1883, 200
	1887, 429		1884, 431
vitellinus	1884, 320		1887, 329
vitrea.....	1881, 912		1888, 187
	1887, 428		1888, 188
Panacra vigil	1885, 287	Pandora glacialis.....	1881, 929
Panamomus brevi-		inæquivalvis.....	1881, 929
cornis	1887, 642	intermedia	1881, 929
	1887, 649	obtusa	1881, 929
decoratus	1887, 642	pinna.....	1881, 929
	1887, 648	wardiana	1881, 40
	1887, 653		1881, 41
lewisii	1887, 642	(Kennerlia) brazi-	
	1887, 648	liensis	1881, 40
	1887, 649		1881, 138
Panara barsacus	1890, 571	Panesthia javanica	1888, 547
pherechus	1890, 571	Pangora distorta	1889, 403

	Page		Page
Pangora distorta	1889, 404	Papilio agesilaus	1890, 555
rubelliana	1889, 402	agestor	1882, 260
Pangrapta flavomacula	1889, 567		1882, 261
incisa	1889, 568	aglea	1881, 603
Paniasis aleopetra	1890, 500		1883, 248
	1890, 520	ajax	1885, 125
Panilla dispila	1885, 460		1887, 51
Panolis flammea	1889, 511		1887, 53
piniperda	1889, 510		1888, 120
	1889, 511		1888, 121
Panomœa cingalensis	1886, 162		1889, 86
	1886, 163		1890, 95
pardalina	1886, 162	alcesta	1884, 225
Panopea lucretia	1888, 61	alcinous	1881, 849
	1888, 63		1881, 863
plicata	1881, 946		1881, 872
	1884, 147		1887, 401
Panoplites flavescens	1885, 118		1887, 405
jardinei	1885, 116	alcippus	1883, 238
mathewsi	1882, 35		1884, 220
	1884, 304		1884, 481
	1885, 69		1884, 504
	1885, 102	alcmeone	1882, 253
	1885, 123	alebion	1881, 864
Pantala flavescens	1886, 325		1881, 873
Pantoctenia albi-		alexanor	1886, 2
puncta	1887, 682		1886, 3
	1887, 686	alexis	1884, 512
gemmanus	1887, 682		1885, 131
Panyptila cayennensis	1883, 537		1885, 148
	1883, 569		1886, 434
saxatilis	1885, 897	alliacmon	1881, 871
	1885, 899		1887, 404
	1885, 905	almaua	1882, 239
	1885, 906		1884, 505
	1885, 909		1885, 128
	1885, 913		1886, 361
	1885, 915		1886, 424
Paphia hugelii	1882, 239	amestris	1888, 63
ryphea	1890, 566	amyntor	1883, 529
Papilio aberrans	1883, 366	anacardii	1888, 64
	1883, 369	anaphus	1884, 319
adrastus	1883, 366	antheus	1888, 79
	1883, 370		1890, 464
ægeus	1883, 370	antimachus	1890, 464
ægyptius	1883, 237	archippus	1883, 234
ænone	1882, 239		1883, 235
	1885, 539	arcturus	1881, 871
affinis	1883, 243		1886, 377
	1883, 291	argante	1884, 317
agamemnon	1881, 864	ariadne	1882, 240
	1881, 873		1885, 129
	1885, 145	aristolochiæ	1881, 864
agatha	1884, 223		1881, 872
	1887, 570		1882, 259
	1888, 65	artenice	1883, 242
agave	1884, 317	asclepiadis	1883, 238
		asiaticus	1881, 870

	Page		Page
Papilio asiaticus	1882, 258	Papilio brigitta	1888, 70
	1886, 377	bromius.....	1885, 541
aspasia	1883, 245		1888, 80
assarica	1883, 256		1890, 464
asterias	1886, 2	brontes	1885, 540
	1886, 3	buddha	1881, 612
	1887, 51	cæcilia	1884, 221
	1888, 120	cænis.....	1888, 61
	1889, 86	calais.....	1884, 487
	1890, 95	callidice	1882, 256
asterie	1882, 239	calypso	1884, 225
	1884, 505		1888, 77
	1885, 128	canidia	1886, 376
	1886, 424	capaneus	1886, 348
atalanta.....	1886, 361	cardui	1881, 177
— indica	1881, 897		1882, 240
	1887, 421		1884, 505
athamas	1882, 238		1885, 128
atymnus	1882, 251		1885, 138
augias	1885, 147		1886, 424
	1886, 433	carpenteri	1887, 405
aventina	1883, 223	cassius	1884, 317
avia	1885, 129	castor.....	1881, 479
	1886, 425		1881, 480
axion.....	1882, 257		1881, 481
bæticus	1881, 605		1881, 482
	1882, 246		1881, 483
	1884, 483		1881, 484
	1884, 505	catilla	1885, 140
	1885, 130		1886, 432
	1885, 761	cepheus.....	1888, 66
	1886, 365	ceres	1887, 569
	1886, 425	charonia	1882, 240
	1888, 68		1886, 361
baldus	1882, 237	chloris	1884, 225
	1885, 127		1887, 572
basilissa.....	1883, 287		1888, 70
berenice.....	1883, 235	chromus	1884, 512
bianor	1881, 863	chrysippus	1881, 175
	1881, 871		1882, 234
	1887, 401		1883, 237
	1887, 404		1884, 480
—, var. japonica ..	1887, 404		1884, 504
biblis.....	1884, 316		1885, 125
bixæ	1887, 573		1886, 356
blasius	1882, 237		1886, 421
bochus	1885, 131		1888, 57
	1886, 426	cillene	1884, 315
bolina	1882, 241	claudius.....	1883, 286
	1884, 316	claviger.....	1883, 225
	1884, 505	clelia	1884, 222
	1885, 129		1884, 482
	1886, 425		1885, 539
bonasia	1888, 65		1888, 62
borealis	1881, 873	cleona	1883, 244
bridgei	1886, 346	climena.....	1883, 260
	1886, 349	cloanthus	1882, 257
	1886, 350		1886, 376
brigitta	1884, 225		1888, 63

	Page		Page
<i>Papilio clytia</i>	1885, 145	<i>Papilio dissimilis</i>	1882, 261
<i>colonna</i>	1887, 51	1885, 145
<i>columbina</i>	1887, 570	<i>dravidarum</i>	1881, 482
.....	1888, 64	1881, 483
<i>constantinus</i>	1888, 97	1881, 484
<i>coras</i>	1885, 146	<i>drusia</i>	1886, 422
<i>core</i>	1883, 277	<i>dryas</i>	1887, 426
.....	1883, 289	<i>dryasis</i>	1883, 322
.....	1885, 126	<i>echeria</i>	1883, 228
.....	1886, 421	<i>edipus</i>	1888, 81
<i>corus</i>	1883, 201	<i>edusa</i>	1885, 540
.....	1883, 289	<i>egialea</i>	1883, 227
<i>creona</i>	1884, 225	<i>egina</i>	1884, 221
<i>cresphontes</i>	1883, 346	<i>eleus</i>	1888, 61
.....	1887, 51	<i>eleusina</i>	1883, 299
.....	1889, 86	<i>elorea</i>	1884, 224
<i>crithea</i>	1887, 570	1887, 572
<i>crocale</i>	1882, 253	<i>enceladus</i>	1883, 323
.....	1884, 511	<i>enotrea</i>	1887, 570
.....	1885, 140	<i>eponina</i>	1888, 65
.....	1886, 432	<i>erate</i>	1881, 607
<i>cupavia</i>	1888, 61	1882, 255
<i>cynorta</i>	1888, 80	<i>eresimus</i>	1883, 236
.....	1890, 464	<i>erinus</i>	1887, 573
<i>cypræa</i>	1885, 143	1888, 80
<i>cypræafla</i>	1887, 573	<i>erippus</i>	1883, 234
<i>dædalus</i>	1884, 223	1883, 236
.....	1885, 760	<i>erithonius</i>	1881, 480
.....	1888, 61	1881, 612
<i>damocles</i>	1883, 227	1881, 864
<i>danaë</i>	1885, 143	1881, 873
<i>danaus cassida</i>	1885, 137	1882, 258
<i>daplidice</i>	1881, 611	1885, 145
.....	1882, 255	1886, 377
.....	1886, 375	1886, 432
<i>debaani</i>	1881, 855	<i>erskinei</i>	1886, 345
.....	1881, 863	1886, 348
.....	1881, 871	1886, 349
.....	1887, 404	1886, 350
—, var. <i>tutanus</i> ..	1881, 855	<i>erymanthis</i>	1881, 605
<i>demetrius</i>	1881, 847	<i>eryx</i>	1883, 248
.....	1881, 863	1883, 529
.....	1881, 872	<i>ethlius</i>	1884, 319
.....	1887, 401	<i>etolus</i>	1882, 251
.....	1887, 405	<i>eubule</i>	1884, 317
<i>demoleus</i>	1884, 226	<i>eucharis</i>	1882, 256
.....	1885, 540	1885, 139
.....	1887, 51	1885, 144
.....	1887, 53	1886, 431
.....	1888, 80	<i>euphon</i>	1883, 257
.....	1890, 464	<i>eurypilus</i>	1882, 257
<i>diocletianus</i>	1883, 296	1887, 406
<i>diphilus</i>	1881, 612	<i>evagete</i>	1882, 255
.....	1882, 259	<i>evippe</i>	1884, 226
.....	1883, 153	<i>exclamationis</i>	1882, 261
.....	1885, 145	1885, 148
.....	1886, 433	1886, 434
<i>dissimilis</i>	1881, 480	<i>exoticus</i>	1883, 230

	Page		Page
<i>Papilio fabius</i>	1882, 238	<i>Papilio hordonia</i>	1881, 604
	1885, 130	<i>hypocleus</i>	1882, 243
<i>faunus</i>	1887, 572	<i>iatrophe</i>	1884, 316
<i>fausta</i>	1884, 508	<i>idea</i>	1883, 216
<i>flesus</i>	1887, 573		1883, 218
<i>florella</i>	1884, 486	<i>ilea</i>	1885, 139
	1885, 540	<i>ilithya</i>	1884, 222
<i>folus</i>	1882, 263		1884, 483
	1885, 146		1885, 759
<i>forestan</i>	1887, 573		1888, 64
	1888, 81	<i>inaria</i>	1888, 61
<i>ganeesa</i>	1881, 871	<i>indica</i>	1882, 240
<i>genutia</i>	1882, 234		1885, 128
	1883, 240	<i>inopinatus</i>	1883, 366
	1884, 504		1883, 370
	1885, 125	<i>iphita</i>	1882, 239
	1886, 421		1885, 129
<i>gerontes</i>	1888, 67	<i>isis</i>	1888, 69
<i>gilippus</i>	1883, 236	<i>ismare</i>	1883, 233
<i>glaucippe</i>	1885, 140	<i>ismene</i>	1882, 235
<i>gliciria</i>	1881, 611		1884, 504
	1882, 256		1885, 126
	1886, 375		1886, 422
<i>glycirion</i>	1881, 873	<i>jacintha</i>	1882, 242
<i>gnoma</i>	1882, 253	<i>japonica</i>	1881, 871
<i>goetzius</i>	1888, 64	<i>jarbas</i>	1882, 249
<i>govinda</i>	1882, 261	<i>juventa</i>	1883, 224
<i>hahneli</i>	1882, 396	<i>krishna</i>	1881, 871
	1882, 398	<i>ladon</i>	1882, 261
<i>hanno</i>	1884, 316		1885, 148
<i>harpax</i>	1888, 70		1886, 434
<i>hecabe</i>	1882, 252	<i>ladius</i>	1885, 133
	1883, 150		1886, 427
	1884, 507	<i>larydas</i>	1887, 571
	1885, 136	<i>leda</i>	1884, 504
	1886, 372		1885, 126
	1886, 430		1886, 422
<i>hector</i>	1885, 145	<i>lemonias</i>	1882, 239
<i>hegesippus</i>	1883, 241		1884, 505
<i>helenus</i>	1881, 864		1885, 128
	1881, 873		1886, 424
	1885, 145	<i>leonidas</i>	1888, 80
	1887, 401		1890, 464
	1887, 405	<i>leucostictos</i>	1883, 301
<i>hellica</i>	1885, 539	<i>leucothoe</i>	1881, 895
<i>hesperus</i>	1887, 573		1882, 241
	1888, 81		1885, 130
<i>hicetaon</i>	1886, 350	<i>libythea</i>	1885, 138
<i>hierte</i>	1884, 505		1886, 431
	1885, 128	<i>limniace</i>	1882, 235
	1886, 424		1883, 230
<i>hippia</i>	1885, 139		1884, 503
<i>hippocoon</i>	1884, 226		1885, 125
<i>hippocrates</i>	1881, 849		1886, 421
	1881, 853	<i>lingens</i>	1884, 224
	1881, 870		1885, 764
	1884, 223		1888, 69
<i>homerus</i>	1884, 314	<i>liris</i>	1883, 366

	Page		Page
<i>Papilio liris</i>	1883, 369	<i>Papilio memnon</i>	1881, 864
<i>lotis</i>	1883, 242		1881, 873
<i>lucretia</i>	1888, 60		1887, 401
	1888, 61		1887, 405
<i>lynceus</i>	1883, 217	<i>mencius</i>	1881, 863
<i>lysandra</i>	1887, 568		1881, 872
<i>maacki</i>	1881, 849		1887, 405
	1881, 853	<i>menestheus</i>	1890, 464
	1881, 863	<i>menippe</i>	1888, 66
	1881, 871	<i>merope</i>	1884, 226
	1887, 404		1890, 464
<i>machaon</i>	1881, 480	<i>mesentina</i>	1881, 611
	1881, 652		1882, 255
	1881, 653		1884, 511
	1881, 821		1885, 136
	1881, 824		1886, 430
	1881, 863	<i>midamus</i>	1883, 286
	1881, 870		1883, 287
	1882, 258		1883, 291
	1885, 65		1883, 312
	1886, 2		1883, 313
	1886, 3	<i>mikado</i>	1887, 399
	1887, 51		1887, 401
	1887, 196		1887, 406
	1887, 208		1887, 431
	1887, 212	<i>misippus</i>	1881, 604
	1887, 217		1882, 241
	1887, 240		1884, 222
	1887, 401		1884, 481
	1887, 403		1884, 505
	1888, 120		1885, 129
	1889, 86		1886, 359
—, var. <i>asiatica</i> ...	1890, 95		1886, 425
	1882, 258		1888, 60
	1882, 399	<i>morania</i>	1887, 51
	1886, 377		1888, 120
	1887, 403		1888, 121
—, var. <i>hippocrates</i>	1887, 403	<i>morpheus</i>	1887, 430
	1887, 404	<i>mulciber</i>	1883, 287
<i>macilentus</i>	1881, 863	<i>nais</i>	1882, 239
	1881, 872		1885, 130
	1887, 401		1886, 425
	1887, 405	<i>nedymond</i>	1883, 526
<i>mahadesa</i>	1881, 482	<i>neodamas</i>	1884, 315
<i>mardania</i>	1887, 569		1884, 318
<i>marianne</i>	1882, 254	<i>niavius</i>	1883, 226
<i>mariesi</i>	1881, 864	<i>nicconicolens</i>	1881, 873
	1881, 874		1887, 405
<i>martius</i>	1887, 567	<i>niphe</i>	1882, 242
<i>melampus</i>	1882, 250		1885, 128
	1883, 147		1886, 361
	1885, 135	<i>nireus</i>	1887, 51
	1886, 429		1888, 120
<i>melaneus</i>	1883, 250		1888, 121
<i>melanippus</i>	1883, 241	<i>ophidicephalus</i>	1888, 97
<i>meleagris</i>	1884, 223	<i>orithya</i>	1882, 239
<i>melissa</i>	1883, 231		1884, 505
<i>memnon</i>	1881, 847		1885, 128

	Page		Page
Papilio orithya	1886, 424	Papilio policenes	1887, 573
otrea	1882, 237		1888, 79
palephales	1881, 480		1888, 120
pammon	1881, 864		1888, 121
	1881, 873		1890, 464
	1882, 239	polinice	1881, 605
	1882, 259		1883, 146
	1885, 145		1885, 129
	1886, 433		1886, 424
panope	1881, 480	pollux	1881, 479
	1882, 261		1881, 480
paris	1881, 871		1881, 481
parsodes	1890, 555		1881, 482
pelarga	1888, 64		1881, 483
perseus	1882, 237		1881, 484
	1885, 126		1888, 60
	1886, 422	polyctor	1882, 258
petilia	1883, 239		1886, 48
phædon	1883, 229		1886, 377
phædrus	1881, 605	polydamas	1884, 318
	1885, 135		1890, 555
phænareta	1883, 291	polymnestor	1885, 144
phalanta	1884, 505	polytes	1882, 259
	1885, 128		1885, 145
	1886, 362		1886, 433
	1886, 424	poppea	1888, 70
phestus	1881, 480	porthaon	1887, 51
	1881, 481		1887, 468
philene	1883, 242		1888, 120
philenor	1890, 95		1888, 121
philippina	1882, 253	protenor	1881, 863
	1884, 511		1881, 872
	1885, 139		1882, 260
	1886, 432	protesilaus	1890, 555
philonoë	1888, 97	proteus	1884, 318
philoxenus	1882, 259	pylades	1884, 226
phlœas	1882, 247		1888, 80
phryne	1882, 255		1890, 464
	1885, 137	pyranthe	1882, 253
	1886, 431		1884, 511
phylæus	1884, 319		1885, 139
piera	1890, 567		1886, 432
plexippus	1882, 234	raddei	1881, 871
	1883, 201		1887, 404
	1883, 234	rahel	1885, 539
	1883, 240	rapæ	1881, 612
	1884, 315		1886, 431
plutonium	1881, 872	ravana	1882, 259
podalirius	1881, 480	rhadamanthus	1883, 296
	1881, 824	ridleyanus	1888, 80
	1885, 65	rohria	1882, 235
	1886, 2	rosimon	1882, 246
	1886, 3		1885, 133
	1887, 51	saba	1884, 226
	1888, 120	salmacis	1888, 61
	1889, 86	sarpedon	1881, 864
	1890, 95		1881, 873
policenes	1887, 51		1882, 257

		Page			Page
Papilio sarpedon	1887,	401	Papilio tutanus	1887,	404
	1887,	405	tyndaræus	1888,	80
scævola	1881,	872		1890,	464
	1887,	405	ubaldus	1882,	245
serena	1884,	222		1883,	149
	1887,	571		1885,	134
sesostris	1890,	555		1886,	428
severina	1885,	539	ucalegon	1887,	573
	1888,	78	vanillæ	1884,	315
	1888,	79	varanes	1888,	60
silenus	1888,	70	veronica	1888,	61
similis	1883,	201	vesta	1882,	243
	1883,	223	vindex	1884,	227
	1883,	230	violæ	1885,	127
	1883,	248		1886,	424
	1887,	573	vulcanus	1881,	607
solandra	1888,	58		1885,	134
solon	1882,	238	xanthomelas	1882,	240
sophia	1884,	222	xenocles	1881,	481
	1887,	570	xenophilus	1886,	348
spathatus	1881,	872	xiphia	1885,	135
	1887,	405	xuthulus	1881,	870
superba	1883,	311	xuthus	1881,	849
	1883,	313		1881,	863
sylvester	1883,	318		1881,	870
sylvia	1887,	573		1887,	401
	1888,	76		1887,	404
tamerlanus	1881,	873	—, var. xuthulus	1887,	404
telamon	1881,	874	zalmoxis	1890,	464
terea	1884,	222	zeuxippe	1884,	511
	1888,	64		1885,	137
teredon	1881,	873		1886,	431
	1887,	405	zoilus	1883,	256
thoas	1890,	555	zolicaon	1882,	399
thunbergii	1881,	873	(Danaus) cassida	1886,	431
	1887,	405	(Laertias) pammon	1884,	512
thyelia	1882,	239	(Menelaides) diphilus	1884,	512
	1885,	130	(Opheides) erithonius	1884,	512
	1886,	425	Parabuthus brevimanus	1890,	125
thyrsis	1885,	148	capensis	1890,	125
timens	1886,	368	fulvipes	1890,	125
timoleon	1882,	249	liosoma	1890,	125
tractipennis	1881,	872		1890,	128
	1887,	405	planicauda	1890,	125
triopas	1882,	396	villosus	1890,	125
trite	1884,	317	Paracolax barbalis	1889,	561
troilus	1888,	120	grisealis	1889,	561
	1889,	86	nemoralis	1889,	561
tullia	1881,	605	Paractis, sp.	1881,	101
tulliolus	1883,	295	alba	1881,	101
turnus	1887,	51	Paracyathus striatus	1882,	217
	1887,	53		1882,	220
	1888,	120	Paradigalla carunculata	1885,	616
	1889,	86		1885,	648
	1890,	95	Paradisea apoda	1885,	616
tutanus	1881,	849		1885,	652
	1881,	855			
	1881,	871			

	Page		Page
Paradisea apoda	1885, 653	Paradoxurus derbianus .	1885, 788
	1887, 392	dubius	1885, 785
decora	1883, 34		1885, 786
minor	1884, 251		1885, 795
	1885, 616	fasciatus	1885, 798
	1885, 617		1882, 162
	1885, 650		1885, 787
	1885, 651		1885, 795
	1885, 652		1885, 799
	1885, 653		1885, 800
	1887, 392	felinus	1886, 67
papuana	1882, 333		1885, 786
rubra	1881, 450		1885, 795
	1882, 333		1885, 799
	1885, 616	finlaysoni	1885, 785
	1885, 649		1885, 787
	1885, 653		1885, 795
Paradisornis rudolphi . .	1886, 125		1885, 799
Paradoxornis austeni . .	1890, 344	fuscus	1885, 787
guttaticollis	1890, 344	grayi	1882, 162
Paradoxurus albifrons . .	1882, 168		1882, 164
	1885, 784		1885, 781
	1885, 788		1885, 785
annulatus	1885, 786		1885, 786
auratus	1885, 805		1885, 790
	1885, 806		1885, 791
aureus	1885, 784		1885, 794
	1885, 785		1885, 803
	1885, 791		1885, 804
	1885, 802		1885, 805
	1885, 808		1885, 806
binotatus	1882, 169		1885, 807
	1885, 785		1885, 808
	1885, 786	hamiltonii	1882, 169
	1885, 787		1882, 170
	1885, 788		1885, 785
bondar	1882, 162		1885, 786
	1885, 613		1885, 788
	1885, 780	hermaphroditus . .	1882, 162
	1885, 781		1885, 613
	1885, 785		1885, 783
	1885, 786		1885, 784
	1885, 787		1885, 785
	1885, 792		1885, 786
	1885, 794		1885, 790
	1885, 805		1885, 791
—, var. hirsutus . .	1885, 794		1885, 792
crassiceps	1885, 787		1885, 794
	1885, 795		1885, 795
	1885, 800		1885, 796
crossii	1885, 785		1885, 797
	1885, 786		1885, 798
	1885, 795		1885, 799
	1885, 799		1885, 800
derbianus	1882, 165		1885, 801
	1882, 166		1885, 802
	1885, 785		1885, 803
	1885, 786		1885, 806

	Page		Page
Paradoxurus herma-		Paradoxurus leucotis ..	1885, 789
phroditus	1885, 808	macrodus	1882, 162
	1886, 67		1885, 787
	1886, 73		1885, 790
hirsutus	1885, 785		1885, 791
	1885, 786		1885, 801
	1885, 792		1885, 808
	1885, 794	montanus	1885, 613
	1885, 808		1885, 787
jerdoni	1885, 613		1885, 802
	1885, 780	musanga	1885, 613
	1885, 802		1885, 782
	1885, 807		1885, 785
	1885, 808		1885, 786
	1886, 420		1885, 787
jourdanii	1885, 785		1885, 792
	1885, 786		1885, 795
	1885, 791		1885, 798
	1885, 805		1886, 67
	1885, 806	musangoides	1885, 785
laniger	1882, 162		1885, 786
	1885, 785		1885, 795
	1885, 786		1885, 799
	1885, 787	musschenbroeki ..	1885, 780
	1885, 790		1885, 790
	1885, 791		1885, 791
	1885, 807		1885, 806
larvatus	1882, 162		1885, 808
	1882, 511	niger	1885, 781
	1885, 781		1885, 782
	1885, 785		1885, 783
	1885, 786		1885, 786
	1885, 787		1885, 790
	1885, 788		1885, 791
	1885, 790		1885, 792
	1885, 791		1885, 793
	1885, 805		1885, 794
	1885, 808		1885, 796
leucocephalus	1885, 787		1885, 797
leucomystax	1882, 162		1885, 798
	1885, 781		1885, 799
	1885, 785		1885, 800
	1885, 786		1885, 801
	1885, 787		1885, 802
	1885, 790		1885, 803
	1885, 791		1885, 808
	1885, 805		1886, 55
	1885, 806	nigrifrons	1882, 162
	1885, 808		1885, 785
leucopus	1885, 784		1885, 795
	1885, 785		1885, 799
	1885, 786	nipalensis	1885, 785
	1885, 787		1885, 786
	1885, 792		1885, 803
	1885, 794		1885, 805
	1885, 805	ogilbyi	1885, 787
leucotis	1885, 787		1885, 805
	1885, 788		1885, 806

	Page		Page
Paradoxurus pallasii ..	1885, 785	Paradoxurus typus	1885, 786
	1885, 786		1885, 787
	1885, 787		1885, 792
	1885, 795		1885, 794
	1885, 799	tytleri	1885, 780
pennantii	1885, 785		1885, 803
	1885, 786		1885, 805
	1885, 792	zebra	1885, 785
	1885, 794		1885, 786
philippensis	1882, 162		1885, 788
	1885, 786	zeylanicus.	1882, 162
	1885, 787		1885, 612
	1885, 790		1885, 781
	1885, 798		1885, 784
	1885, 800		1885, 787
	1885, 808		1885, 802
	1889, 223		1885, 803
philippinensis	1885, 785	—, var. fuscus	1885, 613
	1885, 786		1885, 787
	1885, 791		1885, 803
	1885, 800	zeylonensis	1885, 612
	1885, 801		1885, 613
	1885, 803	Parægus listeri.	1888, 538
prehensilis	1885, 786		1888, 539
	1885, 787	Paragoniates alburnus..	1887, 281
	1885, 789	Paralina fallaciosa	1888, 351
	1885, 790	impressiuscula	1888, 351
	1885, 795	Paralomis granulosis ..	1881, 72
quadriscriptus	1885, 787	verrucosus.	1881, 63
	1885, 795		1881, 71
	1885, 800	Paramelania crassigran-	
quinquelineatus ..	1885, 785	ulata	1881, 560
	1885, 786	damoni	1881, 559
	1885, 795	nassa	1881, 560
	1885, 799		1881, 561
rubidus	1885, 780	Parantica aglea	1881, 603
	1885, 787		1883, 207
	1885, 806		1883, 215
setosus	1885, 787		1883, 247
	1885, 795		1883, 248
	1885, 799		1885, 125
stigmaticus	1885, 787	agleoides	1883, 248
	1885, 788	ceylonica	1883, 248
strictus	1885, 787	eryx	1883, 248
	1885, 795	grammica	1883, 207
	1885, 799		1883, 248
trivirgatus.	1882, 163		1885, 125
	1885, 785	melanoides	1883, 207
	1885, 786		1883, 247
	1885, 787		1885, 125
	1885, 788	nilgiriensis.	1881, 603
	1885, 789	Paraplesia adelma	1881, 866
	1885, 790		1881, 892
typus	1882, 161	Paraponyx affinalis.	1883, 167
	1882, 163		1884, 524
	1885, 613		1885, 868
	1885, 784		1886, 458
	1885, 785	fragmentalis	1888, 334

	Page		Page
<i>Paraponyx gangeticalis</i>	1888, 334	<i>Parmacochlea fischeri</i>	1884, 281
<i>vagalis</i>	1888, 334	<i>Parmarion extraneus</i>	1884, 273
<i>Pararge achine</i>	1881, 868	<i>Parmelea planata</i>	1887, 315
	1881, 906	<i>Parnara assamensis</i>	1887, 466
	1887, 403	<i>austeni</i>	1887, 466
<i>achinoides</i>	1887, 426	<i>bada</i>	1885, 147
	1881, 847		1886, 377
	1881, 848	<i>bevani</i>	1885, 147
	1881, 906		1886, 377
	1881, 907	<i>cahira</i>	1886, 433
<i>deidamia</i>	1881, 868	<i>canaraica</i>	1887, 466
	1881, 906	<i>farri</i>	1883, 534
	1887, 403	<i>in conspicua</i>	1887, 466
	1887, 426	<i>kumara</i>	1888, 81
<i>maackii</i>	1881, 868	<i>mangala</i>	1887, 466
	1881, 906		1882, 261
	1887, 403		1886, 377
	1887, 426	<i>mathias</i>	1884, 493
<i>ménétriésii</i>	1881, 907	<i>moolata</i>	1887, 466
	1887, 426	<i>narooa</i>	1885, 147
<i>Parasa</i> , sp.	1884, 228		1887, 466
<i>cana</i>	1885, 303	<i>pagana</i>	1887, 465
<i>consocia</i>	1888, 610		1887, 466
<i>fumosa</i>	1889, 408		1887, 467
	1889, 432	<i>plebeia</i>	1887, 466
<i>hilaris</i>	1888, 610		1887, 467
<i>hockingi</i>	1888, 403	<i>seriata</i>	1887, 467
<i>lepida</i>	1885, 303	<i>Parnassius acco</i>	1882, 400
	1886, 439		1882, 401
	1889, 408		1886, 15
<i>sinica</i>	1888, 610		1886, 16
<i>urda</i>	1887, 681		1886, 18
	1887, 686		1886, 35
<i>Parasalenia gratiosa</i>	1881, 415		1886, 36
<i>Parata alexis</i>	1885, 148		1886, 43
<i>Paratanais bathybrotis</i>	1886, 119		1886, 53
<i>dimorphus</i>	1886, 119	<i>actius</i>	1886, 15
<i>Paraxanthus hirtipes</i>	1881, 63		1886, 16
	1881, 67		1886, 18
<i>Pardachirus marmoratus</i>	1887, 665		1886, 28
<i>Pardaleodes edipus</i>	1888, 81		1886, 29
<i>Paria robusta</i>	1885, 753		1886, 30
<i>variabilis</i>	1885, 753		1886, 31
<i>Parisoma frontale</i>	1884, 232		1886, 32
<i>galinieri</i>	1884, 232		1886, 37
<i>olivascens</i>	1884, 232		1886, 39
<i>plumbeum</i>	1888, 27		1886, 41
<i>Paristemia calabarica</i>	1890, 488	—, var. <i>discobolus</i>	1886, 16
<i>costata</i>	1890, 488		1886, 18
<i>theorini</i>	1890, 487		1886, 21
	1890, 488		1886, 29
<i>westermanni</i>	1890, 488	—, var. <i>himalayensis</i>	1886, 16
<i>Parlina fulva</i>	1887, 88		1886, 18
<i>trancisa</i>	1887, 88		1886, 30
<i>Parmacella valenciennesi</i>	1886, 137		1886, 36
<i>Parmacochlea fischeri</i>	1884, 272		1886, 37
	1884, 273	— var. <i>rhodius</i>	1886, 16

	Page		Page
<i>Parnassius actius</i> , var.		<i>Parnassius charltonius</i>	1886, 42
<i>rhodius</i>	1886, 18		1886, 43
	1886, 36		1886, 53
	1886, 37	<i>citrinarius</i>	1881, 875
<i>apollo</i>	1881, 874		1886, 19
	1882, 633		1886, 47
	1886, 2		1886, 48
	1886, 8	<i>clarius</i>	1886, 16
	1886, 9		1886, 19
	1886, 10		1886, 29
	1886, 11		1886, 39
	1886, 12		1886, 41
	1886, 15		1886, 49
	1886, 18		1886, 50
	1886, 19		1886, 51
	1886, 20		1886, 52
	1886, 21		1886, 53
	1886, 22	<i>clodius</i>	1886, 16
	1886, 23		1886, 19
	1886, 24		1886, 47
	1886, 25		1886, 49
	1886, 27		1886, 50
	1886, 29		1886, 51
	1886, 30	—, var. <i>menetriesi</i>	1886, 19
	1886, 33	<i>corybas</i>	1886, 18
	1886, 34		1886, 26
	1886, 36		1886, 29
	1886, 45		1886, 32
	1886, 46	—, var. <i>discobolus</i>	1886, 29
	1886, 52	<i>dauidis</i>	1886, 16
	1887, 51		1886, 18
	1888, 120		1886, 33
—, var. <i>hesebolus</i>	1886, 16	<i>delius</i>	1886, 9
	1886, 18		1886, 12
<i>apollonius</i>	1886, 16		1886, 16
	1886, 18		1886, 18
	1886, 34		1886, 22
<i>baldur</i>	1886, 50		1886, 23
<i>bremeri</i>	1881, 864		1886, 24
	1881, 875		1886, 26
	1886, 15		1886, 27
	1886, 16		1886, 28
	1886, 18		1886, 29
	1886, 33		1886, 31
	1886, 53		1886, 32
—, var. <i>graeseri</i>	1886, 33		1886, 33
	1886, 34		1886, 52
<i>cæsar</i>	1886, 29	—, var. <i>behrii</i>	1886, 53
	1886, 41	—, var. <i>corybas</i>	1886, 23
<i>charino</i>	1882, 257		1886, 16
	1882, 401		1886, 18
<i>charltonius</i>	1882, 257		1886, 23
	1886, 7	—, var. <i>hermodur</i>	1886, 16
	1886, 15		1886, 18
	1886, 16		1886, 23
	1886, 19		1886, 24
	1886, 35	—, var. <i>intermedius</i>	1886, 16
	1886, 41		1886, 18

	Page		Page
<i>Parnassius delius</i> , var.		<i>Parnassius glacialis</i>	1886, 47
<i>intermedius</i>	1886, 23		1886, 48
	1886, 24		1887, 401
—, var. <i>smintheus</i>	1886, 16		1887, 406
	1886, 18	<i>hardwicki</i>	1882, 257
	1886, 23		1882, 401
	1886, 24		1886, 9
<i>delphius</i>	1886, 12		1886, 16
	1886, 16		1886, 19
	1886, 19		1886, 35
	1886, 29		1886, 37
	1886, 39		1886, 38
	1886, 40		1886, 39
	1886, 41		1886, 43
—, var. <i>infernalis</i> ..	1886, 39		1886, 53
	1886, 40	—, var. <i>charino</i>	1886, 38
—, var. <i>namagana</i> .	1886, 39	<i>hesebolus</i>	1886, 22
	1886, 40		1886, 29
—, var. <i>staudingeri</i>	1886, 16		1886, 30
	1886, 19	<i>himalayensis</i>	1886, 28
<i>dentatus</i>	1886, 51		1886, 29
<i>discobolus</i>	1886, 25	<i>honrathi</i>	1886, 16
	1886, 28		1886, 18
	1886, 29		1886, 32
	1886, 30		1886, 33
	1886, 32	<i>imperator</i>	1886, 7
	1886, 33		1886, 15
	1886, 37		1886, 16
	1886, 42		1886, 19
<i>epaphus</i>	1882, 399		1886, 42
	1882, 400		1886, 43
	1882, 407		1886, 53
	1886, 18	<i>jacquemonti</i>	1882, 399
	1886, 36		1886, 9
—, var. <i>sikkimensis</i>	1882, 399		1886, 15
	1882, 407		1886, 16
	1886, 36		1886, 18
<i>eversmanni</i>	1881, 864		1886, 28
	1881, 875		1886, 29
	1886, 15		1886, 30
	1886, 16		1886, 31
	1886, 19		1886, 32
	1886, 48		1886, 36
	1886, 49		1886, 37
	1886, 50		1886, 38
	1886, 53		1886, 43
—, var. <i>felderi</i>	1886, 16		1886, 53
	1886, 19	—, var. <i>sikkimensis</i>	1886, 16
—, var. <i>thor</i>	1886, 16		1886, 18
	1886, 19	<i>melanophia</i>	1886, 47
<i>felderi</i>	1881, 864	<i>menetriesii</i>	1886, 50
	1881, 875	<i>mnemosyne</i>	1881, 875
	1886, 48		1886, 8
	1886, 49		1886, 9
<i>glacialis</i>	1881, 864		1886, 11
	1881, 875		1886, 12
	1886, 16		1886, 15
	1886, 19		1886, 16

	Page		Page
<i>Parnassius mnemosyne</i>	1886, 19	<i>Parnassius simo</i>	1886, 37
	1886, 24		1886, 43
	1886, 25	<i>smintheus</i>	1886, 26
	1886, 29		1886, 27
	1886, 33		1886, 30
	1886, 44		1886, 51
	1886, 45		1886, 53
	1886, 46	—, var. <i>hermodur</i>	1886, 25
	1886, 47	—, var. <i>sayi</i>	1886, 27
	1886, 49	<i>staudingeri</i>	1886, 29
	1886, 51		1886, 39
	1886, 53		1886, 40
—, var. <i>immaculata</i>	1886, 46		1886, 41
—, var. <i>nubilosus</i>	1886, 19		1886, 53
	1886, 44	<i>stoliczkanus</i>	1886, 16
—, var. <i>stubbendorfi</i>	1886, 16		1886, 19
	1886, 19		1886, 39
<i>muzaffir</i>	1886, 42		1886, 40
<i>nicconicolens</i>	1886, 48		1886, 41
<i>nigricans</i>	1886, 30		1886, 53
<i>nomion</i>	1881, 864	<i>stubbendorfi</i>	1881, 864
	1881, 874		1881, 875
	1886, 15		1886, 46
	1886, 16		1886, 47
	1886, 18		1886, 48
	1886, 26	<i>tenedius</i>	1881, 864
	1886, 27		1881, 875
	1886, 28		1886, 15
	1886, 30		1886, 16
	1886, 33		1886, 19
	1886, 34		1886, 42
—, var. <i>minor</i>	1886, 18		1886, 43
<i>nordmanni</i>	1886, 16		1886, 53
	1886, 19	<i>thor</i>	1886, 48
	1886, 52		1886, 49
—, var. <i>minima</i>	1886, 52	<i>venusi</i>	1886, 28
<i>phœbus</i>	1886, 23	<i>virgo</i>	1886, 28
<i>rabdia</i>	1886, 48	<i>wosnesenskii</i>	1881, 875
<i>rhodius</i>	1886, 28		1886, 48
	1886, 29		1886, 49
<i>rikuchina</i>	1886, 48	<i>Paroaria capitata</i>	1882, 598
<i>romanovi</i>	1886, 29	<i>cucullata</i>	1882, 598
	1886, 41	<i>Parodon affinis</i>	1887, 280
	1886, 42	<i>buckleyi</i>	1887, 279
<i>sayi</i>	1886, 23		1887, 280
<i>sedakovii</i>	1886, 23		1887, 283
	1886, 26	<i>hilarii</i>	1887, 280
<i>sikkimensis</i>	1882, 400	<i>nasus</i>	1887, 280
	1882, 401	<i>suborbitalis</i>	1887, 280
	1886, 35	<i>Paroeme annulipes</i>	1890, 485
	1886, 36	<i>verrucifer</i>	1890, 485
	1886, 37	<i>Paropsides 12-maculata</i>	1888, 348
	1886, 38	<i>hieroglyphica</i>	1888, 348
<i>simo</i>	1882, 400	<i>nigrofasciatus</i>	1888, 348
	1882, 401	<i>Parotia sexpennis</i>	1885, 616
	1886, 16		1885, 647
	1886, 18	<i>Parra ænea</i>	1881, 640
	1886, 35	<i>africana</i>	1881, 601

	Page		Page
<i>Parra africana</i>	1881, 640	<i>Parus elegans</i>	1885, 250
	1881, 641		1885, 264
<i>gymnostoma</i>	1881, 642		1889, 224
	1881, 646	<i>leucomelas</i>	1888, 29
	1883, 428	<i>michalowskii</i>	1887, 563
	1883, 462	<i>minor</i>	1888, 464
<i>jacana</i>	1881, 639	<i>niger</i>	1882, 302
	1881, 641		1888, 29
	1881, 642	<i>palustris</i>	1890, 344
	1881, 643	<i>sultaneus</i>	1882, 420
	1881, 644	<i>varius</i>	1883, 32
	1881, 646		1887, 596
	1881, 647		1888, 464
	1882, 627	<i>venustulus</i>	1890, 344
	1885, 112	<i>Pasiphila catastnepta</i> ..	1888, 228
	1885, 114	<i>Pasira ænigmatica</i>	1885, 472
	1890, 337		1885, 476
<i>jassana</i>	1881, 640	<i>biatomea</i>	1883, 29
<i>sinensis</i>	1881, 640	<i>inscitia</i>	1885, 473
(<i>Hydralector</i>) <i>cris-</i>		<i>ochracea</i>	1883, 29
<i>tata</i>	1881, 640	<i>rusa</i>	1885, 472
(<i>Metopidius</i>) <i>afri-</i>			1885, 476
<i>cana</i>	1881, 640	<i>Passer diffusus</i>	1881, 589
	1881, 641	<i>domesticus</i>	1890, 147
<i>Parrhasius bitias</i>	1890, 575	<i>emini</i>	1888, 36
<i>Parthenia varicosa</i>	1884, 357	<i>gularis</i>	1881, 589
<i>ventricosa</i>	1884, 363	<i>insularis</i>	1881, 169
<i>Parthenos virens</i>	1881, 604	<i>montanus</i>	1887, 606
<i>Partula, sp.</i>	1884, 271		1888, 466
<i>alabastrina</i>	1887, 316		1890, 147
<i>cinerea</i>	1885, 595	<i>motitensis</i>	1881, 169
<i>compressa</i>	1887, 316		1881, 170
<i>elongata</i>	1884, 266		1888, 36
<i>gracilis</i>	1884, 266	<i>rufocinctus</i>	1888, 36
<i>hartmanni</i>	1884, 265	<i>swainsoni</i>	1881, 589
	1884, 281	<i>Passipeda satellitia</i>	1885, 467
<i>hirata</i>	1887, 187	<i>Pastor roseus</i>	1890, 590
<i>minuta</i>	1884, 266		1890, 591
<i>tæniata</i>	1887, 316	<i>Patagona gigas</i>	1881, 9
<i>Parula americana</i>	1883, 440		1882, 615
<i>inornata</i>	1884, 286		1882, 616
<i>pitiayumi</i>	1882, 594		1885, 116
	1883, 541	<i>Patella ancyloides</i>	1882, 673
	1884, 286	<i>asmi</i>	1882, 671
	1885, 74	<i>cærulea</i>	1890, 296
	1885, 115	<i>canescens</i>	1890, 296
<i>— pacifica</i>	1884, 286	<i>chinensis</i>	1882, 680
	1885, 115	<i>compressa</i>	1890, 248
	1885, 121		1890, 312
<i>Parus æmodius</i>	1887, 563	<i>crepidula</i>	1882, 680
<i>albiventris</i>	1881, 578	<i>cyanea</i>	1890, 296
<i>amabilis</i>	1889, 225	<i>equestris</i>	1882, 676
<i>ater</i>	1887, 563		1890, 320
	1888, 455	<i>excentrica</i>	1882, 673
<i>britannicus</i>	1887, 563	<i>ferruginea</i>	1882, 670
<i>cæruleus</i>	1889, 186	<i>fissura</i>	1882, 678
<i>cinereus</i>	1885, 507	<i>fornicata</i>	1882, 680
<i>cypriotes</i>	1887, 563	<i>fulva</i>	1882, 671

	Page		Page
<i>Patella græca</i>	1882,		
	077	<i>Pecchiolia abyssicola</i> ..	1881, 931
<i>gussonii</i>	1890,		1882, 686
<i>lusitanica</i>	1882,	<i>acuticostata</i>	1881, 933
<i>nimbosa</i>	1882,		1882, 686
<i>noachina</i>	1882,		1884, 146
<i>nubecula</i>	1882,		1884, 364
<i>oculus</i>	1890,	<i>angulata</i>	1881, 933
<i>pellucida</i>	1882,		1884, 146
	1890,	<i>granulata</i>	1881, 933
<i>pileolus</i>	1882,		1882, 686
<i>plumbea</i>	1890,	<i>insculpta</i>	1881, 932
	1890,		1881, 952
<i>punctata</i>	1882,		1882, 686
<i>radiata</i>	1890,		1884, 146
<i>rustica</i>	1890,	<i>sinuosa</i>	1881, 932
<i>safiana</i>	1882,		1881, 952
<i>umbella</i>	1890,	<i>subquadrata</i>	1881, 932
<i>undulata</i>	1890,		1881, 952
<i>ungarica</i>	1885,		1882, 686
<i>virginea</i>	1882,		1884, 146
<i>vulgaris</i>	1882,	<i>Pechipogon barbalis</i>	1889, 561
<i>vulgata</i>	1882,	<i>Pecten abyssorum</i>	1881, 949
	1882,	<i>albus</i>	1890, 315
	669	<i>atlanticus</i>	1890, 253
			1890, 306
(<i>Lepatella</i>) <i>latero-</i>			1890, 315
<i>compressa</i>	1882,	<i>corallinoides</i>	1890, 253
	674		1890, 306
(<i>Nacella</i>) <i>mytilina</i>	1881,	<i>flexuosus</i>	1881, 949
	34	<i>fragilis</i>	1881, 949
(<i>Patinella</i>) <i>ænea</i> ..	1881,	<i>fulcatus</i>	1883, 391
	34	<i>groenlandicus</i>	1881, 949
<i>Patelloidea vitrea</i>	1882,		1882, 682
<i>Patosa batesii</i>	1883,	<i>hyalinus</i>	1881, 949
	1883,	<i>loxoides</i>	1882, 120
	208		1882, 121
	1883,	<i>mammillatus</i>	1881, 950
	209	<i>maximus</i>	1884, 349
	1883,	<i>opercularis</i>	1884, 349
	211	<i>patagonicus</i>	1881, 44
	1883,	<i>pes-felis</i>	1881, 949
	259		1884, 143
<i>funerea</i>	1883,	<i>pes-lutræ</i>	1881, 949
	1883,		1882, 682
	254	<i>philippii</i>	1881, 949
	1883,		1884, 143
	259	<i>pusio</i>	1882, 682
<i>resarta</i>	1883,		1883, 391
<i>squalida</i>	1883,		1884, 142
<i>Patula adposita</i>	1887,		1890, 314
	1887,	<i>sentis</i>	1890, 315
	178	<i>sibyllæ</i>	1882, 120
	1887,		1882, 121
	179	<i>similis</i>	1881, 949
<i>inermis</i>	1887,		1884, 143
<i>irregularis</i>	1887,	<i>striatus</i> ..	1881, 949
<i>macrops</i>	1885,		1882, 682
	1886,	<i>sulcatus</i>	1881, 949
	449		
	1888,		
	315		
	1888,		
	375		
<i>princei</i>	1887,		
<i>rudis</i>	1887,		
	1887,		
	179		
<i>Patulosecula procumbens</i>	1887,		
	505		
<i>Paulia horrida</i>	1884,		
	62		
	1884,		
	63		
<i>Pauxis galeata</i>	1882,		
	1886,		
	351		
	1886,		
	321		
<i>Pavia indica</i>	1890,		
	381		
<i>Pavo cristatus</i>	1886,		
	194		
<i>nigripennis</i>	1886,		
	194		
<i>Paillus adversus</i>	1889,		
	348		
<i>beccarii</i>	1889,		
	348		
<i>rubicundus</i>	1889,		
	348		

	Page		Page
<i>Pecten sulcatus</i>	1882,		682
<i>testæ</i>	1881,		949
	1884,		143
<i>textilis</i>	1890,		315
<i>tinctus</i>	1890,		315
<i>vitreus</i>	1881,		949
	1882,		682
	1883,		392
	1884,		143
(<i>Janira</i>) <i>turtoni</i> ..	1890,		253
	1890,		306
	1890,		315
<i>Pectinura capensis</i>	1888,		282
	1888,		284
<i>gorgonia</i>	1887,		140
	1888,		384
	1888,		386
	1888,		388
<i>infernalis</i>	1888,		282
<i>intermedia</i>	1888,		384
	1888,		386
	1888,		388
	1888,		389
<i>maculata</i>	1888,		281
<i>marmorata</i>	1888,		386
<i>ramsayi</i>	1888,		281
	1888,		284
<i>stellata</i>	1888,		386
<i>Pectunculus corrugatus</i> .	1881,		951
<i>fasciatus</i>	1881,		715
<i>glycimeris</i>	1888,		570
<i>nummarius</i>	1881,		951
	1882,		684
<i>robustus</i>	1883,		31
	1883,		32
<i>sulcatus</i>	1881,		711
<i>yessoensis</i>	1888,		570
<i>Pedetes caffer</i>	1889,		220
<i>capensis</i>	1889,		260
	1889,		262
<i>Pedicellaster palæocrys-</i> <i>tallus</i>	1881,		497
<i>Pedicellina americana</i> ..	1881,		60
	1881,		61
<i>australis</i>	1881,		60
	1881,		61
<i>belgica</i>	1881,		60
	1881,		61
<i>Pedipes afer</i>	1890,		253
	1890,		300
<i>jouani</i>	1887,		291
<i>octanfracta</i>	1887,		295
<i>subglobosus</i>	1887,		291
<i>Pediris subopacus</i>	1884,		216
<i>sulciger</i>	1884,		216
	1884,		217
<i>Pediris (Nyctobates)</i>			
<i>sulciger</i>	1884,		216
<i>Pedrillia annulata</i>	1885,		195
	1885,		196
	1885,		753
<i>bicolor</i>	1885,		196
<i>nigricollis</i>	1885,		195
	1885,		196
	1885,		753
<i>unifasciata</i>	1885,		197
	1885,		211
	1885,		753
<i>varipes</i>	1885,		196
	1885,		753
<i>Pelamia electaria</i>	1889,		554
<i>Pelamis bicolor</i>	1881,		216
	1885,		482
<i>Pelamys orientalis</i>	1889,		240
<i>Pelargoderus arouensis</i> .	1884,		218
<i>rugosus</i>	1884,		213
	1884,		218
<i>Pelargopsis gigantea</i> ..	1885,		250
	1885,		256
<i>gouldi</i>	1889,		225
<i>leucocephala</i>	1881,		793
	1885,		407
<i>melanorhyncha</i>	1885,		547
<i>Pelecanoides garnoti</i> ..	1881,		12
	1883,		432
<i>urinatrix</i>	1881,		12
	1883,		432
<i>Pelecanus conspicillatus</i>	1885,		246
<i>crispus</i>	1885,		246
<i>fuscus</i>	1883,		427
	1885,		245
	1885,		246
<i>mitratus</i>	1885,		246
<i>onocrotalus</i>	1885,		246
<i>rufescens</i>	1885,		246
<i>trachyrhynchus</i> ..	1883,		463
	1884,		410
	1885,		246
	1886,		176
<i>Peleopsis militaris</i>	1885,		46
<i>Pelichnibothrium specio-</i> <i>sum</i>	1889,		324
	1889,		325
<i>Pelidna alpina</i>	1887,		586
<i>Pellicia petius</i>	1890,		577
<i>Pelobates cultripes</i>	1890,		664
<i>fuscus</i>	1884,		422
	1884,		424
	1888,		165
	1888,		181
	1890,		664
<i>Pelobius hermanni</i>	1881,		825
<i>Pelochyta astræa</i>	1888,		572

	Page		Page
<i>Pelochyta fennia</i>	1887,	<i>Pennula millsii</i>	1889,
<i>lupia</i>	1887,	<i>Penoa alcathoe</i>	1883,
<i>Pelodytes punctatus</i> ..	1888,		1883,
	1888,		1883,
	1888,	<i>deione</i>	1883,
	1888,		1883,
<i>Pelomedusa subrufa</i>	1888,		1883,
<i>Pelopæus ægyptius</i>	1881,		1883,
<i>Pelops acromios</i>	1890,		1883,
<i>Peloryctes inquilina</i>	1888,		1883,
	1888,		1883,
	1888,	<i>eyndhovii</i>	1883,
	1888,	<i>geyeri</i>	1883,
	1888,	<i>limborgii</i>	1883,
<i>Peltarion magellanicus</i> .	1881,		1883,
<i>spinulosum</i>	1881,		1883,
	1881,		1883,
<i>Pempelia cautella</i>	1884,		1883,
<i>ilella</i>	1884,		1883,
<i>Pempheris malabarica</i> ..	1888,		1883,
<i>mangula</i>	1888,		1883,
<i>molucca</i>	1888,		1883,
	1889,	<i>menetriesii</i>	1883,
	1888,	<i>pinwillii</i>	1883,
<i>russelli</i>	1888,		1883,
<i>Penæus monodon</i>	1884,		1883,
	1884,	<i>transpectus</i>	1883,
	1884,	<i>zonata</i>	1883,
<i>Penelope albipennis</i>	1885,	<i>Pentaceros alveolatus</i> ..	1884,
<i>argyrotis</i>	1885,	<i>chinensis</i>	1884,
<i>boliviana</i>	1882,	<i>dorsatus</i>	1884,
<i>cristata</i>	1882,	<i>granulosus</i>	1884,
	1883,	<i>muricatus</i>	1884,
	1883,	<i>nodosa</i>	1884,
<i>jacucaca</i>	1882,	<i>nodulosus</i>	1884,
	1885,	<i>reticulatus</i>	1884,
<i>montagnii</i>	1884,	<i>turritus</i>	1884,
	1884,	(<i>Nidorellia</i>) <i>armata</i> .	1884,
	1885,	<i>Pentacitrotus vulneratus</i>	1888,
<i>ortoni</i>	1883,		1888,
	1883,		1888,
	1884,	<i>Pentacrinus blakei</i>	1882,
	1885,	<i>decorus</i>	1882,
	1885,	<i>Pentagonaster paxillosus</i>	1881,
	1885,	<i>singularis</i>	1881,
<i>pileata</i>	1882,		1881,
	1882,	<i>Pentatoma bipartita</i>	1890,
	1882,	<i>Penthetria ardens</i>	1882,
	1883,	<i>axillaris</i>	1881,
	1883,		1888,
<i>rufiventris</i>	1882,	<i>eques</i>	1885,
<i>sclateri</i>	1882,	<i>macroura</i>	1888,
<i>superciliosa</i>	1882,	<i>Penthina revayana</i>	1888,
<i>Penicillaria costalis</i>	1889,	—, var. <i>russiana</i> ..	1888,
<i>delatrix</i>	1883,	<i>Pentholæa clericalis</i> ..	1888,
	1885,	<i>Pentila acræa</i>	1888,
	1886,	—, var. <i>sanguinea</i> ..	1888,
<i>excitans</i>	1886,	<i>undularis</i>	1888,
<i>geyeri</i>	1886,	<i>zymna</i>	1887,
<i>guyra</i>	1889,	<i>Perameles cockerelli</i> ..	1888,
<i>jocosatrix</i>	1885,	<i>nasuta</i>	1883,
<i>nugatrix</i>	1888,		1883,
<i>Pennatula bellissima</i> ..	1888,		1883,
<i>naresi</i>	1888,		1883,

	Page		Page
Perameles nasuta	1883, 616	Perichaeta ceylonica . .	1890, 58
	1883, 625	cingulata	1890, 57
Perca fluviatilis	1886, 294	coxii	1890, 55
	1886, 507		1890, 56
Percis alboguttata	1887, 662	enormis	1890, 55
cylindrica	1888, 260		1890, 56
nebulosa	1887, 662	forbesi	1890, 65
Percnostola fortis	1882, 31		1890, 69
Perdicula cambayensis . .	1882, 327	gracilis	1886, 665
Perdix cinerea	1882, 327		1886, 666
	1889, 394		1886, 669
Pergesa acteus	1881, 613	horsti	1886, 298
	1885, 288		1886, 300
	1885, 289		1886, 301
aurifera	1883, 154	houlleti	1885, 827
castanea	1885, 288		1887, 372
mongoliana	1888, 583		1887, 389
velata	1888, 583		1887, 390
Perichaeta affinis	1886, 298		1890, 52
	1886, 300		1890, 61
	1886, 301		1890, 69
	1886, 312	hulikalensis	1886, 665
	1887, 389		1886, 668
	1887, 390		1890, 54
	1890, 52		1890, 56
	1890, 58	indica	1886, 171
	1890, 64		1886, 298
	1890, 65		1886, 299
	1890, 69		1886, 300
antarctica	1889, 380		1886, 312
armata	1886, 666		1887, 390
	1887, 391		1890, 52
	1890, 54		1890, 57
aspergillum	1890, 61		1890, 60
attenuata	1890, 55		1890, 61
	1890, 56		1890, 64
bakeri	1890, 55		1890, 67
	1890, 56		1890, 69
barronensis	1890, 55		1890, 94
bicincta	1886, 299	intermedia	1889, 380
biserialis	1886, 299		1890, 58
	1886, 300	juliani	1886, 300
	1890, 63		1890, 67
	1890, 64	lawsoni	1886, 664
	1890, 65		1886, 665
	1890, 66		1886, 666
	1890, 69	luzonica	1886, 299
bivaginata	1886, 664	mirabilis	1886, 665
	1886, 665		1886, 668
	1886, 666	modigliani	1890, 67
	1886, 669	musica	1886, 312
burliarensis	1886, 665	newcombei	1890, 54
	1886, 667	novæ-zealandiæ . . .	1888, 357
	1890, 56		1890, 55
cærulea	1886, 301		1890, 56
ceylonica	1887, 386	salettensis	1886, 665
	1887, 391		1886, 669
	1890, 55	stuarti	1886, 665

	Page		Page
<i>Perichæta stuarti</i>	1886, 667	<i>Perina bipars</i>	1888, 597
	1890, 55	<i>Perinænia lignosa</i>	1889, 541
	1890, 57	<i>Perinephela ostentalis</i> ..	1885, 868
	1890, 58	<i>Perionyx excavatus</i>	1886, 298
<i>taitensis</i>	1886, 301		1886, 308
<i>vaillanti</i>	1890, 66		1886, 309
	1890, 67		1886, 310
	1890, 69		1886, 669
(Pleurochæta) <i>gracilis</i>	1886, 666		1887, 389
<i>Pericopis irene</i>	1885, 523	<i>macintoshii</i>	1886, 309
<i>ithrana</i>	1885, 523		1886, 669
<i>phœba</i>	1885, 523	<i>saltans</i>	1886, 664
<i>phyleis</i>	1885, 523		1886, 665
<i>Pericrocotus brevirostris</i>	1888, 269		1886, 669
<i>cinereus</i>	1887, 605		1886, 672
	1888, 465	<i>stuarti</i>	1886, 663
	1889, 224	<i>Peripatus balfouri</i>	1887, 137
<i>croceus</i>	1888, 269	<i>blainvillii</i>	1887, 132
<i>igneus</i>	1881, 794		1887, 134
	1885, 409		1887, 135
	1887, 435	<i>brevis</i>	1887, 134
	1888, 269	<i>capensis</i>	1887, 135
	1889, 226		1887, 136
<i>marchesæ</i>	1885, 259	<i>edwardsii</i>	1887, 132
<i>neglectus</i>	1888, 269		1887, 134
<i>pulcherrimus</i>	1888, 269		1887, 135
<i>rubrolimbatus</i>	1888, 269		1887, 136
<i>solaris</i>	1888, 269	<i>juliformis</i>	1887, 132
<i>wrayi</i>	1888, 269		1887, 133
<i>Peridea cinerea</i>	1888, 642		1887, 134
<i>gigantea</i>	1888, 643	<i>leuckarti</i>	1887, 135
<i>Perideris auripigmentum</i>	1889, 579	<i>novæ-zealandiæ</i> ..	1887, 135
<i>Perigea agnonia</i>	1890, 513		1887, 136
<i>argyrosticta</i>	1889, 492	<i>torquatus</i>	1887, 131
<i>canorufa</i>	1883, 159		1887, 132
<i>centralis</i>	1885, 451		1887, 137
	1885, 452	<i>Periphanes delphinii</i> ..	1881, 361
	1886, 443	<i>Peripia cantor</i> is	1883, 120
	1889, 492	<i>cyclura</i>	1883, 117
<i>dolorosa</i>	1889, 492		1883, 121
<i>galaxia</i>	1883, 159	<i>lugubris</i>	1883, 120
	1889, 492	<i>meyeri</i>	1883, 120
<i>gemella</i>	1889, 492	<i>mutilata</i>	1883, 386
	1889, 571	<i>mysorensis</i>	1883, 120
<i>illecta</i>	1889, 492	<i>Periplaneta orientalis</i> ..	1887, 254
<i>inexacta</i>	1884, 495	<i>Perissoblemma thomisi-</i>	
<i>leucospila</i>	1888, 303	<i>forme</i>	1881, 774
	1889, 492		1881, 775
<i>serva</i>	1883, 159	<i>Perissoglossa tigrina</i> ..	1883, 435
	1885, 451		1883, 440
	1886, 443	<i>Perissoneura</i>	1883, 189
	1889, 492	<i>maculosa</i>	1883, 190
<i>supplex</i>	1885, 452		1883, 194
<i>Perina basalis</i>	1885, 298	<i>Peristera cinerea</i>	1883, 575
	1885, 300		1885, 111
	1886, 437	<i>geoffroyi</i>	1882, 48
			1882, 327

	Page		Page
<i>Peristera geoffroyi</i>	1886, 195	<i>Pexodorus</i>	1887, 94
<i>mondetoura</i>	1885, 111	<i>ceylonensis</i>	1887, 95
<i>tympanistria</i>	1881, 597		1887, 119
	1885, 230	<i>Pezaptera carmania</i>	1883, 379
	1889, 369	<i>sordida</i>	1883, 379
<i>Pernis apivorus</i>	1886, 202	<i>Pezophaps solitaria</i>	1885, 712
	1888, 459	<i>Phabotreron brevisrostris</i>	1885, 250
<i>celebensis</i>	1885, 545		1885, 269
<i>ptilonorhynchus</i>	1881, 791	<i>leucotis</i>	1885, 270
	1885, 545	<i>Phacellodomus frontalis</i>	1882, 612
	1889, 225	<i>ruber</i>	1889, 33
<i>Perodicticus potto</i>	1887, 372	<i>rufipennis</i>	1889, 33
<i>Perognathus fasciatus</i>	1888, 449	<i>sibilatrix</i>	1882, 612
<i>Perrhybris demophile</i>	1890, 556	<i>sincipitalis</i>	1883, 433
<i>iphigenia</i>	1890, 557	<i>striaticollis</i>	1889, 33
<i>phalœ</i>	1890, 556	<i>Phacochoerus æliani</i>	1885, 436
<i>Perriera luzonica</i>	1890, 63	<i>æthiopicus</i>	1885, 436
<i>Persa melanostoma</i>	1887, 290		1885, 437
<i>Persephone rufilabris</i>	1884, 118	<i>Phaedon brassicæ</i>	1885, 754
<i>Petascelis foliaceipes</i>	1881, 274	<i>incertum</i>	1885, 754
	1881, 276	<i>Phædra buckleyi</i>	1881, 439
<i>laminipes</i>	1881, 274	<i>Phælotia semifasciata</i>	1887, 94
<i>velutina</i>	1881, 273	<i>Phæochlæna aurantiaca</i>	1885, 536
	1881, 276	<i>cingulina</i>	1885, 536
<i>Petasia cassinea</i>	1881, 360	<i>inaria</i>	1885, 535
<i>nubeculosa</i>	1881, 360		1885, 536
<i>Petasophora anais</i>	1882, 37	<i>solitucis</i>	1885, 535
	1884, 303		1888, 576
	1885, 104	<i>Phæolæma æquatorialis</i>	1882, 35
<i>cyanotis</i>	1884, 303		1884, 303
<i>delphinae</i>	1882, 37		1885, 121
	1885, 118	<i>rubinoides</i>	1885, 121
<i>jolata</i>	1882, 37	<i>Phæomychus rufipennis</i>	1887, 642
<i>Petaurus breviceps</i>			1887, 649
<i>papuanus</i>	1888, 484		1887, 653
<i>Petelia fasciata</i>	1885, 854	<i>Phaëthon flavirostris</i>	1888, 528
<i>medardaria</i>	1885, 854	<i>phœnicurus</i>	1888, 528
	1886, 454		1888, 529
<i>Petrochelidon fulva</i>	1883, 435	<i>Phaethornis bourcieri</i>	1882, 34
	1883, 442	<i>guyi</i>	1882, 34
<i>pyrrhonota</i>	1882, 595		1885, 117
<i>ruficollis</i>	1885, 277		1885, 121
<i>Petrocincla saxatilis</i>	1881, 575	<i>hispidus</i>	1882, 34
<i>Petrodromus tetra-</i>		<i>malaris</i>	1882, 34
<i>dactylus</i>	1881, 164	<i>moorei</i>	1885, 118
	1890, 445	<i>nigricinctus</i>	1882, 34
<i>Petrogale xanthopus</i>	1881, 984	<i>striigularis</i>	1883, 566
	1881, 989	<i>superciliosus</i>	1882, 34
	1881, 992	<i>syrmatophorus</i>	1884, 303
	1881, 993		1885, 102
	1883, 609	<i>yaraqui</i>	1883, 566
<i>Petrognatha gigas</i>	1888, 87		1885, 117
	1890, 491		1885, 121
<i>Petromyzon branchialis</i>	1884, 582	<i>Phaëthusa magnirostris</i>	1885, 112
<i>Petropedetes cameron-</i>		<i>Phakellia cinnamomea</i>	1881, 115
<i>ensis</i>	1887, 565	<i>egregia</i>	1881, 114
<i>Petroscrites striatus</i>	1888, 262		1881, 115
<i>Peucetia lucasi</i>	1882, 763		1881, 131

	Page		Page
Phakellia egregia.....	1881, 140	Phalæna lactinia.....	1881, 614
folium	1881, 115		1888, 620
robusta	1881, 115	lotrix	1885, 294
tenax	1881, 115		1886, 436
ventilabrum	1881, 115	lupulina.....	1888, 335
Phakellura immaculalis	1884, 325	membliaria	1883, 156
indica	1884, 501	mori	1888, 626
	1884, 525	muscerda	1888, 599
	1885, 870	mygdon.....	1885, 467
	1886, 459	nemoralis	1889, 561
marginalis.....	1884, 325	neustria	1888, 627
Phalacra vidhisira	1885, 860	ornata	1886, 390
Phalacrocorax, sp.	1883, 427	polyodon	1889, 494
	1885, 119	pomona	1889, 544
africanus	1881, 602	pudibunda.....	1888, 631
	1884, 55	recurvalis	1888, 333
brasilianus.....	1882, 624	sacraria	1881, 617
	1883, 427	stratonice	1888, 614
capillatus	1885, 328	stringa	1885, 294
carbo	1885, 328	tau	1888, 632
	1885, 843	unca	1889, 522
	1887, 592	undalis	1881, 622
carunculatus.....	1881, 11		1888, 335
dilophus	1883, 427	venulia	1881, 614
gaimardi	1883, 427		1888, 294
imperialis	1881, 11	viridaria	1889, 521
lucidus	1881, 953	(Attacus) crepuscu-	
	1881, 957	laris	1885, 462
magellanicus.....	1881, 11		1889, 544
pygmæus	1881, 826	(—) cynthia	1888, 634
Phalæna achatina	1883, 165	(—) macrops....	1888, 315
	1885, 466	(Bombyx) caja....	1888, 617
ammonia	1885, 467	(—) chrysorrhœa	1888, 622
	1886, 451	(—) fuliginosa ..	1888, 618
ancilla	1885, 463	(—) ilicifolia ..	1888, 628
angustalis	1888, 333	(—) l-nigrum ..	1888, 622
astrea	1886, 436	(—) monacha ..	1888, 631
auricula.....	1889, 484	(—) palmyra....	1885, 864
bombyx.....	1885, 306	(—) pini	1888, 627
caudata	1885, 860	(—) plantaginis .	1888, 615
c-aureum	1889, 531	(—) potatoria ..	1888, 628
chlorea	1885, 464	(—) pruni	1888, 627
	1886, 450	(—) purpurea ..	1888, 616
chrysitina	1889, 531	(—) quercifolia..	1888, 629
clelia	1885, 852	(—) russula	1888, 615
crepuscularis.....	1889, 544	(—) salicis	1888, 622
cribraria	1883, 156	(—) sannio	1888, 616
	1885, 294	(Geometra) barbalis	1889, 561
dispar	1888, 630	(—) lactilinea ..	1885, 292
eleonora.....	1885, 860	(—) lutea	1888, 318
	1886, 455	(—) sacraria	1885, 862
euphemia	1888, 81		1886, 390
hecta	1888, 645		1886, 456
hypermnestra	1881, 619		1888, 85
hyppasia	1881, 620		1888, 324
inara	1885, 464	(Noctua) achatina .	1889, 546
interrupta	1885, 296	(—) æsculi	1888, 646
	1886, 437	(—) affinis	1889, 515

	Page		Page
<i>Phalæna</i> (<i>Noctua</i>) <i>algira</i>	1889, 546	<i>Phalæna</i> (<i>Noctua</i>) <i>melicer</i>	1885, 465
(—) <i>alni</i>	1889, 477		1886, 382
(—) <i>archesia</i>	1885, 468		1886, 450
	1886, 451		1888, 315
	1888, 315	(—) <i>morpheus</i> ..	1889, 493
	1889, 552	(—) <i>neptis</i>	1885, 870
(—) <i>astrea</i>	1885, 294	(—) <i>nupta</i>	1889, 549
(—) <i>atriplicis</i> ..	1889, 510	(—) <i>occulta</i>	1889, 508
(—) <i>brassicæ</i> ..	1883, 159	(—) <i>orosia</i>	1885, 470
	1888, 302	(—) <i>paranympha</i>	1889, 552
	1889, 486	(—) <i>persicariæ</i> ..	1889, 487
(—) <i>cajeta</i>	1885, 463	(—) <i>perspicillaris</i>	1889, 494
(—) <i>caranea</i>	1885, 463	(—) <i>pinastri</i>	1889, 488
(—) <i>chenopodii</i> .	1888, 308	(—) <i>plecta</i>	1889, 494
(—) <i>chrysis</i>	1889, 530	(—) <i>præcox</i>	1889, 498
(—) <i>circumflexa</i> .	1886, 477	(—) <i>psi</i>	1889, 475
(—) <i>c-nigrum</i> ..	1883, 161	(—) <i>puella</i>	1885, 293
	1885, 453	(—) <i>puera</i>	1885, 458
	1888, 307		1886, 448
	1889, 496		1889, 518
(—) <i>derasa</i>	1888, 650	(—) <i>putris</i>	1889, 486
(—) <i>dipsaceus</i> ..	1889, 520	(—) <i>pyramidea</i> ..	1889, 539
(—) <i>dominica</i> ..	1886, 443	(—) <i>pyrina</i>	1888, 646
(—) <i>exoleta</i>	1889, 539	(—) <i>quadra</i>	1888, 598
(—) <i>festucæ</i>	1889, 531	(—) <i>retorta</i>	1889, 545
(—) <i>flammatra</i> ..	1888, 307	(—) <i>retusa</i>	1889, 516
(—) <i>fullonica</i> ..	1885, 463	(—) <i>rumicis</i>	1889, 477
	1886, 450	(—) <i>scabriuscula</i>	1889, 488
	1889, 544	(—) <i>segetis</i>	1885, 453
(—) <i>fulvago</i>	1889, 517	(—) <i>segetum</i> ..	1886, 444
(—) <i>geometrica</i> .	1888, 85	(—) <i>suffusa</i>	1885, 453
(—) <i>glyphica</i> ..	1889, 554		1886, 380
(—) <i>gothica</i>	1889, 511		1886, 444
(—) <i>hieroglyphica</i>	1885, 462		1888, 305
(—) <i>hyper-</i>		(—) <i>sulphuralis</i> .	1889, 528
<i>mnestra</i>	1885, 463	(—) <i>sylvina</i>	1888, 82
(—) <i>hyppasia</i> ..	1885, 467	(—) <i>trapezina</i> ..	1889, 515
	1886, 382	(—) <i>triplasia</i> ..	1889, 534
	1886, 451	(—) <i>turca</i>	1889, 481
(—) <i>joviana</i>	1885, 467	(—) <i>uncula</i>	1889, 522
	1886, 450	(—) <i>vaccinii</i>	1889, 514
(—) <i>l-album</i>	1888, 301	(—) <i>virbia</i>	1889, 553
(—) <i>latona</i>	1884, 498	(<i>Pyralis</i>) <i>duplaris</i> ..	1888, 653
	1887, 574	(—) <i>fascialis</i>	1883, 371
	1888, 85		1884, 500
(—) <i>lepida</i>	1885, 303		1885, 867
	1886, 439		1886, 384
(—) <i>leporina</i>	1889, 477		1886, 457
(—) <i>libatrix</i>	1889, 505		1888, 333
(—) <i>lucida</i>	1888, 309	(—) <i>pinguinalis</i> .	1886, 382
(—) <i>lucipara</i>	1889, 504	(—) <i>sulphuralis</i> .	1886, 447
(—) <i>macrops</i>	1885, 462	(—) <i>tyres</i>	1885, 870
	1886, 449		1886, 459
(—) <i>manlia</i>	1885, 464		1888, 334
(—) <i>materna</i>	1884, 498	(<i>Tinea</i>) <i>entella</i>	1885, 303
	1885, 463	(<i>Tortrix</i>) <i>fasciata</i> ..	1889, 526
	1886, 450	(—) <i>unca</i>	1889, 522
	1888, 84		

	Page		Page
<i>Phalænoptilus nuttalli</i> ..	1885, 891	<i>Phaloë pyste</i>	1885, 522
	1885, 897	<i>Phanus leucomelas</i>	1890, 576
	1885, 904	<i>Pharetra consanguis</i> ..	1883, 155
	1885, 913	<i>leucoptera</i>	1889, 478
<i>Phalanger orientalis</i> ..	1889, 161	<i>longa</i>	1889, 478
— <i>breviceps</i>	1888, 482	<i>rumicis</i>	1889, 477
	1888, 483	<i>Pharomacrus antisimensis</i>	1884, 308
	1888, 484	<i>auriceps heliactin</i> ..	1884, 308
<i>Phalangiodes neptalis</i> ..	1885, 870		1885, 107
	1885, 872		1885, 122
<i>Phalangista albertisii</i> ..	1884, 381	<i>mocinno</i>	1881, 836
	1884, 382		1881, 837
<i>archeri</i>	1884, 381		1885, 914
	1884, 382	<i>Phascogale apicalis</i>	1886, 549
	1884, 383	<i>minimus</i>	1886, 549
	1884, 407	<i>virginiae</i>	1886, 548
<i>herbertensis</i>	1884, 384	<i>Phascolarctos cinereus</i> ..	1881, 180
	1884, 407		1882, 547
<i>lemuroides</i>	1884, 386		1887, 338
	1884, 387	<i>Phascolomys wombat</i> ..	1881, 186
	1884, 407		1881, 190
<i>viverrina</i>	1884, 385	<i>Phasianella intermedia</i> .	1883, 109
	1885, 245	<i>neritina</i>	1890, 311
<i>vulpina</i>	1881, 185	<i>pulla</i>	1883, 109
	1881, 190		1884, 149
	1883, 599	<i>tenuis</i>	1883, 109
	1883, 611	<i>tessellata</i>	1890, 252
	1883, 623		1890, 294
	1883, 624	<i>Phasianus chrysomelas</i> .	1889, 247
	1883, 625	<i>colchicus</i>	1883, 578
	1883, 627		1885, 323
	1883, 628		1886, 81
(Hemibelideus)			1888, 416
<i>lemuroides</i>	1884, 385	<i>decollatus</i>	1888, 267
(Pseudochirus)		<i>elliotti</i>	1882, 631
<i>archeri</i>	1884, 381		1882, 716
<i>Phalaropus cinereus</i> ..	1887, 581		1882, 718
<i>fulicarius</i>	1883, 429		1885, 844
<i>hyperboreus</i>	1881, 409	<i>humiae</i>	1882, 715
<i>Phalera amphissa</i>	1890, 509		1882, 718
<i>bobi</i>	1885, 302	<i>insignis</i>	1885, 322
	1885, 307		1885, 323
<i>bucephala</i>	1888, 574	<i>komarooi</i>	1887, 502
<i>flavescens</i>	1888, 642	<i>municipensis</i>	1882, 716
<i>fuscescens</i>	1888, 641	<i>parraka</i>	1882, 351
<i>javana</i>	1888, 574	<i>persicus</i>	1885, 323
<i>peruda</i>	1888, 574		1885, 324
	1888, 580	<i>pictus</i>	1882, 327
<i>raya</i>	1885, 302	<i>principalis</i>	1885, 324
<i>sigmata</i>	1888, 641		1887, 502
	1890, 509		1888, 140
<i>tenebrosa</i>	1888, 641	<i>reevesi</i>	1886, 193
<i>venulia</i>	1885, 292		1887, 503
<i>Phalga sinuosa</i>	1881, 375	<i>satchenensis</i>	1888, 415
	1881, 379	<i>shawi</i>	1885, 323
<i>Phaloë cruenta</i>	1885, 522		1885, 324
	1885, 523		1888, 415
<i>lorzæ</i>	1885, 523	<i>strauchi</i>	1888, 267

	Page		Page
<i>Phasianus swinhoi</i>	1882,	<i>Philemon timorlautensis</i> .	1884,
<i>tarimensis</i>	1888,	<i>Philentoma interme-</i>	579
<i>torquatus</i>	1883,	<i>dium</i>	1888,
	1887,	<i>pyrrhopterum</i>	1881,
	1887,		1888,
	1888,	<i>velatum</i>	1881,
	1888,		1885,
<i>vlangali</i>	1888,		1888,
<i>wallichii</i>	1885,	<i>Philetærus arnaudi</i>	1888,
<i>Phassus herzi</i>	1888,	<i>Phileurus depressus</i>	1887,
<i>salsettensis</i>	1885,	<i>didymus</i>	1887,
<i>signifer</i>	1888,	<i>sclateri</i>	1887,
<i>sinensis</i>	1888,	<i>Philhydrus testaceus</i>	1881,
<i>Phegornis mitchelli</i>	1886,	<i>Philine quadrata</i>	1890,
<i>Phelesma cepedianum</i>	1884,		1890,
<i>newtoni</i>	1884,	<i>Philogeus</i>	1887,
<i>Phemidias augias</i>	1884,	<i>fulvipennis</i>	1887,
<i>Pheosa fasciata</i>	1888,	<i>Philognoma falcata</i>	1890,
<i>Pherecydes tubercu-</i>		<i>varanes</i>	1890,
<i>latus</i>	1883,	<i>Philomycus bilineatus</i>	1884,
	1883,	<i>Philydor cervicalis</i>	1889,
	1883,	<i>erythrocerus</i>	1889,
<i>Pheropsophus jesso-</i>		<i>erythronotus</i>	1883,
<i>ensis</i>	1888,		1883,
<i>Pherusa cærulea</i>	1886,	<i>erythropterus</i>	1882,
<i>gulsonæ</i>	1884,	<i>pyrrhodes</i>	1883,
<i>Pheucticus aureiven-</i>		<i>striaticollis</i>	1883,
<i>tris</i>	1882,		1885,
<i>chrysogaster</i>	1883,	<i>Phineca basistriga</i>	1889,
	1884,	<i>canities</i>	1889,
	1885,	<i>Phirdana</i>	1883,
<i>chrysopeplus</i>	1883,	<i>hebridesia</i>	1883,
<i>crissalis</i>	1885,	<i>pumila</i>	1883,
<i>Phibalapteryx, sp.</i>	1886,		1883,
<i>nigripunctata</i>	1888,	<i>Phisis listeri</i>	1888,
<i>nigrovittata</i>	1888,	<i>Phissama transiens</i>	1885,
<i>tersata</i>	1888,	<i>Phlœocryptes melanops</i>	1883,
<i>Philagrus melano-</i>		<i>Phlogœnas, sp.</i>	1888,
<i>rhynchus</i>	1881,	<i>jobiensis</i>	1888,
<i>Philampelus achemon</i>	1888,	<i>johannæ</i>	1888,
<i>eos</i>	1886,		1888,
<i>labruscæ</i>	1884,	<i>rufigula</i>	1885,
<i>linnei</i>	1884,	<i>solomonensis</i>	1888,
<i>Philematium virens</i>	1890,		1888,
<i>Philemon corniculatus</i>	1882,	<i>Phlogophora beatrix</i>	1889,
<i>plumigenis</i>	1883,	<i>indica</i>	1881,
	1883,	<i>lucipara</i>	1889,
	1883,	<i>meticulosa</i>	1887,
	1883,		1887,
	1884,	<i>pallens</i>	1889,
	1884,	<i>Phlyxia erosa</i>	1884,
	1884,		1884,
<i>subcorniculatus</i>	1882,	<i>Phoca barbata</i>	1881,
<i>timoriensis</i>	1885,		1885,
<i>timorlaensis</i>	1884,		1885,
	1884,	<i>cinerea</i>	1884,
	1884,	<i>cristata</i>	1885,
<i>timorlautensis</i>	1884,		491

	Page		Page
<i>Phoca elephantina</i>	1881, 160	<i>Phœnicopterus ruber</i> ..	1883, 651
	1885, 492	<i>Phœnicothraupis carmi-</i>	
<i>grœnlandica</i>	1885, 487	<i>oli</i>	1883, 547
	1885, 491	<i>rubica</i>	1882, 14
<i>leonina</i>	1881, 146	<i>rubicoides</i>	1883, 443
	1881, 160	<i>stolzmanni</i>	1883, 536
	1885, 492		1883, 546
<i>leopardina</i>	1885, 489		1884, 313
<i>lutris</i>	1885, 387	<i>Pholadomya loveni</i>	1881, 934
<i>mitrata</i>	1885, 491		1881, 952
<i>monachus</i>	1885, 490		1882, 686
<i>proboscidea</i>	1881, 160	<i>Pholas candida</i>	1881, 947
	1885, 492		1884, 147
<i>vitulina</i>	1881, 154	<i>crispata</i>	1881, 947
	1881, 157	<i>papyraceus</i>	1881, 947
	1881, 380	<i>Pholeoptynx cunicu-</i>	
	1883, 11	<i>laria</i>	1881, 10
	1885, 486		1882, 622
	1885, 487		1882, 629
	1885, 499		1883, 426
	1889, 321		1885, 116
	1889, 323	<i>Pholidauges fischeri</i>	1889, 356
<i>Phocœna communis</i>	1883, 471		1889, 368
	1883, 505	<i>leucogaster</i>	1881, 582
	1883, 506		1881, 583
<i>crassidens</i>	1883, 508	<i>verreauxi</i>	1881, 582
<i>longirostris</i>	1883, 493		1881, 583
<i>spinipennis</i>	1883, 506	<i>Phoneus bucephalus</i> ..	1887, 605
<i>vomerina</i>	1883, 506		1888, 464
<i>Phœbetria fuliginosa</i> ..	1882, 548	<i>Phonipara bicolor</i>	1889, 326
<i>Phœbis larra</i>	1890, 557		1889, 395
<i>trite</i>	1890, 557	<i>pusilla</i>	1883, 444
<i>Phœgoptera</i> , sp.	1884, 322	<i>Phonoctonus picturatus</i> .	1890, 478
<i>almopia</i>	1890, 497	<i>Phonygama gouldi</i>	1882, 333
<i>alsa</i>	1890, 497		1882, 347
<i>ambrosia</i>	1890, 498		1882, 348
<i>cornea</i>	1884, 322		1882, 349
<i>elota</i>	1890, 497		1882, 350
<i>laudia</i>	1890, 497	<i>keraudreni</i>	1882, 347
<i>leda</i>	1890, 497		1882, 348
<i>leria</i>	1890, 497		1882, 349
<i>suffusa</i>	1890, 498		1882, 350
<i>umb-r</i>	1890, 497	<i>Phorcus margaritaceus</i> .	1883, 100
<i>Phœnicophaës</i> , sp.	1885, 170	<i>Phoroncidia argentata</i> ..	1882, 766
<i>calorhynchus</i>	1885, 549	<i>aurata</i>	1882, 763
<i>viridirufus</i>	1885, 182		1882, 766
<i>Phœnicopterus andinus</i> .	1886, 396		1882, 768
	1886, 399	<i>Phothedes bipars</i>	1881, 373
	1886, 400		1881, 380
	1886, 401	<i>captiuncula</i>	1881, 373
<i>antiquorum</i>	1883, 638	<i>Photinus</i> , sp.	1881, 82
	1883, 651	<i>coruscus</i>	1881, 82
<i>jamesi</i>	1886, 395	<i>obscurus</i>	1881, 82
	1886, 396	<i>Photophilus scutellatus</i>	1881, 744
	1886, 399	<i>Photoscotosia amplicata</i>	1888, 328
	1886, 400	<i>miniosata</i>	1888, 328
	1886, 401	<i>Phragmataëcia castanea</i>	1888, 644
<i>ruber</i>	1883, 458	<i>fæda</i>	1884, 515

	Page		Page
<i>Phragmataëcia fæda</i>	1884,	<i>Phryniscus cruciger</i>	1888,
<i>minor</i>	1886,	<i>lævis</i>	1887,
<i>Phragmatobia fuliginosa</i>	1887,		1888,
	1887,		1888,
	1887,	<i>longirostris</i>	1888,
	1887,		1888,
<i>Phreoryctes smithi</i>	1889,	<i>varians</i>	1890,
<i>Phricodia humeralis</i> ..	1881,		1888,
<i>Phrissoma giganteum</i> ..	1885,	<i>Phrynobatrachus acri-</i>	1888,
<i>Phrissura coniata</i>	1887,	<i>doides</i>	1890,
<i>eudoxia</i>	1887,	<i>Phrynocephalus affinis</i> .	1890,
<i>illana</i>	1887,	<i>axillaris</i>	1890,
<i>phaola</i>	1887,	<i>helioscopus</i>	1883,
<i>polisma</i>	1887,	<i>raddii</i>	1890,
<i>sylvia</i>	1887,	<i>Phrynomantis macula-</i>	
	1887,	<i>tus</i>	1890,
	1888,	<i>Phrynosoma coronatum</i>	1890,
<i>Phrixolepia sericea</i>	1888,	<i>douglasii</i>	1882,
	1888,		1890,
<i>Phrosyne brevicornis</i> ..	1890,	<i>modestum</i>	1890,
<i>Phryganeopsis brunnea</i> .	1881,	<i>Phurys garnoti</i>	1884,
	1881,	<i>helvina</i>	1884,
<i>Phrygilus alaudinus</i> ..	1883,	<i>immunis</i>	1884,
	1884,	<i>optabilis</i>	1884,
	1885,	<i>Phyciodes hermas</i>	1890,
<i>aldunatii</i>	1881,	<i>letitia</i>	1890,
<i>atriceps</i>	1886,	<i>thymetus</i>	1890,
<i>fruticeti</i>	1881,	<i>Phycis etiella</i>	1881,
	1881,	<i>zinckenella</i>	1881,
	1886,	<i>Phycodes hirundini-</i>	
<i>gayi</i>	1881,	<i>cornis</i>	1881,
	1881,		1881,
	1882,		1885,
	1883,		1886,
<i>ocularis</i>	1882,		1888,
<i>plebeius</i>	1884,	<i>maculata</i>	1881,
	1886,	<i>minor</i>	1881,
	1886,		1888,
<i>rusticus</i>	1886,	<i>quiris</i>	1881,
<i>speculifer</i>	1881,	<i>tortricina</i>	1881,
<i>unicolor</i>	1885,	<i>Phyletis borealis</i>	1889,
	1885,		1889,
	1886,	<i>herbicolens</i>	1886,
<i>Phryne vulgaris</i>	1888,	<i>inconspicua</i>	1886,
(<i>Bufo</i>) <i>vulgaris</i> ..	1888,		1888,
<i>Phrynella pollicaris</i>	1890,	<i>meonaria</i>	1886,
	1890,		1889,
<i>pulchra</i>	1890,	<i>pelloniararia</i>	1888,
	1890,	<i>silonaria</i>	1886,
	1890,	<i>Phyllacanthus annuli-</i>	
<i>Phrynetæ aurocincta</i> ..	1890,	<i>fera</i>	1888,
<i>macularis</i>	1890,		1888,
<i>nigropilosa</i>	1890,	<i>imperialis</i>	1888,
	1890,	<i>verticillatus</i>	1887,
<i>obscura</i>	1890,		1888,
<i>spinator</i>	1890,	<i>Phyllergates cucullatus</i>	1887,
<i>Phryniscus boussingaulti</i>	1890,		1888,
<i>cruciger</i>	1888,	<i>Phyllium gelonus</i>	1889,
<i>PROC. ZOOL. SOC. INDEX, 1881-90.</i>			25

	Page		Page
<i>Phyllium gelonus</i>	1889, 263	<i>Phyllophila wimmerii</i> ..	1889, 520
<i>Phyllobates bicolor</i>	1888, 206		1889, 521
<i>limbatus</i>	1888, 206	<i>Phyllophorus dobsoni</i> ..	1883, 60
	1890, 324		1883, 62
<i>melanorhinus</i>	1888, 206	<i>holothuroides</i>	1883, 60
<i>trilineatus</i>	1883, 636	<i>tenuis</i>	1883, 60
	1886, 412	<i>Phyllopneuste borealis</i> .	1887, 602
	1888, 206		1888, 463
<i>trinitatis</i>	1888, 206	<i>coronata</i>	1887, 602
	1890, 324		1888, 463
<i>Phyllobothrium cris-</i>		<i>schwarzii</i>	1888, 455
<i>patissimum</i>	1889, 324	<i>superciliosa</i>	1887, 602
	1889, 325		1888, 463
<i>lactuca</i>	1889, 324	<i>trochilus</i>	1888, 20
<i>tridax</i>	1889, 324	<i>Phyllorhina bicolor</i>	1886, 73
<i>Phyllobrotica hirtipen-</i>		<i>calcarata</i>	1887, 327
<i>nis</i>	1887, 103	<i>cervina</i>	1887, 326
<i>marginata</i>	1887, 104		1887, 327
<i>nigrita</i>	1885, 742	<i>diadema</i>	1886, 73
	1885, 755		1887, 326
<i>ornata</i>	1888, 349	<i>minuta</i>	1887, 327
<i>Phyllocephala funesta</i> . .	1890, 477	<i>tricuspidata</i>	1887, 327
<i>Phyllocharris cyanipes</i> . .	1884, 219	<i>Phyllornis cyanopogon</i> .	1885, 412
<i>Phylloides consobrina</i> ..	1883, 164	<i>sonneratii</i>	1881, 796
<i>imperialis</i>	1888, 575	<i>Phylloscopus borealis</i> . .	1889, 224
<i>inspicillator</i>	1883, 164	<i>trochilus</i>	1888, 20
<i>roseigera</i>	1883, 164	<i>Phyllostoma hastatum</i> .	1882, 373
<i>Phyllostromus pulchellus</i>	1883, 635	<i>Phyllostrephus fulvi-</i>	
<i>Phyllolais pulchella</i> ..	1888, 21	<i>ventris</i>	1882, 451
<i>Phyllomedusa azurea</i> ..	1882, 265	<i>sharpei</i>	1881, 575
<i>bicolor</i>	1882, 264		1888, 24
	1887, 500	<i>strepitans</i>	1881, 575
<i>burmeisteri</i>	1882, 264		1888, 24
<i>daenicolor</i>	1888, 167	<i>Phyllotreta discoidea</i> ..	1887, 84
	1888, 181	<i>funesta</i>	1885, 731
<i>hypochondrialis</i> ..	1882, 264		1885, 754
	1882, 265	<i>sinuata</i>	1885, 754
	1888, 167	<i>tenebrosa</i>	1885, 731
<i>iheringii</i>	1886, 413		1885, 754
<i>perlata</i>	1883, 638	<i>Phymastraëa irregularis</i>	1883, 409
	1886, 413	<i>profundior</i>	1883, 408
<i>Phyllomyias, sp.</i>	1882, 19		1883, 410
<i>berlepschi</i>	1887, 49	<i>valenciennesi</i>	1883, 407
<i>brevirostris</i>	1883, 554		1883, 408
<i>griseiceps</i>	1883, 554	<i>Physa, sp.</i>	1884, 272
<i>griseocapilla</i>	1883, 554	<i>alicie</i>	1889, 139
	1887, 49		1889, 140
<i>incanescens</i>	1883, 554	<i>badia</i>	1889, 136
<i>semifusca</i>	1882, 19	<i>beddomei</i>	1889, 136
	1883, 554	<i>bonus henricus</i>	1889, 136
<i>tumbezana</i>	1882, 19	<i>breviculmen</i>	1889, 136
	1885, 122	<i>carinata</i>	1889, 136
<i>Phyllopertha conspur-</i>		<i>concinna</i>	1889, 136
<i>cata</i>	1888, 373	<i>cumingii</i>	1889, 136
<i>octocostata</i>	1888, 374	<i>dispar</i>	1889, 136
<i>Phyllophila cretacea</i> ..	1889, 521		
<i>obliterata</i>	1889, 520		

	Page		Page
<i>Physa fusiformis</i>	1889, 136	<i>Phytodecta rufa</i>	1888, 347
<i>gibbosa</i>	1889, 136	<i>rufipes</i>	1885, 210
	1889, 138		1885, 754
<i>bainesii</i>	1889, 137	<i>tredecimmaculata</i> ..	1888, 347
<i>lamellata</i>	1882, 386	<i>viminalis</i>	1885, 210
	1882, 389	<i>Phytometra ænea</i>	1889, 521
<i>latilabiata</i>	1889, 137	<i>Phytotoma angusti-</i>	
<i>lirata</i>	1882, 386	<i>rostris</i>	1883, 71
	1882, 387	<i>raimondii</i>	1883, 71
<i>madagascariensis</i> ..	1882, 386	<i>rutila</i>	1882, 609
	1882, 387	<i>Piabucina elongata</i>	1887, 280
	1882, 389		1887, 283
<i>multistrigata</i>	1889, 139	<i>erythrinoides</i>	1887, 281
	1889, 140	<i>unitæniata</i>	1887, 280
<i>newcombi</i>	1889, 137		1887, 281
<i>nyassana</i>	1881, 295	<i>Piada multiplicans</i>	1889, 538
<i>obesa</i>	1889, 136	—, var. <i>japonica</i> ..	1889, 538
<i>obtusispira</i>	1882, 386		1889, 571
	1882, 389	<i>Piaya cayana</i>	1882, 374
<i>pectorosa</i>	1889, 136		1882, 619
<i>physopsis</i>	1889, 139		1883, 454
	1889, 140		1883, 572
<i>producta</i>	1889, 136		1885, 170
<i>proteus</i>	1889, 136		1885, 171
	1889, 138		1885, 176
	1889, 139		1885, 177
<i>pyramidata</i>	1889, 136		1885, 178
<i>reevei</i>	1889, 136		1889, 169
<i>rivalis</i>	1884, 277		1889, 187
<i>scalaris</i>	1889, 139	— <i>mesura</i>	1884, 308
	1889, 140		1885, 108
<i>sinuata</i>	1884, 271	<i>cayennensis</i>	1883, 426
	1889, 139	<i>mehleri</i>	1883, 454
	1889, 140	<i>melanogastra</i>	1882, 44
<i>tabulata</i>	1889, 139	<i>nigricrissa</i>	1882, 44
	1889, 140	<i>ridibundus</i>	1883, 426
<i>tasmanica</i>	1889, 137	<i>rutila</i>	1883, 572
<i>texturata</i>	1889, 136	<i>Piazomias vermiculosus</i>	1881, 470
<i>truncata</i>	1889, 136		1881, 478
<i>vestita</i>	1889, 138	<i>Pica caudata</i>	1887, 584
<i>Physalus</i> , sp.	1881, 6		1890, 344
<i>Physimerus simoni</i>	1889, 278	— <i>japonica</i>	1887, 605
	1889, 279		1888, 465
<i>variegatus</i>	1889, 279	<i>pica</i>	1887, 584
<i>Physonychis nigricollis</i>	1883, 404	<i>rustica</i>	1887, 584
	1883, 406	<i>Picathartes gymnoph-</i>	
<i>smaragdina</i>	1883, 405	<i>thalmus</i>	1882, 590
<i>Physorhynchus lucidus</i>	1890, 478	<i>Picolaptes</i> , sp.	1882, 614
<i>Phytodecta flavipennis</i>	1888, 347	<i>affinis</i>	1889, 34
<i>gracilicornis</i>	1885, 210	<i>angustirostris</i>	1883, 433
	1885, 754	<i>lacrymiger</i>	1882, 28
<i>nigroplagiata</i>	1885, 210		1885, 98
	1885, 754	— <i>warszewiezi</i>	1884, 301
<i>robusta</i>	1885, 209		1885, 123
	1885, 754	<i>parvirostris</i>	1889, 33
<i>rubripennis</i>	1885, 754	<i>peruvianus</i>	1882, 28
<i>rubripes</i>	1885, 210	<i>souleyeti</i>	1883, 424

	Page		Page
<i>Picolaptes souleyeti</i>	1883, 563	<i>Pieris brassicæ</i>	1887, 198
	1885, 98		1887, 212
	1885, 122		1887, 232
<i>warszewiezi</i>	1885, 98		1887, 236
<i>Picumnus</i> , sp.	1882, 616		1887, 244
<i>albosquamatus</i>	1882, 41		1887, 262
<i>aurifrons</i>	1882, 42		1887, 269
<i>buffoni</i>	1885, 106		1887, 270
<i>granadensis</i>	1883, 570		1887, 407
	1885, 68	—, var. <i>nipalensis</i>	1882, 401
	1885, 106		1886, 376
<i>jelskii</i>	1882, 41	<i>bryoniae</i>	1881, 876
<i>lafresnayi</i>	1885, 68		1881, 877
	1885, 106	<i>calypso</i>	1884, 225
<i>olivaceus</i>	1884, 282	<i>canidia</i>	1882, 256
<i>sclateri</i>	1883, 537		1887, 401
	1883, 570		1887, 407
	1884, 282	<i>castoria</i>	1881, 876
	1885, 122		1887, 407
<i>steindachneri</i>	1882, 40	<i>chloris</i>	1884, 225
<i>Picus cactorum</i>	1882, 617	<i>claripennis</i>	1881, 877
<i>dubius</i>	1883, 452		1887, 407
<i>fulviscapus</i>	1881, 593	<i>clementina</i>	1883, 369
<i>hartlaubii</i>	1881, 593	<i>creona</i>	1884, 225
<i>leuconotus</i>	1887, 609	<i>crucivora</i>	1881, 864
	1888, 466		1881, 876
<i>lignarius</i>	1883, 425		1887, 407
<i>major</i>	1887, 608	<i>daplidice</i>	1881, 602
	1888, 466		1881, 864
— <i>pælzami</i>	1884, 409		1881, 877
<i>martius</i>	1882, 95		1885, 65
<i>minor</i>	1881, 453		1887, 401
<i>mixtus</i>	1882, 617		1887, 408
	1883, 40	—, var. <i>bellidice</i>	1887, 408
<i>nubicus</i>	1881, 593	<i>darada</i>	1881, 611
	1888, 41	<i>davidis</i>	1881, 876
	1889, 356	<i>demophile</i>	1890, 556
<i>parvus</i>	1883, 452	<i>gidica</i>	1888, 78
<i>pubescens</i>	1881, 453	<i>gliciria</i>	1881, 864
<i>scalaris</i>	1883, 452		1881, 877
<i>schiënsis</i>	1881, 593		1887, 407
<i>yucatanensis</i>	1883, 452	<i>hellica</i>	1885, 539
<i>Pidorus atratus</i>	1888, 613	<i>hippia</i>	1886, 80
<i>glaucois</i>	1888, 613	<i>idotea</i>	1888, 96
<i>Pierella lena</i>	1890, 568	<i>kalora</i>	1882, 256
<i>Pieris aglaope</i>	1881, 877	<i>lordaca</i>	1884, 491
	1887, 407		1885, 774
<i>agrippina</i>	1888, 79		1886, 375
<i>ajaka</i>	1881, 876	<i>matula</i>	1888, 75
	1882, 401	<i>megamera</i>	1881, 877
	1886, 375		1887, 407
	1887, 407	<i>melete</i>	1881, 864
<i>albina</i>	1883, 369		1881, 876
<i>bellidice</i>	1881, 877		1882, 401
<i>brassicæ</i>	1881, 864		1887, 407
	1881, 876	<i>mesentina</i>	1881, 602
	1882, 401		1884, 511
	1887, 196	<i>monuste</i>	1890, 556

	Page		Page
<i>Pieris nabellica</i>	1882,		256
<i>napi</i>	1881,	<i>Pimelodus (Rhamdia)</i>	
	1881,	<i>longicauda</i>	1887, 275
	1881,		1887, 283
	1881,	<i>Pinacia fulvidorsalis</i> ..	1885, 872
	1882,	<i>molybdænalis</i>	1883, 366
	1887,		1883, 371
	1887,	<i>Pinacopteryx ortygna</i> ..	1888, 76
	1887,	<i>pigea</i>	1888, 75
	1887,	<i>Pinacosterna nachtigali</i>	1890, 488
—, var. <i>orientis</i> ..	1881,	<i>Pinarochroa hypospodia</i>	1885, 222
<i>nera</i>	1890,		1885, 226
<i>nipalensis</i>	1882,		1885, 227
	1882,		1889, 356
<i>orbona</i>	1888,		1889, 364
<i>ortygna</i>	1888,	<i>sordida</i>	1885, 226
<i>phalœ</i>	1890,	<i>Pinarolestes vitiensis</i> ..	1881, 451
<i>phisadia</i>	1884,	<i>Pinicola enucleator</i>	1889, 306
<i>phryxe</i>	1882,	<i>Pinna pernula</i>	1890, 248
<i>pigea</i>	1888,		1890, 253
<i>rapæ</i>	1881,		1890, 306
	1881,	<i>rugosa</i>	1890, 253
	1887,		1890, 305
	1887,	<i>Pinnixa transversalis</i> ..	1881, 63
	1887,		1881, 70
	1887,		1881, 71
	1887,	<i>Pinnotheres latreillei</i> ..	1886, 177
	1887,	<i>obesa</i>	1886, 177
—, var. <i>orientalis</i> ..	1887,	<i>orientalis</i>	1886, 177
<i>sanaca</i>	1882,	<i>pisum</i>	1886, 177
<i>severina</i>	1885,	<i>transversalis</i>	1881, 70
<i>sordida</i>	1881,	<i>Pionea comalis</i>	1885, 875
	1887,	<i>incomalis</i>	1881, 622
	1887,		1883, 168
<i>timorensis</i>	1883,	<i>Pionias fuscicapillus</i> ..	1881, 591
<i>titea</i>	1885,	<i>Pionopsitta pyrrhops</i> ..	1885, 119
<i>vallei</i>	1884,		1885, 121
<i>virginia</i>	1884,	<i>Pionus chalcopterus</i> ..	1883, 573
	1884,	<i>corallinus</i>	1884, 309
<i>zeuxippe</i>	1884,		1885, 109
<i>Piezonotus discoidalis</i> ..	1887,	<i>maximiliani</i>	1882, 622
<i>Piezorhina cinerea</i>	1883,	<i>menstruus</i>	1885, 119
<i>Piezorhynchus alecto</i> ..	1885,	<i>seniloides</i>	1884, 309
<i>brodiei</i>	1882,		1885, 109
	1888,		1885, 123
<i>castus</i>	1884,	<i>Pipa americana</i>	1888, 181
<i>Piezosternum calidum</i> ..	1890,		1888, 504
<i>Pilidium radiatum</i>	1883,	<i>Pipastes agilis</i>	1888, 455
<i>Pimelepterus cinerascens</i>	1886,	<i>Pipile cujubi</i>	1882, 351
<i>fuscus</i>	1886,	<i>cumanensis</i>	1882, 351
<i>meridionalis</i>	1886,	<i>jacutinga</i>	1882, 351
<i>sydneyanus</i>	1886,	<i>Pipilo mystacalis</i>	1881, 485
<i>tahmel</i>	1886,		1883, 348
<i>Pimelodus buckleyi</i>	1887,	<i>Pipra chloromeros</i>	1882, 22
	1887,	<i>coracina</i>	1882, 22
<i>cyclopum</i>	1887,	<i>isidori</i>	1882, 23
<i>lateristriga</i>	1887,	<i>leucocilla</i>	1882, 22
(<i>Pseudopimelodus</i>)		<i>virescens</i>	1882, 23
<i>pulcher</i>	1887,	<i>Pipreola aureipectus</i> ..	1882, 24
	1887,		

	Page		Page
Pipreola jucunda	1884, 298	Placellodomus, <i>see</i> Pha-	
	1885, 121	cellodomus.	
melanokema	1885, 118	Placodes amethystina . .	1889, 534
riefferi	1882, 24	spencei	1889, 534
Pipridia melanonota . .	1882, 10	Placostylus crassilabrum	1887, 183
— venezuelensis . .	1884, 289	elobatus	1887, 180
Piprites chlorion	1882, 22		1887, 184
Pisa (Arctopsis) lanata .	1882, 341	fulguratus	1887, 180
Pisania pusio	1890, 318		1887, 183
Pisidium johnsoni	1882, 375		1887, 185
ventricosum	1882, 389	gnauensis	1887, 184
Pisoides celatus	1881, 67	graeffei	1887, 184
edwardsii	1881, 63	hoyti	1887, 182
	1881, 66	kantavuensis	1887, 182
tuberculosis	1881, 66	koroensis	1887, 182
tumidus	1881, 67	malleatus	1887, 179
Pitacota terminigera . .	1885, 454	morosus	1884, 270
Pitangus bellicosus . . .	1882, 607		1887, 181
derbianus	1883, 424	moussonii	1887, 184
	1883, 448	ochrostomus	1887, 183
sulphuratus	1882, 20	rambiensis	1884, 270
Pithecia alba	1887, 119	rugatus	1887, 183
albinasa	1881, 258	seemanni	1884, 270
satanas	1882, 442		1887, 181
	1886, 211	vitiensis	1887, 184
Pithecopus elorea	1884, 224	(Charis) malleatus .	1887, 180
intensa	1881, 852	Placuna sella	1890, 249
zalmora	1882, 244	Plæiorhina cincta	1890, 483
Pithys lunulata	1882, 32	recurva	1890, 483
Pitta arcuata	1887, 503	Plagiodera armoraciæ . .	1885, 754
atricapilla	1889, 225	distincta	1885, 754
baudi	1881, 798	ornata	1889, 268
	1885, 414	Plagiostila asturiana . .	1884, 127
brachyura	1884, 579	Plagusetes elatus	1881, 69
cærulea	1881, 798	Plagyodus ferox	1889, 322
celebensis	1885, 552	Plakocheilus gracilis . .	1887, 180
erythrogastra	1889, 225	Planaxis eboreus	1890, 252
granatina	1887, 432		1890, 284
mackloti	1885, 572	hermannseni	1890, 284
	1885, 643	lineatus	1890, 252
maxima	1885, 572		1890, 284
moluccensis	1882, 420		1890, 319
muelleri	1881, 798	Planema aganice	1888, 91
	1885, 413	lycoa	1888, 66
novæ guineæ	1885, 643	montana	1888, 91
propinqua	1889, 225	vesta	1890, 466
rufiventris	1885, 572	Planorbis cockburni . . .	1883, 2
schwanneri	1885, 414		1883, 4
ussheri	1881, 798		1883, 8
vigorsi	1884, 579	corneus	1889, 139
Pitthea continua	1887, 574		1889, 140
Pituophis mexicanus . .	1884, 475	exustus, var. macu-	
sayi	1882, 720	latus	1883, 3
Pitylia cinereigula . . .	1881, 588		1883, 8
Pitylus grossus	1883, 549	madagascariensis . .	1882, 387
Pityriasis gymnocephala	1881, 795		1882, 389
Pitys irregularis	1887, 179		1883, 3
subdædalea	1887, 179	pfeifferi	1882, 387

	Page		Page
<i>Planorbis socotrensis</i> ..	1883, 3	<i>Platydactylus vieillardii</i>	1883, 129
	1883, 4	(<i>Ceratolophus</i>) <i>auri-</i>	
	1883, 8	<i>culatus</i>	1883, 127
<i>stanleyi</i>	1888, 52	(<i>Lepidodactylus</i>) <i>cre-</i>	
	1888, 55	<i>puseularis</i>	1883, 120
<i>sudanicus</i>	1881, 294	(<i>Rhacodactylus</i>) <i>cha-</i>	
	1888, 52	<i>houa</i>	1883, 126
	1888, 55	<i>Platydia anomioïdes</i> ..	1881, 948
<i>trivolvus</i>	1884, 129		1881, 949
<i>Planorbula alexandrina</i> .	1881, 294		1884, 142
<i>Plastemia retusa</i>	1889, 516	<i>casta</i>	1889, 535
<i>Plastingia noëmi</i>	1887, 464	<i>compressipalpis</i> ..	1889, 535
<i>Platalea ajaja</i>	1881, 644	<i>PlatyGLOSSUS marginatus</i>	1889, 240
	1883, 458	<i>roseus</i>	1888, 264
<i>leucorodia</i>	1881, 173	<i>Platyhyla grandis</i>	1890, 325
	1881, 644	<i>Platyja nubiferalis</i>	1889, 554
	1882, 352	<i>Platylophus ardesiacus</i> .	1888, 296
	1885, 841	<i>coronatus</i>	1881, 799
	1886, 179		1885, 416
<i>tenuirostris</i>	1888, 48	<i>Platymera gaudichaudii</i>	1881, 63
<i>Platamonia stenosoma</i> ..	1888, 229		1881, 71
<i>Platanista gangetica</i> ..	1883, 483	<i>Platymeris biguttata</i> ..	1884, 461
<i>Plataplecta pruinosa</i> ..	1889, 476	<i>Platynopus rostratus</i> ..	1890, 475
<i>soluta</i>	1889, 476	<i>silvaticus</i>	1890, 475
<i>subviridis</i>	1889, 478	<i>Platyoides</i>	1890, 624
<i>Plataspis bucephalus</i> ..	1890, 473	<i>abrahamii</i>	1890, 625
<i>vermicellaris</i>	1890, 474		1890, 629
<i>Platax orbicularis</i>	1887, 661	<i>Platyonychus bipustu-</i>	
<i>teira</i>	1887, 661	<i>latus</i>	1881, 63
<i>vespertilio</i>	1887, 661		1881, 68
<i>Plateumeta aurea</i>	1888, 597	<i>purpureus</i>	1881, 68
<i>Platurus fasciatus</i>	1887, 149	<i>Platyonyx agassizi</i>	1886, 492
	1888, 90	<i>blainvillei</i>	1886, 492
<i>fischeri</i>	1890, 33	<i>brongniarti</i>	1886, 492
<i>laticaudatus</i>	1890, 33		1886, 496
<i>scutatus</i>	1881, 216		1886, 497
<i>Platyarcinus edwardsii</i> .	1881, 67	<i>curvieri</i>	1886, 492
<i>Platycephalus insidiator</i>	1887, 663	<i>Platypelis pollicaris</i> ..	1890, 325
<i>subfasciatus</i>	1887, 551	<i>Platypholis</i>	1890, 80
<i>Platychasma virgo</i>	1888, 637	<i>fasciata</i>	1890, 77
<i>Platydactylus ægyp-</i>			1890, 81
<i>tiacus</i>	1890, 213		1890, 85
<i>albomaculatus</i>	1889, 143	<i>Platypleura stalina</i>	1890, 479
<i>auriculatus</i>	1883, 127	<i>Platyrhynchus albigu-</i>	
<i>burmeisteri</i>	1889, 143	<i>laris</i>	1883, 553
<i>chahoua</i>	1883, 117		1885, 68
	1883, 125		1885, 88
	1883, 127		1885, 123
<i>ciliatus</i>	1883, 123	<i>mystaceus</i>	1882, 605
<i>crepuscularis</i>	1883, 122	<i>senex</i>	1882, 18
<i>deïssneri</i>	1889, 143	<i>Platyschista pallasii</i> ..	1885, 792
<i>duvaucelii</i>	1883, 126		1885, 794
<i>leachianus</i>	1883, 123	<i>Platysmurus aterrimus</i> .	1881, 799
	1883, 124		1885, 416
<i>lugubris</i>	1883, 120	<i>Platystethus</i> , sp.	1889, 157
<i>mauritanicus</i>	1886, 333	<i>abbreviatus</i>	1889, 158
	1888, 501	<i>cultratus</i>	1889, 157
<i>pacificus</i>	1883, 121	<i>guentheri</i>	1889, 157
	1883, 122	<i>huttoni</i>	1889, 158

	Page		Page
<i>Platystira cyanea</i>	1888, 26	<i>Plesioneura galenus</i>	1888, 97
<i>peltata</i>	1881, 577	<i>indrani</i>	1886, 433
<i>senegalensis</i>	1882, 302	<i>leucocera</i>	1882, 263
	1881, 577		1885, 146
	1888, 26	<i>phodicus</i>	1881, 869
<i>Plebeius putli</i>	1886, 368	<i>praba</i>	1881, 911
<i>trochilus</i>	1886, 368	<i>pulomaya</i>	1882, 262
<i>Plecia fulvicollis</i>	1883, 346		1881, 911
<i>Plecoptera reflexa</i>	1886, 381		1882, 263
	1888, 313		1887, 465
<i>Plecostomus bicirrhosus</i>	1887, 277	<i>sumitra</i>	1887, 465
<i>Plecotrema anaaensis</i>	1887, 291	<i>Plesiophysa striata</i>	1889, 141
<i>bella</i>	1887, 295	<i>Plestiodon auratus</i>	1888, 100
<i>clausa</i>	1887, 295		1888, 102
<i>consobrina</i>	1887, 295	<i>Plethodon croceator</i>	1886, 413
<i>hirsuta</i>	1887, 295	<i>Pleurochæta moseleyi</i>	1890, 53
	1887, 296		1890, 67
<i>octanfracta</i>	1887, 295	<i>Pleurocorallium elatior</i>	1882, 230
<i>paludosa</i>	1887, 297	<i>johnsoni</i>	1882, 224
<i>souverbiei</i>	1887, 295		1882, 229
<i>turrita</i>	1887, 295		1882, 230
<i>Plecotus auritus</i>	1881, 199		1882, 231
	1886, 94		1882, 233
	1886, 95	<i>secundum</i>	1882, 224
<i>Plectostoma decrespig-</i>			1882, 226
<i>nyi</i>	1889, 350		1882, 231
<i>Plectrocnemia cruciata</i>	1890, 478	—, var. <i>elatior</i>	1882, 228
<i>Plectrophanes nivalis</i>	1882, 654		1882, 230
	1888, 459		1882, 231
<i>Plectropterus zambensis</i>	1885, 843		1882, 233
	1889, 371	<i>Pleurogonium albidum</i>	1886, 101
<i>Plegadis falcinellus</i>	1881, 827		1886, 102
<i>Pleiodon spekei</i>	1881, 296	<i>minutum</i>	1886, 102
	1881, 300	<i>serratum</i>	1886, 102
<i>Pleonectusa metaleu-</i>		<i>Pleuronectes cynoglos-</i>	
<i>calis</i>	1888, 229	<i>sus</i>	1882, 749
<i>modestalis</i>	1888, 579	<i>flesus</i>	1885, 929
<i>parallela</i>	1888, 229	<i>grohmanni</i>	1882, 748
<i>Pleretes bellatrix</i>	1888, 83	<i>lascaris</i>	1890, 43
<i>pactolicus</i>	1888, 82	<i>limanda</i>	1885, 929
<i>ihelwallii</i>	1888, 83		1885, 930
<i>tigris</i>	1888, 83	<i>pseudoflesus</i>	1885, 930
<i>Plesioneura alysos</i>	1882, 263	<i>Pleuronectia differens</i>	1882, 682
	1887, 427	<i>dissimilis</i>	1881, 950
<i>ambareesa</i>	1885, 146	<i>Pleurotoma</i> , sp.	1881, 26
<i>bifasciata</i>	1881, 869	<i>babylonica</i>	1888, 211
	1881, 910	<i>bulowi</i>	1888, 211
	1887, 403		1888, 213
	1887, 427	<i>casta</i>	1890, 308
<i>biseriata</i>	1888, 97	<i>cingulifera</i>	1888, 567
<i>curvifascia</i>	1881, 869	<i>commutabilis</i>	1890, 258
	1881, 910	<i>exigua</i>	1883, 393
	1887, 403		1883, 393
	1887, 427		1883, 399
<i>feisthamelii</i>	1881, 910	<i>fultoni</i>	1888, 210
<i>flavocincta</i>	1887, 464		1888, 213
	1887, 465	<i>gemma</i>	1890, 257
	1887, 467	<i>helenensis</i>	1890, 257

	Page		Page
<i>Pleurotoma intercalaris</i>	1890, 256	<i>Pleurotoma (Mangelia)</i>	
<i>lavalleana</i>	1890, 257	<i>subquadrata</i>	1890, 250
<i>maravignæ</i>	1883, 392		1890, 256
<i>multigranosa</i>	1890, 266		1890, 315
<i>notata</i>	1888, 566	<i>Plexaura imperialis</i>	1889, 47
	1888, 570	<i>principalis</i>	1889, 47
<i>scalaroides</i>	1883, 391		1889, 49
<i>sinuosa</i>	1890, 255	<i>suffruticosa</i>	1889, 47
<i>spurca</i>	1890, 256		1889, 48
<i>striolata</i>	1883, 392		1889, 49
<i>subquadrata</i>	1890, 257	<i>vermiculata</i>	1889, 49
<i>tenuicostata</i>	1883, 391	<i>Plexaurella affinis</i>	1889, 48
(<i>Bela</i>) <i>cunning-</i>			1889, 49
<i>hami</i>	1881, 27	<i>anguiculoides</i>	1889, 48
	1881, 138		1889, 49
(—) <i>hongkong-</i>		<i>anguiculus</i>	1889, 48
<i>ensis</i>	1888, 567	<i>dichotoma</i>	1889, 48
	1888, 570	<i>porosa</i>	1889, 49
(—) <i>laceyi</i>	1888, 567	<i>vermiculata</i>	1889, 48
	1888, 570		1889, 49
(—) <i>scalaroides</i>	1883, 391	<i>Plica umbra</i>	1881, 245
(—) <i>tenuicostata</i>	1883, 398	<i>Plicifer nevillei</i>	1890, 285
(<i>Clathurella</i>) <i>com-</i>		<i>Plissolophus cristatus</i>	1885, 502
<i>mutabilis</i>	1890, 250	<i>Plocepasser mahali</i>	1881, 585
	1890, 257	<i>melanorhynchus</i>	1881, 585
	1890, 315	<i>Ploceus abyssinicus</i>	1888, 36
(—) <i>multigran-</i>		<i>æthiopicus</i>	1881, 585
<i>osa</i>	1890, 250	<i>aureoflavus</i>	1889, 367
	1890, 258	<i>baglafect</i>	1888, 34
	1890, 315	<i>castanops</i>	1888, 18
(—) <i>usta</i>	1890, 250		1888, 35
	1890, 258	<i>dimidiatus</i>	1888, 36
	1890, 315	<i>luteolus</i>	1888, 35
(<i>Clavus</i>) <i>albo-bal-</i>			1888, 36
<i>teata</i>	1890, 250	<i>manyar</i>	1888, 663
	1890, 255	<i>melanogaster</i>	1887, 122
	1890, 315		1887, 126
(—) <i>amanda</i>	1890, 250	<i>melanotis</i>	1888, 34
	1890, 255	<i>melanoxanthus</i>	1888, 34
	1890, 315	<i>nigricollis</i>	1881, 585
(—) <i>prolonga</i>	1890, 250		1887, 126
	1890, 255		1888, 34
	1890, 315	<i>ocularius</i>	1888, 34
(<i>Drillia</i>) <i>turtoni</i>	1890, 250		1888, 35
	1890, 256	<i>pelzelni</i>	1888, 35
	1890, 315		1888, 36
(<i>Mangelia</i>) <i>atlan-</i>		<i>vitellinus</i>	1888, 36
<i>tica</i>	1890, 307	<i>xanthoplerus</i>	1888, 35
	1890, 316	<i>Ploccederus denticornis</i>	1890, 484
(—) <i>casta</i>	1890, 308	<i>Plotosus anguillaris</i>	1887, 665
(—) <i>coppingeri</i>	1881, 27		1888, 364
	1881, 138	<i>Plotus anhinga</i>	1881, 247
(—) <i>gemma</i>	1890, 250		1881, 626
	1890, 256		1882, 208
	1890, 315		1882, 209
(—) <i>mellissi</i>	1890, 250		1882, 210
	1890, 257		1890, 442
	1890, 315	<i>levillantii</i>	1881, 626

	Page		Page
Plotus levailanti	1881,	Plusia oxygramma	1888,
	1882,	purissima	1889,
	1882,	pyropia	1889,
	1882,	rutilifrons	1889,
	1888,	serena	1889,
melanogaster	1881,	signata	1885,
	1882,		1889,
	1882,	significans	1888,
	1882,	typinota	1889,
novæ-hollandiæ ..	1882,	verticillata	1881,
Plusia agramma	1885,		1884,
	1889,		1885,
albostriata	1889,		1886,
amethystina	1889,		1888,
anda	1890,		1889,
aurifera	1889,	virgo	1889,
bractea	1889,	zosima	1889,
c-aureum	1889,	Plusidia abrostoloides ..	1889,
	1889,	Plusiodes agenoria	1890,
chalcitis	1889,	alesa	1890,
cheiranthi	1889,	laodamia	1890,
chrysitina	1889,	laronia	1890,
chrysitis	1889,	Plusiodonta, sp.	1884,
chryson	1889,	auripicta	1889,
circumflexa	1886,	conducens	1885,
concha	1889,	Plutella albidorsella ..	1881,
eugenia	1889,		1881,
excelsa	1889,	annulatella	1881,
extrahens	1884,	cruciferarum	1881,
	1885,		1881,
	1886,	hufnagelii	1881,
	1888,	interrupta	1881,
festucæ	1889,		1881,
gamma	1887,	porrectella	1881,
	1887,	vanella	1881,
	1889,		1881,
gemmifera	1881,	vigilaciella	1881,
	1889,	Pnoëpyga pusilla	1888,
gutta	1889,	Poaphila hamifera	1886,
humeralis	1889,	mollis	1889,
illustris	1890,	simplex	1885,
jessica	1889,		1886,
leonina	1889,		1888,
limbirena	1884,	stricta	1888,
locuples	1889,	Podarcis judaica	1881,
metabractea	1889,		1881,
mikadina	1889,	(Scapteira) cunei-	
nadeja	1889,	rostris	1881,
ni	1888,	Podargus cuvieri	1886,
	1889,	humeralis	1889,
nigrisigna	1883,	Podica petersi	1890,
	1888,	senegalensis	1890,
	1889,		1890,
obtusisigna	1885,		1890,
ochrata	1889,		1890,
orichalcea	1886,		1890,
	1888,		1890,
ornatissima	1889,		1890,

	Page		Page
<i>Podica senegalensis</i>	1890, 437	<i>Pœocephalus fuscicapillus</i>	1881, 591
	1890, 438		1881, 592
	1890, 439	<i>rueppelli</i>	1882, 421
<i>Podiceps caliparæus</i> ..	1883, 43		1882, 577
<i>cornutus</i>	1890, 433		1882, 578
	1890, 439	<i>senegalus</i>	1886, 318
<i>cristatus</i>	1890, 433	<i>Pœopterus lugubris</i>	1881, 582
<i>dominicus</i>	1882, 49	<i>Pœphagus grunniens</i> ..	1885, 168
<i>griseigena</i>	1887, 594	<i>Pœphila acuticauda</i> ..	1887, 340
<i>holboelli</i>	1887, 594	<i>gouldiæ</i>	1885, 421
<i>major</i>	1883, 432	<i>Poescopia lalandii</i>	1883, 467
<i>minor</i>	1881, 602	<i>Pogonias bidentatus</i>	1888, 41
	1882, 49	<i>diadematus</i>	1888, 41
	1887, 2	<i>leucocephalus</i>	1888, 41
	1890, 430	<i>Pogonorhynchus albi-</i>	
	1890, 433	<i>cauda</i>	1881, 592
<i>rollandi</i>	1881, 17	<i>bidentatus</i>	1888, 41
	1882, 629	<i>diadematus</i>	1888, 41
	1883, 43	<i>irroratus</i>	1881, 591
	1883, 432		1881, 592
<i>rubricollis major</i> ..	1887, 594	<i>lacrymosus</i>	1888, 42
<i>Podilymbus podiceps</i> ..	1881, 734	<i>leucocephalus</i>	1881, 592
<i>Podoa surinamensis</i>	1890, 426		1888, 41
	1890, 442	<i>melanopterus</i>	1881, 592
<i>Podoceroopsis palmat-</i>			1882, 303
<i>tus</i>	1889, 452		1889, 356
<i>Podocerus cumbrensis</i> ..	1889, 452	<i>stigmatothorax</i>	1889, 357
<i>Podophthalmus vigil</i> ..	1884, 10	<i>torquatus</i>	1881, 591
<i>Podopisa petersii</i>	1882, 341		1881, 592
<i>Pœcilia palustris cras-</i>		<i>Pogonotriccus guala-</i>	
<i>sirostris</i>	1888, 464	<i>quizæ</i>	1885, 89
<i>Pœcilocampa subpur-</i>			1887, 48
<i>purea</i>	1888, 625	<i>ophthalmicus</i>	1882, 19
<i>undulosa</i>	1888, 404		1885, 89
<i>Pœcilodryas hypoleuca</i> .	1885, 632	<i>plumbeiceps</i>	1885, 90
<i>Pœcilonetta erythro-</i>		<i>Poiana richardsoni</i>	1888, 6
<i>rhyncha</i>	1889, 371		1888, 16
<i>Pœcilopsaltria poly-</i>		<i>Polia ameria</i>	1890, 515
<i>dorus</i>	1890, 473	<i>atriplicis</i>	1889, 510
	1890, 479	<i>herbida</i>	1889, 508
<i>Pœcilothraupis atri-</i>		<i>lorina</i>	1890, 515
<i>crissa</i>	1884, 289	<i>nebulosa</i>	1889, 508
<i>cærulescens</i>	1885, 80	<i>occulta</i>	1889, 508
<i>ignicrissa</i>	1882, 3	<i>scotochlora</i>	1888, 309
	1882, 13	<i>soluta</i>	1889, 476
<i>lacrymosa</i>	1882, 3	<i>Poliopicus ellioti</i>	1887, 123
	1885, 80	<i>johnstoni</i>	1887, 122
<i>lunulata</i>	1884, 289	<i>Polioptila albiloris</i>	1885, 71
— <i>atricrissa</i>	1885, 80	<i>bilineata</i>	1883, 439
<i>palpebrosa</i>	1885, 80		1885, 71
<i>Pœcilotriccus ruficeps</i> ..	1884, 295		1885, 114
	1885, 69	<i>cærulea</i>	1883, 439
	1885, 89	<i>dumicola</i>	1882, 593
	1885, 121	<i>Poliornis indicus</i>	1885, 545
<i>rufigenis</i>	1884, 295	<i>rufipennis</i>	1881, 562
	1885, 69		1888, 46
	1885, 117	<i>Poliospiza striolatus</i>	1889, 367
	1885, 121		

	Page		Page
<i>Poliospiza tristriata</i>	1885,	<i>Polyommatus karsandra</i> .	1885,
<i>Polistes baldei</i>	1888,		132
<i>extraneus</i>	1883,		1886,
<i>hebraeus</i>	1888,	<i>kasmira</i>	1886,
<i>stigma</i>	1883,	<i>nazira</i>	1882,
<i>Polyboroides radiatus</i> ..	1889,		244
<i>typicus</i>	1884,		246
	251		1886,
	1885,	<i>nyseus</i>	1881,
	223		1885,
	1888,	<i>omphisa</i>	1882,
	45	<i>phlaeas</i>	1881,
	1889,		821
	78		1881,
	1889,		865
	79		1881,
	1889,		887
	82		1887,
<i>Polyborus auduboni</i>	1883,	—, <i>var. chinensis</i> ..	1881,
<i>brasiliensis</i>	1883,		887
<i>cheriway</i>	1883,	—, <i>var. eleus</i>	1887,
	457		414
	1885,	<i>puspa</i>	1882,
	119	<i>sangra</i>	1886,
<i>tharus</i>	1881,	<i>sena</i>	1882,
	10		249
	1883,		1886,
	41	<i>tamu</i>	369
<i>Polydesma boarmoides</i> .	1885,		1882,
	459		248
	1886,	<i>vardhana</i>	1886,
	448		368
	1888,	<i>varunana</i>	1882,
<i>brevipalpis</i>	85		245
	1885,		1886,
	459		369
	1886,		1882,
	448		248
<i>laudula</i>	1883,		1886,
<i>vetusta</i>	1881,		368
<i>vulgaris</i>	1889,		1886,
	490		367
<i>Polyerata amabilis</i>	1885,		1882,
<i>Polygonus lividus</i>	1884,		245
<i>Polynemus plebejus</i>	1887,	<i>virgaureæ</i>	1881,
<i>Polyommatus amarah</i> ..	1887,		865
<i>amphidamas</i>	1884,		1881,
	483		887
	1881,	<i>Polyonymus caroli</i>	1881,
	865		484
	1881,		1881,
	887		487
	1882,		1883,
	246		348
	1886,	<i>Polypedates biscutiger</i> ..	1889,
	368		28
	1887,		1889,
	401	<i>cruciger</i>	31
	1887,		1889,
	414	<i>leprosus</i>	27
	1887,	<i>leucomystax</i>	1888,
	431		205
	1881,		1889,
	605	<i>maculatus</i>	29
	1882,		1889,
	246		31
	1884,		1889,
	483		27
	1884,		1889,
	505		28
	1885,		1889,
	130		29
	1885,		1889,
	757		31
	1885,	<i>megacephalus</i>	1889,
	761	<i>quadrilineatus</i>	29
	1886,	<i>rugosus</i>	1889,
	365	<i>scutigiger</i>	29
	1886,	<i>viridis</i>	1887,
	425		149
	1888,	<i>Polyphænis pulcher-</i>	
	68	<i>rima</i>	1889,
<i>chandala</i>	1886,		501
<i>cleobis</i>	1887,		1889,
<i>dispar</i>	1887,	<i>Polyplectron chinquis</i> .	502
<i>eleus</i>	415	<i>germaini</i>	1886,
<i>fuscus</i>	1881,	<i>napoleonis</i>	193
	883		97
	1887,		1889,
	410		226
<i>hippotohœ</i>	1881,	<i>Polyploca albidisca</i>	1888,
	865		299
	1881,		1888,
	887		654
<i>jesous</i>	1885,	<i>dubia</i>	1888,
<i>karsandra</i>	1881,		300
	607		
	1884,		
	506		

	Page		Page
<i>Polyploca ornata</i>	1888, 653	<i>Poospiza thoracica</i>	1882, 599
	1888, 655	<i>whitii</i>	1883, 43
—, var. <i>unicolor</i> ..	1888, 654	<i>Popilia adamas</i>	1888, 376
	1888, 655	<i>atrocærulea</i>	1888, 376
<i>Polyptychus dentatus</i> ..	1883, 154	<i>biguttata</i>	1888, 376
	1885, 290	<i>bogdanowi</i>	1888, 376
	1886, 435	<i>cærulea</i>	1888, 376
	1888, 390	<i>cyanea</i>	1888, 376
<i>trilineatus</i>	1888, 390	<i>indigonacea</i>	1888, 376
<i>timesius</i>	1888, 390	<i>Porcula salvania</i>	1882, 546
<i>Polytela gloriosa</i>	1885, 450		1883, 388
	1885, 457	<i>Porella antarctica</i>	1881, 105
<i>Polyzonus fasciatus</i>	1888, 379	<i>Porellina (Lepralia)</i>	
<i>Pomarea castanei-</i>		<i>ciliata</i>	1881, 48
<i>ventris</i>	1887, 331	<i>Porina galeata</i>	1881, 48
	1888, 185	<i>Poromya granulata</i>	1881, 936
	1888, 194		1882, 686
<i>erythrostickta</i>	1888, 185	<i>neæroides</i>	1881, 936
<i>Pomatonus telescopium</i> .	1889, 236		1881, 952
	1889, 238		1882, 686
<i>Pomatorhinus borne-</i>		<i>tuberata</i>	1881, 936
<i>ensis</i>	1885, 413	<i>Poronia adansoniana</i> ..	1890, 304
	1888, 274	<i>Porphyrio cæruleus</i>	1890, 590
<i>erythrocnemis</i>	1890, 343	<i>indicus</i>	1885, 560
<i>isidorii</i>	1885, 643	<i>melanopterus</i>	1884, 426
<i>swinhoei</i>	1890, 342		1887, 333
<i>tickelli</i>	1887, 437		1888, 187
<i>wrayi</i>	1887, 437	<i>vitensis</i>	1886, 330
<i>Pomatorhynchus erythro-</i>		<i>Porphyriops crassirostris</i>	1883, 428
<i>pterus</i>	1881, 579	<i>melanops</i>	1883, 428
<i>Pompelon marginata</i> ..	1889, 401	<i>Porthesia auriflua</i>	1887, 194
<i>valentula</i>	1889, 401		1887, 195
<i>Pompostola smaragdina</i> .	1888, 97		1887, 196
<i>Ponera diminuta</i>	1888, 551		1887, 197
<i>Pontia acaste</i>	1884, 490		1887, 200
<i>alcesta</i>	1884, 225		1887, 217
<i>arne</i>	1884, 488		1887, 218
	1885, 768		1887, 224
<i>dynamene</i>	1881, 609		1887, 225
	1884, 487		1887, 231
	1884, 509		1887, 232
	1885, 767		1887, 233
<i>evarne</i>	1888, 75		1887, 236
<i>freyeri</i>	1889, 293		1887, 262
<i>glauconome</i>	1884, 492		1887, 272
<i>mannii</i>	1881, 612		1888, 622
<i>pleione</i>	1884, 488	<i>chrysoorrhœa</i>	1888, 622
<i>protomedia</i>	1884, 490	<i>irrorata</i>	1888, 545
	1885, 768	<i>marginalis</i>	1885, 297
	1888, 72		1886, 438
<i>suasa</i>	1889, 293	<i>raddei</i>	1888, 623
<i>xiphia</i>	1885, 135		1888, 624
<i>Poospiza assimilis</i>	1882, 599	<i>snelleni</i>	1888, 623
<i>erythrophrys</i>	1882, 599	<i>xanthorrhœa</i>	1886, 386
	1883, 43		1888, 297
<i>melanoleuca</i>	1882, 599	(<i>Auriflua</i>) <i>similis</i> ..	1887, 268
<i>nigro-rufa</i>	1882, 599	<i>Porthetria eurydice</i>	1888, 632
	1883, 43	<i>hadina</i>	1888, 630

	Page		Page
<i>Porthetria japonica</i>	1886,	<i>Precis iphita</i>	1882,
<i>leucescens</i>	1888,		239
<i>obfuscata</i>	1886,	<i>limnoria</i>	1885,
<i>umbrosa</i>	1888,		129
<i>Porzana carolina</i>	1884,		757
	1885,	<i>natalica</i>	1883,
<i>notata</i>	1881,	<i>sesamus</i>	1885,
<i>pusilla</i>	1888,	<i>sophia</i>	1884,
<i>Potamochoerus africanus</i>	1882,	<i>terea</i>	1884,
<i>penicillatus</i>	1890,	<i>timorensis</i>	1883,
<i>Potamophilus barbatus</i> ..	1882,		366
<i>Potamorphia manlia</i>	1885,	<i>veda</i>	1882,
<i>Potos caudivolvulus</i> ..	1885,	<i>Prepona chalciope</i>	1890,
<i>Pradatta artaxoïdes</i>	1881,	<i>meander</i>	1890,
<i>beatrice</i>	1881,	<i>Presbytis entellus</i>	1887,
	1886,	<i>priamus</i>	1887,
	1886,		627
<i>bimaculata</i>	1888,	<i>thersites</i>	1887,
<i>bivitta</i>	1886,		626
<i>bivittata</i>	1881,	<i>Priacanthus boops</i>	1887,
	1885,	<i>Priapina longicornis</i> ..	1887,
<i>decorata</i>	1881,	<i>Priene cancellata</i>	1881,
	1885,	<i>magellanica</i>	1881,
<i>modesta</i>	1881,	<i>Prigenia viridiaurata</i> ..	1889,
<i>Præsos mariana</i>	1889,	<i>vollenhoveni</i>	1889,
	1889,	<i>Primnia orientalis</i>	1888,
<i>Pramasa mitra</i>	1883,	<i>Primnoa australasiæ</i> ..	1881,
	1883,	<i>Primnoella australasiæ</i> ..	1881,
	1883,	<i>Prinia mystacea</i>	1885,
<i>Pramesta tobleri</i>	1883,		226
	1883,	<i>Prionia violacearia</i>	1885,
<i>Praogena procera</i>	1890,	<i>Prioniturus cyaniceps</i> ..	1889,
<i>Praonetha perplexa</i>	1888,	<i>discursus</i>	1885,
	1888,		250
<i>pleuricausta</i>	1884,	<i>flavicans</i>	1885,
<i>Praopus hirsutus</i>	1886,	<i>platurus</i>	1885,
<i>Pratapa deva</i>	1883,	<i>Prionochilus aureolim-</i>	
<i>icetas</i>	1882,	<i>batus</i>	1885,
<i>lila</i>	1883,	<i>ignicapillus</i>	1883,
	1883,		555
<i>Pratincola axillaris</i>	1884,	<i>johannæ</i>	1888,
	1884,	<i>maculatus</i>	1889,
	1885,	<i>percussus</i>	1881,
	1885,	<i>thoracicus</i>	1883,
	1887,	<i>xanthopygius</i>	1881,
	1889,	<i>Prionodon gracilis</i>	1882,
<i>caprata</i>	1885,		157
<i>maura</i>	1884,	<i>maculosus</i>	1882,
<i>rubetra</i>	1888,		160
<i>salax</i>	1887,	<i>pardicolor</i>	1882,
<i>sybilla</i>	1884,		157
<i>Precis ada</i>	1886,	<i>Prionops graculinus</i> ..	1881,
<i>antigone</i>	1883,	<i>scopifrons</i>	1881,
<i>erigone</i>	1883,	<i>talacoma</i>	1881,
<i>expansa</i>	1883,		581
	1883,		303
<i>harda</i>	1882,	<i>Prionurus australis</i>	1889,
<i>ida</i>	1886,		126
	344		128

	Page		Page
<i>Prionurus europæus</i> ..	1890,	124	
<i>funestus</i>	1890,	124	
	1890,	126	
<i>gibbosus</i>	1890,	124	
<i>laticlavus</i>	1887,	395	
<i>leptocheles</i>	1890,	124	
<i>liosoma</i>	1890,	124	
<i>maculatus</i>	1887,	395	
<i>microlepidotus</i>	1887,	395	
<i>pelopponensis</i>	1890,	124	
<i>scalprum</i>	1887,	395	
<i>Prionus insularis</i>	1888,	378	
<i>Prismoptera aminula</i> ..	1890,	506	
<i>opalina</i>	1890,	506	
<i>Prismosticta hyalinata</i> ..	1888,	626	
<i>Pristipoma dussumieri</i> ..	1887,	656	
<i>hasta</i>	1887,	656	
<i>operculare</i>	1887,	656	
<i>stridens</i>	1887,	656	
<i>Pristis pectinatus</i>	1889,	243	
<i>Pristodactyla agonoides</i> ..	1889,	218	
<i>lacerans</i>	1889,	214	
<i>Pristonychus kashmir-</i> <i>ensis</i>	1889,	214	
<i>Pristorhamphus versteri</i> ..	1885,	639	
<i>Pristurus flavipunctatus</i> ..	1881,	465	
	1881,	466	
<i>insignis</i>	1881,	464	
	1881,	466	
<i>longipes</i>	1881,	465	
	1881,	466	
<i>rupestris</i>	1881,	464	
	1881,	465	
	1881,	466	
<i>Problepsis cinerea</i>	1888,	298	
<i>discophora</i>	1888,	647	
<i>Probubalus mindorensis</i> ..	1888,	415	
<i>Procavia bocagei</i>	1890,	449	
<i>Procellaria bulwerii</i> ..	1887,	562	
<i>fregata</i>	1881,	735	
<i>gigantea</i>	1885,	708	
<i>glacialis</i>	1882,	653	
<i>neréis</i>	1881,	735	
<i>pelagica</i>	1881,	735	
	1881,	736	
(Thalassidroma)			
<i>fregata</i>	1881,	735	
<i>Prochilus ursinus</i>	1885,	391	
<i>Procellia bonnyi</i>	1890,	474	
<i>morgani</i>	1890,	474	
<i>Procnias cærulea occi-</i> <i>dentalis</i>	1883,	544	
	1885,	76	
<i>Procodeca umbrina</i>	1888,	398	
<i>Procris budensis</i>	1888,	594	
<i>chinensis</i>	1888,	595	
<i>esmeralda</i>	1888,	594	
	1888,	595	
<i>Procris funeralis</i>	1888,	595	
	1888,	597	
<i>fusca</i>	1888,	595	
	1888,	597	
	1888,	654	
<i>nigra</i>	1888,	595	
	1888,	654	
<i>psychina</i>	1888,	596	
<i>tristis</i>	1888,	594	
	1888,	595	
<i>Proctoporus fraseri</i>	1881,	236	
<i>Procyon cancrivorus</i> ..	1882,	371	
	1885,	347	
	1885,	353	
<i>hernandezii</i>	1885,	346	
	1885,	347	
—, var. <i>mexicana</i> ..	1885,	347	
<i>lotor</i>	1885,	346	
<i>nigripes</i>	1885,	347	
<i>nivea</i>	1885,	347	
<i>paora</i>	1885,	347	
<i>psora</i>	1885,	347	
<i>Prodenia caradrinoides</i> ..	1884,	495	
	1886,	380	
<i>commelinæ</i>	1884,	322	
<i>glaucastriga</i>	1885,	450	
<i>infecta</i>	1883,	158	
	1885,	450	
	1886,	444	
	1888,	221	
<i>ingloria</i>	1884,	495	
<i>insignata</i>	1888,	221	
<i>littoralis</i>	1889,	510	
<i>permbuda</i>	1888,	221	
<i>retina</i>	1885,	450	
	1886,	443	
	1888,	221	
	1889,	510	
<i>venustula</i>	1883,	158	
	1885,	450	
<i>Proechidna bruijni</i>	1885,	151	
	1885,	155	
	1885,	335	
	1885,	336	
	1885,	339	
<i>villosissima</i>	1885,	339	
<i>Prognathodus güntheri</i> ..	1886,	531	
<i>Progne chalybea</i>	1882,	595	
	1885,	117	
<i>dominicensis</i>	1885,	117	
<i>purpurea</i>	1882,	595	
<i>tapera</i>	1882,	595	
	1882,	596	
<i>Promerops minor</i>	1889,	358	
<i>Pronophila schrenkii</i> ..	1887,	403	
	1887,	426	
<i>Propasser grandis</i>	1886,	353	
<i>rhodochlamys</i>	1886,	353	

	Page		Page
<i>Propasser rhodome-</i>		<i>Protopterus annectens</i> ..	1889, 148
<i>topus</i>	1886, 353	<i>Protosticta gracilis</i>	1889, 298
<i>roseus</i>	1887, 606		1889, 302
	1888, 466	<i>simplicinervis</i>	1889, 302
<i>Propilidium ancyloides</i> ..	1882, 673	<i>Pryeria sinica</i>	1888, 594
	1882, 674	<i>Psalidoprocne albiceps</i> .	1888, 40
<i>compressum</i>	1882, 674	<i>antinatorii</i>	1889, 359
	1882, 687	<i>fuliginosa</i>	1887, 122
<i>pertenuis</i>	1882, 674		1887, 123
	1882, 687	<i>homomelæna</i>	1882, 306
	1884, 148	<i>petiti</i>	1887, 123
<i>scabrosum</i>	1882, 674		1889, 359
	1882, 687	<i>Psalis securis</i>	1886, 438
<i>Prosicela chevrolatii</i> ..	1889, 267	<i>Psammapemna</i>	1886, 589
<i>Prosopodonta costata</i> ..	1881, 261	<i>Psammella</i>	1886, 589
<i>scutellaris</i>	1881, 260	<i>Psamminae</i>	1886, 589
	1881, 269	<i>Psammobatis rudis</i>	1881, 19
<i>Prospalta leucospila</i> ...	1881, 347	<i>Psammobia costata</i>	1881, 723
<i>stellata</i>	1881, 347	<i>costulata</i>	1881, 722
<i>Prostherapis femoralis</i> .	1883, 635	<i>ferroënsis</i>	1881, 722
	1886, 412		1884, 145
<i>inguinalis</i>	1883, 635	<i>fusca</i>	1881, 719
<i>Proteides angasi</i>	1884, 318	<i>intermedia</i>	1881, 723
	1884, 320	<i>scopula</i>	1881, 927
<i>chrysægla</i>	1881, 856	<i>telinella</i>	1881, 723
	1887, 427	<i>vespertina</i>	1881, 723
<i>idas</i>	1884, 318	<i>Psammodynastes pictus</i>	1890, 35
	1890, 577	<i>pulverulentus</i>	1890, 35
<i>Proteles cristatus</i>	1882, 579	<i>Psammomys obesus</i> ...	1884, 89
	1882, 580	<i>Psammopessa</i>	1886, 589
<i>Proteus anguinis</i>	1888, 504	<i>Psammopessinæ</i>	1886, 589
	1888, 511	<i>Psammophis crucifer</i> ..	1887, 487
<i>Protheodes frausa</i>	1886, 446	<i>sibilans</i>	1887, 487
<i>veprecola</i>	1885, 456		1888, 51
	1886, 445	<i>Psammosaurus caspius</i> .	1881, 677
<i>Prothoe australis</i>	1882, 754	<i>griseus</i>	1889, 172
<i>layardi</i>	1882, 754	<i>scincus</i>	1881, 677
<i>Prothymia ænea</i>	1889, 521	<i>Pselaphacus curvipes</i> ..	1883, 84
<i>viridaria</i>	1889, 521		1883, 85
<i>Protogoniomorpha ana-</i>		<i>gracilis</i>	1883, 84
<i>cardii</i>	1888, 64	<i>mysticus</i>	1883, 75
<i>Protonotaria citrea</i> ...	1883, 440		1883, 84
<i>Protoparce abadonna</i> ..	1886, 271	<i>Psenes guamensis</i>	1888, 260
<i>cingulata</i>	1884, 321	<i>javanicus</i>	1888, 260
<i>convolvuli</i>	1884, 494	<i>Psettodes erumei</i>	1887, 665
	1888, 220	<i>Psettus argenteus</i>	1887, 661
	1888, 588	<i>Pseudebessa caressa</i> ...	1885, 535
—, var. <i>distans</i> ...	1888, 220	<i>cassandra</i>	1885, 535
<i>distans</i>	1886, 271	<i>Pseuder golis wedah</i> ...	1882, 240
<i>orientalis</i>	1885, 289	<i>Pseudibacus gerstaeckeri</i>	1882, 542
	1886, 379		1882, 543
	1886, 435	<i>pfefferi</i>	1882, 542
	1886, 436		1882, 543
	1888, 293	<i>veranyi</i>	1882, 543
	1888, 588	<i>Pseudis mantidactyla</i> ..	1886, 412
<i>rustica</i>	1884, 321	<i>paradoxa</i>	1888, 170
<i>Protopterus annectens</i> ..	1887, 9		1888, 182
	1887, 26	<i>Pseudoboletia granulata</i>	1881, 431
	1889, 147		1881, 432

	Page		Page
<i>Pseudoboletia indiana</i>	1881, 431	<i>Psilopogon pyrholophus</i>	1886, 352
	1881, 432		1887, 442
	1881, 433	<i>Psiloptera læta</i>	1885, 234
<i>maculata</i>	1881, 431		1885, 235
<i>stenostoma</i>	1881, 431	<i>Psilorhinus mexicanus</i>	1883, 447
<i>Pseudochilina limnæ-</i>		<i>Psimada cineracea</i>	1889, 554
<i>formis</i>	1881, 842	<i>quadripennis</i>	1885, 464
	1881, 846	<i>Psittacella brehmi</i>	1885, 619
<i>Pseudocolaptes boisson-</i>		<i>Psittacula andicola</i>	1885, 279
<i>neauti</i>	1884, 299	<i>celestis</i>	1883, 574
	1885, 96		1885, 122
<i>Pseudocolaspis timia-</i>			1885, 614
<i>lithus</i>	1882, 55	<i>conspicillata</i>	1885, 614
<i>Pseudocophora bicolor</i>	1887, 111	<i>crassirostris</i>	1883, 72
	1887, 112	<i>cyanochlora</i>	1885, 614
<i>buqueti</i>	1887, 112		1885, 615
<i>Pseudocucumis acicula</i>	1887, 140	<i>cyanopyga</i>	1885, 614
	1887, 144	<i>passerina</i>	1882, 46
	1887, 145		1885, 613
	1888, 389		1885, 614
<i>Pseudodera xanthospila</i>	1885, 754		1885, 615
<i>Pseudogomphus insignis</i>	1889, 297	<i>sprengeli</i>	1885, 614
	1889, 299	<i>Psittacus discurus</i>	1885, 251
<i>Pseudoleistes virescens</i>	1882, 602	<i>erithacus</i>	1888, 44
<i>Pseudoliva æthiops</i>	1882, 119	<i>hæmaturopygius</i>	1885, 251
<i>kellettii</i>	1882, 119	<i>lucionensis</i>	1885, 252
(Macron) <i>stereo-</i>		<i>rubrovarius</i>	1888, 44
<i>glypta</i>	1882, 119	<i>rueppelli</i>	1882, 577
	1882, 121	<i>Psittospiza elegans</i>	1882, 16
<i>Pseudophia tirrhæa</i>	1890, 95	<i>riefferi</i>	1884, 282
<i>Pseudophryne bibronii</i>	1888, 169		1884, 292
	1888, 181		1885, 84
	1888, 502	<i>Psolus antarcticus</i>	1882, 644
	1888, 506		1882, 646
<i>Pseudopontia calabarica</i>	1887, 574	<i>appendiculatus</i>	1882, 644
<i>paradoxa</i>	1887, 574	<i>boholensis</i>	1882, 644
<i>Pseudoptynx gurneyi</i>	1887, 138	<i>cataphractus</i>	1882, 644
<i>philippensis</i>	1887, 138	<i>complanatus</i>	1882, 644
<i>Pseudopus pallasii</i>	1890, 213	<i>ephippifer</i>	1882, 644
<i>Pseudorca crassidens</i>	1883, 509	<i>fabricii</i>	1882, 644
<i>Pseudorhabdion longi-</i>			1882, 645
<i>ceps</i>	1890, 34		1882, 646
<i>Pseudorhombus rus-</i>			1882, 647
<i>sellii</i>	1887, 665		1882, 649
<i>Pseudoscarus cyano-</i>			1882, 650
<i>gnathus</i>	1889, 240	<i>forbesi</i>	1882, 644
<i>dussumieri</i>	1887, 664	<i>granulatus</i>	1882, 644
<i>ghobban</i>	1889, 240		1882, 646
<i>janthochir</i>	1887, 664	<i>lævigatus</i>	1882, 644
<i>troscheli</i>	1889, 240	<i>operculatus</i>	1882, 644
<i>Pseudosphinx inexacta</i>	1888, 588		1882, 647
<i>Pseudosquilla lessonii</i>	1881, 64	<i>phantapus</i>	1882, 644
	1881, 75		1882, 646
<i>marmorata</i>	1881, 75		1882, 647
<i>Pseudosterrha ochrea</i>	1888, 324		1882, 649
<i>Pseudotriccus pelzelni</i>	1885, 88	<i>poriferus</i>	1882, 644
<i>Psidium johnsoni</i>	1882, 388	<i>regalis</i>	1882, 644
	1882, 389		1882, 646

	Page		Page
<i>Psolus regalis</i>	1882, 649	<i>Pterocles arenarius</i>	1882, 319
	1882, 650		1882, 323
<i>sitchaensis</i>	1882, 644		1882, 324
	1882, 645		1882, 325
<i>squamatus</i>	1882, 644		1882, 327
	1882, 645		1886, 195
	1882, 646	<i>decoratus</i>	1889, 369
(Hypopsolus) <i>am-</i>		<i>exustus</i>	1889, 370
<i>bulator</i>	1882, 648	<i>gutturalis</i>	1889, 370
	1882, 650	<i>tricinctus</i>	1888, 48
(Lophothuria) <i>pe-</i>		<i>Pterocyclos albersi</i>	1888, 245
<i>ronii</i>	1882, 647	<i>anomalus</i>	1889, 339
	1882, 650		1889, 341
<i>Psophia crepitans</i>	1890, 329	<i>biciliatus</i>	1889, 341
	1890, 338	<i>cucullus</i>	1889, 340
<i>leucoptera</i>	1890, 329		1889, 355
	1890, 330	<i>endædaleus</i>	1889, 339
	1890, 336		1889, 340
	1890, 337	<i>euryomphalus</i>	1889, 341
	1890, 338	<i>labuanensis</i>	1889, 339
<i>Psyche graminella</i>	1888, 597	<i>lowianus</i>	1881, 634
<i>longicauda</i>	1888, 299		1889, 339
<i>unicolor</i>	1888, 597		1889, 340
<i>viciella</i>	1888, 597	<i>mindaiensis</i>	1881, 634
—, var. <i>stetinensis</i> .	1888, 597		1881, 635
<i>Psychostrophia mela-</i>		<i>niahensis</i>	1889, 340
<i>nargia</i>	1888, 612		1889, 340
<i>Psylliodes angusti-</i>		<i>planorbulus</i>	1889, 341
<i>collis</i>	1885, 739	<i>rostellatus</i>	1889, 341
	1885, 740	<i>sumatranus</i>	1889, 339
	1885, 755	<i>tenuilabiatu</i> s	1889, 339
<i>difficilis</i>	1885, 740		1889, 344
	1885, 755		1889, 355
<i>intermedia</i>	1885, 739	<i>Pterodactylus micronyx</i>	1888, 432
	1885, 755	<i>suevicus</i>	1888, 432
<i>japonica</i>	1885, 740	(Cynorhamphus)	
	1885, 755	<i>suevicus</i>	1888, 431
<i>punctifrons</i>	1885, 755	<i>Pterodecta anchora</i>	1888, 392
<i>subrugosa</i>	1885, 739	<i>gloriosa</i>	1888, 612
	1885, 755	<i>Pteroglossus didymus</i> ..	1890, 403
<i>Psyra angulifera</i>	1888, 319	<i>erythropygius</i>	1883, 573
<i>cuneata</i>	1888, 319		1885, 123
<i>debilis</i>	1888, 319	<i>flavirostris</i>	1882, 45
<i>Pteralopex atrata</i>	1888, 475	<i>humboldti</i>	1882, 44
	1888, 483	<i>torquatus</i>	1883, 455
	1888, 484	<i>viridis</i>	1890, 403
<i>Pteraspis crouchii</i>	1887, 479	<i>wiedi</i>	1882, 94
<i>Pterelas magnificus</i>	1881, 78	<i>Pterogon clarkiae</i>	1889, 86
<i>Pternistes humboldti</i> ..	1889, 370	<i>Pterois antennata</i>	1889, 239
<i>infuscatus</i>	1882, 310	<i>lunulata</i>	1887, 659
	1889, 370	<i>miles</i>	1887, 659
<i>leucoparæus</i>	1889, 370	<i>volitans</i>	1887, 659
<i>nudicollis</i>	1889, 370	<i>Pteromys alborufus</i>	1887, 559
<i>Pterohyla fodiens</i> .. .	1886, 413	<i>cinerascens</i>	1886, 67
<i>Pterocles alchata</i>	1886, 195	<i>melanotis</i>	1886, 73
<i>arenarius</i>	1882, 313	<i>nitidus</i>	1886, 73
	1882, 314		1886, 74
	1882, 316		

	Page		Page		
<i>Pteromys nitidus</i>	1889,	230	<i>Pteropus melanopogon</i> ..	1887,	321
<i>petaurista</i>	1886,	67		1887,	327
<i>tephromelas</i>	1886,	74	<i>melas</i>	1888,	484
<i>Pteronura sambachii</i> .	1889,	197	<i>molossinus</i>	1887,	512
<i>Pterophanes temmincki</i> .	1885,	103		1888,	472
	1885,	116	<i>natalis</i>	1887,	511
<i>Pterophorus congrualis</i> .	1884,	526		1887,	512
	1885,	885		1888,	516
<i>oxyactylus</i>	1885,	885		1888,	532
<i>Pteroplatea hirundo</i> ..	1890,	675	<i>nicobaricus</i>	1887,	512
	1890,	676		1888,	473
	1890,	685	<i>ocularis</i>	1888,	472
<i>Pteroptochus albicollis</i> .	1881,	8	<i>phæocephalus</i>	1882,	756
	1881,	436		1882,	757
	1883,	425	<i>poliocephalus</i>	1887,	322
<i>Pteropus amplexi-</i>			<i>pselaphon</i>	1887,	512
<i>caudatus</i>	1887,	636	<i>rayneri</i>	1887,	320
	1887,	637		1887,	322
<i>aneiteanus</i>	1887,	322		1887,	327
	1888,	474		1888,	471
	1888,	475	<i>scapulatus</i>	1888,	483
<i>breviceps</i>	1882,	756	<i>stramineus</i>	1882,	757
	1887,	322	<i>temmincki</i>	1887,	637
<i>capistratus</i>	1887,	327	<i>woodfordi</i>	1882,	756
	1888,	484		1888,	471
<i>chrysoproctus</i>	1887,	321		1888,	475
	1887,	322		1888,	483
<i>collaris</i>	1887,	637		1888,	484
<i>coronatus</i>	1888,	471	<i>Pterostoma palpina</i>	1888,	638
	1888,	475	<i>Pterothysanus atratus</i> ..	1889,	402
	1888,	484	<i>laticilia</i>	1889,	402
<i>edulis</i>	1886,	67	<i>noblei</i>	1889,	401
	1886,	73		1889,	432
	1887,	322	<i>Pteruthius æralatus</i>	1887,	440
<i>gouldi</i>	1887,	320	<i>cameranoi</i>	1887,	440
	1887,	321	<i>Pterygospidea angulata</i>	1882,	263
	1887,	322	<i>djælælæ</i>	1884,	493
	1887,	512		1885,	775
<i>grandis</i>	1887,	320		1888,	81
	1887,	321	<i>maculosa</i>	1881,	869
	1887,	322		1881,	911
	1887,	327	<i>menaka</i>	1882,	262
	1888,	470	<i>moori</i>	1887,	428
	1888,	483	<i>sinica</i>	1881,	869
<i>hottentota</i>	1887,	637		1881,	911
<i>hypomelanus</i>	1887,	322		1887,	403
	1887,	327		1887,	428
	1888,	471	<i>Pterythrius æralatus</i> ..	1888,	276
	1888,	483		1888,	277
	1888,	484	<i>cameranoi</i>	1888,	277
	1889,	223	<i>Ptilocichla falcata</i>	1889,	226
<i>jubatus</i>	1887,	322	<i>Ptilodontis grisea</i>	1888,	638
<i>keraudreni</i>	1882,	755	<i>ornata</i>	1888,	637
<i>leucopterus</i>	1888,	473	<i>plusiotis</i>	1888,	637
	1888,	474	<i>Ptilonorhynchus holo-</i>		
<i>lombocensis</i>	1887,	512	<i>sericeus</i>	1883,	388
	1887,	513	<i>Ptilophora plumigera</i> ..	1888,	638
<i>medius</i>	1886,	59	<i>Ptilopus bellus</i>	1885,	658
	1886,	67			

	Page		Page
<i>Ptilopus eugeniæ</i>	1883, 348	<i>Ptilotis carunculata</i>	1883, 65
<i>flavovirescens</i>	1884, 430	<i>chrysothis</i>	1885, 642
	1884, 433	<i>cinerea</i>	1885, 642
	1884, 577	<i>fusciventris</i>	1885, 642
	1884, 580	<i>sonoroides</i>	1885, 641
<i>formosus</i>	1885, 248	<i>Ptyas korros</i>	1881, 215
	1885, 269		1881, 221
	1885, 556	<i>mucosa</i>	1881, 215
<i>geminus</i>	1885, 658		1881, 221
<i>humeralis</i>	1885, 658	<i>Ptychoglene splendida</i>	1885, 524
<i>ionogaster</i>	1885, 575		1885, 536
<i>jambu</i>	1881, 799	<i>Ptychoglossus</i>	1890, 83
	1887, 432	<i>bilineatus</i>	1890, 79
<i>johannis</i>	1883, 348		1890, 84
<i>lechlancheri</i>	1889, 225		1890, 86
<i>lewisii</i>	1887, 332	<i>Ptycholæmus simplicicollis</i>	1890, 487
	1888, 187	<i>Ptychosiagum orientale</i>	1889, 574
	1888, 199	<i>Ptychozoon homaloccephalum</i>	1884, 476
<i>melanocephalus</i>	1885, 250		1885, 718
	1885, 269		1887, 146
	1885, 556	<i>Ptyelus grossus</i>	1890, 479
	1889, 225	<i>Puffinus creatopus</i>	1883, 431
<i>monachus</i>	1885, 575	<i>griseus</i>	1884, 150
<i>ornatus</i>	1885, 658	<i>leucomelas</i>	1881, 800
<i>pectoralis</i>	1885, 659	<i>obscurus</i>	1882, 421
<i>prasinorrhous</i>	1885, 575		1883, 431
	1885, 658	<i>Pugettia</i> , sp.	1881, 63
	1885, 659		1881, 66
<i>pulchellus</i>	1885, 657	<i>australis</i>	1881, 66
<i>richardsi</i>	1883, 348	<i>gracilis</i>	1881, 66
<i>solomonensis</i>	1883, 348	<i>richii</i>	1881, 66
	1888, 199	<i>Pulsatrix torquata</i>	1885, 844
<i>speciosus</i>	1885, 658	<i>Puncturella clathrata</i>	1882, 676
<i>superbus</i>	1885, 269		1882, 677
	1885, 574	<i>fissura</i>	1882, 687
	1885, 657	<i>levior</i>	1882, 676
	1888, 199	<i>noachina</i>	1882, 676
<i>wallacii</i>	1883, 51		1883, 393
	1883, 195	<i>princeps</i>	1882, 676
	1883, 200	<i>profundi</i>	1882, 675
	1884, 433		1882, 676
	1885, 658		1882, 687
<i>xanthogaster</i>	1883, 51		1884, 148
	1883, 195	<i>Pupa armata</i>	1887, 189
	1883, 200	<i>dentifera</i>	1887, 189
	1884, 430	<i>dunkeri</i>	1887, 189
	1884, 433	<i>hyalina</i>	1887, 188
	1884, 580	<i>nacca</i>	1887, 188
<i>Ptilorhis alberti</i>	1882, 333	<i>nitens</i>	1887, 188
	1882, 349	<i>pediculus</i>	1887, 188
<i>magnifica</i>	1885, 616	<i>pleurophora</i>	1887, 189
<i>paradisea</i>	1882, 335	<i>salwineana</i>	1888, 244
	1882, 421	<i>samoensis</i>	1887, 188
<i>victoriæ</i>	1882, 349	<i>socotrana</i>	1881, 809
<i>Ptilorhynchus smithi</i>	1882, 333		1881, 812
<i>violaceus</i>	1882, 333		
<i>Ptilotis analoga</i>	1885, 641		
<i>carunculata</i>	1883, 63		

	Page		Page
<i>Pupa (Vertigo) tantilla</i>	1887, 189	<i>Pycnonotus simplex</i> ..	1881, 796
<i>Pupina adamsiana</i>	1887, 316		1881, 797
<i>difficilis</i>	1885, 597		1885, 412
<i>doriae</i>	1889, 351	<i>Pycnoptilus floccosus</i> ..	1881, 839
	1889, 355	<i>Pygæra bucephala</i>	1887, 196
<i>evansi</i>	1889, 351		1887, 200
	1889, 355		1887, 211
<i>hosei</i>	1889, 351		1887, 225
	1889, 355		1887, 233
<i>keraudreni</i>	1885, 597		1887, 236
<i>solomonensis</i>	1885, 597		1887, 240
	1885, 609		1887, 244
<i>superba</i>	1881, 631		1887, 248
<i>vitiensis</i>	1887, 306		1887, 262
<i>Pupinella borneensis</i> ..	1889, 352		1887, 263
<i>Purpura ascensionis</i> ..	1890, 318		1887, 264
<i>bicarinata</i>	1890, 264		1887, 268
<i>biserialis</i>	1890, 249		1887, 269
<i>fasciata</i>	1890, 264		1887, 270
	1890, 265		1887, 271
<i>forbesii</i>	1890, 265		1887, 272
<i>helena</i>	1890, 250		1889, 87
	1890, 264	<i>timonides</i>	1888, 636
	1890, 318	<i>timoniorum</i>	1888, 636
<i>rudolphi</i>	1890, 265	<i>Pygarrhicus albigularis</i> .	1881, 9
<i>squamosa</i>	1890, 308	<i>Pygoptila maculipennis</i> .	1882, 30
<i>turbinoides</i>	1890, 250	<i>Pygospila costiferalis</i> ..	1885, 870
<i>undata</i>	1890, 249	<i>tyres</i>	1884, 524
	1890, 264		1888, 334
<i>Putorius brasiliensis</i> ..	1885, 380	<i>tyresalis</i>	1885, 870
	1890, 72		1886, 459
<i>erminea</i>	1885, 379		1888, 334
	1885, 396	<i>Pyralis achatalis</i>	1889, 556
<i>nudipes</i>	1886, 73	<i>albulalis</i>	1888, 608
<i>sarmaticus</i>	1889, 85	<i>bractiatella</i>	1888, 332
<i>striatus</i>	1882, 186	<i>centonalis</i>	1888, 607
<i>vison</i>	1885, 379	<i>cespitalis</i>	1888, 334
<i>vulgaris</i>	1885, 379	<i>crassalis</i>	1889, 558
	1885, 396	<i>derivalis</i>	1889, 562
<i>Pycnocerus costatus</i> ..	1890, 639	<i>dulciculalis</i>	1889, 418
<i>exaratus</i>	1890, 639		1889, 419
<i>Pycnonotus analis</i>	1881, 796	<i>elachia</i>	1883, 166
	1885, 262		1886, 383
<i>brunneus</i>	1881, 796	<i>formosissimalis</i>	1889, 536
<i>cinereifrons</i>	1889, 226	<i>gerontesalis</i>	1884, 523
<i>goiavier</i>	1885, 250		1885, 864
	1885, 262		1888, 546
<i>layardi</i>	1881, 576	<i>glaucinalis</i>	1886, 383
	1881, 577	<i>grisealis</i>	1889, 561
	1885, 226	<i>hybridalis</i>	1881, 622
	1888, 631		1885, 876
	1889, 363		1886, 384
<i>modestus</i>	1881, 796	<i>incongrua</i>	1886, 383
<i>nigricans</i>	1881, 576		1886, 395
	1881, 577	<i>interpunctalis</i>	1883, 168
	1881, 958	<i>listeri</i>	1888, 546
<i>plumosus</i>	1881, 796	<i>lucillalis</i>	1883, 167
	1885, 412		1885, 864

	Page		Page
<i>Pyralis lucillalis</i>	1886, 457	<i>Pyrranga æstiva</i>	1885, 124
<i>miseralis</i>	1887, 523	<i>ardens</i>	1882, 14
<i>nannodes</i>	1886, 383	1883, 546
<i>pectitalis</i>	1889, 561	1885, 68
<i>platymitris</i>	1883, 166	1885, 81
.....	1888, 332	<i>azaræ</i>	1882, 14
.....	1889, 418	1883, 37
.....	1889, 419	1885, 120
<i>quisqualis</i>	1885, 865	<i>roseigularis</i>	1883, 443
.....	1885, 886	<i>rubra</i>	1883, 443
<i>recisalis</i>	1885, 866	1885, 81
<i>roborealis</i>	1885, 865	<i>rubriceps</i>	1885, 81
.....	1885, 886	<i>Pyrausta abruptalis</i>	1885, 867
<i>rostralis</i>	1889, 558	<i>silhetalis</i>	1888, 333
<i>rubicundalis</i>	1885, 864	<i>stultalis</i>	1885, 867
<i>rusticalis</i>	1886, 384	1886, 457
<i>salicalis</i>	1889, 555	<i>Pyrenestes ostrinus</i>	1888, 30
<i>sericealis</i>	1881, 620	<i>Pyrgus alveus</i>	1881, 870
.....	1889, 561	1881, 915
<i>subtrigonalis</i>	1888, 335	<i>cribellum</i>	1881, 870
<i>suffusalis</i>	1885, 864	1881, 915
<i>tarsicrinalis</i>	1889, 562	<i>cynaræ</i>	1881, 870
<i>tenebrosalis</i>	1885, 864	1881, 916
<i>terriculalis</i>	1889, 556	<i>elma</i>	1888, 81
<i>trabealis</i>	1889, 528	<i>evanidus</i>	1881, 612
<i>uberalis</i>	1884, 523	1881, 613
.....	1884, 529	1884, 512
.....	1886, 457	1886, 378
<i>xylinalis</i>	1885, 865	—, var. <i>adenensis</i> ..	1884, 493
.....	1885, 886	<i>fritillum</i>	1881, 915
.....	1888, 332	<i>galba</i>	1881, 613
<i>yokohamæ</i>	1886, 383	1884, 512
<i>zizanialis</i>	1885, 865	1885, 146
.....	1885, 886	1886, 433
<i>Pyrameis cardui</i>	1881, 177	<i>gigas</i>	1881, 870
.....	1881, 604	1881, 915
.....	1881, 848	<i>inachus</i>	1881, 870
.....	1882, 240	1881, 915
.....	1884, 482	1887, 403
.....	1884, 505	1887, 430
.....	1885, 128	<i>maculatus</i>	1881, 916
.....	1885, 538	1887, 430
.....	1886, 424	<i>malvæ</i>	1881, 870
<i>indica</i>	1881, 848	1881, 915
.....	1882, 240	<i>montanus</i>	1887, 430
.....	1885, 128	<i>orbifer</i>	1881, 870
.....	1886, 361	1881, 915
<i>myrinna</i>	1890, 561	<i>purendra</i>	1882, 262
<i>Pyramidella læviuscula</i>	1884, 364	1884, 512
<i>mediterranea</i>	1884, 363	1885, 146
<i>minuscula</i>	1884, 363	<i>serratulæ</i>	1881, 870
<i>nitidula</i>	1884, 363	1881, 915
.....	1884, 372	<i>sinicus</i>	1881, 916
<i>plicosa</i>	1884, 364	1887, 430
<i>Pyramis spirolinus</i>	1884, 352	<i>speyeri</i>	1881, 870
<i>Pyrranga æstiva</i>	1883, 443	1881, 915
.....	1883, 546	<i>superna</i>	1882, 263
.....	1885, 81	<i>syrictus</i>	1884, 319

	Page		Page
<i>Pyrgus tessellum</i>	1881,	<i>Pythia apiensis</i>	1884,
<i>tethys</i>	1881,	<i>castanea</i>	1884,
	1887,	<i>ceylonica</i>	1884,
<i>vindex</i>	1884,	<i>insularis</i>	1885,
<i>Pyriglena picea</i>	1883,	<i>lentiginosa</i>	1887,
	1884,	<i>ovatus</i>	1884,
<i>Pyrinia phœnico-tæniata</i>	1886,	<i>pantherina</i>	1884,
	1888,	—, var. <i>ureana</i>	1887,
<i>Pyrocephalus mexicanus</i>	1883,	<i>perovata</i>	1887,
<i>nanus</i>	1883,	<i>pollex</i>	1884,
<i>rubineus</i>	1882,		1887,
	1883,		1887,
	1883,		1887,
	1885,		1887,
<i>Pyromelana capensis</i> ..	1881,	<i>regularis</i>	1884,
<i>flammiceps</i>	1881,	<i>savaiensis</i>	1884,
	1888,		1887,
<i>ladoensis</i>	1888,	<i>scarabæus</i>	1884,
<i>nigriventris</i>	1881,		1884,
<i>sticta</i>	1888,		1884,
<i>Pyronestes albifrons</i> ..	1881,		1884,
<i>unicolor</i>	1881,		1885,
<i>Pyrophorus noctilucus</i> ..	1883,		1888,
<i>Pyrotrogon diardi</i>	1881,	<i>subula</i>	1887,
<i>duvauceli</i>	1881,	<i>tortuosa</i>	1884,
<i>kasumba</i>	1881,	<i>verreauxi</i>	1884,
<i>Pyrrhia marginata</i>	1881,	<i>wallacei</i>	1884,
<i>purpuritis</i>	1881,	<i>Pythina geoffroyi</i>	1881,
<i>Pyrrhocentor celebensis</i>	1885,	<i>setosa</i>	1881,
	1885,		1881,
	1885,		1881,
	1885,	<i>Pythodora rhipistis</i>	1888,
<i>Pyrrhogyra amphira</i> ..	1890,	<i>Python bivittatus</i>	1881,
<i>nearæa</i>	1890,	<i>breitensteini</i>	1889,
<i>Pyrrhopyge acastus</i>	1890,	<i>curtus</i>	1881,
<i>fluminis</i>	1890,		1889,
<i>Pyrrhula orientalis</i>	1887,		1889,
	1888,		1889,
<i>raptor</i>	1883,		1889,
<i>vulgaris</i>	1887,	<i>molurus</i>	1881,
	1890,		1881,
<i>Pyrrhulauda leucotis</i> ..	1888,	<i>regius</i>	1881,
<i>melanauchen</i>	1881,	<i>reticulatus</i>	1881,
	1881,		1881,
<i>Pytelia afra</i>	1888,		1881,
<i>cinereigula</i>	1888,		1883,
<i>citerior</i>	1888,		1890,
<i>melba</i>	1888,	<i>sebæ</i>	1881,
<i>minima</i>	1881,	<i>Quelea æthiopica</i>	1881,
<i>monteiri</i>	1888,		1888,
<i>phœnicoptera</i>	1888,	<i>cardinalis</i>	1888,
<i>phœnicotis</i>	1881,	<i>erythroptis</i>	1888,
<i>Pythia albovaricosa</i> . . .	1884,	<i>quelea</i>	1888,
	1885,	<i>Querquedula andium</i> ..	1885,
	1887,	<i>capensis</i>	1884,
	1887,		1884,
<i>apiensis</i>	1884,		1884,

	Page		Page
<i>Querquedula carolinensis</i>	1888, 469	<i>Raia clavata</i>	1890, 670
<i>crecca</i>	1881, 173		1890, 678
<i>cyanoptera</i>	1881, 14		1890, 684
	1882, 625	<i>maculata</i>	1890, 685
	1885, 116		1890, 678
<i>erythrorhyncha</i> ..	1886, 401		1890, 679
	1884, 175		1890, 684
	1889, 371	<i>nasuta</i>	1890, 685
<i>falcata</i>	1887, 591		1889, 321
	1890, 1		1890, 687
<i>flavirostris</i>	1883, 42	<i>radiata</i>	1890, 677
<i>gibberifrons</i>	1882, 453		1890, 678
<i>hartlaubi</i>	1888, 50		1890, 684
<i>larvata</i>	1884, 174	<i>Rajendra biguttata</i>	1885, 296
<i>oxyptera</i>	1881, 14	<i>khandalla</i>	1885, 296
	1886, 401	<i>Rallicula rubra</i>	1885, 664
<i>puna</i>	1886, 401	<i>Rallina eurizonoides</i> ..	1885, 250
<i>Quimalanca regalis</i>	1888, 87		1885, 274
	1890, 488	<i>fasciata</i>	1885, 274
<i>Quisqualis indica</i>	1884, 520		1889, 225
	1884, 521	<i>mandarina</i>	1888, 459
<i>inflexirostris</i>	1889, 395	<i>Rallus antarcticus</i>	1881, 14
<i>macrurus</i>	1883, 446	<i>aquaticus</i>	1881, 640
			1881, 645
<i>Radena curtisi</i>	1883, 225		1890, 427
<i>exprompta</i>	1883, 207	<i>cypereti</i>	1885, 122
	1883, 224	<i>macquariensis</i>	1881, 968
<i>isthma</i>	1883, 207	<i>nigricans</i>	1882, 49
	1883, 224	<i>obscurus</i>	1889, 5
	1883, 225	<i>rhytirhynchus</i>	1883, 42
<i>persimilis</i>	1883, 223	<i>striatus</i>	1885, 273
	1883, 323	<i>virginianus</i>	1884, 313
<i>purpurata</i>	1883, 225		1885, 112
<i>juventa</i>	1883, 207		1885, 124
	1883, 223	<i>Rana acutirostris</i>	1884, 425
	1883, 224	<i>afghana</i>	1888, 206
	1883, 323	<i>agilis</i>	1884, 422
<i>luzonica</i>	1883, 207		1884, 425
	1883, 224		1885, 22
<i>manillana</i>	1883, 224		1886, 414
<i>meganira</i>	1883, 225	<i>alticola</i>	1888, 173
<i>nicobarica</i>	1883, 224	<i>amurensis</i>	1890, 324
<i>similis</i>	1883, 207	<i>arvalis</i>	1886, 242
	1883, 214		1886, 243
	1883, 223		1888, 173
<i>sobrina</i>	1883, 225		1888, 503
<i>sobrinoides</i>	1883, 225	<i>biporus</i>	1890, 324
<i>turneri</i>	1883, 225	<i>bombina</i>	1886, 499
<i>vulgaris</i>	1883, 207	<i>boulengeri</i>	1890, 323
	1883, 223	<i>buergeri</i>	1886, 412
<i>Radinacra variana</i>	1886, 444	<i>bufoniformis</i>	1884, 210
	1886, 465		1886, 411
<i>Radinavia palpalis</i>	1889, 493		1887, 334
<i>Raghua confertis-</i>			1888, 90
<i>sima</i>	1881, 362	<i>cachinnans</i>	1885, 666
<i>Rahinda hordonia</i>	1881, 604	<i>chalconota</i>	1888, 204
<i>Raia batis</i>	1890, 684	<i>cyanophlyctis</i>	1888, 173
	1890, 685	<i>doriæ</i>	1890, 324

	Page		Page
<i>Rana erythræa</i>	1888,	<i>Rana kuhlii</i>	1884,
	204		210
	1890,		1888,
	36		204
<i>esculenta</i>	1884,	<i>labialis</i>	1890,
	422		324
	1884,	<i>latastii</i>	1884,
	425		422
	1884,		1884,
	573		425
	1884,		1886,
	574		412
	1884,	<i>lateralis</i>	1888,
	575		204
	1884,	<i>leithii</i>	1890,
	576		324
	1885,	<i>lessonæ</i>	1884,
	666		425
	1885,	<i>limnocharis</i>	1890,
	667		32
	1885,		1890,
	668		36
	1885,	<i>macrocnemis</i>	1885,
	669		22
	1885,		1886,
	670		412
	1885,	<i>macroductyla</i>	1888,
	671		204
	1886,	<i>macrodon</i>	1881,
	242		216
	1887,		1881,
	491		225
	1887,		1881,
	492		226
	1887,		1881,
	499		227
	1887,		1888,
	500		204
	1887,		1890,
	595		36
	1888,	<i>macropus</i>	1886,
	144		412
	1888,		1886,
	146		414
	1888,	<i>macroscelis</i>	1890,
	147		323
	1888,	<i>maculata</i>	1884,
	149		425
	1888,	<i>malabarica</i>	1888,
	150		204
	1888,	<i>martensi</i>	1886,
	155		412
	1888,		1886,
	173		414
	1888,	<i>mascareniensis</i> ...	1888,
	180		51
	1888,	<i>masoni</i>	1886,
	434		412
—, var. <i>japonica</i> ..	1887,	<i>maximus</i>	1888,
	595		503
—, var. <i>lessonæ</i> ..	1884,	<i>muta</i>	1884,
	422		422
	1884,		1884,
	573		425
	1884,	<i>nicobariensis</i>	1886,
	574		412
	1884,		1890,
	576		36
—, var. <i>ridibunda</i> .	1885,	<i>nigrovittata</i>	1884,
	666		425
<i>flavicrus</i>	1890,	<i>obtusirostris</i>	1884,
	324		425
<i>forreri</i>	1886,	<i>occipitalis</i>	1888,
	412		51
<i>fortis</i>	1885,	<i>opisthodon</i>	1884,
	666		211
	1885,		1886,
	667		411
<i>fusca</i>	1881,		1887,
	226		501
— <i>terrestris</i>	1885,		1888,
	22		90
<i>galamensis</i>	1888,	<i>papua</i>	1883,
	204		388
	1890,	<i>pipa</i>	1888,
	324		180
<i>gracilis</i>	1887,	<i>pipiens</i>	1887,
	149		493
<i>granulata</i>	1886,		1887,
	412		494
<i>grunniens</i>	1884,		1887,
	211		499
<i>guppyi</i>	1884,		1887,
	211		500
	1886,		1888,
	411		177
	1887,	<i>punctata</i>	1884,
	334		425
	1888,	<i>pustulosa</i>	1886,
	88		412
	1888,	<i>redimita</i>	1890,
	90		324
<i>himalayana</i>	1890,	<i>ridibunda</i>	1885,
	324		666
<i>humeralis</i>	1890,		1885,
	324		668
<i>iberica</i>	1886,		1885,
	242		669
	1886,		1885,
	412		671
<i>immaculata</i>	1884,	<i>septentrionalis</i> ...	1886,
	425		411
<i>jerboa</i>	1890,	<i>sternosignata</i>	1886,
	328		411
<i>krefftii</i>	1888,	<i>temporalis</i>	1887,
	88		500
	1888,		1888,
	90		204

	Page		Page
<i>Rana temporaria</i>	1885,	<i>Rappia burtonii</i>	1886,
	22		412
	1885,	<i>cinctiventris</i>	1888,
	23	<i>marmorata</i>	1887,
	1886,		500
	242		1888,
	1886,		173
	243		1888,
	1886,	<i>pusilla</i>	1890,
	414	<i>sordida</i>	1890,
	1887,	<i>Rasbora lateristriata</i> ..	1890,
	492		39
	1887,	<i>sumatrana</i>	1890,
	493		39
	1887,	<i>Rasuma astræa</i>	1883,
	495		283
	1887,		1883,
	499	<i>bipunctata</i>	283
	1887,	<i>denticulata</i>	1883,
	500	<i>dolosa</i>	1883,
	1888,		283
	123	<i>guerinii</i>	1883,
	1888,		208
	124	<i>louisa</i>	1883,
	1888,	<i>ordinata</i>	1883,
	146		282
	1888,	<i>pleiadis</i>	1883,
	147	<i>siderea</i>	1883,
	1888,	<i>stella</i>	1883,
	173	<i>violetta</i>	1883,
	1888,		209
	174		1883,
	1888,		210
	176		1883,
	1888,		211
	177		1883,
	1888,		254
	498		1883,
	1888,		282
	500	<i>Ravadeba cleona</i>	1883,
	1888,		207
	503		1883,
	1888,	<i>lutescens</i>	1883,
	506	<i>phyle</i>	1883,
	1888,		245
	511	<i>Ravanoa creonalis</i>	1888,
	1889,	<i>Realia fischeriana</i>	1887,
	145	<i>lævis</i>	1887,
	1889,	<i>nitida</i>	1887,
	146	<i>parvula</i>	1887,
<i>tigrina</i>	1890,	<i>pygmæa</i>	1887,
	36	(<i>Omphalotropis</i>)	
<i>ulcerosa</i>	1886,	<i>bifilaris</i>	1887,
<i>utricularia</i>	412	(—) <i>circumline-</i>	
<i>viridis</i>	1890,	<i>ata</i>	1887,
<i>Ranatra linearis</i>	324	(—) <i>costulata</i> ..	1887,
<i>Randasia granulata</i>	1885,	(—) <i>ingens</i>	1887,
	668	(—) <i>longula</i>	1887,
	1885,	(—) <i>moussoni</i> ..	1887,
	668	(—) <i>parva</i>	1887,
<i>Ranella bergeri</i>	1881,	(—) <i>perforata</i> ..	1887,
<i>cælata</i>	31	(—) <i>rosea</i>	1887,
	1890,	(—) <i>subsoluta</i> ..	1887,
	251	(—) <i>zebriolata</i> ..	1887,
	1890,	<i>Recurvirostra andina</i> ..	1886,
	268		396
	1890,	<i>avocetta</i>	1886,
	269		404
	1890,	<i>Redunca bohor</i>	1890,
	318		604
<i>kingii</i>	1887,		1890,
<i>ponderosa</i>	517		606
<i>pustulosa</i>	1890,	<i>Reduvius bilineclatus</i> ..	1890,
	269		479
	1890,		
	318		
<i>quercina</i>	1881,		
<i>rhodostoma</i>	31		
<i>thomæ</i>	1881,		
	31		
<i>tumida</i>	1881,		
<i>vexillum</i>	31		
<i>Rapala amisena</i>	1887,		
<i>distorta</i>	462		
	1887,		
	461		
	1887,		
	462		
	1887,		
	467		
<i>grisea</i>	1882,		
<i>nissa</i>	251		
<i>Raphaulus bombycinus</i>	1886,		
<i>pfeifferi</i>	370		
	1889,		
	350		
<i>Raphia fasciata</i>	1889,		
	351		
	1889,		
	491		

	Page		Page
Reduvius lucidus.....	1890,	Reniera fortior	1881, 141
nitidulus	1890,	Renodes hamada	1889, 564
yambuyæ	1890,	ussuriensis.....	1889, 553
Regalecus argenteus ..	1884,	Reteplax	1886, 589
	1887,	Retepora altisulcata ..	1881, 53
Regenia albicularis....	1888,		1881, 139
ocellata.....	1888,	beaniana	1881, 54
Regillus	1884,	cellulosa	1881, 53
asper.....	1884,	Retina flavicosta	1890, 386
	1884,		1890, 401
Regulus japonicus	1888,	fuscescens	1890, 386
Rehimena dichromalis .	1885,		1890, 401
Reinwardtœnas browni	1883,	rubrivitta	1890, 386
reinwardti.....	1885,	Rhabducus denticrostris.	1887, 642
	1885,		1887, 644
Remigia annetta	1889,	Rhachitomus valens ..	1888, 423
archesia.....	1884,	Rhacodactylus aubry-	
	1885,	anus	1883, 125
	1886,	auriculatus	1883, 127
	1888,	chahoua.....	1883, 125
	1888,		1883, 127
	1889,	ciliatus	1883, 130
	1889,		1883, 125
arefacta.....	1884,	ciliatus	1883, 128
bifasciata	1888,	leachianus.....	1883, 123
congregata	1888,		1883, 124
conveniens	1884,	trachyrhynchus ..	1883, 125
demonstrans.....	1888,		1883, 126
discrepans.....	1888,		1883, 127
disseverans	1884,		1883, 130
frugalis	1884,	Rhacolepis brama	1887, 538
	1884,		1887, 539
	1885,		1887, 541
	1886,		1887, 542
	1888,	buccalis.....	1887, 536
	1888,		1887, 537
gregalis	1888,		1887, 538
hansalii	1884,		1887, 539
multilinea.....	1884,		1887, 541
nigrisigna	1889,		1887, 542
	1889,	latus	1887, 536
optativa.....	1883,		1887, 538
	1885,		1887, 539
	1886,		1887, 542
optatura	1881,	Rhacophorus albilabris .	1890, 324
	1885,	colletti	1890, 36
	1886,	cruciger.....	1889, 28
	1888,		1889, 30
pellita	1884,		1889, 31
	1888,		1889, 32
	1888,	dennysi	1881, 216
persubtilis.....	1884,		1881, 224
pertendens.....	1885,		1881, 227
quesita	1885,	dispar	1886, 412
	1885,	eques.....	1888, 497
remanens	1884,		1888, 500
Reniera fortior.....	1881,		1888, 503
	1881,		1888, 511
	1881,		1889, 32

	Page		Page
Rhacophorus lateralis ..	1886,	412	
leprosus	1890,	324	
leucomystax	1889,	27	
	1889,	28	
	1889,	29	
	1890,	36	
maculatus	1881,	225	
	1884,	211	
	1887,	500	
	1888,	173	
	1889,	27	
	1889,	28	
	1889,	29	
	1889,	30	
	1889,	31	
	1889,	32	
malabaricus	1881,	225	
maximus	1881,	224	
	1881,	225	
	1888,	206	
	1888,	497	
opisthodon	1890,	324	
quadrilineatus	1889,	27	
	1889,	30	
reinwardti	1881,	224	
	1881,	225	
rugosus	1889,	27	
schlegeli	1887,	149	
	1887,	150	
sexvirgatus	1889,	27	
	1889,	30	
viridis	1887,	149	
	1890,	324	
Rhæsenia obliquifasciata	1885,	470	
Rhagerrhis multimacu-			
lata	1886,	124	
Rhamnosa angulata, ...	1888,	633	
Rhamphastos ambiguus	1883,	573	
	1885,	68	
ariel	1888,	254	
carinatus	1882,	94	
	1883,	455	
cuvieri	1882,	94	
dicolorus	1882,	94	
	1882,	95	
inca	1882,	44	
tocard	1885,	68	
	1885,	108	
toco	1882,	620	
vitellinus	1882,	94	
Rhamphocænas cinerei-			
ventris	1883,	565	
melanurus	1882,	31	
rufiventris	1883,	537	
	1883,	565	
	1885,	123	
Rhamphocinelus brachy-			
urus	1889,	395	
Rhamphococyx ery-			
thrognathus	1885,	406	
Rhamphocœlus di-			
mediatus	1883,	421	
icteronotus	1883,	546	
	1884,	282	
	1884,	290	
jacapa	1882,	14	
	1885,	81	
Rhamphocorys clot-			
beyi	1889,	26	
Rhampholeon spectrum.	1887,	564	
Rhamphomicron her-			
rani	1885,	116	
microrhynchum ..	1884,	305	
olivaceum	1881,	488	
ruficeps	1882,	36	
stanleyi	1885,	118	
Rhantus darwini	1881,	81	
mixtus	1881,	81	
varius	1881,	81	
Rhaphicera moorei	1882,	236	
Rhaphidotheca affinis ..	1881,	119	
Rhea americana	1881,	784	
	1881,	785	
	1881,	786	
	1885,	308	
	1885,	309	
	1885,	310	
	1885,	311	
	1885,	312	
	1885,	313	
	1885,	314	
	1885,	321	
	1885,	324	
	1885,	325	
	1885,	326	
	1885,	327	
	1885,	839	
darwini	1883,	141	
	1885,	308	
	1885,	309	
	1885,	310	
	1885,	311	
	1885,	312	
	1885,	313	
	1885,	314	
	1885,	320	
	1885,	321	
	1885,	324	
	1885,	325	
	1885,	326	
	1885,	327	
	1890,	412	
macrorhyncha	1881,	784	
	1881,	786	
	1883,	141	
	1885,	308	

	Page		Page
<i>Rhea macrorhyncha</i> . . .	1885, 309	<i>Rhinoceros oswelli</i>	1881, 728
	1885, 310	<i>simus</i>	1881, 725
	1885, 311		1881, 727
	1885, 312		1881, 731
	1885, 313		1883, 32
	1885, 314		1886, 125
	1885, 321		1886, 143
	1885, 324		1886, 144
	1885, 325	<i>sondaicus</i>	1885, 541
	1885, 327		1889, 9
<i>Rhectes aruensis</i>	1885, 636		1889, 10
<i>cerviniventris</i>	1885, 636		1889, 255
<i>dichrous</i>	1885, 636		1889, 257
<i>ferrugineus</i>	1885, 637		1889, 258
<i>jobiensis</i>	1885, 637	<i>sumatrensis</i>	1882, 687
<i>leucorhynchus</i>	1885, 637		1885, 421
<i>uropygialis</i>	1885, 636		1886, 266
<i>Rheithrodon alstoni</i>	1886, 64		1887, 3
<i>chinchilloides</i>	1884, 458		1889, 7
<i>pictus</i>	1884, 448		1889, 8
	1884, 450		1889, 9
	1884, 457		1889, 11
	1884, 458		1889, 12
<i>Rheithrosciurus ma-</i>			1889, 13
<i>crotis</i>	1889, 232		1889, 15
<i>Rheumaptera brunnei-</i>			1889, 19
<i>cillata</i>	1886, 393		1889, 20
<i>Rhina barbicornis</i>	1887, 490		1889, 21
<i>squatina</i>	1890, 684		1889, 23
<i>Rhinellus laniatus</i>	1890, 634		1889, 24
<i>Rhinobatus columnæ</i>	1890, 685		1889, 258
<i>granulatus</i>	1886, 531	<i>unicornis</i>	1887, 1
	1890, 678		1889, 258
	1890, 685	<i>Rhinochetus jubatus</i>	1881, 644
<i>halavi</i>	1889, 243		1890, 329
<i>schlegeli</i>	1889, 236	<i>Rhinocichla mitrata</i>	1886, 351
	1889, 243		1886, 352
<i>Rhinobrissus pyrami-</i>			1887, 435
<i>dalis</i>	1888, 384		1888, 274
	1888, 386	<i>Rhinococyx curvi-</i>	
	1888, 388	<i>rostris</i>	1885, 170
<i>Rhinoceros bicornis</i>	1881, 725	(Phœnicophaes)	
	1881, 727	<i>curvirostris</i>	1885, 182
	1881, 728	<i>Rhinocrypta lanceolata</i>	1882, 614
	1881, 731	<i>Rhinoderma darwini</i>	1887, 500
	1881, 732		1888, 172
	1885, 221		1888, 231
	1886, 125		1888, 232
	1886, 144		1888, 235
	1889, 448		1888, 236
<i>keitloa</i>	1881, 727	<i>Rhinogale melleri</i>	1882, 62
	1881, 731		1882, 84
	1881, 732		1882, 85
	1881, 733	<i>Rhinogryphus aura</i>	1881, 9
<i>lasiotis</i>	1884, 55	<i>falklandicus</i>	1881, 10
	1886, 266	<i>Rhinolophus bihastatus</i>	1886, 94
	1889, 9	<i>blasii</i>	1886, 96
<i>oswelli</i>	1881, 727	<i>euryale</i>	1886, 94

	Page		Page
<i>Rhinolophus ferrum-</i>		<i>Rhipidura nigri-</i>	
<i>equinum</i>	1881, 199	<i>torquis</i>	1885, 260
	1886, 94		1889, 225
	1887, 637	<i>obiensis</i>	1885, 570
<i>hipposideros</i>	1881, 198	<i>opistherythra</i>	1883, 194
	1881, 199		1883, 197
	1886, 94		1883, 200
	1887, 637		1884, 432
<i>luctus</i>	1889, 159	<i>pelzelni</i>	1881, 387
<i>trifoliatus</i>	1886, 67		1881, 388
<i>Rhinomyias pectoralis</i> ..	1881, 794	<i>perlata</i>	1881, 794
	1886, 354	<i>preissi</i>	1881, 387
<i>Rhinopomastes cabanisi</i> .	1882, 306		1881, 388
<i>cyanomelas</i>	1881, 570	<i>rubrofrontata</i>	1888, 195
	1882, 302	<i>russata</i>	1887, 331
	1889, 358	<i>saturata</i>	1881, 388
<i>minor</i>	1882, 306	<i>setosa</i>	1885, 632
<i>Rhinortha chlorophæa</i> ..	1885, 406	<i>tricolor</i>	1885, 570
<i>Rhinosaurus gracilis</i> ..	1881, 242		1885, 632
<i>Rhiostoma cavernæ</i>	1889, 342		1887, 331
	1889, 355		1888, 187
<i>gwendolenæ</i>	1889, 342	<i>Rhizogramma indica</i> ..	1881, 342
	1889, 355		1883, 158
<i>hungerfordi</i>	1889, 342		1888, 302
<i>iris</i>	1889, 343	<i>inextricata</i>	1881, 342
<i>Rhipidornis gulielmi-</i>			1881, 619
<i>tertii</i>	1883, 252		1888, 301
	1885, 616		1888, 302
	1886, 297	<i>petrorhiza</i>	1881, 342
	1886, 298	<i>unilinea</i>	1885, 452
<i>Rhipidura albicollis</i>	1887, 435		1885, 476
<i>albiscapa</i>	1881, 387	<i>Rhizomys badius</i>	1886, 65
	1881, 388		1886, 71
	1881, 789	<i>castaneus</i>	1886, 71
<i>brachyrhyncha</i>	1884, 580	<i>pruinusosus</i>	1886, 65
<i>brenchleyi</i>	1881, 388	<i>Rhodaria, sp.</i>	1884, 325
<i>bulgeri</i>	1881, 388	<i>amata</i>	1889, 521
<i>cockerelli</i>	1888, 195	<i>arida</i>	1881, 621
<i>dryadi</i>	1883, 54	<i>juncturalis</i>	1886, 457
<i>fallax</i>	1884, 580	<i>phœnicealis</i>	1884, 325
<i>flabellifera</i>	1881, 388	<i>Rhodia fugax</i>	1888, 633
	1884, 530	<i>newara</i>	1888, 121
<i>fuliginosa</i>	1884, 530	<i>Rhodocera acuminata</i> ..	1881, 878
<i>fusco-rufa</i>	1883, 194		1887, 408
	1883, 197	<i>alvinda</i>	1881, 879
	1883, 200	<i>amintha</i>	1881, 879
	1884, 432	<i>aspasia</i>	1887, 408
<i>hamadryas</i>	1883, 51	<i>maxima</i>	1887, 408
	1883, 54	<i>nipalensis</i>	1881, 878
	1883, 194		1881, 879
	1883, 200		1887, 408
	1884, 432	<i>rhamni</i>	1881, 878
<i>javanica</i>	1881, 794		1881, 879
	1885, 408		1887, 401
	1887, 435		1887, 408
<i>lenzi</i>	1884, 431	—, var. <i>aspasia</i>	1881, 864
<i>macgillivrayi</i>	1881, 789		1881, 878
<i>nigritorquis</i>	1885, 250	—, var. <i>farinosa</i> ..	1887, 408

	Page		Page
Rhododrilus	1889,	Rhynchobatus djed-	
minutus	1889,	densis	1890, 685
Rhodogastra fraterna ..	1885,	Rhynchobdella aculeata	1890, 38
Rhodoneura albatalis ..	1889,	Rhynchoicyclus cinerei-	
strigatula	1889,	ceps	1883, 447
Rhodopis atacamensis ..	1883,	fulvipectus	1882, 20
vesper	1883,		1885, 90
Rhodopygia hypomelas .	1888,		1885, 116
Rhombophryne testudo .	1886,	megacephalus	1882, 20
	1888,	peruvianus	1882, 20
	1888,		1885, 68
	1890,	— æquatorialis....	1883, 537
	1890,		1883, 556
Rhombus boscii	1890,		1885, 90
lævis	1882,		1885, 122
maximus	1882,	sulphurescens	1882, 20
megastoma	1890,		1882, 607
Rhopaligus sansibaricus	1885,	Rhynchoeyon chrysopy-	
Rhopalopsyche nycteris	1886,	gus	1881, 164
Rhopalurus laticauda ..	1890,	cirnei	1881, 163
Rhopodytes borneensis .	1881,		1881, 164
erythrognathus....	1881,	macrurus	1881, 163
sumatranus	1885,	petersi	1881, 164
Rhoptropus afer	1890,		1890, 361
Rhoptrurus baroni	1890,		1890, 444
	1890,	Rhynchonella nigricans	1886, 182
	1890,	psittacea	1881, 948
büttneri	1890,		1886, 182
	1890,	pyxidata	1886, 182
centrurimorphus ..	1890,	sicula	1881, 948
	1890,		1881, 949
dentatus	1890,		1882, 682
	1890,		1884, 142
	1890,	Rhynchonycteris naso..	1887, 151
	1890,	Rhynchophorus pal-	
	1890,	marum	1887, 490
jacksoni	1890,	Rhynchopora hispinosa .	1881, 50
	1890,	Rhynchops melanura ..	1882, 522
kirki	1890,		1882, 523
	1890,	nigra	1882, 522
	1890,		1882, 523
Rhynchæa australis....	1882,		1882, 628
capensis	1881,		1883, 462
	1882,		1885, 120
	1882,	Rhynchostruthus riebecki	1881, 953
	1887,		1881, 954
semicollaris	1881,	socotranus	1881, 170
	1883,		1881, 171
sinensis	1888,	Rhynchotus rufescens..	1885, 844
Rhynchaspis capensis ..	1884,	Rhynortha chlorophæa .	1881, 792
Rhynchastatus funebris	1889,	Rhyparia amurensis....	1888, 617
Rhynchina, sp.	1886,	purpurea	1888, 616
eremialis	1889,	transectata	1885, 862
pervulgaris	1885,	Rhyparida lævicollis ..	1887, 75
	1885,	quinquemaculata ..	1887, 75
	1886,		1887, 119
	1886,	Rhypariodes nebulosa ..	1888, 616
xylina	1886,	rubescens	1888, 616
Rhynchobatus djed-			
densis	1889,		
	243		

	Page		Page
Rhyariodes subvaria ..	1888,	Rissoa canaliculata	1884,
	616		116
Rhytia hypermnestra ..	1885,	canariensis	1884,
	463	cancellata	1884,
Rhytidoceros obscurus..	1882,	carinata.....	1884,
plicatus	1882,	cimex.....	1884,
	702	cimicoides.....	1884,
	1882,	cingillus	1884,
	703	compsa	1890,
	1885,		252
	566		1890,
	1887,		289
	330		1890,
	1888,	concinna	1884,
	187	coriacea.....	1884,
	1888,	coronata.....	1884,
ruficollis	1882,		140
	702	costata	1884,
undulatus	1882,		116
	702		1884,
	1882,		117
	703		1884,
Rhytidonota plicata....	1888,		118
	87	costulata	1884,
Rhytina stelleri	1883,		117
	72		1884,
Rhyzæna tetradactyla..	1882,		118
	92		1884,
typicus	1882,		117
	92		1884,
Ricania affinis	1888,		123
	554	crenulata	1884,
flavicostalis	1888,		111
	554	crispa.....	1884,
hyalina	1888,		116
	555	deliciosa	1884,
panorpæformis	1888,		115
	554		1884,
	555		121
pellucida	1888,		149
	555	depicta	1884,
Rinecura nigrescens....	1888,		127
	228		1890,
Riodina lysippus	1890,		289
	572	desmaresti.....	1884,
Risoba diversipennis ..	1881,		117
	329	dictyophora	1884,
literata	1881,		113
	329	dolium	1884,
obstructa	1881,		120
	328		1884,
	1886,		351
	443	ehrenbergi.....	1884,
prominens	1881,		119
	329	elegantissima	1884,
repugnans	1881,		115
	328	elongata	1884,
vialis	1881,		349
	329	ephamilla	1890,
Rissa tridactyla	1882,		252
	654		1890,
Rissoa abyssicola.....	1884,		288
	115		1890,
æmula ..	1884,		315
	127	eritima	1890,
æqua	1890,		252
	310		1890,
	1890,		316
affinis.....	1884,	etneensis	1884,
	124		113
	1884,	exarata	1884,
	149		124
agapeta	1890,		1884,
	252		352
	1890,	exigua	1884,
	289		116
	1890,	eximia	1884,
	315		352
albella	1884,	fenestrata	1890,
	119		310
	1884,	fischeri	1884,
algeriana	1884,		113
	122		1884,
angulata	1884,		149
	119	galvagni.....	1884,
	1884,		127
	149	glabra	1884,
arctica	1884,		348
	123	glypta	1890,
arenaria.....	1884,		252
	124		1890,
aspera	1884,		288
	122	gracilis	1884,
asturiana	1884,		353
	127	granulum	1884,
atomus	1890,		121
	309		1884,
	1890,		127
	316	inconspicua	1884,
cala	1890,		120
	252		1884,
	1890,		121
	288		
	1890,		
	315		
calathus.....	1884,		
	111		
	1884,		
	113		

	Page		Page
Rissoa intermedia	1884,	Rissoa semistriata	1884,
interrupta	1884,	similis	1884,
	1884,		1884,
jeffreysi	1884,	simulans	1890,
lactea	1884,		1890,
lanciæ	1884,	sinuosa	1884,
lilacina	1884,	soluta	1884,
maculata	1884,		1890,
mariae	1884,	sororcula	1884,
melanura	1890,	splendida	1884,
membranacea	1884,	stefanisi	1884,
	1884,	striata	1884,
mighelsi	1884,		1884,
minutissima	1884,	striatula	1884,
monodonta	1884,	subcarinata	1890,
montacuti	1884,	subperforata	1884,
	1884,	subsoluta	1884,
multicostata	1884,		1884,
multilineata	1884,	substriata	1884,
nana	1884,	suturalis	1884,
	1884,	targionii	1884,
oblonga	1884,	tenuicostata	1884,
obtusa	1884,	tenuiplicata	1884,
cenonensis	1884,	tenuisculpta	1884,
ordinaria	1890,	tervaricosa	1890,
	1890,	testæ	1884,
ovatella	1884,		1884,
parva	1884,		1886,
	1884,	textilis	1884,
parvula	1884,	trinodosa	1884,
	1884,	turgida	1884,
perfecta	1890,	turricola	1884,
	1890,		1884,
	1890,	vaga	1890,
	1890,		1890,
perminima	1890,	variabilis	1884,
philippiana	1884,		1884,
picta	1884,		1884,
platia	1890,		1884,
	1890,	varicifera	1890,
polita	1884,		1890,
porifera	1884,		1890,
proxima	1884,		1890,
pseustes	1890,	variegata	1884,
	1890,	venus	1884,
	1890,	violacea	1884,
pulchra	1884,		1884,
punctura	1884,	vitrea	1884,
pusilla	1884,	wallichi	1890,
radiata	1884,		1890,
reticulata	1884,		1890,
	1884,	wyville-thomsoni	1884,
rudis	1884,		1884,
rufilabrum	1884,	zetlandica	1884,
sarsii	1884,		1884,
	1884,	(Setia) tenuisculpta	1890,
saxatilis	1884,	(—) triangularis	1890,
scrobiculata	1884,	Rissoina bryeria	1890,
	1884,		252

	Page		Page
Rissoina bryeria	1890, 287	Rostellaria pes-carbonis.	1885, 51
	1890, 319	serresiana	1885, 50
chesneli	1890, 287	Rostrhamus sociabilis..	1885, 119
congenita	1890, 252	Rostrisepta parva.....	1882, 673
	1890, 287	Rubigula cyaniventris..	1888, 272
	1890, 316	webberi.....	1885, 412
decipiens	1890, 252	Rudolphius laticeps....	1883, 467
	1890, 287		1883, 517
helenæ	1890, 252	Rumia cratægaria	1886, 388
	1890, 287	mimulina	1886, 388
	1890, 316		1888, 318
mellissii.....	1890, 252	Rupicola peruviana....	1882, 3
	1890, 286		1882, 24
	1890, 316		1885, 93
turtoni	1890, 252	sanguinolenta	1885, 116
	1890, 286	Rusicada albitibia	1883, 20
	1890, 316	diversalis	1883, 21
Rivula flavonigra.....	1884, 522	nigritarsis	1883, 20
	1884, 529	Rusticus adolescens	
sericealis	1881, 620	hanno	1884, 316
	1884, 522	Ruticilla aureora.....	1887, 602
	1889, 561		1888, 463
subrosea	1889, 560	phœnicurus	1888, 20
Robsonia formidabilis ..	1890, 625		
	1890, 629	Sabalassa electra	1883, 217
marina	1883, 357	Sabanosa cratis.....	1883, 209
	1890, 621		1883, 210
	1890, 626		1883, 254
Rocellaria dubia	1890, 253		1883, 269
	1890, 303	Sabbaria peeroza.....	1886, 48
Rodontia lurida	1888, 647	Saccopteryx bilineata ..	1888, 129
Rœselia angulata.....	1888, 393	leptura	1887, 151
confusalis	1888, 393	Saccostomus lapidarius .	1882, 266
	1888, 608	Sadarga gotama	1881, 903
cristulalis	1888, 393		1887, 425
	1888, 608	Sagra fulgida	1888, 339
cuculatella	1888, 393	jansonii	1888, 339
fraterna.....	1888, 393	leechi	1888, 339
pascua	1885, 293	petelii	1888, 339
	1885, 307		1888, 340
scripta	1888, 393	Saiga tatarica	1890, 613
Rollulus rouloul	1881, 800		1890, 614
	1885, 416		1890, 615
Romaleosoma agnes ..	1884, 223	Sainia protenor.....	1882, 260
ceres	1887, 567	Sais rosalia	1883, 213
medon	1884, 223		1890, 559
ruspina	1887, 569	Salamandra atra	1884, 422
xypete	1887, 569		1884, 423
Rosama cinnamomea ..	1888, 637		1888, 504
	1888, 655		1888, 505
macrodonta	1888, 637	maculata	1888, 434
plusioides	1888, 637	maculosa	1884, 422
sciritis	1890, 511		1884, 423
simois	1890, 511		1888, 498
Roscius circumdatus ..	1881, 275		1888, 504
	1881, 276	Salamandrina perspicil-	
quadriplagiatus....	1881, 275	lata	1884, 422
Rossia patagonica.....	1881, 22		1884, 423
	1881, 138		1885, 857

	Page		Page
<i>Salamis anacardii</i>	1890,	<i>Salbia perspicualis</i>	1885, 870
<i>cacta</i>	1890,		1886, 458
<i>ethyra</i>	1887,	<i>Salea rosaceum</i>	1890, 78
<i>Salarias brevis</i>	1888,	<i>Salmacis bicolor</i>	1888, 384
<i>leopardus</i>	1888,		1888, 388
<i>lineatus</i>	1889,		1888, 389
<i>neilli</i>	1888,	<i>dussumieri</i>	1888, 384
<i>sindensis</i>	1888,		1888, 388
<i>tridactylus</i>	1887,		1888, 389
<i>unicolor</i>	1889,	<i>rarispinga</i>	1888, 388
<i>Salatura adustus</i>	1883,	<i>sulcata</i>	1888, 384
<i>affinis</i>	1883,		1888, 388
<i>artenice</i>	1883,		1888, 389
	1883,	<i>Salmo alpinus</i>	1882, 722
	1883,		1884, 37
<i>aruana</i>	1883,		1884, 593
<i>biseriata</i>	1883,	—, var. <i>struanen-</i>	
	1883,	<i>sis</i>	1884, 379
<i>chionippe</i>	1883,	<i>argenteus</i>	1884, 34
<i>chrysippus</i>	1883,	<i>brachypoma</i>	1884, 34
<i>conspicua</i>	1883,	<i>cambricus</i>	1884, 34
<i>decipiens</i>	1883,	<i>coreganoides</i>	1884, 28
<i>edmondi</i>	1883,	<i>fario</i>	1884, 29
<i>ferruginea</i>	1883,		1884, 33
	1883,		1884, 35
<i>fulgurata</i>	1883,		1884, 588
<i>genutia</i>	1882,		1885, 436
	1883,		1886, 507
	1883,		1888, 3
	1883,		1889, 135
	1883,	—, var. <i>ausonii</i>	1884, 35
	1884,	—, var. <i>gaimardi</i>	1884, 35
	1885,	—, var. <i>levenensis</i>	1884, 588
	1886,	<i>ferox</i>	1884, 33
<i>hegesippus</i>	1883,		1884, 34
	1883,		1884, 35
<i>insolata</i>	1883,		1884, 589
	1883,	<i>fluviatilis</i>	1884, 28
<i>intensa</i>	1883,	<i>fontinalis</i>	1882, 753
	1883,		1884, 23
<i>intermedia</i>	1883,		1884, 27
<i>laratensis</i>	1883,		1884, 30
	1883,		1884, 31
	1883,		1884, 33
<i>lotis</i>	1883,		1884, 37
<i>melanippus</i>	1883,		1884, 38
<i>mysolica</i>	1883,		1884, 377
<i>mytilene</i>	1883,		1884, 378
	1883,		1884, 379
<i>nesippus</i>	1883,		1884, 585
<i>nigrita</i>	1883,		1884, 588
<i>nipalensis</i>	1883,		1884, 593
	1883,		1885, 243
	1883,		1888, 3
<i>nubila</i>	1883,	<i>gallivensis</i>	1884, 35
<i>philene</i>	1883,	<i>gracilis</i>	1884, 17
<i>sumatrana</i>	1883,		1884, 25
	1883,	<i>levenensis</i>	1884, 18
<i>Salbia perspicualis</i>	1883,		

	Page		Page
<i>Salmo levenensis</i>	1884,		
	1884,	<i>Salpinx graeffiana</i>	1883,
	1884,	<i>grantii</i>	1883,
	1884,	<i>herbsti</i>	1883,
	1884,	<i>hisme</i>	1883,
	1884,	<i>hobsoni</i>	1883,
	1884,	<i>hyacinthus</i>	1883,
	1885,	<i>illustris</i>	1883,
<i>nigripennis</i>	1884,	<i>imitata</i>	1883,
<i>orcadensis</i>	1884,	<i>iphianassa</i>	1883,
<i>purpuratus</i>	1887,	<i>kadu</i>	1883,
	1887,	<i>klugii</i>	1883,
	1887,	<i>labreyi</i>	1883,
<i>salar</i>	1884,	<i>lazulina</i>	1883,
	1884,		1883,
	1884,	<i>leucogonys</i>	1883,
	1884,	<i>leucostictos</i>	1883,
	1884,	<i>lorenzo</i>	1883,
	1884,	<i>lowei</i>	1883,
	1884,	<i>macleayi</i>	1883,
	1884,	<i>margarita</i>	1883,
	1884,	<i>masoni</i>	1883,
	1884,	<i>mesocala</i>	1883,
	1884,	<i>meyeri</i>	1883,
	1884,	<i>minorata</i>	1883,
	1884,	<i>mniszechii</i>	1883,
	1884,	<i>nemertes</i>	1883,
	1885,		1883,
<i>salvelinus</i>	1882,	<i>novaræ</i>	1883,
	1888,	<i>oculata</i>	1883,
<i>schiffermuelleri</i> ..	1882,	<i>pasithea</i>	1883,
<i>stomachicus</i>	1884,		1883,
<i>struanensis</i>	1882,	<i>perdita</i>	1883,
	1884,	<i>rhadamanthus</i>	1883,
<i>trutta</i>	1884,	<i>splendens</i>	1883,
	1885,	<i>staintoni</i>	1883,
<i>Salpinx ægyptius</i>	1883,	<i>treitschkei</i>	1883,
<i>ænea</i>	1883,	<i>usipetes</i>	1883,
<i>alcidice</i>	1883,	<i>vestigiata</i>	1883,
<i>althæa</i>	1883,		1883,
<i>assimilata</i>	1883,	<i>viola</i>	1883,
<i>biformis</i>	1883,	<i>viridis</i>	1883,
<i>bouruana</i>	1883,	<i>weberi</i>	1883,
<i>brandti</i>	1883,	<i>Salpornis emini</i>	1884,
<i>callithoë</i>	1883,		1884,
<i>chloë</i>	1883,		1888,
<i>consanguinea</i>	1883,	<i>salvadora</i>	1884,
<i>crassa</i>	1883,		1884,
<i>dehaani</i>	1883,		1888,
<i>depuiseti</i>	1883,	<i>spilonota</i>	1884,
<i>diocletianus</i>	1883,		1884,
<i>elusina</i>	1883,	<i>Saltator albicollis</i>	1883,
	1883,		1883,
<i>eunice</i>	1883,	<i>atriceps</i>	1883,
<i>eupator</i>	1883,		1883,
<i>euthoë</i>	1883,		443
<i>fraterna</i>	1883,		
<i>frigida</i>	1883,		
<i>gamelia</i>	1883,		

	Page		Page
<i>Saltator atripennis</i>	1883, 548	<i>Santostia luteola</i>	1890, 478
<i>aurantiistrotris</i>	1882, 598	<i>vitticollis</i>	1890, 479
<i>cærulescens</i>	1882, 16	<i>Saperda gebleri</i>	1888, 380
<i>flavidicollis</i>	1882, 597	<i>Saphara ænea</i>	1883, 208
<i>grandis</i>	1883, 548		1883, 210
<i>guadelupensis</i>	1885, 122		1883, 298
<i>isthmicus</i>	1883, 443	<i>biformis</i>	1883, 298
<i>laticlavus</i>	1889, 326	<i>erimas</i>	1883, 298
<i>magnus</i>	1883, 421	<i>jessica</i>	1883, 298
	1882, 16	<i>lorenzo</i>	1883, 298
	1882, 16	<i>treitschkei</i>	1883, 255
	1883, 548		1883, 297
	1885, 84		1883, 298
<i>olivascens</i>	1883, 548	<i>viridis</i>	1883, 298
<i>superciliaris</i>	1882, 597	<i>Sapho longistigma</i>	1889, 300
<i>Saltatricula multi-</i>		<i>pulchella</i>	1889, 298
<i>color</i>	1882, 600		1889, 300
<i>Samanta perspicua</i>	1888, 59	<i>Sapphironia cæruleo-</i>	
<i>Samea, sp.</i>	1884, 325	<i>gularis</i>	1883, 425
<i>bipunctalis</i>	1888, 333	<i>Sappho caroli</i>	1881, 487
<i>ecclesialis</i>	1883, 167	<i>Saraca costinotata</i>	1889, 568
	1884, 325	<i>flavomaculata</i>	1889, 567
<i>gracilis</i>	1888, 334	<i>indentalis</i>	1889, 567
<i>inscitalis</i>	1883, 167		1889, 571
	1885, 868	<i>subviolacea</i>	1889, 568
	1886, 458	<i>textilis</i>	1889, 567
<i>magna</i>	1886, 383		1889, 571
	1888, 333	<i>trimantesalis</i>	1889, 567
<i>yerburii</i>	1886, 383	<i>vasava</i>	1889, 568
	1886, 395	<i>Saragus lævicollis</i>	1881, 476
	1888, 333	<i>Sarangesa dasahara</i>	1882, 262
<i>Samia ceanothi</i>	1886, 2		1882, 263
	1886, 3	<i>purendra</i>	1882, 262
	1886, 4		1884, 512
<i>cecropia</i>	1881, 652		1885, 146
	1881, 819	<i>Sarbaria peeroza</i>	1882, 258
	1881, 823	<i>polyctor</i>	1882, 258
	1882, 548	<i>Sarcidiornis africanus</i>	1881, 601
	1882, 632		1889, 371
	1885, 65	<i>melanotus</i>	1881, 601
	1885, 66	<i>Sarcops calvus</i>	1885, 250
	1886, 2		1885, 267
	1886, 3		1889, 228
	1887, 51	<i>Sarcorhamphus æqua-</i>	
	1887, 52	<i>torialis</i>	1883, 349
	1888, 119		1885, 116
	1889, 86	<i>gryphus</i>	1883, 349
	1890, 94	<i>lowii</i>	1885, 267
<i>columbia</i>	1885, 65	<i>Sargus kotschyi</i>	1887, 658
<i>gloveri</i>	1881, 652	<i>rondeletii, var.</i>	
	1881, 819	<i>capensis</i>	1887, 658
	1881, 823	<i>Sarmalia radiata</i>	1887, 676
<i>Sangalla antiphates</i>	1885, 534	<i>Sarobia confusa</i>	1883, 260
	1885, 536	<i>grayi</i>	1883, 208
<i>beata</i>	1885, 534		1883, 209
<i>Sangaria haagi</i>	1889, 274		1883, 210
<i>haroldi</i>	1889, 273		1883, 254
	1889, 274		1883, 260

	Page		Page
Saronaga albicosta	1881, 330	Saturnia (Eudæmonia)	
Sarpedon robustum	1883, 354	argiphontes	1881, 144
	1883, 364		1881, 145
	1883, 365	Satyrus avatara	1882, 236
Sarrothripa undulana ..	1888, 607	bipunctatus	1881, 848
Sasia abnormis	1885, 406		1881, 853
	1888, 279		1881, 906
Sasunaga tenebrosa	1881, 343	dryas	1887, 426
	1885, 451		1881, 868
Satanga eupator	1883, 255		1881, 906
	1883, 297		1887, 403
Satara woodfordi	1888, 576		1887, 426
	1888, 580	hyperanthus	1887, 403
Satarupa gopala	1881, 910		1887, 426
sambara	1881, 911	hyrania	1882, 235
Satsuma ferrea	1881, 887	motschulskyi	1881, 904
	1887, 414	nareda	1882, 238
fridvalskyi	1881, 865		1886, 359
Saturnia arnobia	1881, 142	padma	1882, 236
	1881, 145		1882, 406
artemis	1888, 634	parisatis	1882, 236
brachyura	1881, 144		1886, 357
	1881, 145	saraswati	1882, 236
carpini	1881, 652		1886, 357
	1881, 654	schakra	1882, 236
	1881, 821		1886, 358
	1881, 824	schrenkii	1881, 848
	1885, 65	sibirica	1881, 906
	1886, 3		1887, 426
	1887, 52	swaha	1882, 236
	1887, 242		1886, 357
delegorguei	1888, 84	verma	1882, 235
grotei	1888, 402	weranga	1882, 406
hockingii	1888, 402	zopyrus	1882, 237
hyperbius	1881, 143	(Cyllo) neelgher-	
	1881, 145	riensis	1885, 127
iole	1881, 144		1886, 424
	1881, 145	Saugatissa citrinula . . .	1885, 304
lindia	1888, 402	Saula japonica	1887, 642
lunulata	1888, 635		1887, 644
oubie	1885, 757	nigripes	1886, 161
	1885, 776	Sauloprocta cockerelli .	1888, 195
pavonia major	1885, 776	melaleuca	1885, 570
pernyi	1888, 633		1887, 331
pyri	1881, 652	Saurida tumbil	1887, 665
	1887, 52	Saurodactylus mauri-	
	1889, 87	tanicus	1890, 77
	1890, 95	Sauromalus ater	1890, 78
royi	1887, 447	Sauromarptis gaudi-	
sciron	1881, 143	chaudi	1885, 628
	1881, 145	Sauropatis albicilla . . .	1885, 568
sergestus	1881, 143	chloris	1881, 793
	1881, 145		1882, 705
simla	1886, 387		1883, 51
terpsichore	1887, 51		1883, 194
	1887, 52		1883, 200
undulata	1888, 635		1884, 432
zaddachii	1885, 776		1885, 256

		Page			Page
Sauropatis chloris	1885,	418	Scalaria atomus 1890,
		1885,	504		1890,
		1885,	547		1890,
		1885,	548	cantrainei 1884,
		1885,	568	celesti 1884,
		1885,	627	clathratula 1884,
sancta	1882,	705	clathrus 1884,
		1884,	426	coartata 1884,
		1884,	432	commoda 1890,
		1885,	548		1890,
		1885,	568		1890,
		1885,	627	communis 1884,
		1887,	330	confusa 1890,
		1888,	193		1890,
saurophaga	1885,	568	coronata 1884,
		1885,	627		1884,
		1887,	330	corrugata 1884,
		1888,	193	crassilabrum 1884,
sordida	1882,	705	crenata 1884,
tristrami	1887,	330	crispa 1884,
		1888,	193	disjuncta 1884,
Saurophis crucifer	1883,	33	eximia 1884,
Saurothera dominicensis		1885,	170	foliacea 1884,
		1885,	171	formosissima 1884,
		1885,	178		1884,
		1885,	170	fragilis 1890,
vieilloti	1889,	187		1890,
Saurus varius	1887,	665	frondicula 1884,
Saxicava, sp.	1881,	40	frondosa 1884,
antarctica	1881,	40		1884,
arctica	1881,	40		1884,
		1890,	248	geniculata 1884,
		1890,	313	greenlandica 1884,
rugosa	1881,	946		1884,
Saxicola deserti	1881,	167	hellenica 1884,
		1881,	453		1884,
		1885,	836	kuzmici 1884,
		1888,	140	lanceolata 1884,
isabellina	1881,	167	longissima 1884,
		1887,	579		1884,
montana	1881,	167	mellissi 1890,
morio	1882,	306		1890,
oenanthe	1881,	572		1890,
pleschanka	1882,	306		1890,
shelleyi	1881,	572	modesta 1890,
Sayornis cineracea	1885,	87	multilineata 1884,
		1885,	115	multistriata 1890,
nigricans	1883,	552		1890,
		1885,	115	muricata 1884,
Scacchia ovata	1881,	704		1884,
tenera	1881,	696	nana 1884,
		1881,	724		1884,
Scalaria acus	1884,	139		1884,
		1884,	149	obtusicastrata 1884,
albida	1890,	273	pecchioliana 1884,
algeriana	1884,	134	producta 1884,
		1884,	140	pseudopulchella	.. 1884,
		1884,	149	pulchella 1884,

	Page		Page
<i>Scalaria pulchella</i>	1884, 136	<i>Scea cleonica</i>	1885, 525
	1890, 274		1885, 536
<i>pumicea</i>	1884, 140		1890, 498
<i>pumila</i>	1884, 136	<i>fuonia</i>	1885, 525
<i>rugosa</i>	1884, 136		1885, 536
<i>sanctæ-helenæ</i>	1890, 251	<i>orilochia</i>	1885, 525
	1890, 274	<i>Scedopla regalis</i>	1889, 494
	1890, 316	<i>Scelidothierium ankilo-</i>	
<i>scacchii</i>	1884, 141	<i>sopum</i>	1886, 492
<i>schultzii</i>	1884, 134	<i>bellulum</i>	1886, 492
<i>semidisjuncta</i>	1884, 135	<i>bravardi</i>	1886, 494
	1884, 149		1886, 496
<i>serrata</i>	1884, 140		1886, 497
<i>soluta</i>	1884, 136		1886, 498
<i>spinosa</i>	1884, 136	<i>bucklandi</i>	1886, 492
<i>striatissima</i>	1884, 140	<i>capellini</i>	1886, 492
<i>subdecussata</i>	1884, 132	<i>chiliense</i>	1886, 496
<i>subulata</i>	1884, 138		1886, 497
<i>tenera</i>	1884, 139		1886, 498
	1884, 149	<i>leptocephalum</i>	1886, 491
<i>tenuicostata</i>	1884, 138		1886, 492
<i>torulosa</i>	1884, 133		1886, 493
<i>trevelyana</i>	1884, 134		1886, 494
	1884, 137		1886, 495
	1890, 274		1886, 496
<i>turbonæ</i>	1884, 134		1886, 497
	1884, 138		1886, 498
<i>turricula</i>	1890, 273	<i>minutum</i>	1886, 492
<i>uncinaticosta</i>	1884, 134	<i>oweni</i>	1886, 492
<i>varicosa</i>	1884, 139	<i>peruviense</i>	1886, 494
	1884, 140	<i>tarijense</i>	1886, 491
<i>vittata</i>	1884, 133		1886, 492
	1884, 149		1886, 495
<i>Scalodera fulvipennis</i>	1885, 754		1886, 496
<i>Scalops aquaticus</i>	1888, 443	(Platyonyx) <i>brong-</i>	
<i>Scaphander puncto-</i>		<i>niarti</i>	1886, 495
<i>striatus</i>	1883, 393	<i>Scelodonta lewisi</i>	1885, 753
<i>Scaphiodon muscatensis</i>	1887, 665	<i>Sceloporus couchii</i>	1890, 78
<i>Scaphiopus couchii</i>	1886, 413	<i>garmani</i>	1882, 720
<i>Scapteira inornata</i>	1881, 744		1882, 761
<i>Scarabæus cribricollis</i>	1885, 231	<i>gracilis</i>	1882, 761
	1885, 235	<i>Jalapæ</i>	1890, 78
<i>pithecus</i>	1888, 86	<i>lateralis</i>	1890, 78
<i>sabæus</i>	1888, 86	<i>omiltemanus</i>	1890, 78
<i>sacer</i> , var. <i>pere-</i>		<i>ornatus</i>	1890, 78
<i>grinus</i>	1888, 371	<i>phayeri</i>	1882, 761
<i>sanctus</i>	1885, 231	<i>pyrrhocephalus</i>	1890, 78
	1885, 232	<i>rubriventris</i>	1890, 78
<i>Scarabus albovaricosus</i>	1887, 292	<i>teapensis</i>	1890, 78
<i>borneensis</i>	1881, 634	<i>undulatus</i>	1882, 720
<i>pollex</i>	1887, 292		1882, 761
<i>zonatus</i>	1887, 292	<i>Scelotes macrolepis</i>	1890, 80
<i>Scardafella inca</i>	1883, 428	<i>Schedophilus medu-</i>	
<i>Scardamia metallaria</i>	1885, 852	<i>sophagus</i>	1881, 734
<i>Scarites rotundicollis</i>	1887, 128	<i>Schematiza apicalis</i>	1889, 289
<i>striatidens</i>	1884, 404	<i>funerea</i>	1889, 287
<i>sulcatus</i>	1888, 369	<i>unistriata</i>	1889, 288
<i>Scea auriflamma</i>	1885, 525		1889, 289

	Page		Page
<i>Schematiza venezuelensis</i>	1889, 288	<i>Sciocoris tibialis</i>	1890, 475
<i>Schismope carinata</i>	1890, 312	<i>Scirpophaga degenerella</i>	1884, 528
<i>Schistes geoffroyi</i>	1885, 68	<i>Scissirostrum dubium</i> ..	1885, 556
	1885, 104	<i>Scissurella angulata</i>	1883, 88
	1885, 121	<i>aspera</i>	1883, 88
	1885, 424	<i>carinata</i>	1890, 312
<i>personatus</i>	1884, 305	<i>costata</i>	1883, 89
	1885, 68	<i>crispata</i>	1883, 88
	1885, 121	<i>jucunda</i>	1890, 311
	1885, 424		1890, 317
<i>Schistomitra funeralis</i> ..	1888, 612	<i>laevigata</i>	1883, 89
<i>Schizophrys serratus</i> ..	1884, 10	<i>paucicostata</i>	1883, 88
<i>Schizoporella hyalina</i> ..	1881, 49	<i>plicata</i>	1883, 89
	1881, 53	<i>striatula</i>	1883, 89
	1881, 59	<i>umbilicata</i>	1883, 88
<i>incrassata</i>	1881, 49		1883, 115
<i>labiosa</i>	1881, 49		1884, 148
<i>marsupium</i>	1881, 48	<i>Sciuropterus alboniger</i> ..	1886, 59
	1881, 139		1889, 223
<i>spinifera</i>	1881, 49	<i>davisoni</i>	1886, 74
<i>tuberculata</i>	1881, 49		1886, 75
(<i>Lepralia</i>) <i>venusta</i> ..	1881, 49		1889, 159
<i>Schizorhis leopoldi</i>	1881, 591	<i>fimbriatus</i>	1881, 204
<i>personatus</i>	1881, 591		1886, 59
<i>Schlegelia republica</i> ..	1885, 654	<i>horsfieldi</i>	1886, 75
<i>Schmidtia aulopora</i>	1881, 127	<i>lepidus</i>	1886, 75
	1881, 128	<i>pearsoni</i>	1886, 60
	1881, 131		1886, 74
<i>Schcnicola apicalis</i>	1881, 920		1886, 75
	1881, 921	<i>sagitta</i>	1886, 75
<i>platyura</i>	1881, 919	<i>spadiceus</i>	1886, 75
	1881, 920	<i>Sciurus aberti</i>	1882, 372
	1882, 634	<i>annulatus</i>	1888, 9
<i>polaris</i>	1887, 606	<i>atrodorsalis</i>	1886, 70
	1888, 466		1886, 76
<i>Schcnenobius bisignatus</i> .	1885, 878	<i>badging</i>	1886, 76
	1886, 461		1886, 77
<i>Sciapteron bicincta</i>	1888, 592		1886, 78
<i>crabroniforme</i>	1888, 591	<i>badjing</i>	1889, 231
<i>ferale</i>	1888, 591	<i>berdmorei</i>	1886, 71
	1888, 654		1886, 78
<i>regale</i>	1888, 591	<i>bicolor</i>	1886, 67
<i>tabaniforme</i>	1882, 548		1886, 75
<i>Scincus albofasciatus</i> ..	1890, 80	— <i>ephippium</i>	1889, 230
	1890, 85	<i>blanfordi</i>	1886, 68
	1890, 86		1886, 69
<i>conirostris</i>	1881, 677	<i>boehmi</i>	1888, 4
<i>hemprichii</i>	1881, 678		1888, 9
<i>meccensis</i>	1881, 678		1888, 10
<i>mitranus</i>	1881, 678		1888, 16
<i>officialis</i>	1881, 677	<i>cagsi</i>	1890, 600
	1881, 678	<i>caniceps</i>	1886, 68
	1890, 85		1886, 69
<i>Scintilla recondita</i>	1881, 693	— <i>concolor</i>	1886, 70
<i>rotunda</i>	1881, 695		1886, 76
	1881, 724	— <i>griseimanus</i>	1886, 69
<i>Sciocoris odiosus</i>	1881, 86	— <i>phayrii</i>	1886, 69

	Page		Page
<i>Sciurus caniceps</i>		<i>Sciurus nigrovittatus</i> ..	1886, 77
<i>pygerythrus</i>	1886, 69	<i>notatus</i>	1889, 231
— <i>typicus</i>	1886, 69		1890, 600
	1886, 70	<i>palliatu</i> s	1890, 447
<i>castanonotus</i>	1882, 372	<i>palmarum</i>	1886, 56
<i>chrysonotus</i>	1886, 70	<i>pernyi</i>	1886, 71
<i>concinus</i>	1889, 231	<i>phayrii</i>	1886, 68
	1889, 232		1886, 69
	1890, 600		1886, 70
<i>concolor</i>	1886, 69	<i>philippinensis</i>	1890, 600
	1886, 70	<i>plantani</i>	1886, 76
<i>congius</i>	1882, 265		1889, 231
	1888, 9	<i>pluto</i>	1889, 230
	1888, 10	<i>poensis</i>	1888, 9
	1890, 448	<i>prevosti</i>	1886, 76
<i>deppei</i>	1890, 74		1889, 230
<i>erythraeus</i>	1886, 61		1890, 599
	1886, 76	<i>punctatissimus</i>	1886, 61
<i>exilis</i>	1887, 503	<i>pygerythrus</i>	1886, 68
	1889, 231	<i>pyrrhopus</i>	1888, 9
	1889, 232		1888, 16
<i>ferrugineus</i> <i>ger-</i>		— <i>anerythrus</i>	1890, 447
<i>maini</i>	1886, 77		1890, 447
<i>griseimanus</i>	1886, 68	— <i>erythro</i> genys ..	1890, 447
<i>griseoflavus</i>	1882, 372	— <i>leucostigma</i>	1890, 447
	1890, 73	— <i>typicus</i>	1890, 447
<i>hippurus</i>	1886, 76	<i>rosenbergi</i>	1890, 600
<i>hypopyrrhus</i> <i>col-</i>		<i>rubriventer</i>	1890, 599
<i>liaei</i>	1888, 129	<i>rufigenis</i>	1886, 65
<i>indicus</i>	1886, 60		1886, 71
<i>inornatus</i>	1886, 69	<i>rufobrachiatu</i> s	1888, 8
<i>insignis</i>	1886, 78		1888, 9
<i>jentinki</i>	1889, 230		1888, 16
	1889, 231	<i>samarensis</i>	1890, 600
<i>lemniscatus</i>	1888, 9	<i>stangeri</i>	1888, 8
	1888, 10		1888, 9
<i>leuconius</i>	1890, 599		1888, 16
	1890, 601	<i>steerii</i>	1889, 223
<i>leucopus</i>	1886, 69		1890, 600
<i>lokriah</i>	1886, 61	<i>tenuis</i>	1886, 76
<i>lokrioides</i>	1886, 61		1886, 78
<i>ludovicianus</i>	1890, 74		1889, 230
<i>maccllelandi</i>	1886, 61		1889, 231
— <i>barbei</i>	1886, 61		1890, 600
	1886, 71		1890, 601
— <i>swinhoei</i>	1886, 61	<i>typicus</i>	1890, 73
— <i>typicus</i>	1886, 61	<i>variegatu</i> s	1890, 74
<i>melanotis</i>	1889, 232	<i>vittatus</i>	1886, 76
<i>mindanensis</i>	1890, 600	<i>weberi</i>	1890, 600
<i>modestus</i>	1886, 69	<i>whiteheadi</i>	1889, 231
<i>mouhoti</i>	1886, 71		1889, 232
<i>murinus</i>	1890, 599	(<i>Rhinosciurus</i>) <i>lati-</i>	
<i>niger cinereus</i>	1890, 73	<i>caudatus</i>	1886, 78
	1890, 74	<i>Scleothrix</i> <i>zona</i>	1881, 870
— <i>melanonotus</i> ..	1890, 73		1881, 916
—, var. <i>ludovici-</i>		<i>Scleroptera</i> <i>granti</i>	1881, 597
<i>anus</i>	1890, 73		
<i>nigrovittatus</i>	1886, 76		

	Page		Page
<i>Scleroptera subtorquata</i>	1889, 370	<i>Scopula damastesalis</i> ..	1885, 874
<i>Sclerorhynchus atavus</i> .	1889, 449		1886, 460
	1889, 450	<i>eximialis</i>	1885, 874
<i>Sclerostomus femoralis</i> .	1881, 81	<i>fotalis</i>	1885, 875
<i>Sclerurus caudacutus</i> ..	1882, 610		1885, 886
<i>Scolecormorphus kirkii</i> ..	1886, 414		1886, 384
<i>Scolecophagus ferru-</i>		<i>massalis</i>	1884, 525
<i>gineus</i>	1881, 968	<i>palmalis</i>	1884, 525
<i>Scolitantides nyseus</i> ..	1881, 607		1884, 529
<i>sedi</i>	1881, 849	<i>strenualis</i>	1886, 460
<i>Scolopax rosenbergi</i>	1885, 665	<i>subjectalis</i>	1884, 501
<i>rusticula</i>	1888, 459	<i>vinctalis</i>	1884, 502
<i>sabinii</i>	1881, 409		1886, 384
<i>Scolopendra morsitans</i> ..	1888, 556		1886, 460
<i>subspinipes</i>	1888, 556		1888, 335
<i>Scolopsis auratus</i>	1887, 656	<i>Scopus umbretta</i>	1881, 600
<i>bimaculatus</i>	1887, 657		1884, 543
<i>ghanam</i>	1887, 656		1884, 553
<i>inermis</i>	1887, 657		1886, 323
<i>torquatus</i>	1887, 656		1888, 285
<i>Scomber janesaba</i>	1887, 662		1888, 288
<i>kanagurta</i>	1887, 662	<i>Scorpaena cardinalis</i>	1889, 156
<i>Scopariaalconalis</i>	1888, 335	<i>cookii</i>	1889, 151
<i>ictericalis</i>	1885, 876		1889, 155
	1885, 886		1889, 156
<i>optatusalis</i>	1888, 335	<i>cruenta</i>	1889, 156
<i>vinctalis</i>	1884, 502	<i>scrofa</i>	1887, 342
<i>Scopelodes ursina</i>	1888, 611	<i>Scorpio bahiensis</i>	1890, 118
<i>Scopelus coccoi</i>	1890, 455		1890, 119
<i>langerhausi</i>	1890, 454	<i>Scotomera tristis</i>	1881, 623
	1890, 455		1884, 526
<i>pusillus</i>	1890, 457		1888, 293
<i>schmitzi</i>	1890, 456		1888, 332
<i>scoticus</i>	1889, 27	<i>Scotosia, sp.</i>	1881, 84
<i>Scopophorus, sp.</i>	1890, 450	<i>conturbata</i>	1888, 327
<i>Scops brasilianus</i>	1882, 46	<i>dubiosata</i>	1881, 617
	1883, 41		1886, 393
<i>capensis</i>	1881, 564		1888, 327
	1888, 47	<i>expensa</i>	1888, 327
<i>elegans</i>	1890, 345	<i>miniosata</i>	1888, 328
<i>everetti</i>	1889, 225	<i>nigralbata</i>	1888, 327
<i>fuliginosa</i>	1889, 225	<i>venimaculata</i>	1886, 393
<i>giu</i>	1881, 564		1888, 327
	1888, 47	<i>vitreata</i>	1886, 390
<i>glabripes</i>	1890, 345	<i>Scrobicularia adunca</i> ..	1882, 576
<i>japenicus</i>	1887, 581	<i>alba</i>	1881, 697
	1888, 454		1881, 926
	1890, 345		1882, 686
<i>lempiji</i>	1881, 791		1883, 392
<i>mantis</i>	1885, 254		1884, 145
<i>menadensis</i>	1885, 545	<i>cottardi</i>	1881, 925
<i>rufescens</i>	1885, 248	<i>longicallus</i>	1881, 926
	1885, 254		1882, 685
<i>semitorques</i>	1887, 599		1884, 145
	1888, 461	<i>nitida</i>	1881, 925
<i>stictonotus</i>	1887, 581		1882, 685
<i>zorca africana</i>	1888, 47	<i>piperata</i>	1881, 925
<i>Scopula criasusalis</i>	1888, 335	<i>prismatica</i>	1881, 927

	Page		Page
<i>Scrobicularia prismatica</i>	1882,	<i>Seguenzia tricarinata</i> ..	1885, 63
<i>radiata</i>	1881,	<i>Selache maxima</i>	1885, 484
<i>rostrata</i>	1882,	<i>Selenia illustraria</i>	1881, 822
<i>trigona</i>	1881,	<i>Selenidera maculirostris</i> .	1882, 94
<i>Scutovortex sculptus</i> ..	1890,	<i>reinwardti</i>	1882, 45
<i>Scyllarus arctus</i>	1881,	<i>Selenis niviapex</i>	1885, 468
<i>Scyllium canicula</i>	1881,	<i>semilux</i>	1885, 469
	1881,	<i>Selepa celtis</i>	1885, 460
	1881,		1886, 449
	1881,	<i>curviferella</i>	1886, 449
<i>catulus</i>	1881,	<i>docilis</i>	1881, 619
<i>chilense</i>	1881,		1884, 520
<i>sahel-almæ</i>	1888,	<i>manleyi</i>	1889, 479
<i>stellare</i>	1881,		1889, 571
	1881,	—, var. <i>clara</i>	1889, 479
	1881,	<i>occulta</i>	1885, 461
	1881,		1885, 476
	1883,		1886, 449
<i>Scytalopus, sp.</i>	1882,	<i>vitea</i>	1885, 460
<i>magellanicus</i>	1884,		1885, 476
	1884,	<i>Seleucides alba</i>	1881, 450
	1885,		1885, 616
<i>micropterus</i>	1885,		1885, 650
<i>Scytaster ægyptiacus</i> ..	1888,		1885, 653
<i>galatheæ</i>	1888,	<i>nigra</i>	1882, 333
<i>indicus</i>	1882,		1882, 334
<i>novæ-caledoniæ</i> ..	1887,	<i>nigricans</i>	1885, 616
	1887,		1885, 650
<i>variolatus</i>	1888,	<i>Selinda elusina</i>	1883, 210
<i>Scythrops novæ-hol-</i>			1883, 299
<i>landiæ</i>	1885,	<i>mniszечи</i>	1883, 210
<i>Sebaethe ceylonensis</i> ..	1887,		1883, 211
	1887,		1883, 255
<i>flavipennis</i>	1885,		1883, 298
<i>pallida</i>	1887,	<i>vollenhovii</i>	1883, 209
	1887,		1883, 210
<i>plagioderoides</i>	1885,		1883, 299
<i>suturalis</i>	1887,	<i>Semele cordiformis</i>	1890, 253
	1887,		1890, 301
<i>Sebastes inermis</i>	1887,		1890, 321
<i>oculatus</i>	1881,	<i>Semioceros dactylo-</i>	
<i>Secusio mania</i>	1887,	<i>ptila</i>	1888, 230
<i>Segmentina (Planor-</i>		<i>Semioptera wallacei</i>	1885, 562
<i>bula) alexandrina,</i>			1885, 574
var. <i>tanganyi-</i>			1885, 616
<i>censis</i>	1881,	<i>Semiothisa diplotata</i> ..	1888, 319
	1881,	<i>Semiphora gothica</i>	1889, 511
<i>Seguenzia carinata</i>	1885,	<i>pallescens</i>	1889, 511
	1885,	<i>Semnopithecus albo-</i>	
<i>elegans</i>	1885,	<i>cinereus</i>	1886, 73
	1885,	<i>cephalopterus</i>	1887, 622
<i>eritima</i>	1885,		1887, 623
<i>formosa</i>	1885,		1887, 626
	1885,	<i>chrysogaster</i>	1887, 627
<i>laxa</i>	1885,	<i>chrysomelas</i>	1889, 159
	1885,		1889, 160
<i>reticulata</i>	1885,	<i>entellus</i>	1887, 626
<i>tricarinata</i>	1885,	<i>femoralis</i>	1886, 66

	Page		Page
<i>Semnopithecus femoralis</i>	1886, 72	<i>Serolis antarctica</i>	1884, 339
	1889, 159		1884, 340
<i>hosei</i>	1889, 159		1885, 924
	1889, 228	<i>australiensis</i>	1884, 330
<i>kelaarti</i>	1887, 627		1884, 334
<i>mitratus</i>	1887, 625		1884, 335
<i>obscurus</i>	1886, 66	<i>bromleyana</i>	1884, 330
	1889, 159		1884, 331
<i>pileatus</i>	1887, 627		1884, 332
<i>priamus</i>	1887, 626		1884, 338
<i>schistaceus</i>	1887, 626		1884, 339
<i>siamensis</i>	1886, 72		1890, 366
<i>thersitis</i>	1887, 626		1890, 367
<i>Sepedon hæmachates</i> ..	1887, 340	<i>carinata</i>	1884, 330
	1887, 488		1884, 337
<i>Sephela linearis</i>	1884, 459	<i>convexa</i>	1884, 330
<i>Sephisa dichroa</i>	1882, 240		1884, 338
	1886, 360	<i>cornuta</i>	1884, 330
<i>Sepiateuthis australis</i> ..	1887, 394		1884, 338
<i>Sepidium muscorum</i> ..	1885, 231		1884, 340
<i>Sepsina fronto-</i>			1890, 373
<i>parietalis</i>	1890, 80	<i>elongata</i>	1884, 330
<i>hessii</i>	1890, 80		1884, 335
<i>Seriartia lewisii</i>	1888, 620	<i>fabricii</i>	1881, 76
<i>Sericia anops</i>	1885, 462	<i>gaudichaudii</i>	1884, 330
	1888, 224		1884, 338
<i>calamistrata</i>	1883, 26	<i>gracilis</i>	1884, 330
<i>herzi</i>	1888, 372		1884, 332
<i>substruens</i>	1883, 26		1884, 338
<i>Sericinus cressoni</i>	1881, 874		1884, 340
	1887, 406		1890, 367
<i>fasciatus</i>	1881, 874	<i>latifrons</i>	1884, 330
	1887, 406		1884, 338
<i>fortunei</i>	1881, 874		1884, 340
	1887, 406	<i>longicaudata</i>	1884, 330
<i>greyi</i>	1881, 874		1884, 335
	1887, 406		1884, 336
<i>montela</i>	1881, 874	<i>minuta</i>	1884, 330
	1887, 406		1884, 334
<i>telamon</i>	1881, 864		1884, 337
	1881, 874	<i>neæra</i>	1884, 330
	1887, 406		1884, 331
	1887, 401		1884, 338
	1887, 406		1884, 339
<i>telmona</i>	1881, 864		1884, 340
	1881, 874		1890, 366
	1887, 406		1890, 367
<i>Sericoides glacialis</i>	1881, 81		1890, 369
<i>reichei</i>	1881, 81		1890, 373
<i>Serinus striolatus</i>	1889, 367	<i>orbignyana</i>	1881, 76
<i>Seriola dumerilii</i>	1889, 240		1884, 330
<i>lalandei</i>	1887, 394	<i>ovalis</i>	1884, 330
<i>Seriolichthys bipinnu-</i>		<i>pallida</i>	1884, 330
<i>latus</i>	1887, 661		1884, 335
<i>Serolis acutangula</i>	1884, 330	<i>paradoxa</i>	1881, 76
<i>antarctica</i>	1884, 330		1884, 330
	1884, 333		1884, 337
	1884, 338		1884, 338

	Page		Page
<i>Serolis paradoxa</i>	1884,	<i>Serranus striolatus</i>	1887, 655
<i>plana</i>	1884,		1888, 258
	1884,		1888, 259
<i>scythei</i>	1881,		1889, 244
	1881,	<i>Serrarius fusifer</i>	1890, 417
	1884,	<i>Serrodes inara</i>	1885, 464
	1884,	<i>Sertularella johnstoni</i> ..	1881, 104
	1884,	<i>kerguelenensis</i>	1881, 104
	1884,	<i>polyzonias</i>	1881, 104
<i>septemcarinata</i>	1884,	<i>Sertularia dumosa</i>	1881, 103
	1884,	<i>elongata</i>	1887, 394
<i>serrei</i>	1884,	<i>episcopus</i>	1881, 105
	1884,	<i>fusiformis</i>	1881, 105
<i>trilobitoides</i>	1884,	<i>trispinosa</i>	1881, 104
	1884,	<i>Sesamia inferens</i>	1885, 447
<i>tuberculata</i>	1884,	<i>Sesapa inscripta</i>	1888, 602
	1884,	<i>Sesarma angustipes</i>	1881, 63
<i>Serpentarius reptili-</i>		<i>cinerea</i>	1881, 70
<i>vorus</i>	1889,	<i>lafordii</i>	1888, 88
<i>Serphophaga cinerea</i> ..	1883,	<i>stimpsonii</i>	1881, 70
<i>leucura</i>	1884,	<i>Sesia alternata</i>	1888, 581
<i>nigricans</i>	1882,	<i>bombylifformis</i>	1887, 217
<i>subcristata</i>	1882,		1887, 218
<i>Serpula anguina</i>	1884,	<i>conopiformis</i>	1882, 548
<i>Serranus altivelis</i>	1888,	<i>formiciformis</i>	1882, 548
	1888,	<i>fusciformis</i>	1887, 216
	1889,		1887, 217
<i>angularis</i>	1887,		1887, 218
<i>areolatus</i>	1887,		1887, 224
<i>brunneus</i>	1889,		1887, 225
<i>celebicus</i>	1887,		1887, 231
<i>coromandelicus</i>	1889,		1887, 240
<i>diacanthus</i>	1888,		1887, 272
	1889,	<i>hylas</i>	1888, 581
	1889,	<i>muscifformis</i>	1882, 548
<i>fimbriatus</i>	1889,	<i>radians</i>	1888, 581
	1889,		1888, 582
<i>geoffroyi</i>	1887,	<i>saundersii</i>	1886, 378
<i>gibbosus</i>	1887,		1888, 294
	1888,	<i>scoliiiformis</i>	1882, 548
	1888,	<i>sphēciformis</i>	1882, 548
	1889,		1883, 346
<i>gigas</i>	1887,	<i>velox</i>	1888, 592
	1889,	<i>whitelyi</i>	1888, 582
<i>grammicus</i>	1888,	<i>Sessinia, sp.</i>	1888, 538
<i>hemistictus</i>	1887,		1888, 539
<i>jayakari</i>	1889,	<i>Setaria pectoralis</i>	1881, 794
<i>latifasciatus</i>	1888,		1886, 354
	1889,	<i>Setina calamaria</i>	1888, 392
	1889,	<i>dasara</i>	1890, 389
<i>morrhua</i>	1887,	<i>dharma</i>	1890, 389
	1889,	<i>discisigna</i>	1890, 389
	1888,	<i>flava</i>	1888, 601
	1889,	<i>micans</i>	1888, 601
<i>præopercularis</i>	1887,	<i>nebulosa</i>	1890, 389
	1888,	<i>ochracea</i>	1888, 601
	1889,	<i>punctata</i>	1890, 389
<i>rogaa</i>	1889,		1890, 401
<i>salmonoides</i>	1889,		
<i>sonnerati</i>	1889,		
<i>stoliczkæ</i>	1887,		

	Page		Page
<i>Siderone isidora</i>	1890,	<i>Simotes octolineatus</i> ..	1881, 215
<i>Sigaretus audouinii</i>	1885,		1890, 35
<i>excavatus</i>	1885,	<i>purpurascens</i>	1890, 34
<i>haliotoideus</i>	1885,	<i>signatus</i>	1890, 35
<i>striatus</i>	1885,	<i>trinotatus</i>	1890, 34
<i>vitreus</i>	1885,	(Chatachlein) <i>diade-</i>	
<i>Sigmodon hispidus</i>	1882, 101	<i>ma</i>	1881, 678
	1886, 64	<i>Simplectes ocellaris</i> , var.	
	1888, 129	<i>crocata</i>	1888, 34
	1888, 445	<i>Simplicia rectalis</i>	1889, 564
	1888, 447	<i>Simyra confusa</i>	1881, 340
<i>Sigmodus graculinus</i> ..	1881, 581	<i>conspersa</i>	1881, 340
	1881, 582	<i>Sinna calospila</i>	1890, 400
<i>scopifrons</i>	1881, 582	<i>dohertyi</i>	1890, 400
	1882, 307		1890, 401
<i>tricolor</i>	1881, 581	<i>extrema</i>	1888, 615
	1881, 582		1890, 400
	1882, 303	<i>fentoni</i>	1890, 400
	1882, 307	<i>Siphia banyumas</i>	1881, 794
<i>Silicea</i>	1886, 577		1889, 226
<i>Siliquaria anguina</i>	1884, 130	<i>cacharensis</i>	1886, 354
<i>Sillago sihama</i>	1887, 662	<i>erithacus</i>	1889, 226
<i>Silurus egertoni</i>	1889, 201	<i>lemprieri</i>	1889, 225
<i>Simena luctifera</i>	1889, 295	<i>obscura</i>	1881, 789
<i>nigricans</i>	1889, 295	<i>olivacea</i>	1886, 354
<i>Simia atys</i>	1887, 624	<i>poliogenys</i>	1886, 354
	1887, 625	<i>ramsayi</i>	1889, 225
<i>aygula</i>	1887, 624	<i>Sipho tortuosus</i>	1883, 395
<i>cynomolgos</i>	1887, 623	<i>Siphodentalium affine</i> ..	1882, 661
	1887, 624		1884, 147
<i>erythraea</i>	1887, 625	<i>hyalinum</i>	1882, 664
<i>ferox</i>	1887, 623	<i>lofotense</i>	1882, 662
<i>mormon</i>	1887, 625	<i>quinquangulare</i> ..	1882, 662
<i>rhesus</i>	1887, 625		1884, 147
<i>satyrus</i>	1883, 463	<i>subfusiforme</i>	1882, 664
<i>silenus</i>	1887, 620	<i>teres</i>	1882, 661
	1887, 621		1882, 687
	1887, 622	<i>vitreum</i>	1882, 661
	1887, 623		1882, 662
	1887, 624		1882, 664
<i>thersites</i>	1887, 623	<i>Siphonaria lessoni</i>	1881, 34
<i>veter</i>	1887, 622	<i>Siphonochalina bullata</i> .	1881, 112
	1887, 623	<i>ceratosa</i>	1887, 503
<i>Simotes affinis</i>	1890, 34		1887, 505
<i>ancoralis</i>	1881, 219	<i>fortis</i>	1881, 111
<i>brevicauda</i>	1881, 219		1881, 112
<i>catenifer</i>	1881, 218		1881, 131
	1881, 219		1881, 140
	1890, 34	<i>papyracea</i>	1887, 505
<i>cochinchinensis</i>	1881, 218	<i>procumbens</i>	1887, 505
	1881, 219	<i>spiculosa</i>	1887, 503
<i>dennysi</i>	1881, 215		1887, 505
	1881, 218	<i>Siphonops annulatus</i> ..	1889, 604
	1881, 227	<i>hardyi</i>	1890, 326
	1890, 34	<i>Sipparara euchromiella</i>	1888, 580
<i>diadema</i>	1881, 678	<i>woodfordi</i>	1888, 579
<i>forbesi</i>	1883, 387		1888, 580
<i>labuanensis</i>	1890, 34	<i>Sira cyanoptera</i>	1887, 438

	Page		Page
<i>Sira sordida</i>	1887, 438	<i>Smerinthus ocellatus</i> ..	1887, 51
<i>Siren lacertina</i>	1883, 178		1887, 193
<i>Sisopygis icterophrys</i> ..	1882, 604		1888, 587
<i>Sistrum ricinus</i>	1887, 517		1890, 95
<i>Sitagra luteola</i>	1888, 35	<i>planus</i>	1888, 587
<i>pelzelni</i>	1888, 35	<i>populi</i>	1881, 825
<i>Sithon indra</i>	1883, 527		1885, 65
<i>jalindra</i>	1883, 527		1886, 3
<i>nedymond</i>	1883, 526		1887, 51
	1883, 527		1887, 246
<i>Sitta amurensis</i>	1887, 601		1887, 272
	1888, 463		1888, 120
<i>cæsia sinensis</i>	1890, 344		1889, 86
<i>canadensis</i>	1884, 233		1890, 95
	1884, 414	<i>quercus</i>	1889, 86
<i>chloris</i>	1882, 569	<i>sperchius</i>	1888, 585
<i>frontalis</i>	1885, 410		1888, 586
<i>krueperi</i>	1884, 233	<i>tantarinovii</i>	1888, 586
	1884, 414	<i>tiliæ</i>	1885, 65
<i>villosa</i>	1884, 414		1886, 3
<i>whiteheadi</i>	1884, 233		1888, 120
	1884, 329		1889, 86
	1884, 414		1890, 95
	1884, 415	<i>Smithornis capensis</i>	1882, 302
<i>Sittasomus amazonus</i> ..	1883, 562	<i>Smittia affinis</i> , var. <i>acu-</i>	
	1885, 68	<i>minata</i>	1881, 52
	1885, 98	<i>landsborovi</i>	1881, 52
	1885, 117	<i>reticulata</i>	1881, 52
<i>erithacus</i>	1883, 563	<i>trispinosa</i> , var. <i>ligu-</i>	
	1885, 117	<i>lata</i>	1881, 53
	1882, 27		1881, 139
<i>olivaceus</i>	1882, 613	<i>Sobarus poggei</i>	1890, 484
	1883, 450	<i>Solariella maculata</i> ...	1883, 97
	1883, 563	<i>Solarium affine</i>	1885, 39
<i>Sittella papuensis</i>	1885, 638	<i>aldrovandi</i>	1885, 40
<i>Siurus auricapillus</i>	1883, 420	<i>alleryi</i>	1885, 39
	1883, 440	<i>architæ</i>	1885, 39
<i>ludovicianus</i>	1883, 440		1885, 40
<i>noveboracensis</i> ...	1883, 440		1890, 251
<i>Siva castaneicauda</i>	1888, 275		1890, 282
<i>sordida</i>	1888, 276	<i>calandrella</i>	1883, 97
<i>sordidior</i>	1888, 276	<i>carocollatum</i>	1885, 39
<i>Skenea cutleriana</i>	1883, 91	<i>contextum</i>	1885, 38
<i>divisa</i>	1883, 90	<i>conulus</i>	1890, 282
<i>lævis</i>	1883, 91	<i>discus</i>	1885, 38
<i>serpuloides</i>	1883, 102		1885, 39
<i>Smaragdesthes mutica</i> ..	1890, 483	<i>fallaciosum</i>	1885, 39
<i>Smerinthus argus</i>	1888, 587	<i>granulatum</i>	1890, 282
<i>askoldensis</i>	1888, 585	<i>hybridum</i>	1890, 251
<i>christophi</i>	1888, 586		1890, 282
<i>dissimilis</i>	1888, 586	<i>luteum</i>	1890, 282
<i>dyras</i>	1888, 586	<i>lyellii</i>	1885, 38
<i>eversmanni</i>	1888, 586	<i>mediterraneum</i>	1885, 38
<i>gaschkewitschii</i> ..	1888, 586	<i>moniliferum</i>	1885, 39
<i>ocellatus</i>	1881, 821		1890, 282
	1881, 824	<i>nuperrimum</i>	1885, 38
	1885, 65	<i>ordinarium</i>	1890, 251
	1886, 3		1890, 281

	Page		Page
Solarium ordinarium ..	1890, 315	Somena abjecta	1889, 432
peracutum	1890, 281	scintillans	1885, 298
perspectiforme	1885, 38		1886, 385
perspectivum	1885, 38		1888, 624
philippii	1883, 95		1889, 405
placentale	1890, 251	Somera acronycta	1888, 642
	1890, 281	cyanea	1888, 642
pseudoperspec-			1888, 655
tivum	1885, 38	Sonagara bivittata	1883, 27
pulchellum	1885, 38		1883, 30
reticulatum	1885, 43	decussata	1883, 27
siculum	1885, 39		1883, 30
simplex	1885, 38	reticulata	1885, 468
soverbii	1890, 282	strigipennis	1883, 27
sowerbyi	1885, 39	superior	1888, 226
stramineum	1885, 39		1888, 576
sulcatum	1885, 38	vialis	1883, 27
turbinoides	1883, 97		1883, 30
Solea aurantiaca	1890, 43	Sophaga sinuata	1881, 363
lascaris	1882, 749	Sophorhina superba	1885, 647
	1890, 41	Sophrosyne robertsoni ..	1889, 452
	1890, 43	Sorella emini	1888, 36
	1890, 44	Sorex hydrodromus	1890, 51
lutea	1890, 44	minutus	1890, 49
minuta	1890, 44	myosurus	1888, 531
nasuta	1890, 43	navigator	1890, 51
pegusa	1890, 43	palustris	1890, 51
scriba	1890, 44	tenuis	1888, 531
vulgaris	1882, 749	vagans	1890, 51
Salecortus albus	1881, 928	varius	1887, 575
antiquatus	1881, 928	vulgaris	1890, 49
candidus	1881, 928		1890, 51
scopula	1881, 927	(Notiosorex) craw-	
strigilatus	1881, 927	fordi	1888, 444
Solen antiquatus	1881, 928	(Sorex) personatus	1888, 443
candidus	1881, 927	Soriculus quadraticauda	1890, 50
coarctatus	1881, 928	Soritia fuscescens	1890, 386
ensis	1881, 928	mölleri	1890, 385
	1881, 929		1890, 401
legumen	1881, 928	pulchella	1888, 295
marginatus	1881, 929	(Heterusia) circum-	
multistriatus	1881, 928	data	1890, 385
pellucidus	1881, 928	Sospita tantalus	1887, 571
pygmæus	1881, 928	Sotalia brasiliensis	1883, 488
rollei	1881, 929		1883, 513
siliqua	1881, 929	gadamu	1883, 513
squamosus	1881, 694	guyanensis	1883, 513
tenuis	1881, 928	lentiginosus	1883, 513
truncata	1881, 929	pallida	1883, 513
vagina	1881, 929	plumbeus	1883, 513
Solenocera lucasii	1884, 10	sinensis	1883, 487
	1884, 15		1883, 513
Solenostethium sehes-		tucuxi	1883, 513
tedii	1890, 474	Spadix vegetus	1885, 475
Somateria mollissima ..	1882, 654		1885, 476
Somatina anthophilata .	1885, 859		1886, 453
	1888, 298	Spælotis decora	1883, 160
Somena abjecta	1889, 405	fragilis	1883, 160

	Page		Page
<i>Spælotis latitans</i>	1883,	<i>Spermophila pauper</i> ..	1885, 115
<i>lucens</i>	1889,		1885, 121
<i>nitens</i>	1889,	<i>telasco</i>	1883, 421
<i>squalida</i>	1889,		1883, 537
<i>undulans</i>	1881,		1883, 550
	1884,		1885, 122
<i>Spalacomys indica</i>	1881,	<i>Spermophilus gram-</i>	
<i>Spalgris dilama</i>	1883,	<i>murus</i>	1882, 372
<i>epius</i>	1883,	<i>spilosoma</i>	1888, 444
<i>nubilus</i>	1883,	<i>Spermospiza guttata</i> ..	1888, 30
<i>Sparganura caroli</i>	1881,	<i>hæmatina</i>	1888, 30
<i>sappho</i>	1882,	<i>ruficapilla</i>	1888, 18
<i>Sparnus minutus</i>	1889,		1888, 30
<i>Spatangus purpureus</i> ..	1881,	<i>Sphænogoma graduata</i> .	1890, 557
	1889,	<i>Sphærechinus granularis</i>	1881, 415
	54		1881, 430
<i>Spatha tanganyicensis</i> ..	1881,		1881, 431
	1881,	<i>granulosus</i>	1885, 719
<i>Spathomeles decoratus</i>	1886,	<i>Sphærium capense</i>	1882, 375
<i>inflatus</i>	1886,		1882, 388
	1886,	<i>madagascariense</i> ..	1882, 375
<i>ornatus</i>	1886,		1882, 388
<i>Spatula clypeata</i>	1888,	<i>Sphærocephalus incras-</i>	
<i>platalea</i>	1882,	<i>satus</i>	1883, 510
<i>Speiredonia helicina</i> ..	1885,	<i>Sphærocoris flavonotatus</i>	1890, 474
	1886,	<i>ocellatus</i>	1884, 459
<i>retrahens</i>	1885,		1890, 473
<i>Spelerpes fusca</i>	1884,		1890, 474
	1888,	<i>unicolor</i>	1890, 474
	1888,	—, var. <i>flavonotatus</i>	1890, 474
<i>peruvianus</i>	1886,	<i>Sphærodactylus meri-</i>	
<i>Speotyto cunicularia</i> ..	1881,	<i>dionalis</i>	1890, 78
<i>Spermatophthora pul-</i>		<i>microlepis</i>	1890, 78
<i>verulenta</i>	1888,	<i>Sphæroderma abdomi-</i>	
<i>Spermestes cantans</i>	1881,	<i>nalis</i>	1885, 736
<i>cucullatus</i>	1881,		1885, 755
	1889,	<i>apicalis</i>	1885, 735
	367		1885, 754
<i>Spermophaga niveigut-</i>		<i>atra</i>	1885, 735
<i>tata</i>	1881,		1885, 755
<i>Spermophila cærulescens</i>	1882,	<i>balyi</i>	1885, 735
<i>castaneiventris</i>	1882,		1885, 755
<i>gutturalis olivacea</i> .	1883,	<i>fuscicornis</i>	1885, 737
	1883,		1885, 754
	1884,	<i>japana</i>	1885, 736
	1885,		1885, 737
<i>luctuosa</i>	1882,		1885, 754
	1884,	<i>nigricollis</i>	1885, 737
	1885,		1885, 754
<i>moreleti</i>	1883,	<i>orientalis</i>	1887, 92
<i>obscura</i>	1883,	<i>placida</i>	1885, 754
	1883,	<i>separata</i>	1885, 736
	1883,		1885, 754
	1884,	<i>seriata</i>	1885, 754
	1885,	<i>tarsata</i>	1885, 754
<i>ocellata</i>	1885,	<i>unicolor</i>	1885, 736
	1885,		1885, 754
<i>ophthalmica</i>	1885,	<i>Sphæroma gigas</i>	1881, 64
	1885,		
	1885,		
<i>pauper</i>	1884,		
	293		

	Page		Page
Sphaeroma gigas	1881, 79	Sphingurus villosus....	1884, 389
Sphaeropleura tricosata	1887, 102	Sphinx abadonna.....	1886, 271
Sphagolobus atratus ..	1889, 587	acteus	1881, 613
	1889, 588		1885, 289
Sphacia apiformis	1887, 217	alecto.....	1885, 288
bembeciformis	1887, 217		1886, 379
contaminata	1888, 590		1886, 434
fixseni	1888, 591	anceus	1888, 585
	1888, 654	atropus	1888, 587
rhynchioides.....	1888, 590	belis	1885, 287
romanovi	1888, 591		1886, 434
	1888, 654	bombylifformis	1888, 590
Sphecosoma angus-		celerio	1884, 494
tata	1883, 376		1885, 288
ecuadora	1883, 376		1886, 379
surrentum.....	1883, 375		1886, 434
	1883, 384		1888, 293
testaceum	1883, 376	chalciformis	1888, 590
Sphecozone nigra.....	1882, 428	clotho	1885, 289
	1882, 440		1888, 584
	1882, 441	constricta	1888, 589
rubescens	1882, 428	convolvuli.....	1887, 51
Sphenia binghami	1881, 946		1888, 588
swainsoni	1881, 946	cunninghami.....	1885, 287
Spheniscus chrysocome .	1889, 84	cysseus	1883, 155
demersus	1885, 843		1886, 436
	1886, 320	davidis	1888, 589
	1888, 252	dentata	1883, 154
	1888, 253		1885, 290
magellanicus.....	1881, 17		1886, 435
	1882, 547	elpenor	1888, 584
Sphenodon diversum ..	1890, 360	galii	1888, 583
punctatum.....	1890, 156	godarti	1886, 271
Sphenceacus africanus..	1882, 336	hespera	1885, 287
	1882, 337		1886, 379
alexinae	1881, 921		1886, 435
intermedius	1882, 336		1888, 293
	1882, 337	hylas	1885, 287
natalensis	1882, 336		1886, 434
	1882, 337		1888, 294
Sphenophorus obscurus .	1884, 217		1888, 581
Sphenoproctus pampa ..	1883, 450	idricus	1884, 494
Sphenoraia fulgida'	1885, 747	ligustri	1881, 821
	1885, 748		1881, 824
intermedia.....	1885, 747		1885, 65
	1885, 748		1886, 3
	1885, 755		1887, 51
magica	1885, 747		1887, 52
melanocephala	1885, 748		1887, 240
	1885, 755		1887, 241
Sphex ægyptiæ.....	1881, 650		1887, 263
spirifex	1881, 650		1887, 271
Sphingomorpha chlorea .	1885, 464		1887, 272
	1886, 450		1888, 120
monteironis	1884, 498		1888, 589
	1888, 85		1889, 86
Sphingurus prehensilis .	1886, 212		1890, 95
spinosus.....	1884, 389	livornica	1884, 494

	Page		Page		
<i>Sphinx livornica</i>	1885,	287	<i>Spilodes nitetisalis</i>	1884,	501
	1886,	379	<i>rhodocryptalis</i>	1885,	874
	1886,	435	<i>Spilomela jaguaralis</i> ..	1888,	578
	1888,	293	<i>Spilopelia tigrina</i>	1881,	799
<i>morpheus</i>	1886,	379		1885,	510
	1888,	293		1885,	558
<i>nerii</i>	1884,	494	<i>Spilornis bacha</i>	1881,	791
	1885,	288		1885,	404
	1886,	435		1887,	433
<i>nessus</i>	1881,	613	<i>pallidus</i>	1889,	226
	1885,	288		1881,	791
	1888,	584		1885,	404
<i>ocellata</i>	1888,	587	<i>rufipectus</i>	1885,	544
<i>oldenlandiæ</i>	1885,	289	<i>Spilosoma bisecta</i>	1888,	618
	1886,	434		1888,	655
	1888,	584	<i>fuliginosa</i>	1888,	618
<i>picus</i>	1888,	581	<i>inæqualis</i>	1888,	619
<i>pinastri</i>	1882,	633	<i>lubricipeda</i>	1887,	217
	1885,	65		1887,	220
	1887,	51		1887,	224
	1887,	52		1887,	231
	1888,	120		1887,	233
	1888,	588		1887,	236
	1889,	86		1888,	618
<i>polymena</i>	1885,	290		1888,	619
<i>quinquemaculata</i> ..	1889,	86	<i>luctifera</i>	1888,	618
<i>salicis</i>	1888,	587	<i>menthastri</i>	1887,	194
<i>stellatarum</i>	1886,	378		1887,	195
	1888,	582		1887,	208
<i>streckeri</i>	1888,	581		1887,	212
<i>thyelia</i>	1885,	288		1887,	213
	1886,	434		1887,	217
<i>Sphyræna acutipennis</i> ..	1889,	240		1887,	220
<i>agam</i>	1889,	240		1887,	221
<i>chrysotænia</i>	1887,	664		1887,	224
<i>jello</i>	1887,	664		1887,	231
<i>kenie</i>	1887,	664		1887,	233
<i>obtusata</i>	1887,	664		1887,	236
<i>Sphyranuria osleri</i>	1886,	343		1887,	262
<i>Spica luteola</i>	1889,	424		1888,	618
	1889,	432	<i>mollicula</i>	1888,	619
<i>Spilarctia basilimbata</i> ..	1888,	618	<i>mona</i>	1885,	295
<i>bifasciata</i>	1888,	619		1885,	307
<i>casignata</i>	1888,	394	<i>punctarum</i>	1888,	618
<i>confusa</i>	1885,	295	<i>punctistriga</i>	1885,	296
<i>dalbergiæ</i>	1888,	394		1886,	437
<i>imparilis</i>	1888,	620	<i>rubescens</i>	1888,	616
<i>inæqualis</i>	1888,	619	<i>rubidorsa</i>	1888,	395
<i>ione</i>	1888,	618	<i>sangaica</i>	1888,	296
<i>mollicula</i>	1888,	619		1888,	618
<i>punctata</i>	1889,	405	<i>seriatopunctatus</i> ..	1888,	618
<i>quadriramosa</i>	1885,	295		1888,	619
<i>sagittifera</i>	1888,	394	<i>subcarnea</i>	1888,	619
<i>stigmata</i>	1888,	394	<i>transiens</i>	1885,	295
<i>subcarnea</i>	1888,	619	<i>Spinacorhinus polyspon-</i>		
<i>ummera</i>	1889,	405	<i>dylus</i>	1886,	528
	1889,	432	<i>Spindasis acamas</i>	1886,	369
<i>Spilobotys arctioides</i> ..	1888,	579	<i>bellatrix</i>	1886,	369

	Page		Page
Spindasis ella	1885, 764	Spœlotis fraterna	1889, 411
epargyros	1886, 369	sincera	1889, 411
hypargyros	1886, 369	Spondylis buprestoides .	1888, 378
somalina	1885, 395	Spondylus, sp.	1890, 322
.	1885, 757	gussoni	1881, 949
.	1885, 764	1882, 682
.	1885, 776	Spongellissinæ	1886, 589
Spinosella maxima	1887, 504	Spongia arborescens . . .	1881, 111
.	1887, 506	bullata	1881, 112
plicifera	1887, 504	1881, 131
.	1887, 506	coriacea	1881, 132
sororia	1887, 503	hispida	1881, 109
.	1887, 505	1881, 131
.	1887, 507	plicifera	1887, 506
—, var. dilatata . .	1887, 506	Spongissa	1886, 588
—, var. elongata . .	1887, 506	Sporophila rufirostris . .	1881, 486
—, var. fruticosa . .	1887, 506	Sporothlastes fasciatus .	1888, 30
velata	1887, 507	Sportella caillati	1881, 693
Spintherops dilucida . .	1889, 541	Squaloraja polyspondyla	1886, 527
Spiralis bistorta	1881, 285	1886, 538
Spirama ægrotata	1889, 545	tenuispina	1886, 530
cohærens	1888, 315	1886, 538
funestris	1889, 545	Squatarola helvetica . .	1881, 800
inæqualis	1889, 545	1887, 585
interlineata	1889, 545	1888, 457
japonica	1889, 545	1889, 225
jinchuena	1889, 545	Squatina crassidens . . .	1889, 451
martha	1889, 545	Squilla armata	1881, 75
rectifasciata	1889, 545	bradyi	1884, 16
retorta	1889, 545	cerisii	1881, 75
simplicior	1889, 545	gracilipes	1881, 64
suffumosa	1889, 545	1881, 75
Spiramia helicina	1885, 463	1881, 139
.	1886, 450	lessonii	1881, 75
Spirostreptus annulipes .	1885, 833	monoceros	1881, 75
(Nodopyge) exocœti	1888, 560	schmeltzii	1884, 16
Spizaëtus bellicosus . . .	1881, 561	spinifrons	1881, 75
limnaetus	1881, 791	Stachyridopsis assimilis	1887, 410
.	1887, 433	chrysæa	1887, 440
.	1889, 226	Stachyris maculata	1885, 413
melanoleucus	1883, 456	nigriceps	1887, 440
nipalensis	1888, 265	1888, 275
occipitalis	1881, 562	nigricollis	1885, 413
.	1889, 79	1888, 275
philippensis	1889, 225	Stalachtis calliope	1890, 575
Spizella socialis	1883, 422	lineata	1890, 574
Spizapteryx circumcinc-		nedusia	1883, 256
tus	1882, 623	phædusa	1890, 575
Spodiornis jardinei	1885, 84	phlegetonia	1890, 574
.	1885, 114	phlegia	1890, 574
.	1885, 117	Stannodes pamphilata . .	1888, 330
.	1885, 123	Stauropus albescens . . .	1885, 301
Spodoptera capicola	1884, 228	alternus	1888, 400
cilium	1881, 617	berberisæ	1888, 400
.	1885, 451	fagi	1881, 824
.	1886, 444	1888, 643
infecta	1886, 444	indicus	1888, 400
nubes	1888, 221	persimilis	1888, 463

	Page		Page
<i>Staupopus taczanowskii</i>	1888, 643	<i>Steno rostratus</i>	1883, 483
<i>Steatornis caripensis</i> ..	1882, 40		1883, 484
	1889, 161		1883, 485
	1889, 178		1883, 513
	1889, 181	<i>tucuxi</i>	1883, 488
	1889, 190	<i>Stenocrates laborator</i> ..	1887, 490
— <i>peruvianus</i>	1885, 106	<i>Stenodastus</i>	1887, 362
<i>Stegania uvidula</i>	1885, 860	<i>Stenogyra adonensis</i> ..	1881, 810
	1886, 455		1881, 812
<i>Steganocerus multipunc-</i>		<i>artenois</i>	1888, 358
<i>tatus</i>	1884, 459	<i>eximia</i>	1882, 383
	1890, 474	<i>fumificata</i>	1881, 810
<i>Steganopus wilsoni</i>	1886, 297		1881, 812
<i>Steganura melanantha</i>	1884, 305	<i>gollonsirensis</i>	1881, 809
	1885, 121		1881, 812
<i>peruana</i>	1882, 36	<i>gyrata</i>	1887, 186
<i>solstitialis</i>	1885, 102	<i>jessica</i>	1881, 810
<i>sphenura</i>	1881, 587		1881, 812
<i>Stegmatura flavo-cinerea</i>	1882, 606	<i>juncea</i>	1887, 185
<i>Stegodyphus acanthophi-</i>		<i>novemgyrata</i>	1887, 186
<i>lus</i>	1889, 44	<i>octona</i>	1888, 358
<i>gregarius</i>	1889, 34		1888, 359
	1889, 42	<i>oleata</i>	1887, 127
	1889, 46	<i>panayensis</i>	1887, 185
	1890, 621	<i>retifera</i>	1887, 127
	1890, 626	<i>souverbiei</i>	1888, 358
<i>Stegophilus macrops</i> ..	1887, 279	<i>tuckeri</i>	1887, 185
<i>punctatus</i>	1887, 279		1888, 358
	1887, 283	<i>turriiformis</i>	1887, 186
<i>Stegostoma tigrinum</i> ..	1889, 243	<i>upolensis</i>	1887, 185
<i>Steiria subobliqua</i>	1888, 224	(<i>Clavator</i>) <i>johnsoni</i> .	1882, 382
<i>variabilis</i>	1888, 223		1882, 389
	1888, 231	(<i>Nothus</i>) <i>buli-</i>	
<i>Stelgidopteryx fulvi-</i>		<i>moides</i>	1884, 280
<i>pennis</i>	1883, 442	(—) <i>splendidula</i> .	1884, 277
<i>serripennis</i>	1883, 442		1884, 280
<i>uropygialis</i>	1883, 543	(<i>Opeas</i>) <i>hirsutus</i> ..	1881, 811
	1885, 75		1881, 812
<i>Stellio aralensis</i>	1881, 672	(<i>Subulina</i>) <i>actona</i> .	1884, 277
	1881, 674	(—) <i>enodis</i>	1881, 811
<i>nuptus</i>	1881, 676		1881, 812
<i>Stellonia webbiana</i>	1881, 497	<i>Stenolanguria tricolor</i> ..	1887, 362
<i>Stemmatophora foliata</i> .	1889, 418	<i>Stenolepis ridleyi</i>	1887, 640
	1889, 432		1890, 79
<i>ingrata</i>	1881, 621	<i>Stenopsis æquicaudata</i> .	1883, 425
<i>vibicalis</i>	1889, 418	<i>bifasciata</i>	1881, 9
<i>Stenetrium haswelli</i>	1886, 103	<i>ruficervix</i>	1885, 105
<i>Stenia elutalis</i>	1885, 875		1885, 116
<i>ornatalis</i>	1888, 229	<i>Stenopteryx hybridalis</i> .	1881, 622
<i>Steno attenuatus</i>	1883, 498		1884, 525
	1883, 499		1885, 876
<i>capensis</i>	1883, 498		1886, 384
<i>compressus</i>	1883, 485		1888, 335
	1883, 513	<i>Stenorhynchus car-</i>	
<i>frontatus</i>	1883, 484	<i>cinophagus</i>	1885, 488
	1883, 485	<i>leptonyx</i>	1881, 4
<i>perspicillatus</i>	1883, 513		1881, 157
<i>reinwardtii</i>	1883, 513		1885, 488

	Page		Page
Stenorhynchus leptonyx.	1885, 499	Sterna bergii.....	1889, 225
weddelli	1885, 489	bernsteini	1882, 521
Stenostira plumbea	1888, 27		1886, 436
Stenotarsus chrysome-		brachypus	1887, 126
linus	1887, 642	cassini	1881, 16
	1887, 644		1882, 522
	1887, 653	elegans	1882, 521
internexus.....	1887, 642	eurynatha	1882, 521
	1887, 645	exilis	1882, 522
	1887, 653	fuliginosa	1886, 6
musculus	1887, 642		1886, 337
	1887, 645	hirundinacea.....	1881, 16
nigriclavus	1887, 642		1882, 522
	1887, 645	hirundo	1881, 826
	1887, 646		1882, 654
russatus.....	1886, 161		1887, 126
sicarius	1886, 161	inca	1882, 520
vallatus	1886, 161	longipennis	1888, 187
	1886, 162	macrura.....	1887, 126
Stephania puniceago ..	1881, 361	maxima.....	1882, 521
Stephanophorus leuco-			1883, 462
cephalus	1882, 597	melanauchen.....	1886, 337
Stephanotrochus dia-			1889, 225
dema.....	1886, 130	minuta	1882, 522
	1886, 131	superciliaris	1882, 628
	1886, 132	Sternarchus albifrons ..	1887, 282
discoides	1886, 131	(Rhamphosternar-	
moseleyanus	1886, 128	chus)curvirostris.	1887, 282
	1886, 130	Sternocera klugii.....	1888, 86
	1886, 131	Sternopygus carapus ..	1887, 282
	1886, 132	Sternotomis bifasciata..	1890, 488
	1886, 136	bohndorfi	1888, 87
nobilis	1886, 130	variabilis	1890, 488
	1886, 131	virescens	1890, 488
platypus	1886, 130	Sternula sinensis	1887, 611
	1886, 131		1888, 469
Sterces resplendens	1890, 640	Sterrha labda	1888, 324
	1890, 641	paulula	1886, 456
	1890, 646		1886, 465
violaceipennis	1890, 640	sacraria	1881, 617
Stercorarius antarcticus .	1882, 527		1884, 528
	1882, 529		1885, 541
catarrhactes	1882, 527		1885, 862
	1882, 529		1886, 390
chilensis	1881, 17		1886, 456
	1882, 527		1888, 85
	1882, 529		1888, 324
pomatorhinus	1882, 527	Stethispa bonvouloiri ..	1881, 269
Stereoderma murrayi ..	1883, 61	Stethojulis interrupta ..	1889, 240
	1883, 62	Stibochiona nicea.....	1882, 239
	1884, 255	Stibolepis nivea	1886, 410
unisemita	1883, 61	sylvia.....	1886, 410
	1884, 255	Stichaster albulus	1881, 496
validum.....	1883, 61		1881, 497
Sterna aleutica.....	1882, 529	aurantiacus	1881, 496
bergii... ..	1881, 174	roseus.....	1881, 497
	1882, 521	Stichophthalma how-	
	1886, 336	qua.....	1881, 903

	Page		Page
<i>Stichopus assimilis</i>	1883, 62	<i>Stictoploea picina</i>	1883, 320
<i>chloronotus</i>	1887, 140	<i>pulla</i>	1883, 208
	1888, 389		1883, 211
<i>maculatus</i>	1883, 62	<i>pygmæa</i>	1883, 320
<i>variegatus</i>	1887, 140	<i>swinhoei</i>	1883, 321
	1888, 389	<i>sylvester</i>	1883, 318
<i>Stictomela chrysome-</i>		<i>tristis</i>	1883, 322
<i>loides</i>	1886, 156	<i>tyrianthina</i>	1883, 210
	1886, 157		1883, 211
	1886, 163		1883, 320
<i>opulenta</i>	1886, 156	<i>watsoni</i>	1883, 322
<i>Stictoploea binotata</i>	1883, 209	<i>Stictoptera cucullioides</i>	1888, 223
	1883, 210	<i>Stigmatium</i> , sp.	1888, 538
	1883, 211	<i>Stigmatophora flava</i>	1888, 601
	1883, 212	<i>micans</i>	1888, 601
	1883, 319	<i>Stigmatops</i> , sp.	1885, 508
	1883, 323	<i>chloris</i>	1885, 508
<i>doleschallii</i>	1883, 208	<i>ocularis</i>	1885, 508
	1883, 209	<i>salvadorii</i>	1884, 577
	1883, 210	<i>squamata</i>	1883, 195
	1883, 211		1883, 198
	1883, 322		1883, 199
<i>dufresneyi</i>	1883, 321		1883, 200
<i>euphon</i>	1883, 257		1884, 432
<i>gloriosa</i>	1883, 210		1884, 577
	1883, 211	<i>Stilbe acuta</i>	1884, 130
	1883, 255		1884, 149
	1883, 319	<i>Stilbomyia decrescens</i>	1888, 555
	1883, 321	<i>jucunda</i>	1888, 555
<i>grotei</i>	1883, 320	<i>Stilpnotia salicis</i>	1888, 622
<i>harrisii</i>	1883, 208	<i>Stilus insignis</i>	1885, 52
	1883, 209		1885, 63
	1883, 210	<i>Stolinus cataphractus</i>	1882, 643
	1883, 211	<i>Stomatia azonea</i>	1885, 41
	1883, 212	<i>Stomias ferox</i>	1889, 27
	1883, 313	<i>Stomopneustes vario-</i>	
	1883, 320	<i>laris</i>	1881, 425
	1883, 323		1888, 384
<i>hopei</i>	1883, 319		1888, 388
<i>immaculata</i>	1883, 208	<i>Stoparola melanops</i>	1888, 271
	1883, 211	<i>thalassinoides</i>	1885, 408
	1883, 322		1888, 271
<i>inæqualis</i>	1883, 322	<i>Strategus alceus</i>	1887, 490
<i>inconspicua</i>	1883, 209	<i>Strepsiceros imberbis</i>	1884, 45
	1883, 321		1884, 46
<i>lacordairei</i>	1883, 321		1884, 47
<i>lætifica</i>	1883, 210		1884, 48
	1883, 211		1884, 539
	1883, 321		1884, 542
<i>lankana</i>	1883, 319		1885, 931
<i>microsticta</i>	1883, 320		1886, 176
<i>mœsta</i>	1883, 322		1886, 266
<i>palla</i>	1883, 321		1889, 246
<i>papuana</i>	1883, 322		1889, 376
<i>pelor</i>	1883, 318	<i>kudu</i>	1881, 751
<i>picina</i>	1883, 210		1884, 46
	1883, 211		1884, 47
	1883, 212		1884, 48

	Page		Page
<i>Strepsiceros kudu</i>	1884, 542	<i>Strix walleri</i>	1882, 335
	1885, 222	(<i>Ketupa</i>) <i>ceylon-</i>	
	1885, 931	<i>ensis</i>	1889, 168
<i>tendal</i>	1884, 48	<i>Strobilodus gigas</i>	1890, 351
<i>Strepsilas interpres</i>	1881, 15	<i>purbeckensis</i>	1890, 350
	1881, 451		1890, 351
	1883, 429		1890, 353
	1885, 417	<i>suchoides</i>	1890, 351
	1885, 429	<i>Strobilophaga burtoni</i>	1887, 126
	1886, 336	<i>Strombiformis reticu-</i>	
	1887, 585	<i>latus</i>	1885, 56
	1889, 225	<i>Strombus bubonius</i>	1890, 320
<i>Strepsimela signiferalis</i>	1888, 230	<i>granulatus</i>	1890, 249
<i>Streptaxis birmanica</i>	1888, 244	<i>pes-pelecani</i>	1885, 50
<i>candida</i>	1881, 280	<i>tuberculatus</i>	1885, 53
<i>craveni</i>	1881, 277	<i>Strongylium atrovio-</i>	
	1881, 280	<i>laceum</i>	1890, 641
	1881, 281		1890, 646
	1881, 300	<i>auronitens</i>	1890, 642
<i>enneoides</i>	1881, 280		1890, 646
<i>gigas</i>	1881, 277	<i>puncticolle</i>	1890, 643
	1881, 279	<i>quadraticolle</i>	1890, 643
	1881, 300	<i>Strongylocentrotus</i> , sp.	1881, 89
<i>kirki</i>	1881, 280		1881, 139
<i>mozambicensis</i>	1881, 280	<i>albus</i>	1881, 88
	1881, 300		1881, 89
<i>thebawi</i>	1888, 243		1881, 415
<i>Streptocitta torquata</i>	1885, 555		1881, 425
<i>Streptopelia bitorquata</i>	1881, 799		1881, 429
	1885, 510	<i>armiger</i>	1881, 430
<i>Streptostele buchholzi</i>	1887, 127		1881, 426
<i>Strix aluco</i>	1889, 172		1881, 429
<i>amauronota</i>	1882, 335		1881, 430
<i>candida</i>	1882, 335	<i>bullatus</i>	1881, 88
<i>decussata</i>	1883, 40		1881, 89
	1883, 41		1881, 90
<i>delicatula</i>	1882, 335		1881, 139
<i>flammea</i>	1882, 622		1881, 415
	1883, 456		1881, 426
	1885, 844		1881, 429
	1886, 179	<i>depressus</i>	1881, 430
	1888, 47		1881, 426
	1889, 177		1881, 429
	1889, 178	<i>drobachiensis</i>	1881, 430
<i>longimembris</i>	1882, 335		1881, 427
<i>novæ-hollandiæ</i>	1883, 53		1881, 429
<i>oustaleti</i>	1882, 335		1881, 430
<i>personata</i>	1882, 335		1882, 645
<i>pithecops</i>	1882, 335	<i>erythrogrammus</i>	1881, 428
<i>pratincola</i>	1886, 153		1881, 429
<i>punctatissima</i>	1885, 116		1881, 430
<i>rosenbergi</i>	1885, 546	<i>franciscanus</i>	1881, 88
<i>sororcula</i>	1883, 51		1881, 89
	1883, 52		1881, 415
	1883, 200		1881, 428
	1884, 431		1881, 429
<i>strepitans</i>	1884, 559	<i>gaimardi</i>	1881, 430
			1881, 429

	Page		Page
<i>Strongylocentrotus gibbosus</i>	1881, 89	<i>Subulina lenta</i>	1881, 284
	1881, 428		1881, 300
	1881, 429	<i>panayensis</i>	1887, 185
	1881, 430	<i>solidiuscula</i>	1881, 285
<i>intermedius</i>	1881, 429		1881, 300
	1881, 430	(<i>Coelioxys</i>) <i>layardi</i> ..	1881, 839
<i>lividus</i>	1881, 89	(<i>Stenogyra</i>) <i>octona</i> ..	1883, 594
	1881, 428	<i>Succinea approximans</i> ..	1883, 595
	1881, 429	<i>bermudensis</i>	1884, 277
	1881, 430	<i>falklandica</i>	1884, 280
<i>mexicanus</i>	1881, 430		1884, 281
<i>nudus</i>	1881, 430	<i>fragilis</i>	1884, 280
<i>purpuratus</i>	1881, 429	<i>humerosa</i>	1884, 272
	1881, 430	<i>listeri</i>	1888, 536
<i>tuberculatus</i>	1881, 429		1888, 537
	1881, 430	<i>magellanica</i>	1881, 37
<i>Strophidia bigthana</i>	1888, 578	<i>oblonga</i>	1884, 280
<i>costalis</i>	1888, 578	<i>papillata</i>	1884, 272
<i>hyemalis</i>	1888, 578	<i>patagonica</i>	1881, 37
<i>Struthio camelus</i>	1881, 779		1881, 138
	1885, 587	<i>simplex</i>	1885, 595
	1885, 693	<i>solidula</i>	1887, 518
<i>molybdophanes</i> ..	1886, 320		1888, 536
<i>Strymon fentoni</i>	1881, 849	<i>solitaria</i>	1887, 518
	1881, 854		1888, 536
	1887, 413	<i>tigrina</i>	1883, 595
<i>spini</i>	1881, 854	(<i>Omalonyx</i>) <i>gayana</i> ..	1884, 281
<i>w-album</i>	1881, 854	(—) <i>guadaloupen- ensis</i>	1883, 595
	1887, 413	(<i>Truella</i>) <i>infundi- buliformis</i>	1884, 272
<i>Sturnella bellicosa</i>	1883, 423	<i>Sudis hyalina</i>	1889, 241
	1883, 552	<i>jayakari</i>	1889, 241
	1885, 86	<i>ringens</i>	1889, 241
<i>ludoviciana</i>	1883, 446	<i>Sula</i> , sp.	1888, 529
<i>militaris</i>	1881, 7	<i>bassana</i>	1882, 210
	1883, 422	<i>cyanops</i>	1883, 427
<i>Sturnia andamensis</i>	1885, 168	<i>fiber</i>	1881, 800
<i>violacea</i>	1889, 224		1882, 211
<i>Sturnus cineraceus</i>	1887, 606	<i>leucogastra</i>	1882, 210
	1888, 465	<i>piscator</i>	1882, 210
<i>vulgaris</i>	1882, 420		1885, 417
<i>Stygogenes humboldti</i> ..	1887, 276		1886, 335
	1887, 283	<i>piscatrix</i>	1881, 800
<i>Styliola recta</i>	1890, 254		1887, 516
<i>subula</i>	1890, 254	<i>variegata</i>	1883, 427
<i>virgata</i>	1890, 254	<i>Superodes nigripennis</i> ..	1885, 743
<i>Stylochus pelagicus</i>	1889, 55		1885, 755
<i>Styloniscus magel- lanicus</i>	1881, 64	<i>Superus hirsutus</i>	1885, 742
	1881, 77		1885, 755
<i>Stylorhiza (Phyllorhiza) punctata</i>	1889, 585	<i>longicornis</i>	1885, 742
<i>Styphlos</i>	1886, 58		1885, 755
<i>Suastus eltola</i>	1882, 261	<i>Surattha albipennis</i>	1886, 383
<i>gremius</i>	1882, 261		1888, 332
	1885, 147	<i>albirenalis</i>	1889, 423
	1886, 433	<i>eremialis</i>	1889, 422
<i>Suberamatiðæ</i>	1886, 584	<i>invectalis</i>	1885, 879
<i>Subrita curviferella</i>	1886, 449		1886, 383
			1886, 462

	Page		Page
Surendra biplagiata....	1883, 147	Sylvia nisoria	1884, 477
	1883, 175	Sylviella microura	1888, 22
	1883, 530	Syma torotoro	1885, 627
discalis	1883, 147	Symbiotes equi	1887, 559
quercetorum	1882, 251	niponensis.....	1887, 642
todara	1883, 530		1887, 652
Suricata capensis.....	1882, 92	orbicularis.....	1887, 642
tetradactyla	1882, 91		1887, 652
	1882, 92	Symbrenthia hypocoelus	1882, 243
	1882, 93		1882, 263
viverrina	1882, 92	Symitha sceptica	1885, 461
Surnia nyctea	1888, 459		1885, 476
Surniculus lugubris	1881, 792	Sympetrum fonsco-	
	1889, 226	lombei	1886, 325
Sus, sp.	1889, 223		1886, 326
niger	1886, 217	striolata.....	1886, 326
	1886, 218	subpruinatum	1886, 326
papuensis	1881, 165		1886, 329
	1886, 217	Symphædra nais	1882, 239
	1886, 218		1885, 130
penicillatus	1887, 624		1886, 425
porcus	1887, 624	Symphoricarpus mollis .	1881, 309
salvanus	1883, 413	Symphyletes pedicornis	1884, 219
scrofa.....	1883, 413	Synagris bleekeri.....	1887, 657
	1883, 414	isacanthus.....	1889, 238
	1883, 415	notatus	1888, 260
	1883, 418	tæniopterus	1888, 260
	1887, 397	tolu	1887, 657
Susica cosmiana	1886, 440	Synallaxis albescens....	1882, 25
	1886, 465		1882, 611
fraterna.....	1886, 440	antisiensis.....	1882, 25
Suthora bulomachus ..	1890, 344		1882, 26
suffusa	1890, 344	castanea	1882, 578
webbiana	1888, 464	cinerascens	1882, 579
Sutoria maculicollis....	1887, 440	cisandina	1882, 25
Sycalis arvensis	1883, 433	curtata	1882, 25
auriventris	1886, 395		1885, 95
	1886, 397	elegantior	1883, 560
flaveola	1882, 600	— fruticicola	1885, 115
	1883, 537	erythropros	1883, 560
	1883, 552		1884, 298
lutea	1881, 487		1885, 122
luteola	1883, 422	erythrothorax	1883, 449
	1884, 294	flammulata	1885, 95
	1885, 85		1885, 115
pelzelni.....	1882, 601	frontalis.....	1882, 579
uropygialis	1886, 396		1882, 611
	1886, 397		1884, 298
Sycobius melanotis	1888, 34		1885, 94
Sycobrotus kersteni....	1881, 584	fruticicola.....	1882, 26
melanoxanthus....	1881, 585		1882, 579
nigricollis	1881, 585		1883, 537
reichenowi	1884, 557		1883, 560
	1885, 229		1884, 298
Syllexis lucida	1889, 296		1885, 115
Sylvia apicalis	1881, 921	fuliginosa	1882, 578
habessinica	1884, 231		1885, 95
hortensis	1888, 20		1885, 121

	Page		Page
<i>Synallaxis furcata</i>	1882, 25	<i>Synclera multilinealis</i> . .	1889, 421
<i>fusco-rufa</i>	1882, 578	<i>nemoralis</i>	1889, 421
<i>griseo-murina</i>	1882, 578	<i>traducalis</i>	1889, 432
	1885, 118	<i>univocalis</i>	1884, 501
	1885, 121	<i>Syndosmya radiata</i>	1884, 501
<i>gularis</i>	1885, 116	<i>tellinella</i>	1881, 697
<i>humicola</i>	1883, 39	<i>Syneta adamsi</i>	1881, 926
<i>humilis</i>	1882, 579		1885, 193
<i>hyposticta</i>	1882, 26	<i>Syngamia florellalis</i> . .	1885, 752
	1882, 373	<i>Synia beatrix</i>	1884, 325
<i>maranonica</i>	1882, 579	<i>Synodontis guttatus</i> . .	1881, 365
<i>modesta</i>	1886, 395	<i>punctulatus</i>	1889, 71
	1886, 398	<i>serratus</i>	1889, 71
<i>palpebralis</i>	1882, 579	<i>Synotus barbastellus</i> . .	1889, 71
	1885, 95		1881, 199
<i>phryganophila</i>	1882, 611	<i>darjilingensis</i>	1886, 94
<i>pudica</i>	1883, 560		1886, 95
	1884, 298	<i>Syntelia balfouri</i>	1881, 199
	1885, 94	<i>Synthliborhamphus</i>	1881, 475
<i>ruficapilla</i>	1882, 611	<i>antiquus</i>	1887, 43
<i>rufipennis</i>	1882, 579		1887, 44
<i>rutilans</i>	1882, 26		1887, 45
<i>sclateri</i>	1882, 579		1887, 46
<i>scutata</i>	1882, 579		1887, 47
<i>singularis</i>	1885, 96	<i>Syntomedia angasi</i>	1887, 47
<i>sordida</i>	1883, 39		1884, 320
<i>stictothorax</i>	1883, 560		1884, 321
	1885, 122	<i>sauleyi</i>	1884, 322
<i>striaticeps</i>	1882, 579	<i>Syntomis annetta</i>	1888, 593
	1883, 39	<i>confinis</i>	1886, 436
<i>striaticollis</i>	1885, 95	<i>cupreipennis</i>	1885, 290
<i>tithys</i>	1882, 579	<i>cyssea</i>	1883, 155
	1885, 120		1886, 436
	1885, 122	<i>erebina</i>	1888, 593
<i>unirufa</i>	1882, 578	<i>extensa</i>	1885, 290
<i>whitii</i>	1882, 579	<i>fortunei</i>	1888, 593
	1882, 611	<i>geon</i>	1885, 519
<i>wyatti</i>	1884, 299		1885, 536
<i>Synapta beselii</i>	1888, 389	<i>georgina</i>	1888, 294
<i>grisea</i>	1888, 389	<i>germana</i>	1888, 593
<i>recta</i>	1888, 389	<i>mandarinia</i>	1888, 593
<i>Synchloë anomala</i>	1881, 178	<i>minor</i>	1888, 294
	1881, 180	<i>montana</i>	1885, 290
<i>butleri</i>	1882, 256	<i>passalis</i>	1885, 290
<i>callidice</i>	1882, 256	<i>pfeifferi</i>	1889, 400
<i>crucivora</i>	1881, 849	<i>phegea</i>	1888, 593
<i>daplidice</i>	1881, 611	<i>thelebus</i>	1888, 593
	1882, 255	<i>wimberleyi</i>	1889, 400
	1886, 375		1889, 432
<i>distorta</i>	1885, 757	<i>zelleri</i>	1888, 593
	1885, 774	<i>Sypna achatina</i>	1889, 542
	1885, 776	<i>astrigera</i>	1889, 542
<i>glauconome</i>	1884, 492	<i>contellata</i>	1883, 24
<i>hellica</i>	1885, 774	<i>curvilinea</i>	1883, 24
<i>iranica</i>	1884, 492		1883, 25
<i>megamera</i>	1881, 849	<i>cyanivitta</i>	1883, 164
<i>melete</i>	1881, 849	<i>fraterna</i>	1883, 24
<i>protodice</i>	1881, 178		1883, 25

	Page		Page
<i>Sypna fuliginosa</i>	1889, 542	<i>Syrhopus ridens</i>	1888, 206
<i>fumosana</i>	1889, 542	<i>verrucipes</i>	1888, 206
<i>hercules</i>	1889, 543	<i>verruculatus</i>	1888, 206
<i>moorei</i>	1883, 25	<i>Systema discoidalis</i>	1883, 405
<i>picta</i>	1889, 542	<i>s-littera</i>	1889, 272
<i>prunosa</i>	1883, 25	<i>Systropha nivosa</i>	1888, 598
<i>punctosa</i>	1883, 164		
<i>renisigna</i>	1888, 315	<i>Tabada hyacintha</i>	1883, 209
<i>rubrifascia</i>	1883, 25		1883, 210
<i>Syrichthus maculatus</i> ..	1883, 24		1883, 255
	1881, 870		1883, 297
	1881, 916	<i>Tabanus lineola</i>	1881, 848
	1887, 403	<i>Tachybaptus dominicus</i> .	1882, 629
	1887, 430	<i>Tachycineta meyeri</i>	1883, 420
<i>Syrnium albogulare</i> ..	1885, 116	<i>thalassina</i>	1883, 420
<i>aluco</i>	1885, 844		1885, 899
	1887, 599		1886, 502
<i>hodgsoni</i>	1887, 472	<i>Tachydromus sex-</i>	
	1887, 474	<i>lineatus</i>	1887, 147
<i>indraneae</i>	1887, 434	<i>smaragdinus</i>	1887, 147
<i>indrani</i>	1887, 470		1887, 150
	1887, 471	<i>Tachyeres cinereus</i>	1881, 13
	1887, 472	<i>Tachyglossus</i> , sp.	1885, 150
	1887, 474	<i>aculeatus</i>	1884, 150
	1887, 477		1884, 151
<i>maingayi</i>	1887, 434		1884, 152
	1887, 470	<i>bruijnii</i>	1885, 39
<i>newarense</i>	1887, 434		1885, 151
	1887, 471	<i>hystrix</i>	1884, 150
	1887, 472		1885, 149
	1887, 473	<i>lawesi</i>	1884, 150
	1887, 474		1884, 151
<i>nivicolum</i>	1887, 599		1884, 152
	1888, 462		1885, 150
<i>ochrogenys</i>	1887, 472		1885, 333
<i>virgatum</i>	1883, 456	<i>Tachymenis chilensis</i> ..	1881, 18
<i>whiteheadi</i>	1889, 226	<i>vivax</i>	1881, 461
<i>woodfordi</i>	1881, 564	<i>Tachyphonus cristatus</i> ..	1882, 597
	1882, 305	<i>delattrei</i>	1885, 117
<i>Syrnola cinctella</i>	1890, 275	<i>luctuosus</i>	1883, 547
<i>minuta</i>	1884, 351	<i>melaleucus</i>	1882, 15
<i>nitidula</i>	1884, 363	<i>rufiventris</i>	1882, 14
<i>Syrnolopsis lacustris</i> ..	1881, 288	<i>xanthopygius</i>	1883, 537
	1881, 300		1883, 547
<i>Syrhaptus paradoxus</i> ..	1882, 324	<i>Tachyris chloris</i>	1884, 225
	1882, 325	<i>saba</i>	1884, 226
	1882, 326	<i>Tachyspiza soloensis</i> ..	1885, 544
	1888, 291	<i>Tachytiorchis abbrevi-</i>	
	1888, 413	<i>atus</i>	1883, 348
	1889, 184	<i>Tadema sinensis</i>	1888, 611
<i>Syrrhoë fimbriata</i>	1889, 452	<i>Tadorna casarca</i>	1890, 1
<i>Syrhopus chalceus</i>	1888, 206	<i>radjah</i>	1883, 52
<i>cystignathoides</i> ..	1888, 206		1883, 195
<i>guttulatus</i>	1888, 206		1883, 200
<i>hylæformis</i>	1888, 206		1884, 434
<i>leprus</i>	1888, 206		1885, 665
<i>marnockii</i>	1888, 206	<i>rutila</i>	1886, 2

	Page		Page
<i>Taenia bifaria</i>	1889, 325	<i>Tajuria longinus</i>	1885, 135
<i>calva</i>	1889, 324	<i>melastigma</i>	1887, 460
	1889, 325		1887, 467
<i>falciformis</i>	1889, 324	<i>Talicerca nyseus</i>	1885, 133
	1889, 325	<i>Tallegallus cuvieri</i>	1885, 664
<i>magellanica</i>	1889, 325	<i>jobiensis</i>	1885, 663
<i>nana</i>	1886, 505	<i>Talorchestia tumida</i> ..	1886, 5
<i>sulciceps</i>	1889, 324	<i>Talpa europæa</i>	1888, 435
<i>Tæniocampa auroriæ</i> ..	1889, 513	<i>Tamandua tetradactyla</i> .	1882, 295
<i>carnipennis</i>	1889, 511		1890, 76
<i>ella</i>	1889, 512	<i>Tamias asiaticus</i>	1882, 372
<i>evanida</i>	1889, 512	—, var. <i>quadri-</i>	
	1889, 513	<i>vittatus</i>	1882, 372
<i>gothica</i>	1887, 242	<i>dorsalis</i>	1882, 372
	1887, 271	<i>harrisi</i>	1882, 372
	1889, 511	<i>Tanagra auricrissa</i>	1884, 290
<i>gracilis</i>	1889, 512	<i>cana</i>	1883, 545
<i>instabilis</i>	1889, 512		1884, 290
<i>munda</i>	1889, 512		1885, 81
—, var. <i>immaculata</i> .	1889, 512	<i>coelestis</i>	1882, 13
<i>odiosa</i>	1889, 513		1885, 81
<i>stabilis</i>	1889, 513	<i>cyancephala</i>	1882, 13
<i>Tæniodera ditissima</i> ..	1889, 390		1884, 290
<i>Tænioptera coronata</i> ..	1882, 603	<i>darwini</i>	1882, 13
<i>dominicana</i>	1883, 38		1884, 283
<i>holospodia</i>	1887, 47		1884, 290
<i>irupero</i>	1882, 603	<i>melanoptera</i>	1882, 13
<i>murina</i>	1883, 38	<i>olivina</i>	1881, 213
<i>nengeta</i>	1882, 603	<i>palmarum</i>	1882, 13
<i>pyrope</i>	1881, 8	— <i>melanoptera</i> ..	1883, 546
<i>Tæniopyga sylvina</i>	1888, 82	— <i>violilavata</i>	1883, 537
<i>Tagata abjecta</i>	1883, 254		1883, 546
	1883, 282		1885, 122
<i>Tagiades albovittata</i> ..	1883, 534	<i>sayaca</i>	1882, 596
<i>brigida</i>	1887, 574		1882, 597
<i>flesus</i>	1887, 573	<i>striata</i>	1882, 596
<i>meetana</i>	1883, 154	<i>Tanais hirsutus</i>	1886, 116
<i>menaka</i>	1882, 262	<i>Tanaorhinus smaragdus</i> .	1881, 615
<i>nymphalis</i>	1881, 869	<i>Tansima verma</i>	1882, 235
	1881, 910	<i>Tantalus ibis</i>	1882, 352
<i>Tagora discrepans</i>	1885, 304	<i>leucocephalus</i>	1882, 352
<i>Taheitia arcasiana</i>	1887, 302	<i>loculator</i>	1882, 352
<i>funiculus</i>	1887, 301		1885, 119
<i>scalariformis</i>	1887, 302	<i>Tanygnathus affinis</i>	1883, 53
<i>turricula</i>	1887, 301	<i>albirostris</i>	1885, 543
<i>vitiana</i>	1887, 299	<i>burbidgei</i>	1885, 250
	1887, 301		1885, 252
<i>Tajuria albiplaga</i>	1887, 459	<i>everetti</i>	1885, 252
	1887, 467	<i>gramineus</i>	1883, 589
<i>diaeus</i>	1887, 459	<i>luzoniensis</i>	1885, 250
<i>istroidea</i>	1887, 458		1885, 252
	1887, 467		1885, 418
<i>jehana</i>	1883, 529		1889, 225
	1883, 535	<i>megalorhynchus</i> ..	1885, 562
	1885, 135		1885, 619
	1886, 429	<i>muelleri</i>	1885, 542
	1887, 459	<i>subaffinis</i>	1883, 51
<i>longinus</i>	1883, 529		1883, 53

	Page		Page
Tanygnathus subaffinis .	1883, 194	Taraxides gibbipennis ..	1890, 646
	1883, 200	mœrens	1890, 638
	1884, 431	pictus	1890, 638
Tanysiptera dea	1885, 568	sinuatus	1890, 646
galatea	1885, 626		1890, 637
margaritæ	1885, 567		1890, 638
obiensis	1885, 567		1890, 639
Taonius hyperboreus ..	1889, 128	Tarentola mauritanica ..	1887, 196
pavo	1889, 128		1887, 270
Tapes aureus	1881, 718	neglecta	1890, 77
geographicus	1881, 717	Targalla delatrix	1885, 457
hoernesi	1881, 717	Tarsiger cyanurus	1887, 582
pullastra	1881, 717	orientalis	1889, 356
virgineus	1881, 717		1889, 361
	1882, 685	Tarsolepis remicauda ..	1888, 644
Taphozous affinis	1884, 52	Tarucus alteratus	1882, 245
	1884, 53		1882, 263
—, var. insignis ..	1884, 51	balkanica	1886, 366
	1884, 52	extricatus	1886, 366
	1884, 53		1886, 395
australis	1884, 52	nara	1881, 606
saccolæmus	1884, 52		1882, 245
	1884, 53		1884, 484
Tapirus americanus....	1882, 311		1884, 506
	1882, 391		1885, 134
	1882, 770		1886, 366
	1882, 771		1886, 427
	1885, 718	plinius	1881, 606
	1889, 10		1882, 246
dowi	1882, 391		1884, 506
	1885, 718		1885, 133
indicus	1882, 768		1886, 427
	1889, 255	pulcher	1884, 483
	1889, 257		1885, 757
	1889, 258		1885, 763
roulini	1882, 311		1888, 68
	1885, 718	sybaris	1885, 757
terrestris	1889, 254		1885, 763
	1889, 256	theophrastus	1882, 245
	1889, 257		1883, 148
Tarache nivosa	1886, 446		1884, 484
	1886, 465		1884, 506
postica	1885, 454		1885, 134
Taractrocera sagara	1882, 262		1885, 757
	1886, 434		1885, 764
Taragama castano-			1886, 366
ptera	1888, 404		1886, 428
ganesa	1884, 515	vinosus	1882, 245
	1885, 305		1882, 263
	1886, 440	Tasitia berenice	1883, 214
	1888, 404		1883, 235
hyperantheræ	1883, 18	cleothera	1883, 236
	1883, 30	eresimus	1883, 235
intensa	1883, 18		1883, 236
	1883, 30	gilippus	1883, 235
venustum	1888, 298		1883, 236
Taraxides ænipennis....	1890, 638	hermippus	1883, 237
gibbipennis	1890, 637	jamaicensis	1883, 236
	1890, 638	strigosa	1883, 236

	Page		Page
<i>Tasitia thersippus</i>	1883, 236	<i>Tefflus hacquardi</i>	1883, 86
<i>xanthippus</i>	1883, 237	<i>jamesoni</i>	1890, 481
<i>Tatochila demodice</i>	1881, 83	<i>juvenilis</i>	1890, 481
<i>Tatocnemis malgassica</i>	1889, 297	<i>raffrayi</i>	1890, 481
	1889, 298	<i>Tegenaria domestica</i>	1887, 254
	1889, 301		1887, 274
	1889, 312	<i>Tegeocranus coriaceus</i>	1890, 417
<i>Tatura lebena</i>	1887, 572	<i>elongatus</i>	1890, 417
<i>Tatusia novemcincta</i>	1882, 372	<i>latus</i>	1890, 417
	1886, 419	<i>marginatus</i>	1890, 417
	1890, 76	<i>Tegna hyblæella</i>	1881, 377
<i>peba</i>	1886, 419		1883, 174
<i>Tavia punctosa</i>	1883, 164		1885, 881
<i>substruens</i>	1883, 26		1885, 882
<i>Taxidea labradorica</i>	1885, 340		1886, 463
<i>Taxila dipœa</i>	1886, 364		1883, 337
<i>drupadi</i>	1886, 364	<i>Tegyrius metallicus</i>	1887, 97
<i>durga</i>	1886, 364	<i>Temopyga clava</i>	1890, 400
<i>eugenes</i>	1886, 364	<i>reticularis</i>	1888, 615
<i>orphna</i>	1886, 364		1890, 400
<i>Taygetis andromeda</i>	1890, 567	<i>Teinostoma abnorme</i>	1890, 252
<i>cleopatra</i>	1890, 567		1890, 293
<i>echo</i>	1890, 567		1890, 316
<i>erubescens</i>	1890, 567	<i>Tejovaranus branickii</i>	1890, 250
<i>euptychidia</i>	1890, 567	<i>Tejus teguexin</i>	1888, 100
<i>penelea</i>	1890, 567		1889, 465
<i>rebecca</i>	1890, 567		1889, 466
<i>tenebrosus</i>	1890, 567	<i>Telchinia bonasia</i>	1888, 65
<i>Tchitrea melanogastra</i>	1881, 958	<i>cephæus</i>	1888, 66
	1888, 27	<i>eponina</i>	1888, 65
<i>smithii</i>	1881, 788	<i>lycia</i>	1888, 65
<i>Tecmessa pectorosa</i>	1882, 434	<i>serena</i>	1887, 571
	1882, 441	<i>sganzini</i>	1888, 65
<i>Tectura adunca</i>	1882, 672		1888, 66
	1882, 687	<i>stenobea</i>	1888, 66
<i>fulva</i>	1882, 671	<i>vinidia</i>	1888, 65
	1882, 672	<i>violeæ</i>	1885, 127
<i>galeola</i>	1882, 672		1886, 424
	1882, 687	<i>Telea angulifera</i>	1888, 119
<i>pusilla</i>	1882, 672		1888, 120
	1882, 687		1890, 94
<i>rugosa</i>	1882, 671	<i>polyphemus</i>	1882, 632
	1882, 687		1882, 633
<i>virginea</i>	1882, 670		1885, 65
	1882, 671		1886, 2
	1890, 296		1887, 51
(<i>Pilidium</i>) <i>coppin-</i>			1888, 119
<i>geri</i>	1881, 35		1889, 86
	1881, 138		1890, 94
(—) <i>fulva</i>	1881, 35	<i>promethea</i>	1881, 653
<i>Tedania suctoria</i>	1881, 125		1881, 820
	1881, 131		1881, 823
<i>tenuicapitata</i>	1881, 123		1882, 632
	1881, 124		1885, 65
	1881, 125		1887, 51
	1881, 131		1888, 119
	1881, 140		1888, 120
<i>Tefflus carinatus</i>	1888, 86		1889, 86

	Page		Page
<i>Telea promethea</i>	1890, 94	<i>Telephorus violaceipennis</i>	1889, 105
<i>Telegonus anaphus</i>	1884, 319	<i>viridipennis</i>	1889, 97
	1890, 576		1889, 104
<i>talus</i>	1890, 576	(<i>Ancistronycha</i>)	
<i>Teleosaurus temporalis</i>	1888, 439	<i>bartoni</i>	1889, 106
<i>Telephonus anchietæ</i>	1881, 579	(—) <i>orientalis</i>	1889, 105
<i>erythropterus</i>	1881, 579	(—) <i>prattianus</i>	1889, 105
	1882, 302		1889, 111
	1888, 25	<i>Telicota augias</i>	1885, 147
	1889, 361		1886, 433
<i>minutus</i>	1881, 579	<i>Tellimya nivea</i>	1881, 697
	1881, 580	<i>Tellina albida</i>	1881, 723
	1888, 25	<i>angulosa</i>	1881, 927
<i>senegalensis</i>	1889, 361	<i>antonii</i>	1890, 253
<i>senegalus</i>	1888, 25		1890, 301
<i>trivirgatus</i>	1881, 579	<i>apelina</i>	1881, 927
<i>Telephorus</i> , sp	1889, 111	<i>balaustina</i>	1881, 718
<i>bieti</i>	1889, 101		1884, 145
	1889, 102	<i>balthica</i>	1881, 719
	1889, 111		1882, 685
<i>brahminicus</i>	1889, 98	<i>brazieri</i>	1883, 31
<i>chalybeipennis</i>	1889, 96		1883, 32
	1889, 111	<i>caduca</i>	1881, 718
<i>cœlestis</i>	1889, 104	<i>calcaria</i>	1881, 719
	1889, 105	<i>compressa</i>	1881, 720
	1889, 111		1882, 685
<i>cruralis</i>	1889, 98		1884, 145
<i>flavicornis</i>	1889, 108	<i>cordiformis</i>	1890, 301
<i>huddi</i>	1889, 100	<i>crassa</i>	1881, 718
<i>imperialis</i>	1889, 102	<i>cumingii</i>	1860, 301
	1889, 103	<i>cuspidata</i>	1881, 938
	1889, 104	<i>daniliana</i>	1881, 719
	1889, 111	<i>depressa</i>	1881, 719
<i>insularis</i>	1889, 101	<i>digitaria</i>	1881, 713
	1889, 111	<i>distorta</i>	1881, 720
<i>khasianus</i>	1889, 97		1881, 721
	1889, 111		1882, 685
<i>kiukianganus</i>	1889, 107	<i>divaricata</i>	1881, 700
<i>leechianus</i>	1889, 104	<i>donacilla</i>	1881, 720
—, var. <i>æneipennis</i>	1889, 104	<i>donacina</i>	1881, 721
<i>lividus</i>	1889, 106		1881, 722
<i>manducatus</i>	1889, 100	<i>exigua</i>	1881, 720
<i>metallescens</i>	1889, 107	<i>fabula</i>	1881, 720
<i>nepalensis</i>	1889, 97	<i>ferroensis</i>	1881, 722
<i>nicobarinus</i>	1889, 101	<i>flexuosa</i>	1881, 701
<i>nobilis</i>	1889, 103		1881, 702
	1889, 111	<i>fusca</i>	1881, 711
<i>oberthueri</i>	1889, 102	<i>gibba</i>	1881, 944
<i>orientalis</i>	1889, 106	<i>groenlandica</i>	1881, 719
<i>pupureipennis</i>	1889, 107	<i>inæquivalvis</i>	1881, 929
	1889, 111	<i>incarnata</i>	1881, 719
<i>regalis</i>	1889, 103		1881, 720
<i>semifulvus</i>	1889, 100	<i>inconspicua</i>	1881, 719
<i>semiustus</i>	1889, 99	<i>lactea</i>	1881, 700
<i>sinensis</i>	1889, 106	<i>lata</i>	1881, 719
	1889, 107	<i>longicallus</i>	1881, 926
<i>stygianus</i>	1889, 99	<i>modesta</i>	1883, 31
<i>thibetanus</i>	1889, 102		1883, 32
<i>versicolor</i>	1889, 97	<i>mœsta</i>	1881, 719
<i>viator</i>	1889, 98	<i>obliqua</i>	1881, 719

	Page		Page
<i>Tellina oudardii</i>	1881, 720	<i>Tephрина zebrina</i>	1835, 861
<i>ovata</i>	1881, 719		1886, 456
<i>papyracea</i>	1881, 935	<i>Tephrodornis gularis</i> ..	1881, 795
<i>parthenopæa</i>	1881, 945	<i>Tephrosia vagaria</i>	1888, 321
<i>prætenuis</i>	1881, 719	<i>Teracolus abyssini-</i>	
<i>proxima</i>	1881, 719	<i>cus</i>	1885, 769
<i>pulchella</i>	1881, 720	<i>acaste</i>	1884, 489
<i>pusilla</i>	1881, 721		1884, 490
<i>pygmæa</i>	1881, 721		1885, 768
<i>rostrata</i>	1881, 720	<i>amatus</i>	1884, 435
<i>rotundata</i>	1881, 704		1884, 440
<i>rubiginosa</i>	1881, 925	<i>amelia</i>	1883, 152
<i>sabulosa</i>	1881, 719	<i>amina</i>	1885, 769
<i>serrata</i>	1881, 720	<i>anteupompe</i>	1888, 74
	1884, 145	<i>antevippe</i>	1888, 74
<i>solidula</i>	1881, 719		1888, 92
<i>sordida</i>	1881, 719	<i>antigone</i>	1888, 94
<i>squalida</i>	1881, 719		1888, 95
<i>striatula</i>	1881, 720	<i>arne</i>	1884, 439
<i>stricta</i>	1881, 927	<i>aurigineus</i>	1885, 770
<i>strigilata</i>	1881, 720		1888, 56
<i>tenella</i>	1881, 721		1888, 72
	1881, 724		1888, 92
<i>tenuis</i>	1881, 720		1888, 94
<i>trigona</i>	1881, 705	<i>bacchus</i>	1888, 73
<i>Telmatobius jelskii</i> ..	1888, 170	<i>bimbura</i>	1881, 610
<i>Temnaspis japonicus</i> ..	1885, 753		1884, 511
<i>Temnopleuroid</i>	1888, 384		1885, 540
<i>Temnopleurus regnaudi</i> .	1888, 384		1886, 373
	1888, 388		1886, 374
<i>spinipennis</i>	1881, 470		1886, 432
<i>toreumaticus</i>	1881, 413	<i>calais</i>	1884, 487
	1888, 384		1888, 92
	1888, 388	<i>candidus</i>	1881, 178
	1888, 389		1881, 180
	1889, 7	<i>carnifer</i>	1884, 487
<i>Temnorhynchus cribra-</i>			1884, 488
<i>tus</i>	1884, 405		1884, 509
<i>Temnoscelis biemargin-</i>			1885, 767
<i>atus</i>	1887, 128	<i>castalis</i>	1885, 767
<i>Teniocampa tabida</i> ..	1889, 495	<i>celimene</i>	1885, 769
<i>Tephras whitei</i>	1882, 357		1885, 770
<i>Tephрина arenaceara</i> ..	1884, 527	<i>chrysomela</i>	1884, 488
<i>arenaria</i>	1884, 527	<i>chrysonome</i>	1885, 757
	1884, 529		1885, 768
	1886, 456		1888, 92
<i>defectaria</i>	1888, 85		1888, 94
<i>granitalis</i>	1883, 171	<i>citreus</i>	1888, 92
	1885, 861		1888, 93
	1886, 456	<i>cœlestis</i>	1884, 435
<i>incessaria</i>	1886, 390		1884, 445
<i>lithina</i>	1883, 171		1884, 489
	1884, 527		1884, 490
	1885, 861		1885, 768
	1886, 456	<i>coliagenes</i>	1885, 769
<i>peremptaria</i>	1884, 527	<i>complexivus</i>	1885, 757
<i>strenuata</i>	1883, 171		1885, 770
<i>strenuataria</i>	1884, 527	<i>comptus</i>	1888, 92
<i>sublimbata</i>	1884, 502		1888, 94
<i>zebrina</i>	1883, 171	<i>cypræa</i>	1883, 152

	Page		Page
<i>Teracolus cypræa</i>	1885, 143	<i>Teracolus faustina</i>	1884, 437
<i>daira</i>	1884, 441		1886, 373
	1885, 771	<i>faustus</i>	1884, 434
	1885, 772		1884, 435
<i>danaë</i>	1884, 434		1884, 436
	1884, 435		1884, 437
	1884, 443		1884, 508
	1884, 444	<i>friga</i>	1885, 771
	1884, 510		1885, 772
	1885, 143	<i>fulvia</i>	1884, 437
<i>dedecorus</i>	1885, 757		1885, 143
	1885, 770	<i>fumidus</i>	1884, 442
<i>demagore</i>	1881, 177		1884, 445
<i>dirus</i>	1881, 610	<i>galanthus</i>	1884, 440
	1884, 509	<i>glycera</i>	1884, 441
	1888, 74		1885, 773
<i>dubius</i>	1884, 439	<i>halimede</i>	1884, 435
	1884, 509		1884, 436
<i>dulcis</i>	1881, 610		1884, 445
	1884, 509		1884, 490
	1884, 510		1885, 769
	1885, 770		1885, 770
<i>dynamene</i>	1881, 609		1888, 92
	1884, 487		1888, 93
	1884, 488	<i>heliocaustus</i>	1885, 757
	1884, 509		1885, 768
	1885, 757		1885, 776
	1885, 767	<i>helle</i>	1888, 74
<i>eboreoides</i>	1884, 509	<i>helvolus</i>	1888, 94
	1884, 510	<i>hetæra</i>	1888, 72
<i>eione</i>	1885, 772		1888, 73
	1888, 74	<i>hewitsoni</i>	1884, 490
<i>epigone</i>	1884, 490	<i>ignifer</i>	1888, 95
<i>eris</i>	1885, 769	<i>immaculatus</i>	1884, 443
<i>etrida</i>	1881, 609		1884, 510
	1881, 610	<i>incretus</i>	1888, 92
	1884, 510		1888, 93
	1885, 144	<i>intermissus</i>	1883, 152
	1886, 373		1883, 175
<i>eucharis</i>	1884, 510		1884, 438
	1885, 144		1884, 439
	1885, 772		1884, 509
	1885, 773	<i>interruptus</i>	1884, 435
	1888, 93		1884, 440
<i>eunoma</i>	1888, 73		1885, 771
<i>eupompe</i>	1885, 757	<i>icne</i>	1885, 770
	1885, 770		1888, 73
<i>evagore</i>	1881, 177	<i>jamesi</i>	1885, 757
<i>evarne</i>	1885, 772		1885, 771
	1888, 75		1885, 772
	1888, 93	<i>jobina</i>	1888, 73
<i>evippe</i>	1884, 226	<i>kennedii</i>	1884, 440
<i>farrinus</i>	1882, 254		1885, 143
	1884, 511	<i>leo</i>	1884, 436
	1886, 373		1884, 445
	1886, 374		1888, 92
<i>fausta</i>	1886, 373		1888, 93
<i>faustina</i>	1884, 436	<i>liagore</i>	1881, 177

	Page		Page
Teracolus liagore	1884, 435	Teracolus phoenius	1884, 510
	1884, 441		1888, 74
	1885, 773	pholcè	1885, 770
limbatus	1884, 511	pleione	1884, 436
loandicus	1885, 771		1884, 488
maimuna	1885, 769		1884, 489
miles	1884, 490		1885, 768
	1885, 92		1885, 769
	1888, 93	præclarus	1885, 757
minans	1885, 771		1885, 769
miriam	1884, 436		1885, 776
	1884, 488	protomedia	1884, 490
	1884, 489		1885, 757
	1884, 490		1885, 768
	1885, 768		1888, 72
	1885, 769	protractus	1881, 609
modestus	1884, 440		1884, 508
mutans	1888, 92		1885, 767
niveus	1881, 177		1886, 372
	1881, 178	pseudacaste	1888, 74
	1881, 180		1888, 92
nouna.....	1884, 491		1888, 93
	1885, 757	pseudevanthe	1885, 144
	1885, 773		1885, 773
ocellatus	1885, 757	puellaris	1881, 608
	1885, 767		1883, 152
ochreipennis	1881, 609		1884, 438
	1883, 152		1884, 439
	1884, 438		1884, 509
	1884, 509	puniceus	1888, 72
odysseus	1884, 441	purus.....	1881, 609
	1884, 445		1881, 610
omphaloides	1885, 770		1882, 254
	1885, 771		1884, 510
	1888, 92		1886, 373
oriens.....	1884, 436		1886, 374
	1884, 437	rorus	1884, 438
peelus	1884, 439		1884, 439
	1884, 445		1884, 445
	1884, 509	sanguinalis	1884, 444
pernotatus	1884, 511	saxeus	1884, 441
	1885, 144		1884, 445
	1886, 373		1884, 491
	1886, 432	sipylus	1884, 444
phillipsi.....	1885, 757		1884, 445
	1885, 772	solaris	1881, 609
	1885, 776		1884, 437
	1888, 75		1884, 445
phisadia.....	1884, 434	subroseus	1884, 443
	1884, 439		1884, 445
	1884, 488		1884, 510
	1884, 492		1885, 770
	1885, 767	subvenosus	1884, 445
	1885, 768	suffusus.....	1885, 771
phlegetonia	1885, 771	swinhoei	1884, 491
phlegyas	1888, 73	taplini	1884, 444
phoenius.....	1884, 443		1884, 445
	1884, 509		1885, 144

	Page		Page
<i>Teracolus theologone</i>	1885, 770	<i>Teredo megotara</i>	1882, 683
<i>thruppii</i>	1885, 757		1883, 392
	1885, 771		1883, 394
	1885, 772	<i>norvegica</i>	1883, 392
	1885, 776	<i>Terekia cinerea</i>	1887, 587
<i>titea</i>	1885, 144		1889, 225
	1885, 773	<i>Terenura callinota</i>	1885, 118
<i>topha</i>	1888, 93	<i>Terias, sp.</i>	1884, 225
<i>tripunctata</i>	1884, 437	<i>asiope</i>	1881, 608
<i>venustus</i>	1888, 92		1882, 252
	1888, 94		1883, 150
<i>vestalis</i>	1881, 608		1883, 151
	1881, 609		1883, 369
	1883, 152		1884, 485
	1884, 434		1884, 508
	1884, 435		1885, 136
	1884, 438		1886, 371
	1884, 439		1886, 372
	1884, 509		1886, 430
	1885, 768	<i>albula</i>	1890, 558
<i>vi</i>	1884, 437	<i>amplexa</i>	1887, 523
	1884, 445		1888, 544
	1884, 488	<i>anemone</i>	1881, 864
<i>xanthevarne</i>	1888, 93		1881, 881
<i>xanthus</i>	1884, 440		1887, 409
	1884, 445	<i>apicalis</i>	1882, 253
<i>yerburii</i>	1884, 441		1882, 263
	1884, 445	<i>asphodelus</i>	1883, 151
	1884, 491		1883, 175
	1885, 771		1884, 508
<i>Teraspiza rhodogaster</i>	1885, 545		1885, 136
<i>Teratoscincus przewal-</i>			1886, 430
<i>skii</i>	1890, 77	<i>athalia</i>	1890, 558
<i>Terebra crenulata</i>	1887, 517	<i>bethesba</i>	1881, 864
<i>Terebratula caput-</i>			1881, 881
<i>serpentis</i>	1881, 948		1887, 401
	1882, 681		1887, 409
	1884, 142	<i>bisinuata</i>	1888, 71
<i>cranium</i>	1881, 948	<i>boisduvaliana</i>	1887, 572
	1882, 682		1888, 71
<i>emarginata</i>	1881, 948	<i>brenda</i>	1888, 71
<i>floridana</i>	1882, 682		1890, 465
<i>mediterranea</i>	1881, 948	<i>brigitta</i>	1884, 225
<i>septata</i>	1881, 949		1888, 70
	1882, 682	<i>candace</i>	1885, 539
	1884, 142	<i>chalcomiæta</i>	1884, 485
<i>sphenoïdea</i>	1881, 948		1888, 95
	1882, 682	<i>connexiva</i>	1881, 881
<i>spitzbergensis</i>	1881, 949		1887, 409
<i>subquadrata</i>	1881, 948	<i>curiosus</i>	1884, 508
<i>tenera</i>	1881, 948		1884, 529
<i>tuberata</i>	1881, 948	<i>delimbata</i>	1888, 71
	1882, 681	<i>desjardinsii</i>	1884, 225
	1884, 142		1887, 523
<i>vitrea</i>	1881, 948	<i>deva</i>	1884, 317
	1882, 682	<i>drona</i>	1882, 253
—, var. <i>minor</i>	1884, 142		1885, 135
<i>Teredo dorsalis</i>	1881, 947		1886, 430

	Page		Page
Terias elathea	1890, 558	Terias laratensis	1883, 366
excavata	1882, 252		1883, 369
	1883, 150		1883, 371
	1883, 151	lifuana	1883, 366
	1883, 366		1883, 369
	1883, 368	mana	1890, 558
	1885, 136	mandarina.....	1881, 864
	1886, 372		1881, 881
	1886, 430		1887, 409
fimbriata	1882, 253	mariesi	1881, 881
	1883, 151		1887, 409
	1886, 371	maroensis	1883, 366
	1886, 372		1883, 368
flavilla	1890, 557		1883, 371
floricola.....	1884, 225	moorei	1887, 523
hecabe	1881, 864	narcissus	1885, 136
	1881, 881		1886, 430
	1882, 252	nisella	1890, 557
	1883, 150	orientis	1888, 71
	1883, 151		1890, 465
	1884, 507	patruelis	1888, 545
	1884, 508	pulchella	1884, 225
	1885, 136	purreea	1882, 252
	1886, 372		1883, 151
	1886, 430		1884, 508
	1887, 401		1885, 136
	1887, 409		1886, 371
	1888, 95		1886, 372
hecabeoides	1881, 608	rahal	1886, 430
	1881, 881		1884, 225
	1883, 150		1885, 539
	1883, 151	regularis	1888, 71
	1884, 508	rotundularis	1886, 371
	1885, 136		1886, 372
	1886, 430	rubella	1882, 253
	1887, 409		1885, 136
	1887, 523		1886, 430
hobsoni	1887, 409	sari	1883, 368
hybrida	1881, 881	senegalen-is	1884, 225
	1886, 48		1887, 567
	1887, 409		1887, 572
irregularis.....	1882, 253		1888, 71
	1883, 151	sinensis	1881, 881
	1885, 136		1887, 409
	1886, 371	smilacina	1890, 557
jægeri	1881, 880	solifera	1888, 71
	1886, 372	suava.....	1886, 371
læta	1881, 608	subfervens.....	1887, 409
	1881, 881	vagans	1886, 372
	1884, 507	venata	1881, 881
	1885, 135		1884, 508
	1886, 372		1885, 135
	1886, 429		1886, 430
	1887, 401	zoe.....	1885, 757
	1887, 409		1885, 767
	1887, 409		1888, 71
—, var. jægeri . . .	1881, 864	Terillus porosus	1882, 54
	1881, 880	Terina euryanassa . . .	1887, 671
	1887, 409		

	Page		Page
<i>Terina latifascia</i>	1887, 671	<i>Tetragonoderus flavovit-</i>	
<i>niphanda</i>	1887, 671	<i>tatus</i>	1881, 470
<i>Terpsiphone affinis</i>	1881, 794		1881, 471
	1885, 408	<i>quadrum</i>	1881, 471
	1888, 270	<i>Tetragonops rhamphas-</i>	
<i>cristata</i>	1881, 577	<i>tinus</i>	1885, 116
	1888, 27	<i>Tetragonopterus fasciatus</i>	1887, 281
	1889, 360	<i>rutilus</i>	1887, 281
<i>ferreti</i>	1881, 577	<i>Tetralobus cribricollis</i> ..	1888, 86
	1889, 360	<i>dufouri</i>	1888, 86
<i>melanogastra</i>	1881, 577	<i>rotundifrons</i>	1888, 86
	1888, 27	<i>subsulcatus</i>	1888, 86
	1889, 361	<i>Tetrao albo-tetrix hybri-</i>	
<i>nigromitrata</i>	1887, 124	<i>du</i>	1886, 225
<i>perspicillata</i>	1881, 577	<i>griseiventris</i>	1884, 409
<i>rufiventris</i>	1881, 788	<i>lagopides</i>	1886, 233
<i>smitbii</i>	1881, 788	<i>lagopodi-tetricides</i> ..	1886, 233
<i>tricolor</i>	1881, 788	<i>lagopoides</i>	1886, 233
<i>Tesseratoma æthiops</i> ..	1890, 477	<i>mlokoziewiczzi</i>	1884, 409
<i>afzelii</i>	1890, 477	<i>scoticus</i>	1885, 66
<i>hornimani</i>	1890, 477	<i>tetrix</i>	1885, 3
<i>indicta</i>	1890, 477		1886, 224
<i>nemorivaga</i>	1890, 476		1886, 225
<i>Testudo elephantopus</i> ..	1884, 206		1886, 226
<i>europæa (orbicu-</i>			1886, 227
<i>laris)</i>	1887, 555		1886, 228
<i>fiskii</i>	1886, 540		1886, 231
	1886, 542		1886, 232
<i>geometrica</i>	1886, 540		1886, 233
	1886, 541		1886, 234
<i>horsfieldi</i>	1888, 251		1886, 235
<i>meleagris</i>	1887, 555		1886, 236
<i>semiserrata</i>	1886, 542		1886, 238
<i>smithii</i>	1886, 540		1886, 239
	1886, 542		1886, 240
<i>tentoria</i>	1886, 541		1886, 419
<i>trimeni</i>	1886, 540	<i>urogalloides</i>	1886, 235
	1886, 541	<i>urogallo-tetricides</i> ..	1886, 385
<i>verreauxii</i>	1886, 540	<i>urogallo-tetrix</i>	1886, 235
	1886, 541	<i>urogallus</i>	1882, 351
<i>Tethea retusa</i>	1889, 516		1886, 224
<i>Tethiopsamma</i>	1886, 583		1886, 232
<i>Tethiopsamminae</i>	1886, 583		1886, 233
<i>Tethyamatinae</i>	1886, 583		1886, 234
<i>Tethynæ</i>	1886, 583		1886, 239
<i>Tethyopsillidæ</i>	1886, 583	<i>Tetrapteryx paradisea</i> ..	1882, 353
<i>Tethyorrhaphinæ</i>	1886, 583		1890, 335
<i>Tetrabothrium macro-</i>			1890, 337
<i>cephalum</i>	1889, 324	<i>Tetraroge guentheri</i>	1889, 239
<i>torulosum</i>	1889, 324		1889, 246
<i>Tetraceros quadricornis</i> ..	1884, 2	<i>Tetratocera ericata</i>	1884, 324
	1884, 3	<i>Tetrodon hispidus</i>	1887, 667
	1884, 4	<i>liurus</i>	1890, 40
	1884, 5	<i>margaritatus</i>	1889, 242
<i>Tetracha violacea</i>	1887, 490	<i>palenbangensis</i> ..	1890, 40
<i>Tetragnatha extensa</i> ..	1890, 627	<i>porphyreus</i>	1887, 596
<i>taylori</i>	1890, 627	<i>stellatus</i>	1887, 667
	1890, 629	<i>valentini</i>	1889, 242

	Page		Page
<i>Tettigarcta crinita</i>	1883, 188	<i>Thalpochares rivula</i>	1885, 457
<i>tomentosa</i>	1883, 188	<i>rosea</i>	1886, 447
<i>Tetigonia spinosa</i>	1883, 193	<i>roseana</i>	1881, 370
<i>Tetyra comes</i>	1890, 474	<i>triangularis</i>	1886, 447
<i>ocellata</i>	1890, 474	<i>trifasciata</i>	1883, 309
<i>schedidii</i>	1890, 474	<i>uberosa</i>	1881, 370
<i>Teuthis albopunctata</i>	1887, 659	<i>Thalpothila abbreviata</i>	1881, 380
<i>javus</i>	1887, 659	<i>callopietrioides</i>	1885, 457
<i>oramini</i>	1887, 659	<i>cytherea</i>	1881, 474
<i>Textor dinemelli</i>	1882, 307	<i>digna</i>	1889, 475
<i>erythrorhynchus</i>	1889, 368	<i>indica</i>	1889, 475
<i>flavirostris</i>	1887, 194	<i>rubescens</i>	1881, 344
<i>Thais polyxena</i>	1888, 36	<i>texta</i>	1883, 344
1882, 633		<i>Thalurania hypochlora</i>	1883, 567
1885, 65		1884, 282	
1886, 2		1885, 121	
1887, 51		<i>nigrofasciata</i>	1882, 35
1888, 120		<i>tschudii</i>	1882, 35
1889, 86		<i>verticeps</i>	1885, 116
<i>Thala solida</i>	1890, 266	<i>wagleri</i>	1889, 326
<i>todilla</i>	1890, 266	1889, 327	
<i>Thalamita crenata</i>	1884, 10	<i>Thalysias subtriangu-</i>	
<i>Thalassiarche culminata</i>	1882, 548	<i>laris</i>	1881, 127
<i>Thalassidroma gracilis</i>	1881, 11	<i>Thamnistes æquatorialis</i>	1885, 116
<i>neréis</i>	1881, 735	<i>Thamnodrilus gulielmi</i>	1887, 154
1881, 736		1887, 155	
<i>segethi</i>	1881, 11	1887, 157	
<i>Thalassodes opalina</i>	1886, 390	<i>Thamnomanes glaucus</i>	1882, 30
1888, 227		<i>Thamnophilus affinis</i>	1883, 450
1888, 577		<i>albinuchalis</i>	1884, 282
<i>patara</i>	1888, 577	1885, 118	
<i>saturata</i>	1888, 227	1885, 122	
<i>timoclea</i>	1888, 227	<i>argentinus</i>	1882, 614
1888, 231		<i>atricapillus</i>	1882, 374
<i>Thalassoca glacialisoides</i>	1881, 11	<i>axillaris</i>	1885, 100
1883, 431		<i>berlepschi</i>	1885, 99
<i>tenuirostris</i>	1881, 11	<i>cærulescens</i>	1882, 614
<i>Thalatta albiorbis</i>	1883, 22	<i>cæsius</i>	1885, 120
<i>modesta</i>	1883, 22	<i>capitalis</i>	1885, 121
<i>præcedens</i>	1883, 22	<i>doliatus</i>	1883, 450
<i>Thalera abrupta</i>	1885, 855	<i>immaculatus</i>	1883, 564
1885, 886		<i>leachii</i>	1882, 614
<i>diatomata</i>	1884, 526	<i>loreyacuensis</i>	1882, 374
<i>thymiaria</i>	1881, 616	<i>luctuosus</i>	1882, 29
<i>Thalpochares adulans</i>	1889, 521	<i>major</i>	1882, 614
<i>albida</i>	1881, 370	<i>marinus</i>	1882, 29
<i>bifasciata</i>	1881, 371	<i>nævius</i>	1883, 564
<i>divisa</i>	1881, 370	<i>subandinus</i>	1882, 29
<i>flavida</i>	1881, 371	<i>tenuipunctatus</i>	1882, 29
<i>hippotes</i>	1890, 517	1885, 99	
<i>lagore</i>	1890, 517	<i>transandeanus</i>	1883, 564
<i>laronia</i>	1890, 516	1884, 282	
<i>parva</i>	1881, 369	<i>unicolor</i>	1884, 301
<i>parvula</i>	1881, 369		
<i>quadrilineata</i>	1881, 370		
1881, 380			
<i>rivula</i>	1881, 370		

	Page		Page
Thamnophilus unicolor .	1885,	121	
Thanaos djælælæ	1884,	493	
	1885,	757	
	1885,	775	
	1888,	81	
stigmata	1882,	262	
	1882,	407	
westermanni	1887,	573	
Thanatarctia infernalis .	1888,	617	
Tharsis romettensis . . .	1883,	93	
	1883,	115	
	1884,	148	
Thaumalea picta	1883,	598	
	1887,	503	
	1889,	135	
Thaumantis howqua . . .	1881,	868	
	1881,	903	
Thaumastura cora	1883,	425	
Thaumantias fluviatilis .	1882,	39	
Thaumatoëssa mirabilis .	1881,	828	
Thaumatopea cheela . . .	1883,	18	
	1883,	30	
pinivora	1883,	18	
Thecadactylus rapicauda .	1881,	237	
	1887,	153	
Thecidea mediterranea . .	1881,	949	
Thecla arata	1881,	849	
	1881,	854	
	1881,	865	
	1881,	885	
	1887,	401	
	1887,	412	
	1887,	413	
ataxas	1882,	247	
attilia	1881,	853	
	1881,	865	
	1881,	884	
	1881,	885	
	1887,	401	
	1887,	413	
aurorina	1881,	884	
	1887,	412	
avidiena	1881,	865	
	1881,	885	
betulæ	1882,	633	
betuloides	1881,	885	
birupa	1882,	247	
bitias	1890,	575	
butleri	1881,	849	
	1881,	853	
	1887,	399	
	1887,	401	
	1887,	414	
cærulea	1881,	865	
	1881,	885	
cærulescens	1881,	885	
cinniana	1890,	575	
diamantina	1881,	884	
Thecla doryasa	1890,	576	
echion	1890,	575	
enthea	1881,	849	
	1881,	865	
	1881,	886	
	1887,	401	
	1887,	414	
eretria	1881,	853	
	1881,	885	
fasciata	1881,	853	
	1881,	854	
	1881,	884	
	1887,	412	
fentoni	1887,	399	
	1887,	401	
	1887,	413	
ferrea	1881,	887	
flavo-maculata	1881,	884	
frivaldszkyi	1881,	887	
	1887,	401	
	1887,	414	
fusca	1881,	883	
	1887,	410	
grandis	1881,	865	
	1881,	885	
hemon	1890,	575	
ibara	1881,	849	
	1881,	852	
	1887,	399	
	1887,	401	
	1887,	413	
irus	1881,	887	
isocrates	1882,	250	
japonica	1881,	849	
	1881,	865	
	1881,	883	
	1881,	884	
	1887,	401	
	1887,	411	
	1887,	412	
jarbas	1882,	249	
jonasii	1881,	849	
lebena	1887,	572	
lutea	1881,	849	
marsyas	1890,	576	
mera	1881,	849	
	1881,	852	
	1881,	865	
	1881,	886	
	1887,	401	
	1887,	413	
micans	1881,	865	
	1881,	885	
michaelis	1887,	411	
nasaka	1882,	249	
nedymond	1883,	526	
nissa	1882,	250	
	1886,	370	

	Page		Page
Thecla odata	1881, 885	Thecla stygiana	1887, 413
	1882, 247	syla	1882, 247
onyx	1882, 247	taxila	1881, 883
orientalis	1881, 847		1881, 884
	1881, 849		1887, 411
	1881, 865		1887, 412
	1881, 884	togarna	1890, 575
	1887, 401	tyrianthina	1881, 854
	1887, 411		1881, 885
	1887, 412		1887, 401
orsedice	1881, 849		1887, 412
	1881, 852	vesulus	1890, 575
	1887, 401	w-album	1881, 865
	1887, 413		1881, 885
panava	1882, 247		1881, 886
pavana	1882, 247	Theلودerma leprosum	1888, 205
phyllodendri	1881, 865	Thelyphusa africana	1885, 238
	1881, 886	anchietae	1885, 238
pruni	1881, 865	aubryi	1885, 238
	1881, 886	bayoniana	1885, 238
prunoides	1881, 865	depressa	1885, 237
	1881, 886	—, var. johnstoni	1885, 237
quercus	1881, 853	difformis	1885, 237
	1881, 854	dubia	1885, 238
rama	1882, 252	emarginata	1885, 238
	1886, 364	goudoti	1885, 238
raphaelis	1887, 411	inflata	1885, 238
regina	1881, 849	limula	1885, 239
	1881, 853	madagascariensis	1885, 238
	1881, 854	perlata	1885, 237
	1887, 412		1885, 238
rubi	1881, 865	Theophila mandar-	
	1881, 886	inus	1888, 626
salona	1884, 317	Thera consimilis	1888, 326
saphir	1882, 402	juniperata	1888, 326
saphirina	1881, 865	Therapon jarbua	1887, 656
	1881, 884	Therates princeps	1889, 383
satyroides	1890, 575	punctipennis	1889, 383
setira	1881, 885	schaumi	1889, 383
signata	1887, 399	spectabilis	1889, 383
	1887, 401	whiteheadi	1889, 383
	1887, 412	Theretra equestris	1888, 534
smaragdina	1881, 863	Theridion simile	1881, 259
	1881, 865	Theriodesmus phylar-	
	1881, 883	chus	1889, 259
	1881, 884		1889, 261
	1887, 401		1889, 262
	1887, 411	Thermesia, sp.	1884, 229
	1887, 412	fusilinea	1884, 324
smaragdoides	1881, 884	gemmatalis	1884, 324
signata	1881, 854	reticulata	1885, 468
sorya	1882, 250	Theropsophus complan-	
spini	1881, 865	atus	1887, 490
	1881, 886	Thiacides postica	1884, 515
	1882, 633		1885, 302
stilbia	1890, 575		1885, 307
stygiana	1881, 886	Thilius major	1881, 213
	1887, 401		1881, 214

	Page		Page
<i>Thinocorus d'orbigny-</i>		<i>Thryophilus nigricapillus</i>	1885, 120
<i>anus</i>	1881, 644	<i>schotti</i>	1883, 540
	1886, 403		1885, 120
<i>rumicivorus</i>	1881, 644	<i>superciliaris</i>	1885, 117
	1883, 429		1885, 122
<i>Thirmida dimidiana</i> ...	1890, 498	<i>Thryothorus affinis</i> ...	1882, 431
	1890, 520		1882, 441
<i>superba</i>	1890, 498	<i>albinucha</i>	1883, 440
	1890, 520	<i>diversa</i>	1882, 432
<i>Thlattodus suchoides</i> ..	1890, 351		1882, 441
<i>Thomisus decipiens</i>	1883, 586	<i>euophrys</i>	1884, 285
	1884, 196		1885, 73
	1884, 197		1885, 120
	1884, 199	<i>maculipectus</i>	1883, 439
<i>dissimilis</i>	1884, 197	<i>margaritifera</i>	1882, 431
<i>tuberosus</i>	1883, 586		1882, 764
	1884, 197		1882, 765
	1884, 200	<i>mesoleucus</i>	1889, 395
<i>Thomomys talpoides</i> ..	1882, 372	<i>mystacalis</i>	1883, 540
<i>Thosea læsa</i>	1889, 408		1884, 285
<i>rara</i>	1889, 408	<i>paucimaculatus</i> ...	1883, 537
	1889, 432		1883, 540
<i>Thracia brazieri</i>	1883, 465		1885, 120
<i>convexa</i>	1881, 935	<i>petenicus</i>	1883, 440
<i>corbuloïdea</i>	1881, 934	<i>pulcherrima</i>	1882, 764
	1881, 936		1882, 768
<i>curta</i>	1881, 935	<i>rufescens</i>	1889, 326
<i>distorta</i>	1881, 702	<i>sclateri</i>	1885, 120
<i>hiatelloides</i>	1881, 935	<i>Thwaitesia margari-</i>	
<i>inflata</i>	1881, 936	<i>tifera</i>	1881, 765
<i>jacksonensis</i>	1883, 30		1881, 766
	1883, 32		1881, 775
	1883, 465	<i>Thyas honesta</i>	1883, 370
<i>maravignæ</i>	1881, 936	<i>Thyatira albicosta</i> ...	1881, 330
<i>meneghiniana</i>	1881, 936	<i>aurorina</i>	1888, 651
<i>papyracea</i>	1881, 935	<i>batis</i>	1881, 328
<i>phaseolina</i>	1881, 934		1885, 66
<i>pholadomyoides</i> ..	1881, 934		1888, 299
<i>prætenuis</i>	1881, 935		1888, 406
<i>pubescens</i>	1881, 934		1888, 651
	1881, 935	<i>cognata</i>	1888, 299
<i>subtilissima</i>	1881, 936		1888, 406
<i>trigona</i>	1881, 935	<i>decorata</i>	1881, 328
	1882, 577		1881, 379
<i>zanclea</i>	1881, 934	<i>flavida</i>	1888, 651
<i>Thria fugitiva</i>	1881, 619	<i>möllendorfi</i>	1888, 651
<i>inepta</i>	1881, 620	<i>pryeri</i>	1888, 651
<i>robusta</i>	1881, 620	<i>pudens</i>	1888, 651
<i>Thripadectes virgaticeps</i>	1885, 116	<i>repugnans</i>	1881, 328
<i>Thriponax hargitti</i>	1889, 226	<i>trimaculata</i>	1888, 651
<i>javensis</i>	1881, 792	<i>vicina</i>	1888, 299
<i>kalinowskii</i>	1887, 607	<i>violacea</i>	1888, 651
	1888, 467	<i>Thylacinus cynocephalus</i>	1883, 252
<i>Thripophaga fusciceps</i> ..	1889, 23		1884, 561
<i>Thrylæa</i>	1887, 98	<i>harrisii</i>	1890, 21
<i>variabilis</i>	1887, 99	<i>Thymele benjamini</i>	1882, 261
<i>Thryophilus albipectus</i> .	1885, 117	<i>catillus</i>	1890, 576
<i>nigricapillus</i>	1883, 540	<i>proteus</i>	1884, 318

	Page		Page
<i>Thymeles santiago</i>	1884,	<i>Timelia nigricollis</i>	1888, 275
<i>Thynnus pelamys</i>	1887,	<i>Timetes chiron</i>	1890, 565
<i>thunnina</i>	1887,	<i>norica</i>	1890, 565
<i>thynnus</i>	1887,	<i>Tinamotis pentlandi</i>	1886, 396
<i>Thyone cunninghami</i> ..	1883,		1886, 404
	1883,	<i>Tinamus kleei</i>	1882,
<i>fusus</i>	1884,		3
<i>meridionalis</i>	1883,	<i>Tinea glabrella</i>	1881,
	1883,	<i>noctuella</i>	1888,
<i>okeni</i>	1884,	<i>pulchella</i>	1881,
<i>sacellus</i>	1883,		1883,
	1888,		1884,
	1889,		1885,
	1889,		1886,
<i>Thyrgorina, sp.</i>	1886,		1888,
<i>spilosomata</i>	1888,	<i>rosella</i>	1881,
<i>Thyridia ceto</i>	1890,	<i>sacerdos</i>	1885,
<i>Thyridiphora fenestrata</i> .	1888,	<i>spilotella</i>	1881,
<i>Thyridopteryx ephemeriformis</i>	1887,	<i>subochraceella</i>	1886,
	53		1886,
<i>Thyridospila sphaeriphora</i>	1889,	<i>swinhoei</i>	1884,
<i>suffusa</i>	1884,	<i>tapetzella</i>	1884,
<i>virgata</i>	1889,	<i>vastella</i>	1885,
<i>Thyris fenestrella</i>	1888,	<i>Tingra, sp.</i>	1890,
<i>usitata</i>	1888,	<i>abraxas</i>	1888,
<i>Tibicen burkei</i>	1882,	<i>acraea</i>	1888,
	1882,	<i>nylothrina</i>	1888,
<i>gilmorei</i>	1882,	<i>sanguinea</i>	1888,
	1882,	<i>tropicalis</i>	1888,
<i>gregoryi</i>	1882,	<i>Tinnunculus alaudarius</i> .	1881,
	1882,		1888,
<i>interrupta</i>	1882,		1889,
<i>lifuana</i>	1883,	<i>alopex</i>	1888,
<i>muelleri</i>	1882,	<i>caribbaearum</i>	1889,
	1882,	<i>cinnamominus</i>	1882,
	1882,		1883,
	1882,	<i>japonicus</i>	1888,
<i>willsi</i>	1882,	<i>moluccensis</i>	1882,
	1882,		1883,
<i>Ticherra acte</i>	1887,		1883,
	1887,		1883,
	1887,		1884,
	1887,		1885,
<i>Tiga everetti</i>	1889,	<i>punctatus</i>	1886,
<i>javanensis</i>	1881,	<i>sparverius</i>	1881,
	1885,		1882,
<i>Tigrisoma brasiliense</i> ..	1882,		1883,
	1885,		1883,
<i>salmoni</i>	1882,		1883,
	1883,	<i>tinnunculus</i>	1888,
	1885,	<i>Tinolius eburneigutta</i> ..	1889,
<i>Tiliqua aenea</i>	1881,	<i>hypšana</i>	1889,
<i>chinensis</i>	1881,	<i>Tinthia constricta</i>	1888,
<i>Timalia platyura</i>	1881,	<i>editha</i>	1888,
	1881,	<i>Tiphobia horei</i>	1881,
<i>Timandra diatomaria</i> ..	1885,		1881,
	1886,	<i>Tipula oleracea</i>	1887,
<i>Timarchia tenebricosa</i> ..	1885,		1887,
<i>Timelia maculata</i>	1885,	<i>Tiracola plagiata</i>	1881,
<i>nigricollis</i>	1885,	<i>spectabilis</i>	1881,

	Page		Page
<i>Tiridata colligata</i>	1889,	<i>Tityra semifasciata</i>	1882, 23
<i>Tirumala angustata</i>	1883,		1882, 374
<i>choaspes</i>	1883,	<i>Tityus chinchoxensis</i> ..	1890, 132
<i>claribella</i>	1883,	<i>lineatus</i>	1890, 118
<i>conjuncta</i>	1883,	<i>Tmesisternus glaucus</i> ..	1884, 218
	1883,	<i>Tmetoceros abyssinicus</i> .	1881, 591
	1883,	<i>Toccus fasciatus</i>	1888, 41
<i>gautama</i>	1883,	<i>melanoleucus</i>	1881, 591
	1883,		1885, 224
<i>hamata</i>	1883,		1890, 401
<i>ino</i>	1883,	<i>Todirostrum cinereum</i> .	1882, 18
<i>ishmoides</i>	1883,		1883, 423
	1883,		1883, 553
<i>leucoptera</i>	1883,		1885, 68
<i>limniace</i>	1881,		1885, 89
	1882,		1885, 117
	1883,	<i>ruficeps</i>	1885, 117
	1883,	<i>rufigene</i>	1884, 295
	1883,	<i>sclateri</i>	1883, 537
	1884,		1883, 553
	1885,		1885, 68
	1886,		1885, 88
<i>melissa</i>	1883,		1885, 117
	1883,		1885, 122
	1883,	<i>Todus dominicensis</i>	1882, 443
	1883,		1882, 445
<i>melittula</i>	1883,		1882, 446
	1883,		1882, 447
<i>microsticta</i>	1883,	<i>viridis</i>	1882, 442
<i>moderata</i>	1883,		1882, 445
<i>neptunia</i>	1883,		1882, 446
<i>obscurata</i>	1883,	<i>Tolypeutes tricinctus</i> ..	1882, 360
<i>orientalis</i>	1883,	<i>Tomatina recta</i>	1890, 253
	1883,		1890, 297
	1883,	<i>Torellia delicata</i>	1885, 47
<i>petiverana</i>	1883,		1885, 63
	1888,	<i>vestita</i>	1885, 46
	1890,	<i>Tornatellina antillarum</i> .	1883, 595
	1890,	<i>bacillaris</i>	1887, 187
<i>septentrionis</i>	1882,	<i>bilamellata</i>	1884, 280
	1883,	<i>columellaris</i>	1887, 188
	1883,	<i>conica</i>	1887, 187
	1883,	<i>nitida</i>	1887, 188
	1883,	<i>oblonga</i>	1887, 187
	1883,	<i>perforata</i>	1887, 188
<i>Tiruna ochsenheimeri</i> ..	1883,	<i>perplexa</i>	1887, 188
	1883,	<i>trochiformis</i>	1884, 280
	1883,	(<i>Leptinaria</i>) <i>lamel-</i>	
	1883,	<i>lata</i>	1883, 595
	1883,	<i>Torpedo fairchildi</i>	1889, 321
	1883,	<i>marmorata</i>	1889, 243
<i>Tithorea bonplandii</i>	1883,		1890, 685
<i>pseudethra</i>	1890,	<i>narce</i>	1890, 681
<i>Tityra albitorques</i>	1882,		1890, 685
	1883,	<i>Torresia australis</i>	1889, 158
	1883,	<i>Tortrix mundana</i>	1888, 605
<i>brasiliensis</i>	1888,	<i>prasinana</i>	1888, 606
<i>fraseri</i>	1883,	<i>subsequana</i>	1885, 882
<i>personata</i>	1883,		
	1885,		

	Page		Page
<i>Tortrix subsequana</i>	1886, 463	<i>Trabala vishnu</i>	1886, 440
<i>undulana</i>	1888, 607		1888, 298
<i>Totanus brevipes</i>	1887, 586	<i>Trachea atriplicis</i>	1881, 356
	1889, 225		1889, 510
<i>calidris</i>	1881, 642	<i>auriplena</i>	1888, 308
	1885, 561	<i>piniperda</i>	1889, 511
	1887, 587	<i>Trachinus draco</i>	1888, 359
	1888, 457		1888, 360
	1889, 225		1888, 361
<i>canescens</i>	1881, 174		1888, 362
	1881, 600		1888, 365
<i>flavipes</i>	1886, 404	<i>vipera</i>	1888, 359
<i>fuscus</i>	1887, 587		1888, 361
<i>glareola</i>	1881, 953		1888, 364
	1881, 956		1888, 365
	1885, 561		1888, 366
	1885, 665	<i>Trachurus trachurus</i> ..	1881, 20
	1888, 457	<i>Trachycomus ochro-</i>	
	1889, 225	<i>cephalus</i>	1888, 272
<i>glottis</i>	1887, 581	<i>Trachyderma horridum</i> .	1890, 235
	1888, 457	<i>Trachydosaurus rugosus</i>	1888, 100
<i>incanus</i>	1883, 52		1888, 102
	1883, 200	<i>Trachydromus amur-</i>	
	1884, 433	<i>ensis</i>	1890, 79
	1885, 417	<i>Trachynotus baillonii</i> ..	1887, 661
	1885, 665	<i>coppingeri</i>	1888, 260
	1886, 79	<i>oblongus</i>	1887, 661
	1887, 586	<i>russelli</i>	1888, 260
<i>melanoleucus</i>	1886, 404	<i>Trachyosaurus rugosus</i> .	1888, 421
<i>ochropus</i>	1888, 457	<i>Trachyphonus arnaudi</i> .	1889, 357
<i>pulverulentus</i>	1887, 586	<i>boehmi</i>	1889, 357
<i>Toxicum gazella</i>	1884, 216	<i>cafer</i>	1881, 592
<i>quadriflorum</i>	1884, 216	<i>erythrocephalus</i> ..	1889, 357
<i>Toxocampa</i> , sp.	1884, 229	<i>margaritatus</i>	1889, 357
<i>enormis</i>	1889, 543	<i>purpuratus</i>	1884, 476
<i>lilacina</i>	1886, 381	<i>squamiceps</i>	1889, 357
	1889, 543	<i>Trachystoma multidentis</i> .	1887, 614
<i>limosa</i>	1889, 544	<i>Trachytedania spinata</i> .	1881, 122
<i>lunifera</i>	1888, 575		1881, 131
<i>maxima</i>	1889, 543		1881, 140
<i>moola</i>	1885, 459	<i>Tragelaphus decula</i>	1889, 220
	1885, 476	<i>euryceros</i>	1883, 35
<i>orientalis</i>	1886, 381	<i>gratus</i>	1883, 35
<i>recta</i>	1889, 543		1883, 36
<i>salax</i>	1884, 229		1885, 717
<i>vulcana</i>	1889, 543		1889, 220
<i>Toxopneustes brevispi-</i>		<i>scriptus</i>	1881, 752
<i>nosus</i>	1881, 413	<i>spekii</i>	1881, 753
<i>drobachiensis</i>	1881, 414		1881, 761
<i>lividus</i>	1881, 413		1883, 34
<i>pileolus</i>	1887, 140		1883, 35
	1888, 388		1883, 36
(<i>Strongylocentrotus</i>			1883, 37
<i>drobachiensis</i> ..	1881, 412		1890, 590
<i>Trabala cristata</i>	1888, 628	<i>sylvaticus</i>	1881, 752
<i>rosa</i>	1887, 678		1885, 218
<i>vishnu</i>	1885, 305		1890, 655
	1886, 386		

	Page		Page
<i>Tragocephala nobilis</i> ..	1890,	489	
<i>opulenta</i>	1890,	489	
<i>Tragops prasinus</i>	1881,	215	
<i>Tragulus javanicus</i>	1889,	223	
<i>kanchil</i>	1886,	72	
	1886,	79	
<i>napu</i>	1886,	71	
<i>Tralia adamsiana</i>	1887,	288	
<i>alba</i>	1887,	290	
<i>costata</i>	1887,	290	
<i>melanostoma</i>	1887,	290	
(<i>Pira</i>) <i>fasciata</i>	1887,	285	
<i>Trapelus flavimaculatus</i>	1881,	672	
	1881,	673	
	1881,	674	
<i>megalonyx</i>	1881,	676	
<i>rubrigularis</i>	1881,	676	
<i>ruderatus</i>	1881,	673	
	1881,	676	
<i>savignii</i>	1881,	676	
<i>Trapezia areolata</i>	1884,	11	
<i>ferruginea</i>	1884,	10	
<i>flavopunctata</i>	1884,	10	
	1884,	11	
	1884,	12	
<i>latifrons</i>	1884,	12	
<i>Trapezidera ænea</i>	1887,	361	
<i>longicollis</i>	1887,	361	
<i>Trepsichrois alea</i>	1883,	291	
<i>basilissa</i>	1883,	287	
<i>claudia</i>	1883,	208	
	1883,	286	
	1883,	287	
	1883,	288	
	1883,	288	
<i>diocletia</i>	1883,	208	
	1883,	209	
	1883,	210	
	1883,	210	
	1883,	211	
	1883,	212	
	1883,	212	
	1883,	255	
	1883,	286	
	1883,	287	
	1883,	323	
<i>midamus</i>	1883,	286	
<i>mindanoensis</i>	1883,	288	
<i>mulciber</i>	1883,	210	
	1883,	211	
	1883,	287	
	1883,	287	
<i>thoosa</i>	1883,	296	
<i>tisiphone</i>	1883,	288	
<i>verhuelli</i>	1883,	287	
<i>visaya</i>	1883,	288	
<i>Treron calvus</i>	1888,	45	
<i>Treron delalandii</i>	1881,	595	
<i>fulvicollis</i>	1881,	799	
<i>maxima</i>	1881,	333	
<i>nasica</i>	1889,	226	
<i>nudirostris</i>	1888,	45	
	1889,	369	
<i>olax</i>	1885,	416	
<i>tridens</i>	1881,	333	
<i>vernans</i>	1881,	799	
	1885,	416	
	1889,	225	
<i>viridis</i>	1885,	509	
<i>waalia</i>	1881,	956	
<i>wakefieldi</i>	1881,	595	
	1885,	229	
	1889,	369	
<i>wlalia</i>	1881,	173	
<i>Triacanthus strigilifer</i> ..	1887,	666	
<i>Triana anædina</i>	1889,	476	
<i>denticulata</i>	1888,	408	
<i>Triboniophorus graeffei</i> ..	1884,	272	
	1884,	273	
<i>krefftii</i>	1884,	273	
	1884,	274	
	1884,	274	
<i>schüttelei</i>	1884,	273	
<i>Tribonyx mortieri</i>	1890,	337	
<i>Trichaster elegans</i>	1888,	388	
<i>Trichina spiralis</i>	1882,	571	
	1882,	573	
	1882,	574	
<i>Trichiosoma lucorum</i> ..	1887,	256	
	1887,	269	
<i>Trichiurus baumela</i> ...	1889,	239	
<i>Trichius succinctus</i>	1888,	378	
<i>Trichixus pyrhopygæ</i> ..	1887,	432	
<i>Trichoglossus cyano-</i>			
<i>grammus</i>	1885,	622	
<i>forsteni</i>	1885,	502	
<i>massena</i>	1882,	408	
	1887,	330	
	1888,	187	
	1888,	191	
<i>meyeri</i>	1885,	544	
<i>nigrigularis</i>	1885,	623	
<i>ornatus</i>	1885,	544	
<i>palmarum</i>	1881,	452	
<i>rosenbergi</i>	1885,	623	
<i>rubrigularis</i>	1881,	451	
<i>rufigularis</i>	1881,	451	
<i>Tricholæma lachrymosa</i> ..	1888,	42	
<i>stigmatothorax</i> ...	1889,	357	
<i>Tricholais elegans</i>	1888,	22	
<i>Tricholestes criniger</i> ..	1881,	797	
<i>minutus</i>	1881,	797	
<i>Trichomycterus kneri</i> ..	1887,	278	
<i>Trichophorus tephro-</i>			
<i>læmus</i>	1887,	124	
<i>Trichopleon ramosum</i> ..	1886,	106	

	Page		Page
Trichostoma celebense ..	1885, 552	Trigonella subtruncata .	1881, 923
Trichothraupis quadri-		Trigonocephalus blom-	
color	1882, 14	hoffi	1884, 475
	1882, 597		1887, 594
Trichotropis borealis ..	1885, 47	Trigonodes acutata	1884, 493
densistriata	1885, 48		1888, 85
	1885, 63	anfractuosa	1884, 499
fimbriata	1885, 48	cephise	1888, 225
	1885, 63	compar	1886, 382
inermis	1885, 47	disjuncta	1885, 467
(Iphinoë) inflata ..	1885, 47	gammoides	1886, 381
Trichulis pubescens	1883, 80		1888, 313
Trichura aliararia	1890, 494	hyppasia	1881, 620
	1890, 520		1884, 521
aurifera	1883, 380		1885, 467
esmeralda	1883, 380		1886, 382
hadassa	1883, 379		1886, 451
Trichys guentheri	1889, 235	Trigonophora albosig-	
lipura	1889, 75	nata	1881, 355
	1889, 76	empyrea	1881, 355
	1889, 235	Trigonosoma subfascia-	
	1889, 236	tum	1890, 474
Tricondyla beccarii	1889, 383	Trilocha ianthe	1887, 683
Trielis anthracina	1883, 345	varians	1885, 302
Triforis adversa	1885, 58		1886, 440
aspera	1885, 58	Trimeresurus erythrurus	1881, 216
	1885, 63		1887, 639
atlantica	1890, 252	formosus	1890, 33
	1890, 292		1890, 36
	1890, 315	gramineus	1881, 216
bathyraphe	1890, 252		1887, 433
	1890, 292		1890, 33
	1890, 316	maculatus	1881, 224
macandræ	1885, 52	purpureomaculatus	1890, 36
melanura	1890, 252	wagleri	1881, 216
	1890, 291		1881, 224
	1890, 292		1890, 36
nivea	1885, 52	Tringa acuminata	1885, 664
perversa	1885, 57		1888, 457
	1885, 58	albescens	1885, 417
	1885, 59		1885, 576
	1890, 248	bairdi	1886, 404
	1890, 252	canutus	1881, 644
	1890, 291	cinclus	1881, 644
	1890, 292		1887, 586
recta	1890, 252		1887, 610
	1890, 292		1888, 468
	1890, 316	crassirostris	1887, 586
Trigaster lankesteri	1890, 59	dorsalis	1883, 42
Trigla arabica	1887, 663	fuscicollis	1881, 16
	1889, 245		1883, 42
	1889, 246	maculata	1886, 404
capensis	1889, 236	minuta	1887, 610
	1889, 240		1888, 468
hemisticta	1887, 663	minutilla	1883, 429
polysticta	1889, 245	ruficollis	1887, 586
	1889, 246		1889, 225
Triglops murrayi	1889, 27	subarquata	1886, 336

	Page		Page
<i>Tringa subminuta</i>	1888, 457	<i>Triplax vittipennis</i>	1889, 614
	1889, 225		1889, 620
<i>wilsoni</i>	1883, 429	<i>Triplogenius ingens</i>	1888, 370
<i>Tringoides hypoleucus</i> ..	1881, 174	<i>Tripneustes gratilla</i>	1888, 388
	1881, 800	<i>ventricosus</i>	1881, 413
	1881, 956	<i>Triprion petasatus</i>	1881, 922
	1882, 374	<i>spatulatus</i>	1886, 413
	1885, 417	<i>Triptera columella</i>	1890, 254
	1885, 420	<i>Triptogon complacens</i> ..	1888, 586
	1885, 560	<i>dissimilis</i>	1888, 586
	1885, 664	<i>gigas</i>	1888, 585
	1887, 586		1888, 586
	1888, 528	<i>piceipennis</i>	1888, 585
	1889, 225		1888, 586
<i>macularius</i>	1882, 49	<i>roseipennis</i>	1888, 586
	1883, 429	<i>sperchius</i>	1888, 585
	1885, 124	<i>Tristichopterus alatus</i> ..	1887, 26
<i>Trionyx cartilagineus</i> ..	1890, 33	<i>Trisula andreas</i>	1888, 642
<i>ephippium</i>	1890, 33	<i>variegata</i>	1885, 305
<i>jeudi</i>	1890, 33		1885, 307
<i>phayrii</i>	1890, 33		1886, 440
<i>Triphæna jankowskii</i> ..	1889, 502	<i>Tristuloides catocalina</i> ..	1883, 17
<i>nectens</i>	1885, 461	<i>sericea</i>	1883, 17
<i>semiherbida</i>	1883, 160	<i>Trithemis aurora</i>	1886, 327
	1889, 502		1886, 329
<i>Triphænopis cineras-</i>		<i>festiva</i>	1886, 327
<i>cens</i>	1889, 502	<i>intermedia</i>	1886, 327
<i>efflorescens</i>	1889, 502		1886, 329
<i>lucilla</i>	1889, 502	<i>rubrinervis</i>	1886, 327
<i>Triphysa albovenosa</i> ..	1881, 869	<i>Triton alpestris</i>	1884, 422
	1881, 909		1884, 423
<i>nervosa</i>	1881, 869	<i>americanum</i>	1890, 268
	1881, 909	<i>aquatilis</i>	1890, 267
<i>phryne</i>	1881, 909		1890, 268
<i>Triplatoma andaman-</i>		<i>cancellatum</i>	1881, 31
<i>ensis</i>	1883, 75	<i>chlorostoma</i>	1887, 517
	1883, 79	<i>cristatus</i>	1884, 423
	1883, 87		1888, 507
<i>attenuata</i>	1883, 79	— <i>karelinii</i>	1884, 422
<i>brahminica</i>	1883, 75	— <i>longipes</i>	1884, 422
	1883, 80		1884, 423
	1883, 81	<i>ensicauda</i>	1887, 150
<i>cypræa</i>	1883, 80	<i>martinianum</i>	1890, 268
	1889, 614	<i>olearium</i>	1890, 248
<i>gestroi</i>	1883, 75		1890, 251
	1883, 80		1890, 267
	1883, 87		1890, 268
	1889, 613	<i>pilearis</i>	1890, 268
<i>philippinensis</i>	1883, 75	<i>ranelliformis</i>	1881, 31
	1883, 79	<i>seguenzæ</i>	1890, 267
	1883, 87	<i>subcristatus</i>	1887, 150
<i>picta</i>	1883, 80	<i>tritoni</i>	1890, 251
<i>sexnotata</i>	1883, 79		1890, 267
<i>siva</i>	1883, 75	<i>turtoni</i>	1890, 251
	1883, 80		1890, 268
<i>varia</i>	1889, 613		1890, 315
	1889, 620	<i>vulgaris</i>	1884, 423

	Page		Page
<i>Triton vulgaris meridionalis</i>	1884, 422	<i>Trochomorpha transarata</i> ,	
	1884, 423	var. <i>depresso-striata</i>	1887, 176
<i>Tritonium turrutum</i>	1883, 395	<i>tumululus</i>	1887, 174
<i>viridulum</i>	1885, 48	<i>Trochonanina barkasi</i> ..	1887, 172
<i>Trochalopterum melano-</i>		<i>calculosa</i>	1887, 172
<i>stigma</i>	1887, 436	<i>microconus</i>	1887, 172
<i>peninsulae</i>	1887, 436	<i>samoensis</i>	1887, 171
<i>Trochalus pilula</i>	1884, 404	<i>Trochus adansonii</i>	1883, 102
<i>Trochatella pileolus</i>	1881, 32	<i>adriaticus</i>	1883, 102
<i>Trochilus apiforme</i>	1882, 548	<i>affinis</i>	1883, 97
<i>eurytion</i>	1888, 590		1883, 98
<i>melanocephalum</i> ..	1882, 548	<i>agathensis</i>	1883, 103
<i>phorcus</i>	1888, 590	<i>alabastrum</i>	1881, 34
<i>Trochilus alexandri</i>	1885, 887	<i>albidus</i>	1883, 102
	1885, 890	<i>amabilis</i>	1883, 97
	1885, 902	<i>angulatus</i>	1883, 102
	1885, 908	<i>biangulatus</i>	1883, 104
	1885, 912	<i>biasoletti</i>	1883, 102
	1885, 915	<i>bicarinatus</i>	1881, 34
	1886, 501	<i>bilabiatus</i>	1883, 108
	1886, 502	<i>cancellatus</i>	1883, 96
<i>colubris</i>	1883, 451		1883, 115
<i>mirabilis</i>	1881, 827	<i>carinatus</i>	1883, 108
<i>pella</i>	1885, 901	<i>cinctus</i>	1883, 97
	1885, 902	—, var. <i>affinis</i> ..	1883, 115
<i>Trochita (Clypeola) cor-</i>		<i>cinerarius</i>	1883, 100
<i>rugata</i>	1881, 32		1883, 101
<i>Trochocercus, sp.</i>	1887, 124	<i>cinerascens</i>	1883, 102
<i>cyanomelas</i>	1882, 302	<i>cinereus</i>	1883, 96
<i>nitens</i>	1887, 124		1883, 97
<i>Trochochlea monocingu-</i>		<i>cineroides</i>	1883, 101
<i>lata</i>	1885, 42	<i>clathratus</i>	1883, 105
<i>Trochomorpha abrochroa</i>	1887, 174	<i>colybiei</i>	1883, 102
—, var. <i>pseudo-</i>		<i>conulus</i>	1883, 107
<i>planorbis</i>	1887, 174	<i>crassus</i>	1883, 100
<i>accurata</i>	1887, 176	<i>crenulatus</i>	1883, 105
<i>corallina</i>	1887, 176	<i>crispus</i>	1885, 44
<i>fessonina</i>	1887, 175	<i>cyrnaeus</i>	1883, 104
	1887, 176	<i>delicatus</i>	1883, 101
<i>godeti</i>	1889, 578		1883, 115
	1889, 582	<i>ditropis</i>	1883, 104
<i>kantavuensis</i>	1887, 177	<i>divaricatus</i>	1883, 103
<i>ludersi</i>	1887, 174		1883, 109
	1887, 177	<i>drepanensis</i>	1883, 102
<i>metcalfi</i>	1887, 178	<i>duminyi</i>	1883, 95
<i>merzianoides</i>	1887, 173	<i>elegans</i>	1883, 105
	1887, 175	<i>erythroleucus</i> ..	1883, 105
<i>planconus</i>	1887, 175	<i>euspira</i>	1883, 98
<i>planorbis</i>	1887, 178		1883, 115
<i>subtrochiformis</i> ..	1887, 177	<i>exspiratus</i>	1883, 105
<i>swainsonii</i>	1887, 178		1884, 148
<i>taviuniensis</i>	1887, 174	<i>exiguus</i>	1883, 105
<i>themis</i>	1887, 177	<i>fabricii</i>	1883, 97
<i>transarata</i>	1887, 175	<i>fanulum</i>	1883, 101
	1887, 176	<i>filosus</i>	1883, 108
—, var. <i>depresso-</i>		<i>folini</i>	1883, 99
<i>striata</i>	1887, 175	<i>formosus</i>	1883, 107
		<i>fragilis</i>	1883, 106

	Page		Page
<i>Trochus fraterculus</i>	1883, 105	<i>Trochus pileus</i>	1881, 32
<i>fulgidus</i>	1883, 95	<i>pseudoperspectivus</i>	1885, 38
	1883, 115	<i>punctulatus</i>	1883, 105
<i>fuscus</i>	1883, 102	<i>pyramidatus</i>	1883, 105
<i>gemmaulatus</i>	1883, 105	<i>racketti</i>	1883, 102
	1883, 114	<i>rarilineatus</i>	1883, 103
<i>gibbosulus</i>	1883, 102	<i>richardi</i>	1883, 100
<i>glabratus</i>	1883, 108	<i>roissyi</i>	1883, 101
<i>granatelli</i>	1883, 96	<i>ruscirianus</i>	1883, 105
<i>granulatus</i>	1883, 106	<i>sauleyi</i>	1883, 102
<i>gravesi</i>	1883, 105	<i>scabrosus</i>	1883, 105
<i>groenlandicus</i>	1883, 90	<i>spratti</i>	1883, 102
	1883, 97	<i>striatus</i>	1883, 96
<i>guttadauri</i>	1883, 104		1883, 104
<i>horridus</i>	1883, 108		1883, 105
<i>inflatus</i>	1883, 97	<i>strigosus</i>	1883, 105
<i>laevigatus</i>	1883, 107	<i>suturalis</i>	1883, 99
<i>laminarum</i>	1883, 95		1884, 148
	1883, 115	<i>tenuis</i>	1883, 106
<i>leachii</i>	1883, 96	<i>tessellatus</i>	1883, 100
<i>leucophæus</i>	1883, 102	<i>tessulatus</i>	1883, 100
	1884, 148	<i>tricarifer</i>	1883, 103
<i>lineatus</i>	1883, 99	<i>tumidulus</i>	1883, 104
	1883, 100	<i>tumidus</i>	1883, 102
	1883, 101	<i>turbinatus</i>	1883, 100
<i>littoralis</i>	1883, 105	<i>turbinoides</i>	1883, 102
<i>luctuosus</i>	1881, 34	<i>turgidulus</i>	1883, 104
<i>lyciacus</i>	1883, 102	<i>umbilicalis</i>	1883, 103
<i>magnus</i>	1883, 100	<i>umbilicaris</i>	1883, 103
<i>matonii</i>	1883, 105	<i>umbilicatus</i>	1883, 102
<i>merula</i>	1883, 93	<i>unidentatus</i>	1883, 105
	1883, 99	<i>vallanti</i>	1883, 98
<i>miliaris</i>	1883, 105	<i>varius</i>	1883, 101
	1883, 106	<i>villicus</i>	1883, 101
	1884, 149	<i>wiseri</i>	1883, 105
<i>millegranus</i>	1883, 105		1884, 148
	1883, 106	<i>zizyphinus</i>	1883, 106
<i>minutulus</i>	1883, 95		1883, 107
	1883, 115		1884, 149
<i>montacuti</i>	1883, 104	(<i>Chlorostoma</i>) <i>ater</i>	1881, 34
<i>montagui</i>	1883, 104	(<i>Cynisca</i>) <i>granulo-</i>	
<i>multigranus</i>	1883, 106	<i>sus</i>	1890, 311
<i>mutabilis</i>	1883, 100	(<i>Gibbula</i>) <i>musivus</i>	1890, 311
<i>nassariensis</i>	1883, 102	(—) <i>ponson-</i>	
<i>obliquatus</i>	1883, 103	<i>byi</i>	1888, 209
<i>oblique radiatus</i>	1883, 103		1888, 213
<i>obscurus</i>	1883, 97	(<i>Margarita</i>) <i>ægleis</i>	1883, 98
<i>occidentalis</i>	1883, 107	(—) <i>rhysus</i>	1883, 98
<i>olivaceus</i>	1883, 102	(<i>Photinula</i>) <i>cæru-</i>	
<i>ottoi</i>	1883, 98	<i>lescens</i>	1881, 33
	1883, 393	(—) <i>violaceus</i>	1881, 33
	1884, 148	(<i>Solariella</i>) <i>lusitan-</i>	
<i>pallidus</i>	1883, 102	<i>icus</i>	1885, 44
<i>papillosus</i>	1883, 106	(<i>Ziziphinus</i>) <i>consi-</i>	
<i>parvulus</i>	1883, 104	<i>milis</i>	1881, 34
<i>patholatus</i>	1883, 102		1881, 138
<i>perversus</i>	1885, 57	(—) <i>exquisitus</i>	1888, 210
<i>philippii</i>	1883, 101		1888, 213

	Page		Page
<i>Troglodytes (Mamm.)</i>		<i>Trogon variegatus</i>	1882, 618
<i>calvus</i>	1883, 464	<i>virginalis</i>	1883, 572
	1885, 674		1884, 307
<i>niger</i> , var. <i>marun-</i>			1885, 117
<i>gensis</i>	1888, 5		1885, 121
	1890, 444	<i>viridis</i>	1882, 43
<i>schweinfurthi</i>	1888, 5	<i>Trogosita filiformis</i>	1887, 361
	1890, 444	<i>Tronga bremeri</i>	1883, 208
<i>Troglodytes (Aves)</i>			1883, 209
<i>albicans</i>	1883, 540		1883, 211
<i>albinucha</i>	1883, 440		1883, 266
<i>audax</i>	1883, 540		1883, 267
	1884, 285		1883, 268
<i>fumigatus dauricus</i>	1887, 601		1883, 269
	1888, 463		1883, 278
<i>furvus</i>	1882, 593		1883, 323
	1882, 601	<i>brookei</i>	1883, 208
	1883, 419		1883, 210
	1883, 540		1883, 267
	1884, 285		1883, 268
	1885, 73	<i>crameri</i>	1883, 208
	1885, 115		1883, 209
— <i>albicans</i>	1883, 537		1883, 210
	1883, 540		1883, 254
	1885, 115		1883, 265
	1885, 122		1883, 266
<i>hornensis</i>	1883, 419		1883, 267
<i>intermedius</i>	1883, 440		1883, 268
<i>musculus</i>	1885, 115	<i>daatensis</i>	1883, 268
<i>solstitialis</i>	1883, 541	<i>kinbergi</i>	1883, 208
	1884, 285		1883, 209
	1885, 73		1883, 269
<i>striatulus</i>	1883, 540	<i>labuana</i>	1883, 268
<i>Trogon atricollis</i>	1881, 836	<i>marsdeni</i>	1883, 208
	1882, 43		1883, 211
<i>caligatus</i>	1881, 836		1883, 266
	1883, 454	<i>moorei</i>	1883, 208
	1885, 118		1883, 211
	1885, 123		1883, 267
<i>collaris</i>	1882, 43	<i>niasica</i>	1883, 267
	1883, 572	<i>olivacea</i>	1883, 267
	1885, 117	<i>pryeri</i>	1883, 269
	1885, 121	<i>Tropaea aliena</i>	1888, 634
<i>heliotrix</i>	1882, 43	<i>dulcina</i>	1888, 634
	1884, 307	<i>gnoma</i>	1888, 634
<i>melanocephalus</i>	1883, 454	<i>selene</i>	1888, 634
<i>melanurus</i>	1885, 118	<i>Trophon carinatus</i>	1883, 393
<i>mexicanus</i>	1881, 836		1883, 395
<i>narina</i>	1881, 566		1883, 399
<i>personatus</i>	1884, 307	<i>clathratus</i>	1883, 395
— <i>propinquus</i>	1885, 107	<i>crispus</i>	1881, 28
<i>propinquus</i>	1884, 307		1881, 29
<i>puella</i>	1881, 836	<i>fimbriatus</i>	1881, 28
	1883, 454		1881, 138
	1883, 572	<i>geversianus</i>	1881, 28
<i>reinwardti</i>	1881, 836		1881, 31
<i>surucura</i>	1882, 619	<i>laciniatus</i>	1881, 28

	Page		Page
<i>Trophon muriciformis</i> ..	1881, 28	<i>Truncatella valida</i>	1888, 536
<i>Tropicorypha formosa</i> ..	1881, 270	<i>vitiacea</i>	1887, 299
<i>Tropidonotus chrysargus</i>	1890, 35	<i>vitiana</i>	1887, 299
<i>cyclopion</i>	1884, 475		1887, 300
<i>flaviceps</i>	1890, 35	<i>Trutta relicta</i>	1884, 27
<i>hydrus</i>	1881, 680	<i>Trygon pastinaca</i>	1890, 676
<i>natrix</i>	1889, 609		1890, 680
<i>pryeri</i>	1887, 149		1890, 681
	1887, 150		1890, 682
<i>quincunciatus</i>	1881, 215		1890, 685
<i>rhodomelas</i>	1881, 215	<i>uarnak</i>	1887, 667
	1881, 221		1890, 680
	1890, 35		1890, 681
<i>saurita</i>	1887, 149		1890, 682
<i>sirtalis</i>	1882, 720		1890, 683
<i>stolatus</i>	1881, 215		1890, 685
<i>tigrinus</i>	1887, 594	<i>Trygonorhina fasciata</i> ..	1890, 685
<i>trianguligerus</i>	1881, 215	<i>Tryphæna fimbria</i>	1887, 52
	1890, 35		1887, 250
<i>Tropidophora articulata</i>	1881, 252	<i>orbona</i>	1887, 242
<i>balfouri</i>	1881, 256		1887, 250
	1881, 258		1887, 262
<i>barclayana</i>	1881, 252		1887, 269
<i>socotrana</i>	1881, 255		1887, 270
	1881, 258		1887, 271
	1883, 3	<i>pronuba</i>	1887, 242
<i>Tropidophorus yunnan-</i>			1887, 244
<i>ensis</i>	1890, 80		1887, 250
<i>Tropidorhynchus novæ</i>			1887, 251
<i>guineæ</i>	1885, 642		1887, 262
<i>timoriensis</i>	1885, 509		1887, 269
<i>Trotosema sordidum</i> ..	1889, 554		1887, 270
<i>Truncatella alternans</i> ..	1887, 302	<i>Tuba plicifera</i>	1887, 506
<i>arcasiana</i>	1887, 302	<i>sororia</i>	1887, 505
<i>arctecostata</i>	1887, 302	<i>Tubifex benedii</i>	1888, 487
<i>aurantia</i>	1889, 354		1888, 488
<i>avenacea</i>	1887, 301	<i>bilineata</i>	1888, 487
<i>cerca</i>	1887, 300		1888, 488
	1887, 301	<i>hyalinus</i>	1888, 487
<i>ceylanica</i>	1887, 300		1888, 488
	1887, 301	<i>lineatus</i>	1888, 487
<i>conspicua</i>	1887, 299		1888, 488
<i>costellifera</i>	1887, 300	<i>papillosus</i>	1888, 487
<i>funiculus</i>	1887, 301	<i>pellucidus</i>	1888, 487
<i>granum</i>	1887, 301		1888, 488
<i>juliæ</i>	1884, 354	<i>rivulorum</i>	1888, 492
<i>marginata</i>	1889, 354		1889, 381
<i>nitida</i>	1887, 300	<i>Tubipora serpens</i>	1881, 58
	1887, 301	<i>Tubulipora dichotoma</i> ,	
<i>pacifica</i>	1887, 300	<i>var. serialis</i>	1881, 59
<i>rustica</i>	1887, 300		1881, 139
<i>scalariformis</i>	1887, 302	<i>flabellaris</i>	1881, 59
<i>semicostata</i>	1887, 300	<i>grignonensis</i>	1881, 57
	1887, 301	<i>organizans</i>	1881, 58
<i>teres</i>	1887, 300		1881, 59
<i>truncatula</i>	1887, 302		1881, 60
<i>valida</i>	1887, 299	<i>patina</i>	1881, 56
	1887, 300	<i>serpens</i>	1881, 58

	Page		Page
Tubulipora serpens	1881, 59	Turbo geniculatus	1884, 133
transversa	1881, 56	gracilis	1884, 359
Tupaia belangeri	1886, 59	incarnatus	1883, 79
	1886, 67	indistinctus	1884, 354
ferruginea	1886, 67	insculptus	1884, 349
	1886, 73	interruptus	1884, 118
	1889, 223	interstinctus	1884, 353
	1889, 229	jugosus	1883, 113
javanica	1886, 73	lacteus	1884, 357
	1889, 223	lajonkairei	1887, 518
peguana	1881, 259	lineatus	1883, 99
	1886, 67	littoreus	1883, 113
Tupinambis nigropunc-		membranaceus	1884, 117
tatus	1889, 465	minutus	1884, 128
teguexin	1889, 465	moniliferus	1883, 97
	1889, 466	obligatus	1883, 113
	1889, 474	obscurus	1883, 97
	1889, 604	obtusata	1883, 112
Turaccena crassirostris . .	1883, 348	palliatus	1883, 112
	1888, 199	pallidus	1883, 109
menadensis	1885, 558		1884, 348
Turacus erythrophus	1881, 590	parvus	1884, 118
fischeri	1881, 590	peloritanus	1883, 108
giganteus	1888, 44	pictus	1883, 109
hartlaubi	1885, 224	plicatulus	1884, 357
	1885, 230	plicatus	1884, 349
	1889, 358	politus	1884, 366
livingstonii	1882, 309	pullus	1883, 109
meriani	1881, 590	pumiceus	1884, 140
musophagus	1882, 309	punctura	1884, 114
Turbo acinus	1884, 111		1884, 115
acutus	1884, 357	purpureus	1883, 113
albus	1884, 121	puteolus	1883, 110
	1884, 357	quadricarinatus . . .	1884, 364
ambiguus	1884, 138	quadrifasciatus . . .	1883, 110
ascaris	1884, 342	reticulata	1884, 112
bryerius	1890, 287	retusus	1883, 112
calcar	1883, 108	ruber	1884, 129
canalis	1883, 110	rubricinctus	1890, 294
cancellatus	1884, 111	rudis	1883, 112
carinatus	1883, 108	rugosus	1883, 108
cimex	1884, 111	saxatilis	1883, 113
cinereus	1883, 96	semistriatus	1884, 126
	1883, 97	spiralis	1884, 352
cingillus	1884, 127	striatulus	1884, 125
clathratulus	1884, 136		1884, 356
clathrus	1884, 137	striatus	1884, 123
— groenlandicus	1884, 137	subulatus	1884, 365
conoideus	1884, 347	tenebrosus	1883, 113
corcyrensis	1883, 100	terebra	1884, 131
corrugatus	1884, 132	tricarinatus	1884, 131
costatus	1884, 116	triplicatus	1884, 131
crenatus	1884, 141	turtonis	1884, 138
curvatus	1884, 367	ulvæ	1884, 128
decussatus	1884, 352	ungulinus	1884, 131
elegantissimus	1884, 357	unicus	1884, 341
fabalis	1883, 112	unidentatus	1884, 346
fuscus	1883, 97	ustulatus	1883, 113

	Page		Page
<i>Turbo variabilis</i>	1884,	<i>Turdus chiguanco</i>	1886,
<i>variegatus</i>	1883,		395
<i>vestitus</i>	1883,		396
<i>vinctus</i>	1883,	<i>crotopezus</i>	1882,
<i>vitreus</i>	1884,		4
<i>zetlandicus</i>	1884,	<i>dominicus</i>	1885,
(<i>Collonia</i>) <i>admissus</i>	1890,		258
	1890,	<i>eythropleurus</i>	1887,
	1890,		515
(—) <i>incertus</i>	1890,		517
	1890,	<i>euryzonus</i>	1885,
	1890,		70
(—) <i>rubricinctus</i>	1890,	<i>falklandicus</i>	1881,
	1890,		7
	1890,	<i>flavirostris</i>	1883,
(<i>Ocana</i>) <i>cidaris</i>	1890,		419
<i>Turbonilla acicularis</i> ..	1890,	<i>fuscatus</i>	1882,
<i>acuticostata</i>	1884,		593
	1884,		601
	1884,		1888,
<i>albella</i>	1884,		463
<i>assimilans</i>	1890,	<i>gigas</i>	1885,
	1890,		70
	1890,		1885,
<i>brachia</i>	1890,		117
	1890,	<i>grayi</i>	1883,
	1890,		439
	1890,		1883,
<i>bushiana</i>	1884,		538
<i>clavula</i>	1884,	<i>ignobilis</i>	1882,
<i>eritima</i>	1890,		4
<i>eximia</i>	1884,	— <i>maculirostris</i> ..	1883,
<i>gradata</i>	1884,		537
<i>haroldi</i>	1890,		1883,
	1890,		538
	1890,		1884,
<i>humboldti</i>	1884,		283
<i>magnifica</i>	1884,		1885,
<i>meneghini</i>	1884,		115
<i>obliqua</i>	1884,	<i>leucomelas</i>	1882,
<i>plicatula</i>	1884,		4
<i>pusilla</i>	1890,		1882,
<i>rathbuni</i>	1884,		592
<i>speciosa</i>	1884,		1883,
<i>transparens</i>	1884,	<i>leucops</i>	1885,
<i>truncatelloides</i>	1890,		116
	1890,	<i>libyanus</i>	1881,
	1890,		574
	1890,		1882,
(<i>Dunkeria</i>) <i>eritima</i>	1890,		302
	1890,	<i>maculirostris</i>	1885,
<i>Turcica chinensis</i>	1888,		115
	1888,		1885,
	1888,		117
<i>elisæ</i>	1888,		120
<i>Turdinus celebensis</i>	1885,	<i>magellanicus</i>	1881,
<i>rufifrons</i>	1889,		7
<i>sepiarius</i>	1888,		1883,
<i>Turdus abrekianus</i>	1887,		419
<i>albiventris</i>	1885,	<i>merula</i>	1886,
	1887,		186
	1887,		1886,
<i>aliciae</i>	1885,		187
<i>cabanisi</i>	1885,	<i>musicus</i>	1887,
<i>cardis</i>	1883,		194
	32	<i>naumanni</i>	1887,
			601
			1887,
			602
			1888,
			463
		<i>nigriceps</i>	1882,
			4
		<i>obscurus</i>	1888,
			454
		<i>obsoletus</i>	1883,
			537
			1883,
			539
			1885,
			122
		<i>pallens</i>	1885,
			415
		<i>pallidus</i>	1888,
			455
		<i>reevei</i>	1885,
			117
			1885,
			120
		<i>ruficollis</i>	1887,
			601
			1887,
			602
		<i>rufiventris</i>	1882,
			592
		<i>serranus</i>	1882,
			4
			1884,
			283
			1885,
			70
		<i>swainsoni</i>	1882,
			4
			1883,
			538
			1885,
			70
			1885,
			124
		<i>tephronotus</i>	1881,
			574

	Page		Page
<i>Turdus tephronotus</i>	1889,	<i>Tursiops eurynome</i>	1883,
<i>ustulatus</i>	363	<i>gillii</i>	512
<i>varius</i>	1883,		1883,
<i>Turnix lepurana</i>	538	<i>metis</i>	512
	1881,		1883,
<i>nigrescens</i>	260		479
	1881,		1883,
<i>powelli</i>	598		480
<i>raynaldi</i>	1881,		1883,
<i>rufilatus</i>	644		481
	1889,		1883,
	224		482
	1889,		1883,
	225		482
	1885,		1883,
	511	<i>tursio</i>	512
<i>Turritella carinifera</i>	1889,		1883,
<i>communis</i>	311		478
<i>costulata</i>	1884,		1883,
<i>geinitzi</i>	131		481
<i>incrassata</i>	1884,		1883,
<i>interrupta</i>	131		482
<i>philippi</i>	1884,		1883,
<i>potamoides</i>	356		493
	1884,		1883,
	357		512
<i>pusilla</i>	1885,	<i>Turtur albiventris</i>	1881,
<i>robusta</i>	57	<i>auritus</i>	596
	1888,	<i>bitorquata</i>	1886,
	211	<i>capicola</i>	81
	1888,	<i>damarensis</i>	1881,
	213	<i>dussumieri</i>	596
<i>suturalis</i>	1884,		1881,
	131		799
	1884,		1885,
	132		250
	1884,		1885,
	356		272
	1884,		1889,
	357	<i>lugens</i>	225
<i>tricarinata</i>	1884,		1881,
<i>triplicata</i>	131		596
<i>Tursio abusalam</i>	1884,		1882,
<i>catalania</i>	364		310
<i>cymodice</i>	1884,		1889,
<i>erebennus</i>	131		369
<i>eurynome</i>	1884,		1890,
	364		361
	1884,		1887,
	131		503
<i>Tursio abusalam</i>	1884,		1887,
<i>gillii</i>	131		609
<i>metis</i>	1884,		1888,
	131		467
	1883,	<i>semitorquatus</i>	1881,
<i>catalania</i>	479		596
<i>cymodice</i>	1883,		1888,
<i>erebennus</i>	479		45
<i>eurynome</i>	1883,		1889,
	479		369
	1883,		1881,
	480		173
<i>gillii</i>	1883,		1881,
<i>metis</i>	481		956
	1883,		1885,
	480		510
	1883,		1885,
	481		558
<i>subridens</i>	1883,		1889,
<i>truncatus</i>	481		226
	1883,		1887,
	479		609
	1883,		1888,
	480		467
<i>Tursiops abusalam</i>	1883,	<i>Tyana superba</i>	1890,
	479	<i>Tylodina citrina</i>	387
	1883,		1890,
<i>aduncus</i>	482		253
	1883,		1890,
	479		299
	1883,	<i>duebeni</i>	1882,
	480		673
	1883,	<i>Tylognathus montanus</i> ..	1889,
	482	<i>Tylophorus wulfussii</i> ..	71
	1883,	<i>Tympanistes rubidor-</i>	1888,
	512	<i>salis</i>	380
<i>catalinia</i>	1883,		1888,
<i>cymodice</i>	479	<i>Tympanistria tympani-</i>	409
	1883,	<i>stria</i>	1885,
	482		230
	1883,		1889,
	512		369
<i>cymodice</i>	1883,	<i>Tyoma cryptorhyncha</i> ..	1881,
	479	<i>porrecta</i>	271
	1883,		1881,
	482		276
	1883,	<i>Typhlapseudes nereus</i> ..	1886,
	512	<i>Typhlina lineata</i>	115
<i>eurynome</i>	1883,	<i>Typhlops, sp.</i>	1881,
	479	<i>aluensis</i>	462
	1883,		1887,
	481		336

	Page		Page
<i>Typhlops aluensis</i>	1887, 338	<i>Unio ægyptiacus</i>	1881, 297
	1888, 90		1888, 56
<i>eschrichtii</i>	1888, 50	<i>aferula</i>	1881, 298
<i>exocoeti</i>	1887, 517	<i>bakeri</i>	1888, 56
	1888, 529	<i>burtoni</i>	1881, 297
	1888, 534		1881, 298
<i>liberiensis</i>	1888, 50		1881, 300
<i>lineatus</i>	1890, 32	<i>caillaudi</i>	1888, 56
<i>reticulatus</i>	1887, 154	<i>dimotus</i>	1881, 633
<i>Typhlotanais brachyurus</i>	1886, 117	<i>guppyi</i>	1885, 588
<i>kerгуelenensis</i>	1886, 117		1885, 608
<i>Tyranniscus chrysops</i>	1882, 19		1885, 609
	1883, 555	<i>horei</i>	1881, 299
	1884, 296		1881, 300
	1885, 90	<i>kirkii</i>	1881, 298
<i>cinereiceps</i>	1883, 555	<i>niloticus</i>	1881, 296
	1885, 68		1881, 297
	1885, 90	<i>nyassæ</i>	1881, 298
	1885, 115	<i>nyassaensis</i>	1881, 277
	1885, 118		1881, 298
	1885, 123	<i>tanganyicensis</i>	1881, 298
<i>griseiceps</i>	1883, 554		1881, 300
<i>leucogenys</i>	1885, 90	<i>thomsoni</i>	1881, 299
	1885, 115		1881, 300
<i>plumbeiceps</i>	1885, 90	<i>Uniophora globifera</i>	1881, 497
<i>uropygialis</i>	1884, 296	<i>granifera</i>	1881, 497
	1885, 121	<i>Upeneus cyclostoma</i>	1887, 658
<i>Tyrannulus elatus</i>	1882, 19	<i>dispilurus</i>	1887, 658
<i>nigricapillus</i>	1885, 116	<i>macronemus</i>	1887, 658
<i>Tyrannus aurantio-atro-</i>		<i>pleurotænia</i>	1889, 239
<i>cristatus</i>	1882, 22	<i>Upucerthia atacumensis</i>	1886, 398
<i>melancholicus</i>	1882, 22	<i>bridgesi</i>	1889, 32
	1882, 608	<i>dumetoria</i>	1881, 9
	1883, 424		1883, 333
	1883, 448	<i>excelsior</i>	1885, 94
	1883, 559	<i>jelskii</i>	1883, 71
	1884, 298	<i>luscinia</i>	1882, 610
	1885, 68	<i>montana</i>	1889, 32
	1885, 93	<i>pallida</i>	1883, 71
<i>niveigularis</i>	1885, 118	<i>ruficauda</i>	1886, 395
	1885, 122		1886, 398
<i>pipiri</i>	1883, 448	<i>Upupa africana</i>	1881, 570
<i>rostratus</i>	1889, 326		1882, 302
		<i>epops</i>	1888, 454
<i>Udaspes folus</i>	1882, 263	<i>minor</i>	1881, 570
	1885, 146	<i>Uræginthus phœnicotis</i>	1881, 588
<i>Udea fotalis</i>	1886, 384		1882, 303
<i>Uloborus velutinus</i>	1882, 767	<i>Uragus sanguinolentus</i>	1887, 606
	1882, 768		1888, 466
<i>Umbrella indica</i>	1890, 299	<i>Uraniscodon umbra</i>	1881, 245
<i>mediterranea</i>	1890, 253		1887, 153
	1890, 299	<i>Uranocentrum flaviceps</i>	1881, 245
<i>Umbrina sinuata</i>	1888, 260	<i>Uranornis rubra</i>	1885, 653
	1889, 245	<i>Urapteryx clara</i>	1886, 388
<i>striata</i>	1887, 660	<i>pluristrigata</i>	1888, 318
	1888, 260	<i>politia</i>	1884, 324
	1889, 245	<i>yerburii</i>	1886, 388
<i>Unio acuminatus</i>	1888, 56	<i>Uria brunnichi</i>	1882, 653

	Page		Page
<i>Uria carbo</i>	1887,	593	<i>Urospizias griseigularis</i> .
<i>grylle</i>	1882,	653	<i>melanochlamys</i> ..
<i>troile</i>	1885,	690	<i>natalis</i>
	1885,	716	
	1889,	170	<i>poliocephalus</i>
	1890,	439	<i>pulchellus</i>
<i>Urobelus gabonicus</i>	1887,	127	<i>torquatus</i>
	1887,	564	<i>Urosticte benjamini</i>
<i>Urobrachya axillaris</i> ..	1881,	586	
	1888,	33	<i>intermedia</i>
<i>zanzibarica</i>	1881,	586	<i>ruficrissa</i>
<i>Urochæta corethrurus</i> ..	1890,	52	<i>Urostrophus scapulatus</i> .
<i>Urochroa bougueri</i>	1885,	116	
<i>Urodynamis taitiensis</i> ..	1888,	191	<i>torquatus</i>
<i>Urogalba amazonum</i> ..	1882,	43	<i>Urothœ lachneessa</i>
<i>paradisea</i>	1886,	470	<i>Urothraupis stolzmanni</i> .
<i>Urogymnus asperrimus</i> .	1889,	243	<i>Ursus americanus</i>
<i>Urola inclaralis</i>	1886,	462	
<i>Uroloncha cantans</i>	1881,	958	<i>arctos</i>
<i>Urolophus testaceus</i> ..	1890,	680	
	1890,	685	<i>cancrivorus</i>
<i>Uromastix hardwickii</i> ..	1888,	100	<i>cauda elongata</i>
<i>princeps</i>	1881,	245	<i>gulo</i>
<i>spinipes</i>	1888,	100	<i>horribilis</i>
	1890,	213	
<i>Uromys cervinipes</i>	1888,	237	
	1888,	239	<i>isabellinus</i>
	1888,	484	
	1889,	248	<i>labiatus</i>
<i>Uroplata bispinosa</i>	1881,	267	<i>leuconyx</i>
	1881,	269	
<i>deplanata</i>	1881,	267	<i>longirostris</i>
	1881,	269	<i>lotor</i>
<i>rugata</i>	1881,	267	<i>malayanus</i>
	1881,	269	
<i>Uroplates phantasticus</i> .	1890,	78	<i>maritimus</i>
<i>Uroplectes fallax</i>	1890,	134	
<i>flavoviridis</i>	1890,	135	
	1890,	141	
<i>formosus</i>	1890,	134	
	1890,	141	
<i>insignis</i>	1890,	132	<i>melanoleucus</i>
	1890,	141	<i>ornatus</i>
<i>lineatus</i>	1890,	133	
<i>ornatus</i>	1890,	118	
	1890,	119	
	1890,	127	<i>thibetanus</i>
<i>striatus</i>	1890,	134	
<i>triangulifer</i>	1890,	134	<i>Urubitinga anthracina</i> ..
	1890,	135	
	1890,	137	<i>zonura</i>
	1890,	141	<i>Uta ornata</i>
<i>variegatus</i>	1890,	133	<i>Utriculo complanatus</i> .
<i>Uropteryx sambucata</i> ..	1881,	654	<i>oryctus</i>
<i>Urospiza albiventris</i> ..	1884,	431	
<i>Urospizias, sp.</i>	1884,	577	<i>Vadebra charox</i>
<i>albiventris</i>	1884,	426	<i>climena</i>
	1884,	577	
			<i>climene</i>

	Page		Page
<i>Vadebra climene</i>	1883,		260
<i>coracina</i>	1883,		261
<i>honesta</i>	1883,		208
	1883,		210
	1883,		261
<i>lankana</i>	1883,		528
<i>macleari</i>	1887,		522
	1888,		542
<i>melina</i>	1883,		259
	1883,		261
<i>petosiris</i>	1883,		528
<i>pheretina</i>	1883,		528
<i>sepulchralis</i>	1883,		260
	1887,		522
<i>simulatrix</i>	1883,		261
<i>suffusa</i>	1883,		528
<i>zinkenii</i>	1883,		261
<i>Vaginula occidentalis</i> ..	1883,		597
<i>pleuroprocta</i>	1887,		127
<i>Valvaster striatus</i>	1881,		497
<i>Valvata striata</i>	1883,		95
<i>Vandeluria dumeticola</i> .	1881,		557
<i>oleracea</i>	1881,		537
	1881,		556
	1881,		557
	1886,		65
	1890,		532
	1890,		536
	1890,		537
	1890,		539
<i>Vanellus cayennensis</i> ..	1881,		14
	1882,		627
<i>cristatus</i>	1881,		644
	1887,		610
	1888,		468
<i>gregarius</i>	1888,		416
<i>occidentalis</i>	1881,		14
<i>resplendens</i>	1885,		116
	1886,		396
	1886,		403
<i>speciosus</i>	1889,		372
<i>Vanessa agnicula</i>	1882,		403
<i>angelica</i>	1881,		848
	1881,		897
	1887,		420
<i>antiopa</i>	1881,		821
	1881,		824
	1881,		848
	1881,		867
	1881,		898
	1885,		65
	1886,		2
	1887,		51
	1887,		402
	1887,		421
	1888,		120
	1889,		86
	1889,		87
<i>Vanessa antiopa</i>	1890,		895
<i>atalanta</i>	1881,		483
	1885,		65
	1886,		2
	1887,		51
	1889,		86
<i>bolini</i>	1886,		333
<i>burejana</i>	1881,		867
	1881,		896
	1887,		402
	1887,		420
<i>butleri</i>	1881,		897
<i>c-album</i>	1881,		825
	1881,		867
	1881,		897
	1882,		403
	1887,		402
	1887,		420
<i>californica</i>	1881,		851
<i>callirhoë</i>	1881,		867
	1881,		897
	1887,		402
	1887,		421
<i>cardui</i>	1885,		65
	1887,		402
	1887,		421
	1889,		86
<i>c-aureum</i>	1881,		867
	1881,		897
	1887,		402
	1887,		420
<i>charonia</i>	1881,		867
	1881,		898
	1882,		240
	1886,		361
	1887,		402
	1887,		421
—, var. <i>glauconia</i> .	1887,		421
<i>chorimene</i>	1888,		64
<i>connexa</i>	1881,		848
	1881,		851
	1887,		421
<i>fallax</i>	1881,		896
	1887,		420
<i>faunus</i>	1881,		851
<i>fentoni</i>	1881,		850
	1881,		897
	1887,		420
<i>galami</i>	1888,		64
<i>glauconia</i>	1881,		848
	1881,		898
<i>hamigera</i>	1881,		897
	1887,		420
<i>io</i>	1881,		483
	1881,		848
	1881,		867
	1881,		898
	1885,		65

	Page		Page
<i>Vanessa io</i>	1887, 195	<i>Vanessa satyrus</i>	1881, 897
	1887, 197	<i>strigosa</i>	1881, 896
	1887, 198		1887, 420
	1887, 212	<i>urticae</i>	1881, 851
	1887, 232		1881, 867
	1887, 237		1881, 897
	1887, 240		1882, 403
	1887, 244		1885, 65
	1887, 246		1887, 195
	1887, 262		1887, 197
	1887, 264		1887, 198
	1887, 272		1887, 236
	1887, 402		1887, 237
	1887, 421		1887, 240
	1888, 120		1887, 244
	1889, 86		1887, 246
<i>j-album</i>	1881, 896		1887, 262
<i>kaschmirensis</i>	1882, 240		1887, 264
	1882, 403		1887, 269
	1886, 361		1887, 272
<i>ladakensis</i>	1882, 403		1887, 273
<i>l-album</i>	1881, 867		1887, 274
	1881, 896		1887, 399
	1887, 402		1887, 402
	1887, 420		1887, 421
<i>levana</i>	1881, 867	<i>v-album</i>	1881, 848
	1881, 896	<i>xanthomelas</i>	1881, 848
	1885, 65		1881, 849
	1886, 2		1881, 867
	1887, 51		1881, 898
	1887, 402		1882, 240
	1887, 420		1882, 633
	1888, 120		1887, 402
	1889, 86		1887, 421
	1890, 95	<i>Varanus bengalensis</i> ..	1890, 220
—, var. <i>porima</i>	1887, 420		1890, 222
—, var. <i>prorsa</i>	1882, 633	<i>dumerilii</i>	1890, 33
	1886, 2	<i>griseus</i>	1888, 99
	1887, 420		1889, 605
<i>levanoides</i>	1881, 896	<i>indicus</i>	1883, 386
<i>limnoria</i>	1885, 759		1887, 333
<i>lunigera</i>	1881, 848		1888, 88
	1881, 850		1888, 90
	1887, 420		1889, 605
<i>naib</i>	1885, 759	<i>nigropunctatus</i>	1889, 605
<i>polaris</i>	1881, 851	<i>niloticus</i>	1887, 127
<i>polychloros</i>	1881, 483		1888, 50
	1882, 403		1888, 99
	1885, 65		1889, 605
	1889, 86		1890, 195
<i>porima</i>	1881, 896	<i>salvator</i>	1888, 99
<i>prorsa</i>	1881, 896		1888, 105
<i>prorsoides</i>	1881, 896		1888, 106
<i>pryeri</i>	1881, 867		1890, 33
	1881, 897		1890, 195
	1887, 420		1890, 196
<i>rizana</i>	1882, 403		1890, 197
<i>satyrus</i>	1881, 851	<i>Varmina indica</i>	1888, 405

	Page		Page
<i>Varmma indica</i>	1883,	<i>Venus verrucosa</i>	1881,
	157	<i>virginica</i>	1881,
<i>Varnia fenestrata</i>	1881,	<i>undata</i>	1881,
	376	(Chione) <i>pygmæa</i> .	1890,
<i>Venerupis irus</i>	1881,	1890,	301
	716	(Ventricola) <i>effossa</i>	1890,
<i>Venilia porphyromelas</i> .	1888,	1890,	300
<i>pyrrhotis</i>	1888,		
	279	<i>Veretillum cynomorium</i>	1885,
<i>Venus, sp.</i>	1881,	<i>Verticordia axinoides</i> ..	1881,
	37	<i>deshayesiana</i>	1881,
<i>aurea</i>	1881,	<i>ecostata</i>	1881,
<i>borealis</i>	1881,	<i>granulata</i>	1881,
<i>boryi</i>	1881,	<i>insculpta</i>	1881,
<i>brongniarti</i>	1881,	<i>japonica</i>	1881,
<i>casina</i>	1881,	<i>multicostata</i>	1881,
	715	<i>orbiculata</i>	1881,
<i>chione</i>	1881,	<i>ornata</i>	1890,
	716	1890,	304
<i>compressa</i>	1881,	<i>trapezoidea</i>	1881,
	711	<i>Vertigo armata</i>	1887,
<i>cumingii</i>	1881,	<i>dentifera</i>	1887,
<i>cygnus</i>	1881,	<i>dunkeri</i>	1887,
<i>effossa</i>	1881,	<i>hyalina</i>	1887,
	714	<i>nacca</i>	1887,
	685	<i>nitens</i>	1887,
	1884,	<i>pediculus</i>	1887,
	145	<i>pleurophora</i>	1887,
	300	<i>tantilla</i>	1887,
<i>exoleta</i>	1881,	<i>Vespa vulgaris</i>	1887,
<i>fasciata</i>	1881,		222
<i>fragilis</i>	1881,		224
<i>gallina</i>	1881,		232
	716	<i>Vespertilio africanus</i> ..	1886,
<i>gayi</i>	1881,	<i>bechsteinii</i>	1886,
<i>geographica</i>	1881,		94
<i>incompta</i>	1881,		96
<i>incrassata</i>	1881,	<i>blasii</i>	1886,
<i>incrassata</i>	1881,	<i>chinensis</i>	1886,
<i>inquinata</i>	1881,	<i>daubentoni</i>	1886,
<i>islandica</i>	1881,	<i>dobsoni</i>	1886,
<i>lamellosa</i>	1881,	<i>emarginatus</i>	1886,
<i>lincta</i>	1881,	<i>majori</i>	1886,
<i>literata</i>	1881,	<i>murinoides</i>	1886,
<i>lupinus</i>	1881,	<i>murinus</i>	1886,
<i>miliaris</i>	1881,		95
<i>minima</i>	1881,	<i>mystacinus</i>	1886,
<i>modesta</i>	1881,	<i>oxygnathus</i>	1886,
<i>multilamella</i>	1881,		94
	715		95
	952	<i>Vesperugo abramus</i>	1886,
	685		1887,
	1884,		326
	145		327
<i>multilamellosa</i>	1881,		478
<i>nux</i>	1881,		483
<i>ovata</i>	1881,		484
<i>pullastra</i>	1881,	<i>angulatus</i>	1887,
<i>pygmæa</i>	1890,		1888,
<i>rudis</i>	1881,		484
	714	<i>borealis</i>	1881,
	1884,	<i>discolor</i>	1881,
	145		1886,
<i>rugosa</i>	1881,	<i>georgianus</i>	1888,
<i>spinifera</i>	1881,		444
<i>spuria</i>	1881,		
<i>toreuma</i>	1890,		
<i>verrucosa</i>	1881,		

	Page		Page
<i>Vesperugo kuhli</i>	1886, 95	<i>Vireosylvia chivi</i> griseo-	
—, var. <i>albicans</i> ..	1886, 95	<i>barbata</i>	1885, 115
—, var. <i>pullatus</i> ..	1886, 95	<i>flavoviridis</i>	1882, 7
<i>leisleri</i>	1886, 94		1883, 441
	1886, 95	<i>josephæ</i>	1884, 287
<i>leucippe</i>	1886, 96		1885, 75
<i>nanus</i>	1885, 221	<i>olivacea</i>	1882, 7
<i>nathusii</i>	1886, 96		1883, 441
<i>nattereri</i>	1886, 96	<i>Virgularia juncea</i>	1890, 462
<i>noctula</i>	1886, 95	<i>mirabilis</i>	1889, 394
<i>pipistrellus</i>	1881, 200	<i>patagonica</i>	1890, 462
	1886, 95	<i>Vithora agrionides</i>	1888, 614
<i>savii</i>	1886, 95	<i>stratonice</i>	1888, 614
<i>serotinus</i>	1886, 94	<i>Vitrina hyalea</i>	1881, 631
—, var. <i>fuscus</i>	1882, 371		1881, 635
(<i>Vesperus</i>) <i>hilarii</i>	1887, 151	<i>inflata</i>	1884, 272
(—) <i>pachypus</i> ..	1886, 59	<i>lamarkii</i>	1884, 276
(—) <i>serotinus</i> ..	1886, 95	<i>leucospira</i>	1884, 272
<i>Vesperus capensis</i>	1890, 97	<i>madagascariensis</i>	1882, 375
<i>Veturius platyrhinus</i>	1887, 490		1882, 379
<i>Victorina steneles</i>	1890, 565		1882, 389
<i>Vidua fischeri</i>	1889, 367	<i>mastersi</i>	1884, 272
<i>hypocherina</i>	1889, 367	<i>milligani</i>	1881, 631
<i>paradisea</i>	1881, 586	<i>strangei</i>	1884, 272
<i>principalis</i>	1881, 587		1887, 166
	1885, 228	<i>verreauxi</i>	1884, 272
	1888, 32	<i>virens</i>	1884, 272
<i>serena</i>	1881, 587	<i>Viverra aterrima</i>	1889, 198
<i>splendens</i>	1881, 587		1889, 199
	1889, 367	<i>binturong</i>	1882, 167
<i>verreauxi</i>	1881, 586	<i>boiei</i>	1882, 165
	1881, 587	<i>bondar</i>	1885, 783
<i>Vioa carteri</i>	1881, 129		1885, 792
	1881, 130		1885, 794
	1881, 131	<i>cafra</i>	1882, 66
	1881, 141	<i>carcharias</i>	1882, 171
<i>johnstoni</i>	1881, 129	<i>caudivolvulus</i>	1885, 356
	1881, 130	<i>civetta</i>	1882, 145
<i>schmidti</i>	1881, 130		1882, 155
<i>Vipera nasicornis</i>	1881, 967		1882, 463
<i>obtusa</i>	1881, 682		1882, 465
<i>rhinoceros</i>	1882, 179		1882, 466
<i>Virachola anta</i>	1888, 69		1882, 467
<i>isocrates</i>	1882, 250		1882, 471
	1885, 134		1882, 472
	1886, 428		1882, 473
<i>perse</i>	1882, 250		1882, 474
	1885, 134		1882, 493
<i>Vireo ochraceus</i>	1883, 442		1882, 500
<i>solitaria</i>	1888, 662		1882, 506
<i>Vireolanius chlorogaster</i>	1881, 213		1882, 510
<i>leucotis</i>	1881, 212		1882, 519
	1881, 213		1882, 580
<i>Vireosylvia calidris</i>	1883, 542	<i>fasciata</i>	1885, 787
	1889, 326		1885, 795
<i>chivi</i>	1883, 542	<i>hardwickii</i>	1881, 819
	1885, 115		1882, 165
— <i>griseobarbata</i>	1883, 537	<i>hermaphrodita</i>	1885, 782
	1883, 541		1885, 783

	Page		Page
<i>Viverra hermaphrodita</i>	1885, 785	<i>Viverra zeylonensis</i> . . .	1885, 802
	1885, 792		1885, 803
	1885, 794	<i>zibetha</i>	1882, 145
	1885, 798		1882, 155
<i>ichneumon</i>	1882, 63		1882, 519
	1882, 64	(Paradoxurus) her-	
	1882, 90	<i>maphrodita</i>	1885, 792
	1886, 56	<i>Viverriceps ellioti</i>	1887, 628
	1887, 635	<i>Viverricula malaccensis</i>	1882, 149
<i>larvata</i>	1885, 805		1886, 55
<i>lutra</i>	1885, 383	<i>Vivia innominata</i>	1887, 443
<i>malaccensis</i>	1885, 785	<i>Volatinia jacarina</i>	1882, 17
<i>megaspila</i>	1882, 145		1883, 421
	1882, 146		1883, 444
<i>melanurus</i>	1882, 146		1883, 551
<i>mungo</i>	1882, 90	— <i>splendens</i>	1884, 294
	1882, 91		1885, 84
	1886, 56	<i>Volumnia calabarica</i> . .	1890, 492
	1887, 633	<i>leucomelæna</i>	1890, 492
	1887, 634	<i>morosa</i>	1890, 492
	1887, 635	<i>westermanni</i>	1890, 492
<i>musanga</i>	1882, 161	<i>Voluta cancellata</i>	1885, 49
	1885, 784	<i>fluminea</i>	1881, 843
	1885, 792	<i>fluviatilis</i>	1881, 843
	1885, 794	<i>mitræformis</i>	1885, 49
	1885, 798	<i>ocellata</i>	1890, 262
—, var. <i>javanica</i> . .	1885, 794	<i>Volvocivora morio</i>	1885, 553
<i>narica</i>	1885, 353	<i>schierbrandii</i>	1881, 794
<i>nasua</i>	1885, 354		1885, 409
<i>nems</i>	1882, 72	<i>Vonona desjardinsi</i>	1883, 257
	1887, 632	<i>euphon</i>	1883, 208
<i>nigra</i>	1885, 784		1883, 257
	1885, 792	<i>goudotii</i>	1883, 254
	1885, 794		1883, 257
<i>prehensilis</i>	1885, 783	<i>Vulpes alopecurus</i>	1887, 635
	1885, 784		1887, 636
	1885, 790	<i>bengalensis</i>	1886, 56
	1885, 794	<i>flavescens</i>	1881, 202
	1885, 798		1887, 635
<i>schlegeli</i>	1882, 149		1887, 636
<i>suricatta</i>	1882, 92	<i>griffithi</i>	1881, 202
<i>tangalunga</i>	1882, 145		1887, 636
	1882, 146		1888, 1
	1882, 153	<i>leucopus</i>	1886, 56
	1882, 154		1887, 636
	1882, 507		1888, 1
	1883, 50	<i>melanotus</i>	1881, 202
<i>tetradactyla</i>	1882, 92	<i>montana</i>	1881, 202
<i>trivirgata</i>	1885, 788		1887, 636
	1885, 789	—, var. <i>himalayica</i>	1887, 636
	1885, 790	<i>nilotica</i>	1887, 636
<i>zenik</i>	1882, 92	<i>persica</i>	1887, 636
<i>zeylanica</i>	1885, 781	<i>pusilla</i>	1887, 636
	1885, 800	<i>virginiana</i>	1882, 371
	1885, 802		1890, 72
<i>zeylonensis</i>	1885, 781	<i>vulgaris</i>	1887, 635
	1885, 782	<i>Vultur monachus</i>	1890, 404
	1885, 800		1890, 405

	Page		Page
Vultur monachus	1890, 406	Xanthopygia narcissina.	1890, 342
	1890, 407	tricolor	1887, 605
	1890, 411		1888, 465
			1890, 342
Waldheimia dilatata ..	1881, 44	Xanthosetia innotatana .	1888, 337
magellanica	1881, 44	Xanthosomus ruficapil-	
Westermannia superba .	1885, 458	lus	1882, 602
Williamia gussonii	1890, 253	Xanthothopeia aruwi-	
	1890, 296	mensis	1890, 643
	1890, 321		1890, 646
Wixia abdominalis	1882, 438	rufipennis	1890, 644
	1882, 441	Xanthotis chrysolis . . .	1885, 642
	1882, 442	Xanthura peruviana ..	1882, 17
Woodia digitaria	1881, 713	Xema furcatum	1882, 520
			1882, 523
Xantheses guttata	1885, 294		1882, 529
Xanthia alala	1890, 514		1882, 530
alcandra	1890, 515	sabinii	1882, 520
cerago	1889, 517		1882, 523
flavostigma	1889, 482		1882, 524
fulvago	1889, 517		1882, 529
silago	1889, 517		1884, 150
Xanthiodes intersepta ..	1881, 618		1886, 81
Xantho bellus	1881, 68	Xenacanthus decheni ..	1887, 19
leucomanus	1881, 68		1887, 25
Xanthodes arcuata	1884, 517	Xenarthra lewisi	1887, 108
camilla	1887, 686		1887, 119
diffusa	1881, 359	mirabilis	1887, 107
graellsii	1886, 380		1887, 119
hemphilliana	1881, 67	unicolor	1887, 109
imparata	1885, 454		1887, 119
innocens	1884, 496	Xenicus longipes	1882, 569
	1884, 517	Xenocichla albigularis .	1889, 363
	1885, 454	nigriceps	1889, 356
	1886, 380		1889, 362
	1888, 310	placida	1889, 356
intersepta	1888, 222		1889, 363
	1889, 518	tephrolæma	1889, 124
migrator	1889, 518		1889, 362
stramen	1885, 454	Xenodon rhodomelas ..	1881, 222
transversa	1885, 454	Xenoloba speciosa	1889, 387
	1889, 518	Xenopeltis unicolor . . .	1881, 215
Xantholæma duvauceli .	1881, 792		1890, 34
	1885, 405	Xenophora commutata .	1885, 44
rosea	1882, 94	crispa	1885, 44
Xanthomelus aureus ..	1885, 616	mediterranea	1885, 44
	1885, 657	Xenophrys monticola ..	1887, 500
Xanthomixis zosterops .	1881, 196		1888, 165
Xanthomyza phrygia . .	1882, 311		1888, 181
Xanthonia flavopilosa ..	1887, 72		1888, 504
placida	1885, 753		1888, 511
	1887, 72	Xenophthalmodes	
Xanthoptera alboflava ..	1890, 517	mæbii	1884, 10
laphyra	1890, 517		1884, 12
semilutea	1884, 499	Xenops approximans ..	1883, 562
Xanthopygia cyano-		genibarbis	1883, 562
melæna	1890, 341	heterurus	1885, 98
narcissina	1890, 341	littoralis	1882, 27

	Page		Page
<i>Xenops littoralis</i>	1883, 562	<i>Xylina putris</i>	1889, 486
	1885, 68	<i>rhizolitha</i>	1889, 537
<i>rutilus</i>	1882, 26	<i>saxea</i>	1889, 537
	1883, 562		1889, 571
	1885, 68	<i>scolopacina</i>	1889, 487
	1885, 97	<i>Xylocopa æstuans</i>	1881, 649
<i>Xenopus calcaratus</i>	1888, 163		1883, 344
<i>lævis</i>	1887, 563	<i>bryorum</i>	1883, 344
	1888, 163	<i>coronata</i>	1883, 344
	1883, 181	<i>forbesii</i>	1883, 344
	1888, 504	<i>Xylolepes validus</i>	1881, 792
	1890, 69		1885, 405
	1890, 70	<i>Xylomeges bella</i>	1889, 510
	1890, 71	<i>Xylophaga dorsalis</i>	1881, 947
<i>Xenorhynchus senega-</i>			1882, 687
<i>lensis</i>	1883, 640	<i>Xylophanes gortys</i>	1888, 584
	1884, 551	<i>Xylophasia alopecurus</i> .	1889, 488
	1886, 323	<i>cauquenensis</i>	1889, 487
	1886, 324	<i>combusta</i>	1889, 488
<i>Xeromys myoides</i>	1889, 248	<i>commixta</i>	1889, 488
	1889, 250	<i>denterna</i>	1884, 322
<i>Xeropigo tridentiger</i> ..	1882, 424	<i>flavostigma</i>	1889, 488
	1882, 440	<i>funerea</i>	1889, 487
	1882, 441	<i>incognita</i>	1889, 487
<i>Xerus erythropus</i> ,.....	1888, 10	<i>indica</i>	1881, 342
	1888, 16		1883, 158
<i>Xiphocera</i> , sp.	1881, 85		1888, 302
<i>Xiphocolaptes albicollis</i> .	1882, 613	<i>lignicolora</i>	1884, 495
<i>compressirostris</i> ..	1882, 28	<i>lithoxylea</i>	1889, 487
	1885, 98	<i>opposita</i>	1884, 495
	1885, 113	<i>rurea</i>	1884, 495
	1885, 114		1889, 488
<i>crassirostris</i>	1885, 113	<i>scitula</i>	1889, 488
	1885, 114	<i>scolopacina</i>	1889, 487
	1885, 120	<i>sodalis</i>	1889, 487
<i>major</i>	1882, 613		1889, 488
<i>promeropirhynchus</i> .	1882, 28	<i>tychoona</i>	1889, 488
	1885, 98		1889, 571
	1885, 99	<i>Xystrocera nigrita</i>	1890, 485
	1885, 113		
	1885, 114	<i>Ypsipetes undulata</i>	1888, 326
	1885, 118	<i>Ypsolophus robustus</i> ..	1883, 174
<i>Xiphorhynchus procurv-</i>		<i>Ypthima</i> , sp.	1882, 406
<i>oides</i>	1883, 563	<i>albida</i>	1888, 59
<i>thoracicus</i>	1883, 563	<i>alemola</i>	1885, 127
	1885, 99		1886, 423
	1885, 122	<i>alkibie</i>	1886, 422
<i>trochilirostris</i>	1883, 563	<i>amphitheia</i>	1881, 904
<i>Xiphus margaritifera</i>	1881, 65	<i>argus</i>	1881, 848
<i>Xylina arctipennis</i>	1888, 653		1881, 904
<i>exoleta</i>	1889, 539		1887, 425
<i>furcifera</i>	1889, 537	<i>ariaspa</i>	1886, 423
<i>ingrica</i>	1889, 537	<i>asterope</i>	1884, 481
<i>mirabilis</i>	1888, 651		1885, 127
<i>ornithopus</i>	1889, 537		1885, 757
<i>perspicillaris</i>	1889, 494		1885, 758
<i>pinastri</i>	1889, 488	<i>avanta</i>	1882, 237
<i>pruinosa</i>	1889, 537		1886, 359

	Page		Page
<i>Ypthima baldus</i>	1881, 868	<i>Zamenis caspius</i>	1881, 680
	1881, 904	<i>cliffordi</i>	1881, 679
	1882, 237	<i>diadema</i>	1881, 679
	1885, 127	<i>elegantissimus</i>	1881, 461
	1887, 403	<i>ravergieri</i>	1881, 680
	1887, 425	<i>socotræ</i>	1881, 463
<i>bolanica</i>	1882, 759	<i>ventrimaculatus</i> ..	1881, 680
<i>ceylonica</i>	1889, 396	<i>Zammara luculenta</i>	1883, 187
<i>complexiva</i>	1886, 423		1883, 194
	1886, 465	<i>Zanclognatha assimilis</i> .	1889, 562
<i>dædalea</i>	1886, 423	<i>rumosa</i>	1889, 562
<i>doleta</i>	1888, 59	<i>grisealis</i>	1889, 561
<i>evanescens</i>	1881, 904	<i>linealis</i>	1889, 562
<i>huebneri</i>	1885, 127	<i>stramentacealis</i> ..	1889, 562
	1889, 396	<i>tarsicrinialis</i>	1889, 562
<i>indecora</i>	1882, 238	<i>tarsipennalis</i>	1889, 562
	1882, 263	<i>trilinealis</i>	1889, 561
<i>inica</i>	1882, 238	<i>Zanclopteryx infelix</i> ...	1885, 858
	1883, 145		1885, 886
	1886, 422	<i>Zanclostomus æreus</i> ...	1881, 595
	1886, 423	<i>australis</i>	1881, 595
<i>itonia</i>	1884, 220	<i>javanicus</i>	1881, 793
	1888, 59	<i>Zangis guineensis</i>	1890, 476
<i>jocularia</i>	1889, 396	<i>Zaocys carinatus</i>	1890, 33
<i>lisandra</i>	1881, 904		1890, 35
<i>mahratta</i>	1885, 127	<i>Zatrephes buckleyi</i>	1883, 383
	1886, 423		1883, 384
<i>megalomma</i>	1881, 868	<i>chaon</i>	1883, 383
	1881, 904		1883, 384
<i>methora</i>	1881, 904	<i>grandis</i>	1883, 383
	1882, 406		1883, 384
<i>motschulskyi</i>	1881, 868	<i>trailii</i>	1883, 383
	1881, 904	<i>Zebronia abdicalis</i>	1885, 870
	1887, 403	<i>amyntusalis</i>	1885, 870
	1887, 425	<i>aurolinealis</i>	1881, 622
<i>nareda</i>	1881, 904		1884, 524
	1882, 238		1885, 870
	1883, 145		1886, 458
	1886, 359	<i>bilineolalis</i>	1888, 335
<i>newboldi</i>	1886, 359	<i>graphicalis</i>	1886, 459
<i>nikæa</i>	1882, 237	<i>jaguaralis</i>	1888, 578
	1886, 359	<i>obrinusalis</i>	1886, 459
<i>norma</i>	1883, 145	<i>perspicualis</i>	1883, 167
<i>ordinata</i>	1886, 358		1885, 870
	1886, 359		1886, 458
<i>philomela</i>	1885, 127	<i>plutusalis</i>	1886, 459
<i>pupillaris</i>	1888, 59	<i>salomealis</i>	1885, 870
	1888, 60	<i>semizebralis</i>	1884, 325
<i>rara</i>	1883, 145	<i>Zemerops flegyas</i>	1881, 866
	1883, 175		1881, 891
	1886, 423	<i>Zenaida amabilis</i>	1883, 458
<i>sakra</i>	1882, 406	<i>maculata</i>	1881, 9
	1886, 359		1882, 626
<i>simplicia</i>	1888, 59		1883, 575
<i>stellera</i>	1881, 904		1884, 311
<i>zodia</i>	1881, 868	<i>martinicana</i>	1889, 326
	1881, 904	<i>Zenaidura yucatanensis</i> .	1883, 458
<i>Yungipicus, see</i> <i>Iyngipicus</i> .		<i>Zeocephus cyanescens</i> ..	1889, 225

	Page		Page
<i>Zeocephus rufus</i>	1881,	<i>Zizera ossa</i>	1885,
<i>Zeonia amazona</i>	1890,	<i>putli</i>	1886,
<i>Zephyrus ataxus</i>	1887,	<i>pygmæa</i>	1882,
<i>katura</i>	1887,		1883,
<i>pavo</i>	1887,		1884,
	1887,		1884,
	1887,		1885,
	1887,		1886,
<i>Zerene fasciaria</i>	1885,	<i>sangra</i>	1886,
<i>Zeritis harpax</i>	1888,		1886,
<i>Zerzoumia blanci</i>	1881,	<i>trochilus</i>	1884,
<i>Zethes agamemnon</i>	1885,	<i>Zodalia ortonii</i>	1885,
<i>musculus</i>	1889,	<i>Zonites cellaria</i>	1884,
<i>umbrata</i>	1884,	<i>concolor</i>	1883,
<i>Zetides axion</i>	1882,	<i>plicostriatus</i>	1887,
<i>telephus</i>	1882,	<i>schmeltziana</i>	1887,
<i>Zetorchestes microny-</i>		<i>vitiensis</i>	1887,
<i>chus</i>	1890,	(<i>Conulus</i>) <i>calculosus</i>	1887,
<i>Zeuzera auroguttata</i>	1887,	(—) <i>samoensis</i>	1887,
<i>indica</i>	1881,	<i>Zonocenas radiata</i>	1885,
<i>multistrigata</i>	1881,	<i>Zonogastris erythroptera</i>	1888,
<i>paucipunctata</i>	1881,	<i>Zonopterus magnificus</i>	1889,
<i>pyrina</i>	1888,	<i>Zonora concatenalis</i>	1889,
<i>stephania</i>	1887,	<i>opiparalis</i>	1889,
	1887,		1889,
<i>Ziphius cavirostris</i>	1882,	<i>Zonotrichia canicapilla</i>	1881,
(<i>Epiodon</i>) <i>novæ-</i>		<i>gambeli</i>	1883,
<i>zealandiæ</i>	1883,	<i>leucophrys</i> , var.	
	1883,	<i>gambeli</i>	1883,
<i>Zizera chandala</i>	1882,	<i>pileata</i>	1882,
	1886,		1882,
	1886,		1882,
<i>decreta</i>	1883,		1882,
	1886,		1883,
	1886,		1883,
	1886,		1883,
<i>diluta</i>	1885,		1884,
	1886,		1884,
<i>gaika</i>	1884,		1884,
<i>indica</i>	1882,	<i>strigiceps</i>	1883,
	1883,	<i>Zootoca danfordi</i>	1881,
	1883,	<i>derbiana</i>	1881,
	1885,	<i>deserti</i>	1881,
<i>karsandra</i>	1881,		1881,
	1884,		1881,
	1884,	<i>galloti</i>	1881,
	1885,	<i>oxycephala</i>	1881,
	1886,	<i>taurica</i>	1881,
	1886,		1881,
<i>knysna</i>	1884,	<i>tristrami</i>	1881,
	1888,		1881,
<i>maha</i>	1882,	<i>vivipara</i>	1887,
	1885,		1887,
	1886,		1887,
	1886,		1887,
	1886,		1887,
<i>mora</i>	1884,		1887,
	1884,	<i>Zophobas morio</i>	1887,
<i>ossa</i>	1885,	<i>Zophoessa atkinsonia</i>	1882,
	182		406

	Page		Page
<i>Zophoessa jalaurida</i>	1887, 445	<i>Zosterops intermedia</i> ..	1885, 555
<i>mölli</i>	1887, 445	<i>lateralis</i>	1883, 69
<i>Zophosis æqualis</i>	1881, 470	<i>melanocephala</i>	1887, 125
<i>elongata</i>	1881, 473	<i>mysoriensis</i>	1888, 519
<i>orientalis</i>	1881, 473	1888, 520
<i>Zosterops albigularis</i> ..	1888, 520	<i>natalis</i>	1888, 518
<i>albiventris</i>	1883, 199	<i>novæ-guineæ</i>	1885, 643
<i>atriceps</i>	1888, 520	<i>palpebrosa</i>	1888, 519
<i>auriventer</i>	1887, 441	<i>perspicillata</i>	1889, 356
<i>brunneicauda</i>	1885, 502	1889, 366
.	1885, 508	<i>sumbavensis</i>	1885, 508
<i>everetti</i>	1885, 250	<i>Zozymus pubescens</i>	1884, 10
.	1885, 264	<i>Zygæna caschmirensis</i> ..	1886, 385
<i>fuscifrons</i>	1888, 519	1888, 294
.	1888, 520	<i>christophi</i>	1888, 597
<i>griseiventris</i>	1883, 195	<i>filipendula</i>	1881, 821
.	1883, 199	1881, 824
.	1883, 200	1885, 66
.	1884, 432	<i>malleus</i>	1886, 334
<i>habessinica</i>	1881, 954	1889, 243
<i>habyssinica</i>	1881, 168	<i>niphona</i>	1888, 597
<i>hypoleuca</i>	1888, 519	<i>passalis</i>	1885, 290
.	1888, 520	<i>thelebus</i>	1888, 593



26 APR 1892

PROCEEDINGS

OF THE

SCIENTIFIC MEETINGS

OF THE

ZOOLOGICAL SOCIETY
OF LONDON.

INDEX.

1881—1890.

PRINTED FOR THE SOCIETY,
SOLD AT THEIR HOUSE IN HANOVER-SQUARE.

LONDON:
MESSRS. LONGMANS, GREEN, AND CO.,
PATERNOSTER ROW.

1892.


[*Price Six Shillings.*]

19

Bur


match











1933/34 $\frac{3}{19}$

7/-

